

Bilaga 10 Listor med inkluderade primärstudier

Tabell 1 Primärstudier för tillstånd som omfattas av Tandvårdsstöd STB.

STB Rad	Artiklar	Tillstånd/ sjukdom
STB 4	<ol style="list-style-type: none">Agado BE, Crawford B, DeLaRosa J, Bowen DM, Peterson T, Neill K, et al. Effects of periodontal instrumentation on quality of life and illness in patients with chronic obstructive pulmonary disease: a pilot study. <i>J Dent Hyg</i> 2012;86:204-14.Azarpazhooh A, Leake JL. Systematic review of the association between respiratory diseases and oral health. <i>J Periodontol</i> 2006;77:1465-82.Barros SP, Suruki R, Loewy ZG, Beck JD, Offenbacher S. A cohort study of the impact of tooth loss and periodontal disease on respiratory events among COPD subjects: modulatory role of systemic biomarkers of inflammation. <i>PLoS One</i> 2013;8:e68592.Bergstrom J, Cederlund K, Dahlen B, Lantz AS, Skedinger M, Palmberg L, et al. Dental health in smokers with and without COPD. <i>PLoS One</i> 2013;8:e59492.Bhavsar NV, Dave BD, Brahmbhatt NA, Parekh R. Periodontal status and oral health behavior in hospitalized patients with chronic obstructive pulmonary disease. <i>J Nat Sci Biol Med</i> 2015;6:S93-7.Bowen DM. Periodontal disease and chronic obstructive pulmonary disease. <i>J Dent Hyg</i> 2011;85:162-5.Chrysanthakopoulos NA, Chrysanthakopoulos PA. Association between indices of clinically-defined periodontitis and self-reported history of systemic medical conditions. <i>J Investig Clin Dent</i> 2016;7:27-36.Chung JH, Hwang HJ, Kim SH, Kim TH. Associations Between Periodontitis and Chronic Obstructive Pulmonary Disease: The 2010 to 2012 Korean National Health and Nutrition Examination Survey. <i>J Periodontol</i> 2016;87:864-71.Cunningham TJ, Eke PI, Ford ES, Agaku IT, Wheaton AG, Croft JB. Cigarette Smoking, Tooth Loss, and Chronic Obstructive Pulmonary Disease: Findings From the Behavioral Risk Factor Surveillance System. <i>J Periodontol</i> 2016;87:385-94.Dekhuijzen PN, Batsiou M, Bjermer L, Bosnic-Anticevich S, Chrystyn H, Papi A, et al. Incidence of oral thrush in patients with COPD prescribed inhaled corticosteroids: Effect of drug, dose, and device. <i>Respir Med</i> 2016;120:54-63.Deo V, Bhongade ML, Ansari S, Chavan RS. Periodontitis as a potential risk factor for chronic obstructive pulmonary disease: a retrospective study. <i>Indian J Dent Res</i> 2009;20:466-70.Fogarty C, Regennitter F, Viozzi CF. Invasive fungal infection of the maxilla following dental extractions in a patient with chronic obstructive pulmonary disease. <i>J Can Dent Assoc</i> 2006;72:149-52.Garcia RI, Nunn ME, Vokonas PS. Epidemiologic associations between periodontal disease and chronic obstructive pulmonary disease. <i>Ann Periodontol</i> 2001;6:71-7.	KOL (Kronisk obstruktiv lungsjukdom)

STB Rad	Artiklar	Tillstånd/ sjukdom
	<p>14. Gomez Real F, Perez Barrionuevo L, Franklin K, Lindberg E, Bertelsen RJ, Benediktsdottir B, et al. The Association of Gum Bleeding with Respiratory Health in a Population Based Study from Northern Europe. <i>PLoS One</i> 2016;11:e0147518.</p> <p>15. Hira D, Koshiyama S, Komase Y, Hoshino N, Morita SY, Terada T. Dry mouth as a novel indicator of hoarseness caused by inhalation therapy. <i>J Asthma</i> 2015;52:296-300.</p> <p>16. Hyman JJ, Reid BC. Cigarette smoking, periodontal disease: and chronic obstructive pulmonary disease. <i>J Periodontol</i> 2004;75:9-15.</p> <p>17. Katancik JA, Kritchevsky S, Weyant RJ, Corby P, Bretz W, Crapo RO, et al. Periodontitis and airway obstruction. <i>J Periodontol</i> 2005;76:2161-7.</p> <p>18. Keller JJ, Wu CS, Chen YH, Lin HC. Association between obstructive sleep apnoea and chronic periodontitis: a population-based study. <i>J Clin Periodontol</i> 2013;40:111-7.</p> <p>19. Kim SW, Han K, Kim SY, Park CK, Rhee CK, Yoon HK. The relationship between the number of natural teeth and airflow obstruction: a cross-sectional study using data from the Korean National Health and Nutrition Examination Survey. <i>Int J Chron Obstruct Pulmon Dis</i> 2016;11:13-21.</p> <p>20. Komerik N, Akkaya A, Yildiz M, Buyukkaplan US, Kuru L. Oral health in patients on inhaled corticosteroid treatment. <i>Oral Dis</i> 2005;11:303-8.</p> <p>21. Kucukcoskun M, Baser U, Oztekin G, Kiyan E, Yalcin F. Initial periodontal treatment for prevention of chronic obstructive pulmonary disease exacerbations. <i>J Periodontol</i> 2013;84:863-70.</p> <p>22. Kutty K. Sleep and chronic obstructive pulmonary disease. <i>Curr Opin Pulm Med</i> 2004;10:104-12.</p> <p>23. Ledic K, Marinkovic S, Puhar I, Spalj S, Popovic-Grle S, Ivic-Kardum M, et al. Periodontal disease increases risk for chronic obstructive pulmonary disease. <i>Coll Antropol</i> 2013;37:937-42.</p> <p>24. Leuckfeld I, Obregon-Whittle MV, Lund MB, Geiran O, Bjortuft O, Olsen I. Severe chronic obstructive pulmonary disease: association with marginal bone loss in periodontitis. <i>Respir Med</i> 2008;102:488-94.</p> <p>25. Liu Z, Zhang W, Zhang J, Zhou X, Zhang L, Song Y, et al. Oral hygiene, periodontal health and chronic obstructive pulmonary disease exacerbations. <i>J Clin Periodontol</i> 2012;39:45-52.</p> <p>26. Mojon P. Oral health and respiratory infection. <i>J Can Dent Assoc</i> 2002;68:340-5.</p> <p>27. Muthu J, Muthanandam S, Mahendra J. Mouth the mirror of lungs: where does the connection lie? <i>Front Med</i> 2016;10:405-409.</p> <p>28. Offenbacher S, Beck JD, Barros SP, Suruki RY, Loewy ZG. Obstructive airway disease and edentulism in the atherosclerosis risk in communities (ARIC) study. <i>BMJ Open</i> 2012;2.</p> <p>29. Oztekin G, Baser U, Kucukcoskun M, Tanrikulu-Kucuk S, Ademoglu E, Isik G, et al. The association between periodontal disease and chronic obstructive pulmonary disease: a case control study. <i>Copd</i> 2014;11:424-30.</p> <p>30. Page RC. Periodontitis and respiratory diseases: discussion, conclusions, and recommendations. <i>Ann Periodontol</i> 2001;6:87-90.</p> <p>31. Pajukoski H, Meurman JH, Halonen P, Sulkava R. Prevalence of subjective dry mouth and burning mouth in hospitalized elderly patients and outpatients in relation to saliva, medication, and systemic diseases. <i>Oral Surg Oral Med Oral Pathol Oral Radiol Endod</i> 2001;92:641-9.</p> <p>32. Peter KP, Mute BR, Doiphode SS, Bardapurkar SJ, Borkar MS, Raje DV. Association between periodontal disease and chronic obstructive pulmonary disease: a reality or just a dogma? <i>J Periodontol</i> 2013;84:1717-23.</p>	

STB Rad	Artiklar	Tillstånd/ sjukdom
	<p>33. Prasanna SJ. Causal relationship between periodontitis and chronic obstructive pulmonary disease. <i>J Indian Soc Periodontol</i> 2011;15:359-65.</p> <p>34. Przybylowska D, Mierzwinska-Nastalska E, Rubinsztajn R, Chazan R, Rolski D, Swoboda-Kopec E. Influence of denture plaque biofilm on oral mucosal membrane in patients with chronic obstructive pulmonary disease. <i>Adv Exp Med Biol</i> 2015;839:25-30.</p> <p>35. Przybylowska D, Mierzwinska-Nastalska E, Swoboda-Kopec E, Rubinsztajn R, Chazan R. Potential respiratory pathogens colonisation of the denture plaque of patients with chronic obstructive pulmonary disease. <i>Gerodontology</i> 2016;33:322-7.</p> <p>36. Przybylowska D, Rubinsztajn R, Chazan R, Swoboda-Kopec E, Kostrzewska-Janicka J, Mierzwinska-Nastalska E. The Prevalence of Oral Inflammation Among Denture Wearing Patients with Chronic Obstructive Pulmonary Disease. <i>Adv Exp Med Biol</i> 2015;858:87-91.</p> <p>37. Saltnes SS, Storhaug K, Borge CR, Enmarker I, Willumsen T. Oral health-related quality-of-life and mental health in individuals with chronic obstructive pulmonary disease (COPD). <i>Acta Odontol Scand</i> 2015;73:14-20.</p> <p>38. Santos SR, Pinto EH, Longo PL, Dal Corso S, Lanza FC, Stelmach R, et al. Effects of periodontal treatment on exacerbation frequency and lung function in patients with chronic periodontitis: study protocol of a 1-year randomized controlled trial. <i>BMC Pulm Med</i> 2017;17:23.</p> <p>39. Scannapieco FA. Individuals with chronic obstructive pulmonary disease (COPD) may be more likely to have more severe periodontal disease than individuals without COPD. <i>J Evid Based Dent Pract</i> 2014;14:79-81.</p> <p>40. Scannapieco FA, Bush RB, Paju S. Associations between periodontal disease and risk for nosocomial bacterial pneumonia and chronic obstructive pulmonary disease. A systematic review. <i>Ann Periodontol</i> 2003;8:54-69.</p> <p>41. Scannapieco FA, Cantos A. Oral inflammation and infection, and chronic medical diseases: implications for the elderly. <i>Periodontol 2000</i> 2016;72:153-75.</p> <p>42. Scannapieco FA, Ho AW. Potential associations between chronic respiratory disease and periodontal disease: analysis of National Health and Nutrition Examination Survey III. <i>J Periodontol</i> 2001;72:50-6.</p> <p>43. Scannapieco FA, Rethman MP. The relationship between periodontal diseases and respiratory diseases. <i>Dent Today</i> 2003;22:79-83.</p> <p>44. Shen TC, Chang PY, Lin CL, Chen CH, Tu CY, Hsia TC, et al. Risk of Periodontal Diseases in Patients With Chronic Obstructive Pulmonary Disease: A Nationwide Population-based Cohort Study. <i>Medicine (Baltimore)</i> 2015;94:e2047.</p> <p>45. Shen TC, Chang PY, Lin CL, Chen CH, Tu CY, Hsia TC, et al. Periodontal Treatment Reduces Risk of Adverse Respiratory Events in Patients With Chronic Obstructive Pulmonary Disease: A Propensity-Matched Cohort Study. <i>Medicine (Baltimore)</i> 2016;95:e3735.</p> <p>46. Si Y, Fan H, Song Y, Zhou X, Zhang J, Wang Z. Association between periodontitis and chronic obstructive pulmonary disease in a Chinese population. <i>J Periodontol</i> 2012;83:1288-96.</p> <p>47. Takahashi T, Muro S, Tanabe N, Terada K, Kiyokawa H, Sato S, et al. Relationship between periodontitis-related antibody and frequent exacerbations in chronic obstructive pulmonary disease. <i>PLoS One</i> 2012;7:e40570.</p> <p>48. Tan L, Wang H, Li C, Pan Y. 16S rDNA-based metagenomic analysis of dental plaque and lung bacteria in patients with severe acute exacerbations of chronic obstructive pulmonary disease. <i>J Periodontal Res</i> 2014;49:760-9.</p> <p>49. Teng YT, Taylor GW, Scannapieco F, Kinane DF, Curtis M, Beck JD, et al. Periodontal health and systemic disorders. <i>J Can Dent Assoc</i> 2002;68:188-92.</p>	

STB Rad	Artiklar	Tillstånd/ sjukdom
	<p>50. Terashima T, Chubachi S, Matsuzaki T, Nakajima T, Satoh M, Iwami E, et al. The association between dental health and nutritional status in chronic obstructive pulmonary disease. <i>Chron Respir Dis</i> 2016 [Epub ahead of print].</p> <p>51. Travis J, Pike R, Immura T, Potempa J. The role of proteolytic enzymes in the development of pulmonary emphysema and periodontal disease. <i>Am J Respir Crit Care Med</i> 1994;150:S143-6.</p> <p>52. Usher AK, Stockley RA. The link between chronic periodontitis and COPD: a common role for the neutrophil? <i>BMC Med</i> 2013;11:241.</p> <p>53. Vadhiraj S, Nayak R, Choudhary GK, Kudiyar N, Spoorthi BR. Periodontal pathogens and respiratory diseases- evaluating their potential association: a clinical and microbiological study. <i>J Contemp Dent Pract</i> 2013;14:610-5.</p> <p>54. Wang Z, Zhou X, Zhang J, Zhang L, Song Y, Hu FB, et al. Periodontal health, oral health behaviours, and chronic obstructive pulmonary disease. <i>J Clin Periodontol</i> 2009;36:750-5.</p> <p>55. Yildirim E, Kormi I, Basoglu OK, Gurgun A, Kaval B, Sorsa T, et al. Periodontal health and serum, saliva matrix metalloproteinases in patients with mild chronic obstructive pulmonary disease. <i>J Periodontal Res</i> 2013;48:269-75.</p> <p>56. Zeng XT, Tu ML, Liu DY, Zheng D, Zhang J, Leng W. Periodontal disease and risk of chronic obstructive pulmonary disease: a meta-analysis of observational studies. <i>PLoS One</i> 2012;7:e46508.</p> <p>57. Zhou X, Han J, Liu Z, Song Y, Wang Z, Sun Z. Effects of periodontal treatment on lung function and exacerbation frequency in patients with chronic obstructive pulmonary disease and chronic periodontitis: a 2-year pilot randomized controlled trial. <i>J Clin Periodontol</i> 2014;41:564-72.</p> <p>58. Zhou X, Han J, Song Y, Zhang J, Wang Z. Serum levels of 25-hydroxyvitamin D, oral health and chronic obstructive pulmonary disease. <i>J Clin Periodontol</i> 2012;39:350-6.</p> <p>59. Zhou X, Wang Z, Song Y, Zhang J, Wang C. Periodontal health and quality of life in patients with chronic obstructive pulmonary disease. <i>Respir Med</i> 2011;105:67-73.</p>	
STB 6	<p>1. Asquith P, Thompson RA, Cooke WT. Oral manifestations of Crohn's disease. <i>Gut</i> 1975;16:249-54.</p> <p>2. Basu MK, Asquith P. Oral manifestations of inflammatory bowel disease. <i>Clin Gastroenterol</i> 1980;9:307-21.</p> <p>3. Basu MK, Asquith P, Thompson RA, Cooke WT. Proceedings: Oral lesions in patients with Crohn's disease. <i>Gut</i> 1974;15:346.</p> <p>4. Beitman RG, Frost SS, Roth JL. Oral manifestations of gastrointestinal disease. <i>Dig Dis Sci</i> 1981;26:741-7.</p> <p>5. Brito F, de Barros FC, Zaltman C, Carvalho AT, Carneiro AJ, Fischer RG, et al. Prevalence of periodontitis and DMFT index in patients with Crohn's disease and ulcerative colitis. <i>J Clin Periodontol</i> 2008;35:555-60.</p> <p>6. Brito F, Zaltman C, Carvalho AT, Fischer RG, Persson R, Gustafsson A, et al. Subgingival microflora in inflammatory bowel disease patients with untreated periodontitis. <i>Eur J Gastroenterol Hepatol</i> 2013;25:239-45.</p> <p>7. Burch PR, Jackson D, Fairpo CG, Murray JJ. Gingival recession ("getting long in the tooth"). Colorectal cancer. Degenerative and malignant changes as errors of growth-control. <i>Mech Ageing Dev</i> 1973;2:251-73.</p> <p>8. Chan SW, Scully C, Prime SS, Eveson J. Pyostomatitis vegetans: oral manifestation of ulcerative colitis. <i>Oral Surg Oral Med Oral Pathol</i> 1991;72:689-92.</p> <p>9. DeRossi SS, Salazar G, Sarin J, Alawi F. Chronic lesions of the gingiva and mucosa. <i>J Am Dent Assoc</i> 2007;138:1589-92.</p>	Ulcerös colit

STB Rad	Artiklar	Tillstånd/ sjukdom
	<p>10. Elahi M, Telkabadi M, Samadi V, Vakili H. Association of oral manifestations with ulcerative colitis. <i>Gastroenterol Hepatol Bed Bench</i> 2012;5:155-60.</p> <p>11. Eyanson S, Hutton CE, Brandt KD. Erosive temporomandibular joint disease as a feature of the spondyloarthropathy of ulcerative colitis. <i>Oral Surg Oral Med Oral Pathol</i> 1982;53:136-40.</p> <p>12. Fluckiger R, Laifer G, Itin P, Meyer B, Lang C. Oral hairy leukoplakia in a patient with ulcerative colitis. <i>Gastroenterology</i> 1994;106:506-8.</p> <p>13. Habashneh RA, Khader YS, Alhumouz MK, Jadallah K, Ajlouni Y. The association between inflammatory bowel disease and periodontitis among Jordanians: a case-control study. <i>J Periodontal Res</i> 2012;47:293-8.</p> <p>14. Lankarani KB, Sivandzadeh GR, Hassanpour S. Oral manifestation in inflammatory bowel disease: a review. <i>World J Gastroenterol</i> 2013;19:8571-9.</p> <p>15. Laranjeira N, Fonseca J, Meira T, Freitas J, Valido S, Leitao J. Oral mucosa lesions and oral symptoms in inflammatory bowel disease patients. <i>Arq Gastroenterol</i> 2015;52:105-10.</p> <p>16. Lira-Junior R, Figueiredo CM. Periodontal and inflammatory bowel diseases: Is there evidence of complex pathogenic interactions? <i>World J Gastroenterol</i> 2016;22:7963-72.</p> <p>17. Loganes C, Valencic E, Pin A, Marini E, Martelossi S, Naviglio S, et al. Ex vivo response to mucosal bacteria and muramyl dipeptide in inflammatory bowel disease. <i>World J Gastroenterol</i> 2016;22:9734-9743.</p> <p>18. Mantegazza C, Angiero F, Zuccotti GV. Oral manifestations of gastrointestinal diseases in children. Part 3: Ulcerative colitis and gastro-oesophageal reflux disease. <i>Eur J Paediatr Dent</i> 2016;17:248-250.</p> <p>19. Menegat JS, Lira-Junior R, Siqueira MA, Brito F, Carvalho AT, Fischer RG, et al. Cytokine expression in gingival and intestinal tissues of patients with periodontitis and inflammatory bowel disease: An exploratory study. <i>Arch Oral Biol</i> 2016;66:141-6.</p> <p>20. Muhic-Urek M, Tomac-Stojmenovic M, Mijandrusic-Sincic B. Oral pathology in inflammatory bowel disease. <i>World J Gastroenterol</i> 2016;22:5655-67.</p> <p>21. Papageorgiou SN, Hagner M, Nogueira AV, Franke A, Jager A, Deschner J. Inflammatory bowel disease and oral health: systematic review and a meta-analysis. <i>J Clin Periodontol</i> 2017; [Epub ahead of print].</p> <p>22. Patel P, Brostoff J, Campbell H, Goel RM, Taylor K, Ray S, et al. Clinical evidence for allergy in orofacial granulomatosis and inflammatory bowel disease. <i>Clin Transl Allergy</i> 2013;3:26.</p> <p>23. Pereira MS, Munerato MC. Oral Manifestations of Inflammatory Bowel Diseases: Two Case Reports. <i>Clin Med Res</i> 2016;14:46-52.</p> <p>24. Sondergaard JO, Svendsen LB, Hegnhoj JO, Witt IN. Mandibular osteomas in ulcerative colitis. <i>Scand J Gastroenterol</i> 1986;21:1089-90.</p> <p>25. Tan CX, Brand HS, de Boer NK, Forouzanfar T. Gastrointestinal diseases and their oro-dental manifestations: Part 2: Ulcerative colitis. <i>Br Dent J</i> 2017;222:53-57.</p> <p>26. Tyldesley WR. Mouth lesions as markers of gastrointestinal disease. <i>Practitioner</i> 1983;227:587-90.</p> <p>27. Van Dyke TE, Dowell VR, Jr., Offenbacher S, Snyder W, Hersh T. Potential role of microorganisms isolated from periodontal lesions in the pathogenesis of inflammatory bowel disease. <i>Infect Immun</i> 1986;53:671-7.</p>	

STB Rad	Artiklar	Tillstånd/ sjukdom
	<p>28. Vasovic M, Gajovic N, Brajkovic D, Jovanovic M, Zdravkovaic N, Kanjevac T. The relationship between the immune system and oral manifestations of inflammatory bowel disease: a review. <i>Cent Eur J Immunol</i> 2016;41:302-310.</p> <p>29. Watanabe T. Parotitis and acute pancreatitis in a patient with ulcerative colitis. <i>Eur J Pediatr</i> 2008;167:945.</p> <p>30. Vavricka SR, Manser CN, Hediger S, Vogelin M, Scharl M, Biedermann L, et al. Periodontitis and gingivitis in inflammatory bowel disease: a case-control study. <i>Inflamm Bowel Dis</i> 2013;19:2768-77.</p> <p>31. Vinesh E, Masthan K, Kumar MS, Jeyapriya SM, Babu A, Thinakaran M. A Clinicopathologic Study of Oral Changes in Gastroesophageal Reflux Disease, Gastritis, and Ulcerative Colitis. <i>J Contemp Dent Pract</i> 2016;17:943-947.</p> <p>32. Xiao B, Zhang Z, Viennois E, Kang Y, Zhang M, Han MK, et al. Combination Therapy for Ulcerative Colitis: Orally Targeted Nanoparticles Prevent Mucosal Damage and Relieve Inflammation. <i>Theranostics</i> 2016;6:2250-2266.</p> <p>33. Yin W, Ludvigsson JF, Liu Z, Roosaar A, Axell T, Ye W. Inverse Association Between Poor Oral Health and Inflammatory Bowel Diseases. <i>Clin Gastroenterol Hepatol</i> 2016; [Epub ahead of print].</p>	
STB 11	<p>1. Akar H, Akar GC, Carrero JJ, Stenvinkel P, Lindholm B. Systemic consequences of poor oral health in chronic kidney disease patients. <i>Clin J Am Soc Nephrol</i> 2011;6:218-26.</p> <p>2. Al-Wahadni A, Al-Omari MA. Dental diseases in a Jordanian population on renal dialysis. <i>Quintessence Int</i> 2003;34:343-7.</p> <p>3. Andrade MR, Salazar SL, de Sa LF, Portela M, Ferreira-Pereira A, Soares RM, et al. Role of saliva in the caries experience and calculus formation of young patients undergoing hemodialysis. <i>Clin Oral Investig</i> 2015;19:1973-80.</p> <p>4. Anuradha BR, Katta S, Kode VS, Praveena C, Sathe N, Sandeep N, et al. Oral and salivary changes in patients with chronic kidney disease: A clinical and biochemical study. <i>J Indian Soc Periodontol</i> 2015;19:297-301.</p> <p>5. Artese HP, Sousa CO, Luiz RR, Sansone C, Torres MC. Effect of non-surgical periodontal treatment on chronic kidney disease patients. <i>Braz Oral Res</i> 2010;24:449-54.</p> <p>6. Bastos Jdo A, Vilela EM, Henrique MN, Daibert Pde C, Fernandes LF, Paula DA, et al. Assessment of knowledge toward periodontal disease among a sample of nephrologists and nurses who work with chronic kidney disease not yet on dialysis. <i>J Bras Nefrol</i> 2011;33:431-5.</p> <p>7. Bayraktar G, Kurtulus I, Duraduryan A, Cintan S, Kazancioglu R, Yildiz A, et al. Dental and periodontal findings in hemodialysis patients. <i>Oral Dis</i> 2007;13:393-7.</p> <p>8. Bayraktar G, Kurtulus I, Kazancioglu R, Bayramgurler I, Cintan S, Bural C, et al. Effect of educational level on oral health in peritoneal and hemodialysis patients. <i>Int J Dent</i> 2009;2009:159767.</p> <p>9. Bayraktar G, Kurtulus I, Kazancioglu R, Bayramgurler I, Cintan S, Bural C, et al. Evaluation of periodontal parameters in patients undergoing peritoneal dialysis or hemodialysis. <i>Oral Dis</i> 2008;14:185-9.</p> <p>10. Bhatsange A, Patil SR. Assessment of periodontal health status in patients undergoing renal dialysis: A descriptive, cross-sectional study. <i>J Indian Soc Periodontol</i> 2012;16:37-42.</p> <p>11. Bossola M, Di Stasio E, Giungi S, Vulpio C, Papa V, Rosa F, et al. Xerostomia is associated with old age and poor appetite in patients on chronic hemodialysis. <i>J Ren Nutr</i> 2013;23:432-7.</p> <p>12. Bossola M, Tazza L. Xerostomia in patients on chronic hemodialysis. <i>Nat Rev Nephrol</i> 2012;8:176-82.</p>	Personer som behöver dialys

STB Rad	Artiklar	Tillstånd/ sjukdom
	<p>13. Bots CP, Brand HS, Poorterman JH, van Amerongen BM, Valentijn-Benz M, Veerman EC, et al. Oral and salivary changes in patients with end stage renal disease (ESRD): a two year follow-up study. <i>Br Dent J</i> 2007;202:E3.</p> <p>14. Bots CP, Brand HS, Veerman EC, Korevaar JC, Valentijn-Benz M, Bezemer PD, et al. Chewing gum and a saliva substitute alleviate thirst and xerostomia in patients on haemodialysis. <i>Nephrol Dial Transplant</i> 2005;20:578-84.</p> <p>15. Bots CP, Brand HS, Veerman EC, Valentijn-Benz M, Van Amerongen BM, Nieuw Amerongen AV, et al. The management of xerostomia in patients on haemodialysis: comparison of artificial saliva and chewing gum. <i>Palliat Med</i> 2005;19:202-7.</p> <p>16. Bots CP, Brand HS, Veerman EC, Valentijn-Benz M, Van Amerongen BM, Valentijn RM, et al. Interdialytic weight gain in patients on hemodialysis is associated with dry mouth and thirst. <i>Kidney Int</i> 2004;66:1662-8.</p> <p>17. Bots CP, Poorterman JH, Brand HS, Kalsbeek H, van Amerongen BM, Veerman EC, et al. The oral health status of dentate patients with chronic renal failure undergoing dialysis therapy. <i>Oral Dis</i> 2006;12:176-80.</p> <p>18. Brito F, Almeida S, Figueiredo CM, Bregman R, Suassuna JH, Fischer RG. Extent and severity of chronic periodontitis in chronic kidney disease patients. <i>J Periodontal Res</i> 2012;47:426-30.</p> <p>19. Bruzda-Zwiech A, Szczepanska J, Zwiech R. Sodium gradient, xerostomia, thirst and inter-dialytic excessive weight gain: a possible relationship with hyposalivation in patients on maintenance hemodialysis. <i>Int Urol Nephrol</i> 2014;46:1411-7.</p> <p>20. Carl W. Chronic renal disease and hyperparathyroidism: dental manifestations and management. <i>Compendium</i> 1987;8:697-9, 702, 704.</p> <p>21. Castillo A, Mesa F, Liebana J, Garcia-Martinez O, Ruiz S, Garcia-Valdecasas J, et al. Periodontal and oral microbiological status of an adult population undergoing haemodialysis: a cross-sectional study. <i>Oral Dis</i> 2007;13:198-205.</p> <p>22. Cengiz MI, Bal S, Gokcay S, Cengiz K. Does periodontal disease reflect atherosclerosis in continuous ambulatory peritoneal dialysis patients? <i>J Periodontol</i> 2007;78:1926-34.</p> <p>23. Cengiz MI, Sumer P, Cengiz S, Yavuz U. The effect of the duration of the dialysis in hemodialysis patients on dental and periodontal findings. <i>Oral Dis</i> 2009;15:336-41.</p> <p>24. Chamani G, Zarei MR, Radvar M, Rashidfarrokhi F, Razazpour F. Oral health status of dialysis patients based on their renal dialysis history in Kerman, Iran. <i>Oral Health Prev Dent</i> 2009;7:269-75.</p> <p>25. Chen LP, Chiang CK, Chan CP, Hung KY, Huang CS. Does periodontitis reflect inflammation and malnutrition status in hemodialysis patients? <i>Am J Kidney Dis</i> 2006;47:815-22.</p> <p>26. Chen LP, Chiang CK, Peng YS, Hsu SP, Lin CY, Lai CF, et al. Relationship between periodontal disease and mortality in patients treated with maintenance hemodialysis. <i>Am J Kidney Dis</i> 2011;57:276-82.</p> <p>27. Chen LP, Hsu SP, Peng YS, Chiang CK, Hung KY. Periodontal disease is associated with metabolic syndrome in hemodialysis patients. <i>Nephrol Dial Transplant</i> 2011;26:4068-73.</p> <p>28. Chuang SF, Sung JM, Kuo SC, Huang JJ, Lee SY. Oral and dental manifestations in diabetic and nondiabetic uremic patients receiving hemodialysis. <i>Oral Surg Oral Med Oral Pathol Oral Radiol Endod</i> 2005;99:689-95.</p> <p>29. Clark DB. Dental findings in patients with chronic renal failure. An overview. <i>J Can Dent Assoc</i> 1987;53:781-5.</p> <p>30. Craig RG, Kotanko P. Periodontitis and the end-stage renal disease patient receiving hemodialysis maintenance therapy. <i>Compend Contin Educ Dent</i> 2009;30:544, 546-52.</p>	

STB Rad	Artiklar	Tillstånd/ sjukdom
	<p>31. Cunha FL, Tagliaferro EP, Pereira AC, Meneghim MC, Hebling E. Oral health of a Brazilian population on renal dialysis. <i>Spec Care Dentist</i> 2007;27:227-31.</p> <p>32. da Silva LC, de Andrade-Junior MP, Piva MR, Saquete Martins-Filho PR, Freitas Rde A. Clinical Oral Findings in Patients With End-stage Renal Disease Receiving Hemodialysis. <i>J Craniofac Surg</i> 2015;26:966-7.</p> <p>33. Dag A, Firat ET, Kadiroglu AK, Kale E, Yilmaz ME. Significance of elevated gingival crevicular fluid tumor necrosis factor-alpha and interleukin-8 levels in chronic hemodialysis patients with periodontal disease. <i>J Periodontal Res</i> 2010;45:445-50.</p> <p>34. de la Rosa-Garcia E, Miramontes-Zapata M, Sanchez-Vargas LO, Mondragon-Padilla A. Oral colonisation and infection by Candida sp. in diabetic and non-diabetic patients with chronic kidney disease on dialysis. <i>Nefrologia</i> 2013;33:764-70.</p> <p>35. De Rossi SS, Glick M. Dental considerations for the patient with renal disease receiving hemodialysis. <i>J Am Dent Assoc</i> 1996;127:211-9.</p> <p>36. de Souza CM, Braosi AP, Luczyszyn SM, Olandoski M, Kotanko P, Craig RG, et al. Association among oral health parameters, periodontitis, and its treatment and mortality in patients undergoing hemodialysis. <i>J Periodontol</i> 2014;85:e169-78.</p> <p>37. Dirschnabel AJ, Martins Ade S, Dantas SA, Ribas Mde O, Gregio AM, Alanis LR, et al. Clinical oral findings in dialysis and kidney-transplant patients. <i>Quintessence Int</i> 2011;42:127-33.</p> <p>38. Djemal S, Rumjon A, Macdougall IC, Singh P, Warnakulasuriya S. Dental Attendance and Self-reported Oral Health Status of Renal Dialysis Patients: A Comparison of Results with the UK Adult Dental Health Survey. <i>Oral Health Prev Dent</i> 2016;14:529-534.</p> <p>39. Dumitrescu AL, Garneata L, Guzun O. Anxiety, stress, depression, oral health status and behaviours in Romanian hemodialysis patients. <i>Rom J Intern Med</i> 2009;47:161-8.</p> <p>40. Duran I, Erdemir EO. Periodontal treatment needs of patients with renal disease receiving haemodialysis. <i>Int Dent J</i> 2004;54:274-8.</p> <p>41. Duruk N, Eser I. The Null Effect of Chewing Gum During Hemodialysis on Dry Mouth. <i>Clin Nurse Spec</i> 2016;30:E12-23.</p> <p>42. Eigner TL, Jastak JT, Bennett WM. Achieving oral health in patients with renal failure and renal transplants. <i>J Am Dent Assoc</i> 1986;113:612-6.</p> <p>43. Eltas A, Tozoglu U, Keles M, Canakci V. Assessment of oral health in peritoneal dialysis patients with and without diabetes mellitus. <i>Perit Dial Int</i> 2012;32:81-5.</p> <p>44. Epstein SR, Mandel I, Scopp IW. Salivary composition and calculus formation in patients undergoing hemodialysis. <i>J Periodontol</i> 1980;51:336-8.</p> <p>45. Ertugrul F, Elbek-Cubukcu C, Sabah E, Mir S. The oral health status of children undergoing hemodialysis treatment. <i>Turk J Pediatr</i> 2003;45:108-13.</p> <p>46. Fan WF, Zhang Q, Luo LH, Niu JY, Gu Y. Study on the clinical significance and related factors of thirst and xerostomia in maintenance hemodialysis patients. <i>Kidney Blood Press Res</i> 2013;37:464-74.</p> <p>47. Ferguson CA, Whyman RA. Dental management of people with renal disease and renal transplants. <i>N Z Dent J</i> 1998;94:125-30.</p> <p>48. Franek E, Blaschyk R, Kolonko A, Mazur-Psonka L, Langowska-Adamczyk H, Kokot F, et al. Chronic periodontitis in hemodialysis patients with chronic kidney disease is associated with elevated serum C-reactive protein concentration and greater intima-media thickness of the carotid artery. <i>J Nephrol</i> 2006;19:346-51.</p> <p>49. Ganibegovic M. Dental radiographic changes in chronic renal disease. <i>Med Arh</i> 2000;54:115-8.</p>	

STB Rad	Artiklar	Tillstånd/ sjukdom
	<p>50. Garneata L, Slusanschi O, Preoteasa E, Corbu-Stancu A, Mircescu G. Periodontal status, inflammation, and malnutrition in hemodialysis patients - is there a link? <i>J Ren Nutr</i> 2015;25:67-74.</p> <p>51. Gautam NR, Gautam NS, Rao TH, Koganti R, Agarwal R, Alamanda M. Effect of end-stage renal disease on oral health in patients undergoing renal dialysis: A cross-sectional study. <i>J Int Soc Prev Community Dent</i> 2014;4:164-9.</p> <p>52. Gavalda C, Bagan J, Scully C, Silvestre F, Milian M, Jimenez Y. Renal hemodialysis patients: oral, salivary, dental and periodontal findings in 105 adult cases. <i>Oral Dis</i> 1999;5:299-302.</p> <p>53. Grateau G, Page B, Petitclerc T, Drueke T. Reversible submandibular gland calcifications in a hemodialyzed woman with systemic lupus erythematosus. <i>Nephron</i> 1987;46:367-9.</p> <p>54. Gupta M, Gupta M, Abhishek. Oral conditions in renal disorders and treatment considerations - A review for pediatric dentist. <i>Saudi Dent J</i> 2015;27:113-9.</p> <p>55. Gurkan A, Kose T, Atilla G. Oral health status and oral hygiene habits of an adult Turkish population on dialysis. <i>Oral Health Prev Dent</i> 2008;6:37-43.</p> <p>56. Guzeldemir E, Toygar HU, Tasdelen B, Torun D. Oral health-related quality of life and periodontal health status in patients undergoing hemodialysis. <i>J Am Dent Assoc</i> 2009;140:1283-93.</p> <p>57. Hajian-Tilaki A, Oliae F, Jenabian N, Hajian-Tilaki K, Motallebnejad M. Oral health-related quality of life and periodontal and dental health status in Iranian hemodialysis patients. <i>J Contemp Dent Pract</i> 2014;15:482-90.</p> <p>58. Hamissi J, Porsamimi J, Naseh MR, Mosalaei S. Oral hygiene and periodontal status of hemodialyzed patients with chronic renal failure in Qazvin, Iran. <i>East Afr J Public Health</i> 2009;6:108-11.</p> <p>59. Honarmand M, Farhad-Mollahoshi L, Nakhaee A, Sargolzaie F. Oral manifestation and salivary changes in renal patients undergoing hemodialysis. <i>J Clin Exp Dent</i> 2017;9:e207-e210.</p> <p>60. Huang ST, Lin CL, Yu TM, Wu MJ, Kao CH. Intensive Periodontal Treatment Reduces Risk of Infection-Related Hospitalization in Hemodialysis Population: A Nationwide Population-Based Cohort Study. <i>Medicine (Baltimore)</i> 2015;94:e1436.</p> <p>61. Jagodzinska M, Zimmer-Nowicka J, Nowicki M. Three months of regular gum chewing neither alleviates xerostomia nor reduces overhydration in chronic hemodialysis patients. <i>J Ren Nutr</i> 2011;21:410-7.</p> <p>62. Jain S, Singla A, Basavaraj P, Singh S, Singh K, Kundu H. Underlying kidney disease and duration of hemodialysis: an assessment of its effect on oral health. <i>J Clin Diagn Res</i> 2014;8:Zc65-9.</p> <p>63. Jenabian N, Ghazi Mirsaeed AM, Ehsani H, Kiakojori A. Periodontal status of patient's underwent hemodialysis therapy. <i>Caspian J Intern Med</i> 2013;4:658-61.</p> <p>64. Jover Cervero A, Bagan JV, Jimenez Soriano Y, Poveda Roda R. Dental management in renal failure: patients on dialysis. <i>Med Oral Patol Oral Cir Bucal</i> 2008;13:E419-26.</p> <p>65. Kadiroglu AK, Kadiroglu ET, Sit D, Dag A, Yilmaz ME. Periodontitis is an important and occult source of inflammation in hemodialysis patients. <i>Blood Purif</i> 2006;24:400-4.</p> <p>66. Kanjanabuch P, Sinpitaksakul P, Chinachatchawarat S, Pacharapong S, Kanjanabuch T. Oral and radiographic findings in patients undergoing continuous ambulatory peritoneal dialysis. <i>J Med Assoc Thai</i> 2011;94:S106-12.</p>	

STB Rad	Artiklar	Tillstånd/ sjukdom
	<p>67. Kao CH, Hsieh JF, Tsai SC, Ho YJ, Chang HR. Decreased salivary function in patients with end-stage renal disease requiring hemodialysis. <i>Am J Kidney Dis</i> 2000;36:1110-4.</p> <p>68. Kaushik A, Reddy SS, Umesh L, Devi BK, Santana N, Rakesh N. Oral and salivary changes among renal patients undergoing hemodialysis: A cross-sectional study. <i>Indian J Nephrol</i> 2013;23:125-9.</p> <p>69. Kho HS, Lee SW, Chung SC, Kim YK. Oral manifestations and salivary flow rate, pH, and buffer capacity in patients with end-stage renal disease undergoing hemodialysis. <i>Oral Surg Oral Med Oral Pathol Oral Radiol Endod</i> 1999;88:316-9.</p> <p>70. Khozeymeh F, Mortazavi M, Khalighinejad N, Akhavankhaleghi M, Alikhani M. Salivary levels of interleukin-6 and tumor necrosis factor-alpha in patients undergoing hemodialysis. <i>Dent Res J (Isfahan)</i> 2016;13:69-73.</p> <p>71. Kitsou VK, Konstantinidis A, Siamopoulos KC. Chronic renal failure and periodontal disease. <i>Ren Fail</i> 2000;22:307-18.</p> <p>72. Klassen JT, Krasko BM. The dental health status of dialysis patients. <i>J Can Dent Assoc</i> 2002;68:34-8.</p> <p>73. Kocyigit I, Yucel HE, Cakmak O, Dogruel F, Durukan DB, Korkar H, et al. An ignored cause of inflammation in patients undergoing continuous ambulatory peritoneal dialysis: periodontal problems. <i>Int Urol Nephrol</i> 2014;46:2021-8.</p> <p>74. Kotanko P. Chronic inflammation in dialysis patients - periodontal disease, the new kid on the block. <i>Oral Dis</i> 2008;14:8-9.</p> <p>75. Kshirsagar AV, Craig RG, Beck JD, Moss K, Offenbacher S, Kotanko P, et al. Severe periodontitis is associated with low serum albumin among patients on maintenance hemodialysis therapy. <i>Clin J Am Soc Nephrol</i> 2007;2:239-44.</p> <p>76. Kshirsagar AV, Craig RG, Moss KL, Beck JD, Offenbacher S, Kotanko P, et al. Periodontal disease adversely affects the survival of patients with end-stage renal disease. <i>Kidney Int</i> 2009;75:746-51.</p> <p>77. Locsey L, Alberth M, Mauks G. Dental management of chronic haemodialysis patients. <i>Int Urol Nephrol</i> 1986;18:211-3.</p> <p>78. Magen E, Korzets Z. Sialadenitis ("iodide mumps") following peripheral angiography in a peritoneal dialysis patient. <i>Perit Dial Int</i> 2003;23:303-4.</p> <p>79. Malekmakan L, Haghpanah S, Pakfetrat M, Ebrahimic Z, Hasanlic E. Oral health status in Iranian hemodialysis patients. <i>Indian J Nephrol</i> 2011;21:235-8.</p> <p>80. Marakoglu I, Gursoy UK, Demirer S, Sezer H. Periodontal status of chronic renal failure patients receiving hemodialysis. <i>Yonsei Med J</i> 2003;44:648-52.</p> <p>81. Marques PL, Liborio AB, Saintrain MV. Hemodialysis-specific factors associated with salivary flow rates. <i>Artif Organs</i> 2015;39:181-6.</p> <p>82. Martins C, Siqueira WL, Oliveira E, Nicolau J, Primo LG. Dental calculus formation in children and adolescents undergoing hemodialysis. <i>Pediatr Nephrol</i> 2012;27:1961-6.</p> <p>83. Messier MD, Emde K, Stern L, Radhakrishnan J, Vernocchi L, Cheng B, et al. Radiographic periodontal bone loss in chronic kidney disease. <i>J Periodontol</i> 2012;83:602-11.</p> <p>84. Murali P, Narasimhan M, Periasamy S, Harikrishnan TC. A comparison of oral and dental manifestations in diabetic and non-diabetic uremic patients receiving hemodialysis. <i>J Oral Maxillofac Pathol</i> 2012;16:374-9.</p> <p>85. Nadeem M, Stephen L, Schubert C, Davids MR. Association between periodontitis and systemic inflammation in patients with end-stage renal disease. <i>Sadj</i> 2009;64:470-3.</p> <p>86. Nandan RK, Sivapathasundaram B, Sivakumar G. Oral manifestations and analysis of salivary and blood urea levels of patients under going haemo dialysis and kidney transplant. <i>Indian J Dent Res</i> 2005;16:77-82.</p>	

STB Rad	Artiklar	Tillstånd/ sjukdom
	<p>87. Naugle K, Darby ML, Bauman DB, Lineberger LT, Powers R. The oral health status of individuals on renal dialysis. <i>Ann Periodontol</i> 1998;3:197-205.</p> <p>88. Palmer SC, Ruospo M, Wong G, Craig JC, Petrucci M, De Benedittis M, et al. Patterns of oral disease in adults with chronic kidney disease treated with hemodialysis. <i>Nephrol Dial Transplant</i> 2016;31:1647-53.</p> <p>89. Parkar SM, Ajithkrishnan CG. Periodontal status in patients undergoing hemodialysis. <i>Indian J Nephrol</i> 2012;22:246-50.</p> <p>90. Pieralisi N, Godoy J, Yamada S, Santana R, Svidzinski T. Oral lesions and colonization by yeasts in hemodialysis patients. <i>J Oral Pathol Med</i> 2015;44:585-90.</p> <p>91. Proctor R, Kumar N, Stein A, Moles D, Porter S. Oral and dental aspects of chronic renal failure. <i>J Dent Res</i> 2005;84:199-208.</p> <p>92. Rahman MM, Caglayan F, Rahman B. Periodontal health parameters in patients with chronic renal failure and renal transplants receiving immunosuppressive therapy. <i>J Nihon Univ Sch Dent</i> 1992;34:265-72.</p> <p>93. Rahmati MA, Craig RG, Homel P, Kaysen GA, Levin NW. Serum markers of periodontal disease status and inflammation in hemodialysis patients. <i>Am J Kidney Dis</i> 2002;40:983-9.</p> <p>94. Rodrigues VP, Liberio SA, Lopes FF, Thomaz EB, Guerra RN, Gomes-Filho IS, et al. Periodontal status and serum biomarkers levels in haemodialysis patients. <i>J Clin Periodontol</i> 2014;41:862-8.</p> <p>95. Saif I, Adkins A, Kewley V, Woywodt A, Brookes V. Routine and emergency management guidelines for the dental patient with renal disease and kidney transplant. Part 1. <i>Dent Update</i> 2011;38:179-82, 185-6.</p> <p>96. Saini R, Sugandha, Saini S. The importance of oral health in kidney diseases. <i>Saudi J Kidney Dis Transpl</i> 2010;21:1151-2.</p> <p>97. Sampson E, Meister F, Jr. Dental complications in the end stage of renal disease. <i>Gen Dent</i> 1984;32:297-9.</p> <p>98. Scannapieco FA, Panesar M. Periodontitis and chronic kidney disease. <i>J Periodontol</i> 2008;79:1617-9.</p> <p>99. Schmalz G, Kauffels A, Kollmar O, Slotta JE, Vasko R, Muller GA, et al. Oral behavior, dental, periodontal and microbiological findings in patients undergoing hemodialysis and after kidney transplantation. <i>BMC Oral Health</i> 2016;16:72.</p> <p>100. Sedy J, Horka E, Foltan R, Spackova J, Duskova J. Mechanism of increased mortality in hemodialysed patients with periodontitis. <i>Med Hypotheses</i> 2010;74:374-6.</p> <p>101. Sekiguchi RT, Pannuti CM, Silva HT, Jr., Medina-Pestana JO, Romito GA. Decrease in oral health may be associated with length of time since beginning dialysis. <i>Spec Care Dentist</i> 2012;32:6-10.</p> <p>102. Shouda J, Nakamoto H, Sugahara S, Okada H, Suzuki H. Incidence of gingival hyperplasia caused by calcium antagonists in continuous ambulatory peritoneal dialysis patients. <i>Adv Perit Dial</i> 1999;15:153-5.</p> <p>103. Siribamrungwong M, Puangpanngam K. Treatment of periodontal diseases reduces chronic systemic inflammation in maintenance hemodialysis patients. <i>Ren Fail</i> 2012;34:171-5.</p> <p>104. Siribamrungwong M, Yothasamut K, Puangpanngam K. Periodontal treatment reduces chronic systemic inflammation in peritoneal dialysis patients. <i>Ther Apher Dial</i> 2014;18:305-8.</p> <p>105. Souza CM, Braosi AP, Luczyszyn SM, Casagrande RW, Pecoits-Filho R, Riella MC, et al. Oral health in Brazilian patients with chronic renal disease. <i>Rev Med Chil</i> 2008;136:741-6.</p> <p>106. Strippoli GF, Palmer SC, Ruospo M, Natale P, Saglimbene V, Craig JC, et al. Oral disease in adults treated with hemodialysis: prevalence, predictors, and association with mortality and adverse cardiovascular events: the rationale and design of the ORAL</p>	

STB Rad	Artiklar	Tillstånd/ sjukdom
	<p>Diseases in hemodialysis (ORAL-D) study, a prospective, multinational, longitudinal, observational, cohort study. BMC Nephrol 2013;14:90.</p> <p>107. Sung JM, Kuo SC, Guo HR, Chuang SF, Lee SY, Huang JJ. The role of oral dryness in interdialytic weight gain by diabetic and non-diabetic haemodialysis patients. Nephrol Dial Transplant 2006;21:2521-8.</p> <p>108. Takeuchi Y, Ishikawa H, Inada M, Shinozuka O, Umeda M, Yamazaki T, et al. Study of the oral microbial flora in patients with renal disease. Nephrology (Carlton) 2007;12:182-90.</p> <p>109. Tavakoli M, Izadi M, Yaghini J, Rastegari A, Abed AM. A survey on the effects of metabolic syndrome on the periodontal indices of hemodialysis patients. Dent Res J (Isfahan) 2016;13:333-7.</p> <p>110. Teratani G, Awano S, Soh I, Yoshida A, Kinoshita N, Hamasaki T, et al. Oral health in patients on haemodialysis for diabetic nephropathy and chronic glomerulonephritis. Clin Oral Investig 2013;17:483-9.</p> <p>111. Thorman R, Neovius M, Hylander B. Prevalence and early detection of oral fungal infection: a cross-sectional controlled study in a group of Swedish end-stage renal disease patients. Scand J Urol Nephrol 2009;43:325-30.</p> <p>112. Tiwari V, Saxena V, Bhambhal A, Tiwari U, Singh A, Goud S. The oral health status of patients with renal disease in central India: a preliminary study. J Ren Care 2013;39:208-13.</p> <p>113. Tollesen T, Johansen JR. The periodontal status of prospective and renal transplant patients. Comparison with systemically healthy subjects. J Periodontal Res 1985;20:220-6.</p> <p>114. Torres SA, Rosa OP, Hayacibara MF, Guimaraes Mdo C, Hayacibara RM, Bretz WA. Periodontal parameters and BANA test in patients with chronic renal failure undergoing hemodialysis. J Appl Oral Sci 2010;18:297-302.</p> <p>115. Wahid A, Chaudhry S, Ehsan A, Butt S, Ali Khan A. Bidirectional Relationship between Chronic Kidney Disease & Periodontal Disease. Pak J Med Sci 2013;29:211-5.</p> <p>116. Westbrook SD. Dental management of patients receiving hemodialysis and kidney transplants. J Am Dent Assoc 1978;96:464-8.</p> <p>117. Vesterinen M, Ruokonen H, Leivo T, Honkanen AM, Honkanen E, Kari K, et al. Oral health and dental treatment of patients with renal disease. Quintessence Int 2007;38:211-9.</p> <p>118. Yamalik N, Delilbasi L, Gulay H, Caglayan F, Haberal M, Caglayan G. The histological investigation of gingiva from patients with chronic renal failure, renal transplants, and periodontitis: a light and electron microscopic study. J Periodontol 1991;62:737-44.</p> <p>119. Yazdani M, Jahanshahi GR, Mahdavi KN, Asadian F. Study of the relationship between oral Candida colony counts and time on hemodialysis at Khorshid Hospital, Isfahan, Iran. Transplant Proc 2003;35:2580-1.</p> <p>120. Yazdi FK, Karimi N, Rasouli M, Roozbeh J. Effect of nonsurgical periodontal treatment on C-reactive protein levels in maintenance hemodialysis patients. Ren Fail 2013;35:711-7.</p> <p>121. Yoshioka M, Shirayama Y, Imoto I, Hinode D, Yanagisawa S, Takeuchi Y. Current status of collaborative relationships between dialysis facilities and dental facilities in Japan: results of a nationwide survey. BMC Nephrol 2015;16:17.</p> <p>122. Yoshioka M, Shirayama Y, Imoto I, Hinode D, Yanagisawa S, Takeuchi Y, et al. Factors associated with regular dental visits among hemodialysis patients. World J Nephrol 2016;5:455-60.</p> <p>123. Yu IC, Tsai YF, Fang JT, Yeh MM, Fang JY, Liu CY. Effects of mouthwash interventions on xerostomia and unstimulated whole saliva flow rate among hemodialysis patients: A randomized controlled study. Int J Nurs Stud 2016;63:9-17.</p>	

STB Rad	Artiklar	Tillstånd/ sjukdom
	124. Zhao D, Zhang S, Chen X, Liu W, Sun N, Guo Y, et al. Evaluation of periodontitis and bone loss in patients undergoing hemodialysis. <i>J Periodontol</i> 2014;85:1515-20.	

Tabell 2 Primärstudier för tillstånd som omfattas av Tandvårdsstöd F.

F Rad	Artikel	Tillstånd sjukdom
F2	<p>1. Ali GN, Wallace KL, Schwartz R, DeCarle DJ, Zagami AS, Cook IJ. Mechanisms of oral-pharyngeal dysphagia in patients with Parkinson's disease. <i>Gastroenterology</i> 1996;110:383-92.</p> <p>2. Al-Omari FA, Al Moaleem MM, Al-Qahtani SS, Al Garni AS, Sadatullah S, Luqman M. Oral rehabilitation of Parkinson's disease patient: a review and case report. <i>Case Rep Dent</i> 2014;2014:432475.</p> <p>3. Anastassiadou V, Katsarou Z, Naka O, Bostanzopoulou M. Evaluating dental status and prosthetic need in relation to medical findings in Greek patients suffering from idiopathic Parkinson's disease. <i>Eur J Prosthodont Restor Dent</i> 2002;10:63-8.</p> <p>4. Bakke M, Larsen SL, Lautrup C, Karlsborg M. Orofacial function and oral health in patients with Parkinson's disease. <i>Eur J Oral Sci</i> 2011;119:27-32.</p> <p>5. Beach TG, Adler CH, Serrano G, Sue LI, Walker DG, Dugger BN, et al. Prevalence of Submandibular Gland Synucleinopathy in Parkinson's Disease, Dementia with Lewy Bodies and other Lewy Body Disorders. <i>J Parkinsons Dis</i> 2016;6:153-63.</p> <p>6. Bhatia KP, Munchau A, Brown P. Botulinum toxin is a useful treatment in excessive drooling in saliva. <i>J Neurol Neurosurg Psychiatry</i> 1999;67:697.</p> <p>7. Cersosimo MG, Raina GB, Calandra CR, Pellene A, Gutierrez C, Micheli FE, et al. Dry mouth: an overlooked autonomic symptom of Parkinson's disease. <i>J Parkinsons Dis</i> 2011;1:169-73.</p> <p>8. Chinnapongse R, Gullo K, Nemeth P, Zhang Y, Griggs L. Safety and efficacy of botulinum toxin type B for treatment of sialorrhea in Parkinson's disease: a prospective double-blind trial. <i>Mov Disord</i> 2012;27:219-26.</p> <p>9. Chou KL, Evatt M, Hinson V, Kompoliti K. Sialorrhea in Parkinson's disease: a review. <i>Mov Disord</i> 2007;22:2306-13.</p> <p>10. Contarino MF, Pompili M, Tittoto P, Vanacore N, Sabatelli M, Cedrone A, et al. Botulinum toxin B ultrasound-guided injections for sialorrhea in amyotrophic lateral sclerosis and Parkinson's disease. <i>Parkinsonism Relat Disord</i> 2007;13:299-303.</p> <p>11. DeBowes SL, Tolle SL, Bruhn AM. Parkinson's disease: considerations for dental hygienists. <i>Int J Dent Hyg</i> 2013;11:15-21.</p> <p>12. Delil S, Bolukbasi F, Yeni N, Kiziltan G. Re-emergent Tongue Tremor as the Presenting Symptom of Parkinson's Disease. <i>Balkan Med J</i> 2015;32:127-8.</p> <p>13. Dogu O, Apaydin D, Sevim S, Talas DU, Aral M. Ultrasound-guided versus 'blind' intraparotid injections of botulinum toxin-A for the treatment of sialorrhoea in patients with Parkinson's disease. <i>Clin Neurol Neurosurg</i> 2004;106:93-6.</p> <p>14. Egevad G, Petkova VY, Vilholm OJ. Sialorrhea in patients with Parkinson's disease: safety and administration of botulinum neurotoxin. <i>J Parkinsons Dis</i> 2014;4:321-6.</p> <p>15. Einarsdottir ER, Gunnsteinsdottir H, Hallsdottir MH, Sveinsson S, Jonsdottir SR, Olafsson VG, et al. Dental health of patients with Parkinson's disease in Iceland. <i>Spec Care Dentist</i> 2009;29:123-7.</p>	Parkinsons sjukdom

F Rad	Artikel	Tillstånd sjukdom
	<p>16. Ella B, Ghorayeb I, Burbaud P, Guehl D. Bruxism in Movement Disorders: A Comprehensive Review. <i>J Prosthodont</i> 2016; [Epub ahead of print].</p> <p>17. Evatt ML, Chaudhuri KR, Chou KL, Cubo E, Hinson V, Kompoliti K, et al. Dysautonomia rating scales in Parkinson's disease: sialorrhea, dysphagia, and constipation--critique and recommendations by movement disorders task force on rating scales for Parkinson's disease. <i>Mov Disord</i> 2009;24:635-46.</p> <p>18. Farber NM, Perez-Lloret S, Gamzu ER. Design and development of a novel supportive care product for the treatment of sialorrhea in Parkinson's disease. <i>Curr Top Med Chem</i> 2015;15:939-54.</p> <p>19. Friedman A, Potulska A. Botulinum toxin for treatment of parkinsonian sialorrhea. <i>Neurol Neurochir Pol</i> 2001;35:23-7.</p> <p>20. Friedman A, Potulska A. Quantitative assessment of parkinsonian sialorrhea and results of treatment with botulinum toxin. <i>Parkinsonism Relat Disord</i> 2001;7:329-332.</p> <p>21. Fukayo S, Nonaka K, Shimizu T, Yano E. Oral health of patients with Parkinson's disease: factors related to their better dental status. <i>Tohoku J Exp Med</i> 2003;201:171-9.</p> <p>22. Gomez-Caravaca MT, Caceres-Redondo MT, Huertas-Fernandez I, Vargas-Gonzalez L, Carrillo F, Carballo M, et al. The use of botulinum toxin in the treatment of sialorrhea in parkinsonian disorders. <i>Neurol Sci</i> 2015;36:275-9.</p> <p>23. Grover S, Rhodus NL. Dental management of Parkinson's disease. <i>Northwest Dent</i> 2011;90:13-9.</p> <p>24. Guidubaldi A, Fasano A, Ialongo T, Piano C, Pompili M, Masciana R, et al. Botulinum toxin A versus B in sialorrhea: a prospective, randomized, double-blind, crossover pilot study in patients with amyotrophic lateral sclerosis or Parkinson's disease. <i>Mov Disord</i> 2011;26:313-9.</p> <p>25. Hanaoka A, Kashihara K. Increased frequencies of caries, periodontal disease and tooth loss in patients with Parkinson's disease. <i>J Clin Neurosci</i> 2009;16:1279-82.</p> <p>26. Haralur SB. Clinical strategies for complete denture rehabilitation in a patient with Parkinson disease and reduced neuromuscular control. <i>Case Rep Dent</i> 2015;2015:352878.</p> <p>27. Hawkey NM, Zaorsky NG, Galloway TJ. The role of radiation therapy in the management of sialorrhea: A systematic review. <i>Laryngoscope</i> 2016;126:80-5.</p> <p>28. Hyson HC, Johnson AM, Jog MS. Sublingual atropine for sialorrhea secondary to parkinsonism: a pilot study. <i>Mov Disord</i> 2002;17:1318-20.</p> <p>29. Jost WH. Treatment of drooling in Parkinson's disease with botulinum toxin. <i>Mov Disord</i> 1999;14:1057.</p> <p>30. Jost WH. The option of sonographic guidance in Botulinum toxin injection for drooling in Parkinson's disease. <i>J Neural Transm (Vienna)</i> 2016;123:51-5.</p> <p>31. Kalf JG, Bloem BR, Munneke M. Diurnal and nocturnal drooling in Parkinson's disease. <i>J Neurol</i> 2012;259:119-23.</p> <p>32. Kalf JG, Borm GF, de Swart BJ, Bloem BR, Zwarts MJ, Munneke M. Reproducibility and validity of patient-rated assessment of speech, swallowing, and saliva control in Parkinson's disease. <i>Arch Phys Med Rehabil</i> 2011;92:1152-8.</p> <p>33. Kalf JG, de Swart BJ, Borm GF, Bloem BR, Munneke M. Prevalence and definition of drooling in Parkinson's disease: a systematic review. <i>J Neurol</i> 2009;256:1391-6.</p>	

F Rad	Artikel	Tillstånd sjukdom
	<p>34. Kalf JG, Munneke M, van den Engel-Hoek L, de Swart BJ, Borm GF, Bloem BR, et al. Pathophysiology of diurnal drooling in Parkinson's disease. <i>Mov Disord</i> 2011;26:1670-6.</p> <p>35. Kalf JG, Smit AM, Bloem BR, Zwarts MJ, Munneke M. Impact of drooling in Parkinson's disease. <i>J Neurol</i> 2007;254:1227-32.</p> <p>36. Karakoc M, Yon MI, Cakmakli GY, Ulusoy EK, Gulunay A, Oztekin N, et al. Pathophysiology underlying drooling in Parkinson's disease: oropharyngeal bradykinesia. <i>Neurol Sci</i> 2016;37:1987-1991.</p> <p>37. Kasravi N, Jog MS. Botulinum toxin in the treatment of lingual movement disorders. <i>Mov Disord</i> 2009;24:2199-202.</p> <p>38. Katsikitis M, Pilowsky I. A controlled study of facial mobility treatment in Parkinson's disease. <i>J Psychosom Res</i> 1996;40:387-96.</p> <p>39. Kennedy MA, Rosen S, Paulson GW, Jolly DE, Beck FM. Relationship of oral microflora with oral health status in Parkinson's disease. <i>Spec Care Dentist</i> 1994;14:164-8.</p> <p>40. Kwak YT, Han IW, Lee PH, Yoon JK, Suk SH. Associated conditions and clinical significance of awake bruxism. <i>Geriatr Gerontol Int</i> 2009;9:382-90.</p> <p>41. Lagalla G, Millevolte M, Capecci M, Provinciali L, Ceravolo MG. Botulinum toxin type A for drooling in Parkinson's disease: a double-blind, randomized, placebo-controlled study. <i>Mov Disord</i> 2006;21:704-7.</p> <p>42. Lagalla G, Millevolte M, Capecci M, Provinciali L, Ceravolo MG. Long-lasting benefits of botulinum toxin type B in Parkinson's disease-related drooling. <i>J Neurol</i> 2009;256:563-7.</p> <p>43. Lane H, Rose LE, Woodbrey M, Arghavani D, Lawrence M, Cavavaugh JT. Exploring the Effects of Using an Oral Appliance to Reduce Movement Dysfunction in an Individual With Parkinson Disease: A Single-Subject Design Study. <i>J Neurol Phys Ther</i> 2017;41:52-58.</p> <p>44. Lantz HJ. Oral complications of parkinsonism. <i>Bull Phila Cty Dent Soc</i> 1977;43:12-9.</p> <p>45. Leibner J, Ramjit A, Sedig L, Dai Y, Wu SS, Jacobson Ct, et al. The impact of and the factors associated with drooling in Parkinson's disease. <i>Parkinsonism Relat Disord</i> 2010;16:475-7.</p> <p>46. Leopold NA, Kagel MC. Pharyngo-esophageal dysphagia in Parkinson's disease. <i>Dysphagia</i> 1997;12:11-8; discussion 19-20.</p> <p>47. Leung KC, Pow EH, McMillan AS, Wong MC, Li LS, Ho SL. Oral perception and oral motor ability in edentulous patients with stroke and Parkinson's disease. <i>J Oral Rehabil</i> 2002;29:497-503.</p> <p>48. Liu TC, Sheu JJ, Lin HC, Jensen DA. Increased risk of parkinsonism following chronic periodontitis: a retrospective cohort study. <i>Mov Disord</i> 2013;28:1307-8.</p> <p>49. Mancini F, Zangaglia R, Cristina S, Sommaruga MG, Martignoni E, Nappi G, et al. Double-blind, placebo-controlled study to evaluate the efficacy and safety of botulinum toxin type A in the treatment of drooling in parkinsonism. <i>Mov Disord</i> 2003;18:685-8.</p> <p>50. McCreary C, Ni Riordain R. Systemic diseases and the elderly. <i>Dent Update</i> 2010;37:604-7.</p> <p>51. Melo A, Rodrigues B, Nobrega AC. Botulinum toxin type A in the treatment of sialorrhea in Parkinson's disease. <i>J Am Geriatr Soc</i> 2009;57:180; author reply 180-1.</p>	

F Rad	Artikel	Tillstånd sjukdom
	<p>52. Merello M. Sialorrhoea and drooling in patients with Parkinson's disease: epidemiology and management. <i>Drugs Aging</i> 2008;25:1007-19.</p> <p>53. Moller E, Karlsborg M, Bardow A, Lykkeaa J, Nissen FH, Bakke M. Treatment of severe drooling with botulinum toxin in amyotrophic lateral sclerosis and Parkinson's disease: efficacy and possible mechanisms. <i>Acta Odontol Scand</i> 2011;69:151-7.</p> <p>54. Molloy L. Treatment of sialorrhoea in patients with Parkinson's disease: best current evidence. <i>Curr Opin Neurol</i> 2007;20:493-8.</p> <p>55. Moreau C, Ozsanck C, Blatt JL, Derambure P, Destee A, Defebvre L. Oral festination in Parkinson's disease: biomechanical analysis and correlation with festination and freezing of gait. <i>Mov Disord</i> 2007;22:1503-6.</p> <p>56. Muller T, Palluch R, Jackowski J. Caries and periodontal disease in patients with Parkinson's disease. <i>Spec Care Dentist</i> 2011;31:178-81.</p> <p>57. Nakayama Y, Washio M, Mori M. Oral health conditions in patients with Parkinson's disease. <i>J Epidemiol</i> 2004;14:143-50.</p> <p>58. Nicareta DH, de Rosso AL, Maliska C, Costa MM. Scintigraphic analysis of the parotid glands in patients with sialorrhea and Parkinson's disease. <i>Parkinsonism Relat Disord</i> 2008;14:338-41.</p> <p>59. Nicareta DH, Rosso AL, Mattos JP, Maliska C, Costa MM. Dysphagia and sialorrhea: the relationship to Parkinson's disease. <i>Arq Gastroenterol</i> 2013;50:42-9.</p> <p>60. Noble M, Healey CS, McDougal-Chukwumah LD, Brown TM. Old disease, new look? A first report of parkinsonism due to scurvy, and of refeeding-induced worsening of scurvy. <i>Psychosomatics</i> 2013;54:277-83.</p> <p>61. Nobrega AC, Rodrigues B, Melo A. Is silent aspiration a risk factor for respiratory infection in Parkinson's disease patients? <i>Parkinsonism Relat Disord</i> 2008;14:646-8.</p> <p>62. Nobrega AC, Rodrigues B, Melo A. Does botulinum toxin injection in parotid glands interfere with the swallowing dynamics of Parkinson's disease patients? <i>Clin Neurol Neurosurg</i> 2009;111:430-2.</p> <p>63. Nobrega AC, Rodrigues B, Torres AC, Enzo A, Melo A. Does botulinum toxin decrease frequency and severity of sialorrhea in Parkinson's disease? <i>J Neurol Sci</i> 2007;253:85-7.</p> <p>64. Nobrega AC, Rodrigues B, Torres AC, Scarpel RD, Neves CA, Melo A. Is drooling secondary to a swallowing disorder in patients with Parkinson's disease? <i>Parkinsonism Relat Disord</i> 2008;14:243-5.</p> <p>65. Ondo WG, Hunter C, Moore W. A double-blind placebo-controlled trial of botulinum toxin B for sialorrhea in Parkinson's disease. <i>Neurology</i> 2004;62:37-40.</p> <p>66. Ou R, Guo X, Wei Q, Cao B, Yang J, Song W, et al. Diurnal drooling in Chinese patients with Parkinson's disease. <i>J Neurol Sci</i> 2015;353:74-8.</p> <p>67. Ou R, Guo X, Wei Q, Cao B, Yang J, Song W, et al. Prevalence and clinical correlates of drooling in Parkinson disease: a study on 518 Chinese patients. <i>Parkinsonism Relat Disord</i> 2015;21:211-5.</p> <p>68. Perez Lloret S, Piran Arce G, Rossi M, Caivano Nemet ML, Salsamendi P, Merello M. Validation of a new scale for the evaluation of sialorrhea in patients with Parkinson's disease. <i>Mov Disord</i> 2007;22:107-11.</p>	

F Rad	Artikel	Tillstånd sjukdom
	<p>69. Perez-Lloret S, Negre-Pages L, Ojero-Senard A, Damier P, Destee A, Tison F, et al. Oro-buccal symptoms (dysphagia, dysarthria, and sialorrhea) in patients with Parkinson's disease: preliminary analysis from the French COPARK cohort. <i>Eur J Neurol</i> 2012;19:28-37.</p> <p>70. Postma AG, Heesters M, van Laar T. Radiotherapy to the salivary glands as treatment of sialorrhea in patients with parkinsonism. <i>Mov Disord</i> 2007;22:2430-5.</p> <p>71. Racette BA, Good L, Sagitto S, Perlmuter JS. Botulinum toxin B reduces sialorrhea in parkinsonism. <i>Mov Disord</i> 2003;18:1059-61.</p> <p>72. Ribeiro GR, Campos CH, Rodrigues Garcia RC. Parkinson's disease impairs masticatory function. <i>Clin Oral Investig</i> 2016; [Epub ahead of print].</p> <p>73. Rodrigues B, Nobrega AC, Sampaio M, Argolo N, Melo A. Silent saliva aspiration in Parkinson's disease. <i>Mov Disord</i> 2011;26:138-41.</p> <p>74. Santamato A, Ianieri G, Ranieri M, Megna M, Panza F, Fiore P, et al. Botulinum toxin type A in the treatment of sialorrhea in Parkinson's disease. <i>J Am Geriatr Soc</i> 2008;56:765-7.</p> <p>75. Santamato A, Panza F, Solfrizzi V, Frisardi V, Ranieri M, Fiore P. Botulinum toxin type A and type B for sialorrhoea in Parkinson's disease: a case for switching therapy? <i>J Rehabil Med</i> 2008;40:882-3.</p> <p>76. Schneider SA, Edwards MJ, Cordivari C, Macleod WN, Bhatia KP. Botulinum toxin A may be efficacious as treatment for jaw tremor in Parkinson's disease. <i>Mov Disord</i> 2006;21:1722-4.</p> <p>77. Schwarz J, Heimhilger E, Storch A. Increased periodontal pathology in Parkinson's disease. <i>J Neurol</i> 2006;253:608-11.</p> <p>78. Sebastian S, Nair PG, Thomas P, Tyagi AK. Oropharyngeal Dysphagia: neurogenic etiology and manifestation. <i>Indian J Otolaryngol Head Neck Surg</i> 2015;67:119-23.</p> <p>79. Sheffield JK, Jankovic J. Botulinum toxin in the treatment of tremors, dystonias, sialorrhea and other symptoms associated with Parkinson's disease. <i>Expert Rev Neurother</i> 2007;7:637-47.</p> <p>80. Squires N, Wills A, Rowson J. The management of drooling in adults with neurological conditions. <i>Curr Opin Otolaryngol Head Neck Surg</i> 2012;20:171-6.</p> <p>81. Srivanchapoom P, Pandey S, Hallett M. Drooling in Parkinson's disease: a review. <i>Parkinsonism Relat Disord</i> 2014;20:1109-18.</p> <p>82. Srivastava T, Ahuja M, Srivastava M, Trivedi A. Bruxism as presenting feature of Parkinson's disease. <i>J Assoc Physicians India</i> 2002;50:457.</p> <p>83. Steinlechner S, Klein C, Moser A, Lencer R, Hagenah J. Botulinum toxin B as an effective and safe treatment for neuroleptic-induced sialorrhea. <i>Psychopharmacology (Berl)</i> 2010;207:593-7.</p> <p>84. Su CS, Lan MY, Liu JS, Chang CC, Lai SL, Wu HS, et al. Botulinum toxin type A treatment for Parkinsonian patients with moderate to severe sialorrhea. <i>Acta Neurol Taiwan</i> 2006;15:170-6.</p> <p>85. Syrjala AM, Ylostalo P, Ruoppi P, Komulainen K, Hartikainen S, Sulkava R, et al. Dementia and oral health among subjects aged 75 years or older. <i>Gerontology</i> 2012;29:36-42.</p>	

F Rad	Artikel	Tillstånd sjukdom
	<p>86. Thomsen TR, Galpern WR, Asante A, Arenovich T, Fox SH. Ipratropium bromide spray as treatment for sialorrhea in Parkinson's disease. <i>Mov Disord</i> 2007;22:2268-73.</p> <p>87. Troche MS, Fernandez HH. Parkinson disease: sialorrhea and Parkinson disease--novel treatment approaches. <i>Nat Rev Neurol</i> 2010;6:423-4.</p> <p>88. Walker RH, Spiera H, Brin MF, Olanow CW. Parkinsonism associated with Sjogren's syndrome: three cases and a review of the literature. <i>Mov Disord</i> 1999;14:262-8.</p> <p>89. Yong MH, Allen JC, Jr., Prakash KM, Tan EK. Differentiating non-motor symptoms in Parkinson's disease from controls and hemifacial spasm. <i>PLoS One</i> 2013;8:e49596.</p> <p>90. Zlotnik Y, Balash Y, Korczyn AD, Giladi N, Gurevich T. Disorders of the oral cavity in Parkinson's disease and parkinsonian syndromes. <i>Parkinsons Dis</i> 2015;2015:379482.</p>	
F3	<p>1. Misoprostol in the treatment of trigeminal neuralgia associated with multiple sclerosis. <i>J Neurol</i> 2003;250:542-5.</p> <p>2. Intrathecal baclofen pump for spasticity: an evidence-based analysis. <i>Ont Health Technol Assess Ser</i> 2005;5:1-93.</p> <p>3. Abhinav K, Love S, Kalantzis G, Coakham HB, Patel NK. Clinicopathological review of patients with and without multiple sclerosis treated by partial sensory rhizotomy for medically refractory trigeminal neuralgia: a 12-year retrospective study. <i>Clin Neurol Neurosurg</i> 2012;114:361-5.</p> <p>4. Al-Bazie SA. Orthognathic Surgery in a Patient with Multiple Sclerosis. <i>J Contemp Dent Pract</i> 2015;16:507-11.</p> <p>5. Alexander EL, Malinow K, Lejewski JE, Jerdan MS, Provost TT, Alexander GE. Primary Sjogren's syndrome with central nervous system disease mimicking multiple sclerosis. <i>Ann Intern Med</i> 1986;104:323-30.</p> <p>6. Annunziata P, De Santi L, Di Rezze S, Millefiorini E, Capello E, Mancardi G, et al. Clinical features of Sjogren's syndrome in patients with multiple sclerosis. <i>Acta Neurol Scand</i> 2011;124:109-14.</p> <p>7. Antic B, Peric P. Posterior fossa exploration in treatment of trigeminal neuralgia associated with multiple sclerosis. <i>Surg Neurol</i> 2009;71:419-23; discussion 423.</p> <p>8. Ariai MS, Mallory GW, Pollock BE. Outcomes after microvascular decompression for patients with trigeminal neuralgia and suspected multiple sclerosis. <i>World Neurosurg</i> 2014;81:599-603.</p> <p>9. Athanasiou TC, Patel NK, Renowden SA, Coakham HB. Some patients with multiple sclerosis have neurovascular compression causing their trigeminal neuralgia and can be treated effectively with MVD: report of five cases. <i>Br J Neurosurg</i> 2005;19:463-8.</p> <p>10. Badel T, Carek A, Podoreski D, Pavicin IS, Lovko SK. Temporomandibular joint disorder in a patient with multiple sclerosis--review of literature with a clinical report. <i>Coll Antropol</i> 2010;34:1155-9.</p> <p>11. Barolat G, Knobler RL, Lublin FD. Trigeminal neuralgia in a patient with multiple sclerosis treated with high cervical spinal cord stimulation. Case report. <i>Appl Neurophysiol</i> 1988;51:333-7.</p> <p>12. Bender MT, Pradilla G, Batra S, See AP, James C, Pardo CA, et al. Glycerol rhizotomy and radiofrequency thermocoagulation for trigeminal neuralgia in multiple sclerosis. <i>J Neurosurg</i> 2013;118:329-36.</p> <p>13. Bergenheim AT, Asplund P, Linderoth B. Percutaneous retrogasserian balloon compression for trigeminal neuralgia: review of critical technical details and outcomes. <i>World Neurosurg</i> 2013;79:359-68.</p>	MS (Multipel skleros)

F Rad	Artikel	Tillstånd sjukdom
	<p>14. Berk C, Constantoyannis C, Honey CR. The treatment of trigeminal neuralgia in patients with multiple sclerosis using percutaneous radiofrequency rhizotomy. <i>Can J Neurol Sci</i> 2003;30:220-3.</p> <p>15. Brisman R. Trigeminal neuralgia and multiple sclerosis. <i>Arch Neurol</i> 1987;44:379-81.</p> <p>16. Broggi G, Ferroli P, Franzini A, Servello D, Dones I. Microvascular decompression for trigeminal neuralgia: comments on a series of 250 cases, including 10 patients with multiple sclerosis. <i>J Neurol Neurosurg Psychiatry</i> 2000;68:59-64.</p> <p>17. Brown JA, Gouda JJ. Percutaneous balloon compression of the trigeminal nerve. <i>Neurosurg Clin N Am</i> 1997;8:53-62.</p> <p>18. Bulat RS, Orlando RC. Oropharyngeal dysphagia. <i>Curr Treat Options Gastroenterol</i> 2005;8:269-74.</p> <p>19. Carvalho LS, Matta AP, Nascimento OJ, Guimaraes AS, Rodrigues LR. Prevalence of temporomandibular disorders symptoms in patients with multiple sclerosis. <i>Arq Neuropsiquiatr</i> 2014;72:422-5.</p> <p>20. Castro T, Ortega AO, Mussi MC, Braga MM, Gallottini M. Caries Experience in Individuals with Moebius Syndrome. <i>Pediatr Dent</i> 2016;38:68-71.</p> <p>21. Chang E, Ghosh N, Yanni D, Lee S, Alexandru D, Mozaffar T. A Review of Spasticity Treatments: Pharmacological and Interventional Approaches. <i>Crit Rev Phys Rehabil Med</i> 2013;25:11-22.</p> <p>22. Chemaly D, Lefrancois A, Perusse R. Oral and maxillofacial manifestations of multiple sclerosis. <i>J Can Dent Assoc</i> 2000;66:600-5.</p> <p>23. Cheng JS, Sanchez-Mejia RO, Limbo M, Ward MM, Barbaro NM. Management of medically refractory trigeminal neuralgia in patients with multiple sclerosis. <i>Neurosurg Focus</i> 2005;18:e13.</p> <p>24. Craelius W. Comparative epidemiology of multiple sclerosis and dental caries. <i>J Epidemiol Community Health</i> 1978;32:155-65.</p> <p>25. Cresswell M, Buckland J, West P, Sparrow O. Patulous eustachian tube after percutaneous balloon microcompression for trigeminal neuralgia: case report. <i>J Laryngol Otol</i> 2014;128:478-80.</p> <p>26. Critchley EP. Multiple sclerosis initially presenting as facial palsy. <i>Aviat Space Environ Med</i> 2004;75:1001-4.</p> <p>27. Cruccu G, Biasiotta A, Di Rezze S, Fiorelli M, Galeotti F, Innocenti P, et al. Trigeminal neuralgia and pain related to multiple sclerosis. <i>Pain</i> 2009;143:186-91.</p> <p>28. Cruccu G, Bonamico LH, Zakrzewska JM. Cranial neuralgias. <i>Handb Clin Neurol</i> 2010;97:663-78.</p> <p>29. da Silva CJ, da Rocha AJ, Mendes MF, Maia AC, Jr., Braga FT, Tilbery CP. Trigeminal involvement in multiple sclerosis: magnetic resonance imaging findings with clinical correlation in a series of patients. <i>Mult Scler</i> 2005;11:282-5.</p> <p>30. Daelen B, Thorwirth V, Koch A. Treatment of recurrent dislocation of the temporomandibular joint with type A botulinum toxin. <i>Int J Oral Maxillofac Surg</i> 1997;26:458-60.</p> <p>31. D'Ambrosio D, Freedman MS, Prinz J. Ponesimod, a selective S1P1 receptor modulator: a potential treatment for multiple sclerosis and other immune-mediated diseases. <i>Ther Adv Chronic Dis</i> 2016;7:18-33.</p>	

F Rad	Artikel	Tillstånd sjukdom
	<p>32. Danesh-Sani SA, Rahimdoost A, Soltani M, Ghiyasi M, Haghdoost N, Sabzali-Zanjankhah S. Clinical assessment of orofacial manifestations in 500 patients with multiple sclerosis. <i>J Oral Maxillofac Surg</i> 2013;71:290-4.</p> <p>33. De Backer H, Dehaene I. Central nervous system disease in primary Sjogren's syndrome. <i>Acta Neurol Belg</i> 1995;95:142-6.</p> <p>34. De Santi L, Annunziata P. Symptomatic cranial neuralgias in multiple sclerosis: clinical features and treatment. <i>Clin Neurol Neurosurg</i> 2012;114:101-7.</p> <p>35. De Santi L, Costantini MC, Annunziata P. Long time interval between multiple sclerosis onset and occurrence of primary Sjogren's syndrome in a woman treated with interferon-beta. <i>Acta Neurol Scand</i> 2005;112:194-6.</p> <p>36. de Seze J, Devos D, Castelnovo G, Labauge P, Dubucquois S, Stojkovic T, et al. The prevalence of Sjogren syndrome in patients with primary progressive multiple sclerosis. <i>Neurology</i> 2001;57:1359-63.</p> <p>37. De Simone R, Marano E, Brescia Morra V, Ranieri A, Ripa P, Esposito M, et al. A clinical comparison of trigeminal neuralgic pain in patients with and without underlying multiple sclerosis. <i>Neurol Sci</i> 2005;26:s150-1.</p> <p>38. Dulamea AO, Boscaiu V, Sava MM. Disability status and dental pathology in multiple sclerosis patients. <i>Mult Scler Relat Disord</i> 2015;4:567-71.</p> <p>39. Eblen F, Weller M, Dichgans J. Automatic-voluntary dissociation: an unusual facial paresis in a patient with probable multiple sclerosis. <i>Eur Arch Psychiatry Clin Neurosci</i> 1992;242:93-5.</p> <p>40. Eldridge PR, Sinha AK, Javadpour M, Littlechild P, Varma TR. Microvascular decompression for trigeminal neuralgia in patients with multiple sclerosis. <i>Stereotact Funct Neurosurg</i> 2003;81:57-64.</p> <p>41. Elemek E, Almas K. Multiple sclerosis and oral health--an update. <i>J Mich Dent Assoc</i> 2013;95:28-31, 56.</p> <p>42. Elemek E, Almas K. Multiple sclerosis and oral health: an update. <i>N Y State Dent J</i> 2013;79:16-21.</p> <p>43. Ellemann K, Krogh E, Arlien-Soeborg P, Halberg P. Sjogren's syndrome in patients with multiple sclerosis. <i>Acta Neurol Scand</i> 1991;84:68-9.</p> <p>44. Erhamamci S, Horasanli B, Aktas A. Assessment of the effect of interferon-beta1a therapy on thyroid and salivary gland functions in patients with multiple sclerosis using quantitative salivary gland scintigraphy. <i>Mol Imaging Radionucl Ther</i> 2014;23:43-7.</p> <p>45. Espir ML, Millac P. Treatment of paroxysmal disorders in multiple sclerosis with carbamazepine (Tegretol). <i>J Neurol Neurosurg Psychiatry</i> 1970;33:528-31.</p> <p>46. Fischer DJ, Epstein JB, Klasser G. Multiple sclerosis: an update for oral health care providers. <i>Oral Surg Oral Med Oral Pathol Oral Radiol Endod</i> 2009;108:318-27.</p> <p>47. Fiske J, Griffiths J, Thompson S. Multiple sclerosis and oral care. <i>Dent Update</i> 2002;29:273-83.</p> <p>48. Foley PL, Vesterinen HM, Laird BJ, Sena ES, Colvin LA, Chandran S, et al. Prevalence and natural history of pain in adults with multiple sclerosis: systematic review and meta-analysis. <i>Pain</i> 2013;154:632-42.</p> <p>49. Fox RJ. The prevalence of Sjogren syndrome in patients with primary progressive multiple sclerosis. <i>Neurology</i> 2002;58:1576; author reply 1576.</p> <p>50. Friedman CE. Trigeminal neuralgia in a patient with multiple sclerosis. <i>J Endod</i> 1989;15:379-80.</p>	

F Rad	Artikel	Tillstånd sjukdom
	<p>51. Fukazawa T, Moriwaka F, Hamada K, Hamada T, Tashiro K. Facial palsy in multiple sclerosis. <i>J Neurol</i> 1997;244:631-3.</p> <p>52. Gaitour E, Nick ST, Roberts C, Gonzalez-Toledo E, Munjampalli S, Minagar A, et al. Glossopharyngeal neuralgia secondary to vascular compression in a patient with multiple sclerosis: a case report. <i>J Med Case Rep</i> 2012;6:213.</p> <p>53. Gale D, Prime S, Campbell MJ. Trigeminal neuralgia and multiple sclerosis. A complex diagnosis. <i>Oral Surg Oral Med Oral Pathol Oral Radiol Endod</i> 1995;79:398-401.</p> <p>54. Gallud L, Bagan JV, Cervello A, Jimenez Y, Poveda R, Gavalda C. Multiple sclerosis as first manifestation in oral and facial area: presentation of four cases. <i>Med Oral Patol Oral Cir Bucal</i> 2006;11:E141-5.</p> <p>55. Goel R, Kumar S, Panwar A, Singh AB. Pontine Infarct Presenting with Atypical Dental Pain: A Case Report. <i>Open Dent J</i> 2015;9:337-9.</p> <p>56. Gupta VK, Malhotra S, Sharma V, Hiremath SS. The Influence of Insulin Dependent Diabetes Mellitus on Dental Caries and Salivary Flow. <i>Int J Chronic Dis</i> 2014;2014:790898.</p> <p>57. Gustavsen MW, Celius EG, Moen SM, Bjolgerud A, Berg-Hansen P, Nygaard GO, et al. No association between multiple sclerosis and periodontitis after adjusting for smoking habits. <i>Eur J Neurol</i> 2015;22:588-90.</p> <p>58. Haggiag S, Ruggieri S, Gasperini C. Efficacy and safety of laquinimod in multiple sclerosis: current status. <i>Ther Adv Neurol Disord</i> 2013;6:343-52.</p> <p>59. Hatipoglu H, Canbaz Kabay S, Gungor Hatipoglu M, Ozden H. Expanded Disability Status Scale-Based Disability and Dental-Periodontal Conditions in Patients with Multiple Sclerosis. <i>Med Princ Pract</i> 2016;25:49-55.</p> <p>60. Hefti AF, Eshenaur AE, Hassell TM, Stone C. Gingival overgrowth in cyclosporine A treated multiple sclerosis patients. <i>J Periodontol</i> 1994;65:744-9.</p> <p>61. Heit T. Neuromuscular orthotics in the treatment of craniomandibular dysfunction and the effects on patients with multiple sclerosis: a pilot study. <i>Cranio</i> 2011;29:57-70.</p> <p>62. Hooge JP, Redekop WK. Trigeminal neuralgia in multiple sclerosis. <i>Neurology</i> 1995;45:1294-6.</p> <p>63. Huang E, Teh BS, Zeck O, Woo SY, Lu HH, Chiu JK, et al. Gamma knife radiosurgery for treatment of trigeminal neuralgia in multiple sclerosis patients. <i>Stereotact Funct Neurosurg</i> 2002;79:44-50.</p> <p>64. Hutchins LG, Harnsberger HR, Jacobs JM, Apfelbaum RI. Trigeminal neuralgia (tic douloureux): MR imaging assessment. <i>Radiology</i> 1990;175:837-41.</p> <p>65. Hutchinson S, Clark S. Multiple sclerosis presenting to the dental practitioner: a report of two cases. <i>Dent Update</i> 2001;28:516-7.</p> <p>66. Jensen TS, Rasmussen P, Reske-Nielsen E. Association of trigeminal neuralgia with multiple sclerosis: clinical and pathological features. <i>Acta Neurol Scand</i> 1982;65:182-9.</p> <p>67. Kanpolat Y, Berk C, Savas A, Bekar A. Percutaneous controlled radiofrequency rhizotomy in the management of patients with trigeminal neuralgia due to multiple sclerosis. <i>Acta Neurochir (Wien)</i> 2000;142:685-9; discussion 689-90.</p> <p>68. Khan OA. Gabapentin relieves trigeminal neuralgia in multiple sclerosis patients. <i>Neurology</i> 1998;51:611-4.</p>	

F Rad	Artikel	Tillstånd sjukdom
	<p>69. Khawaja N, Yilmaz Z, Renton T. Case studies illustrating the management of trigeminal neuropathic pain using topical 5% lidocaine plasters. <i>Br J Pain</i> 2013;7:107-13.</p> <p>70. Koffman BM, Khuder S, Mutgi S, Crooks R, Herial N. Impact of oral health in patients with multiple sclerosis and epilepsy: a survey in a neurology clinic. <i>Spec Care Dentist</i> 2012;32:150-4.</p> <p>71. Kondziolka D, Lunsford LD, Bissonette DJ. Long-term results after glycerol rhizotomy for multiple sclerosis-related trigeminal neuralgia. <i>Can J Neurol Sci</i> 1994;21:137-40.</p> <p>72. Koutsis G, Kokotis P, Sarris Giannis P, Anagnostouli M, Sfagos C, Karandreas N. Spastic paretic hemifacial contracture in multiple sclerosis: a neglected clinical and EMG entity. <i>Mult Scler</i> 2008;14:927-32.</p> <p>73. Kovac Z, Uhac I, Bukovic D, Cabov T, Kovacevic D, Grzic R. Oral health status and temporomandibular disorders in multiple sclerosis patients. <i>Coll Antropol</i> 2005;29:441-4.</p> <p>74. Lewis D, Fiske J, Dougall A. Access to special care dentistry, part 7. Special care dentistry services: seamless care for people in their middle years--part 1. <i>Br Dent J</i> 2008;205:305-17.</p> <p>75. Mallory GW, Atkinson JL, Stien KJ, Keegan BM, Pollock BE. Outcomes after percutaneous surgery for patients with multiple sclerosis-related trigeminal neuralgia. <i>Neurosurgery</i> 2012;71:581-6; discussion 586.</p> <p>76. Manzoni GC, Torelli P. Epidemiology of typical and atypical craniofacial neuralgias. <i>Neurol Sci</i> 2005;26:s65-7.</p> <p>77. Martin S, Teo M, Suttorp N. The effectiveness of percutaneous balloon compression in the treatment of trigeminal neuralgia in patients with multiple sclerosis. <i>J Neurosurg</i> 2015;123:1507-11.</p> <p>78. Martinelli Boneschi F, Colombo B, Annovazzi P, Martinelli V, Bernasconi L, Solaro C, et al. Lifetime and actual prevalence of pain and headache in multiple sclerosis. <i>Mult Scler</i> 2008;14:514-21.</p> <p>79. Mathieu D, Effendi K, Blanchard J, Seguin M. Comparative study of Gamma Knife surgery and percutaneous retrogasserian glycerol rhizotomy for trigeminal neuralgia in patients with multiple sclerosis. <i>J Neurosurg</i> 2012;117:175-80.</p> <p>80. McGrother CW, Dugmore C, Phillips MJ, Raymond NT, Garrick P, Baird WO. Multiple sclerosis, dental caries and fillings: a case-control study. <i>Br Dent J</i> 1999;187:261-4.</p> <p>81. Meaney JF, Watt JW, Eldridge PR, Whitehouse GH, Wells JC, Miles JB. Association between trigeminal neuralgia and multiple sclerosis: role of magnetic resonance imaging. <i>J Neurol Neurosurg Psychiatry</i> 1995;59:253-9.</p> <p>82. Metz LM, Seland TP, Fritzler MJ. An analysis of the frequency of Sjogren's syndrome in a population of multiple sclerosis patients. <i>J Clin Lab Immunol</i> 1989;30:121-5.</p> <p>83. Michel L, Toulgoat F, Desal H, Laplaud DA, Magot A, Hamidou M, et al. Atypical neurologic complications in patients with primary Sjogren's syndrome: report of 4 cases. <i>Semin Arthritis Rheum</i> 2011;40:338-42.</p> <p>84. Miro J, Pena-Sagredo JL, Berciano J, Insua S, Leno C, Velarde R. Prevalence of primary Sjogren's syndrome in patients with multiple sclerosis. <i>Ann Neurol</i> 1990;27:582-4.</p> <p>85. Mohammad-Mohammadi A, Recinos PF, Lee JH, Elson P, Barnett GH. Surgical outcomes of trigeminal neuralgia in patients with multiple sclerosis. <i>Neurosurgery</i> 2013;73:941-50; discussion 950.</p>	

F Rad	Artikel	Tillstånd sjukdom
	<p>86. Montano N, Papacci F, Cioni B, Di Bonaventura R, Meglio M. Percutaneous balloon compression for the treatment of trigeminal neuralgia in patients with multiple sclerosis. Analysis of the potentially prognostic factors. <i>Acta Neurochir (Wien)</i> 2012;154:779-83.</p> <p>87. Montano N, Papacci F, Cioni B, Di Bonaventura R, Meglio M. What is the best treatment of drug-resistant trigeminal neuralgia in patients affected by multiple sclerosis? A literature analysis of surgical procedures. <i>Clin Neurol Neurosurg</i> 2013;115:567-72.</p> <p>88. Nielsen NM, Jorgensen KT, Pedersen BV, Rostgaard K, Frisch M. The co-occurrence of endometriosis with multiple sclerosis, systemic lupus erythematosus and Sjogren syndrome. <i>Hum Reprod</i> 2011;26:1555-9.</p> <p>89. Noseworthy JH, Bass BH, Vandervoort MK, Ebers GC, Rice GP, Weinshenker BG, et al. The prevalence of primary Sjogren's syndrome in a multiple sclerosis population. <i>Ann Neurol</i> 1989;25:95-8.</p> <p>90. Ochs G, Naumann C, Dimitrijevic M, Sindou M. Intrathecal baclofen therapy for spinal origin spasticity: spinal cord injury, spinal cord disease, and multiple sclerosis. <i>Neuromodulation</i> 1999;2:108-19.</p> <p>91. Oh J, O'Connor PW. Teriflunomide. <i>Neurol Clin Pract</i> 2013;3:254-260.</p> <p>92. Ohtsuka T, Saito Y, Hasegawa M, Tatsuno M, Takita S, Arita M, et al. Central nervous system disease in a child with primary Sjogren syndrome. <i>J Pediatr</i> 1995;127:961-3.</p> <p>93. Osterberg A, Boivie J, Thuomas KA. Central pain in multiple sclerosis--prevalence and clinical characteristics. <i>Eur J Pain</i> 2005;9:531-42.</p> <p>94. Pateman K, Cockburn N, Campbell J, Ford PJ. How do Australians living with MS experience oral health and accessing dental care? A focus group study. <i>Community Dent Oral Epidemiol</i> 2016; [Epub ahead of print].</p> <p>95. Pericot I, Brieva L, Tintore M, Rio J, Sastre-Garriga J, Nos C, et al. Myelopathy in seronegative Sjogren syndrome and/or primary progressive multiple sclerosis. <i>Mult Scler</i> 2003;9:256-9.</p> <p>96. Perkins CS, Juniper RP. Trigeminal neuralgia and multiple sclerosis. <i>Oral Surg Oral Med Oral Pathol Oral Radiol Endod</i> 1995;80:379.</p> <p>97. Perumal J, Khan O. Emerging disease-modifying therapies in multiple sclerosis. <i>Curr Treat Options Neurol</i> 2012;14:256-63.</p> <p>98. Pickett GE, Bisnaire D, Ferguson GG. Percutaneous retrogasserian glycerol rhizotomy in the treatment of tic douloureux associated with multiple sclerosis. <i>Neurosurgery</i> 2005;56:537-45; discussion 537-45.</p> <p>99. Putzki N, Pfriem A, Limmroth V, Yaldizli O, Tettenborn B, Diener HC, et al. Prevalence of migraine, tension-type headache and trigeminal neuralgia in multiple sclerosis. <i>Eur J Neurol</i> 2009;16:262-7.</p> <p>100. Rasche D, Kress B, Schwark C, Wirtz CR, Unterberg A, Tronnier VM. Treatment of trigeminal neuralgia associated with multiple sclerosis: case report. <i>Neurology</i> 2004;63:1714-5.</p> <p>101. Reder AT, Arnason BG. Trigeminal neuralgia in multiple sclerosis relieved by a prostaglandin E analogue. <i>Neurology</i> 1995;45:1097-100.</p> <p>102. Resnick DK, Jannetta PJ, Lunsford LD, Bissonette DJ. Microvascular decompression for trigeminal neuralgia in patients with multiple sclerosis. <i>Surg Neurol</i> 1996;46:358-61; discussion 361-2.</p>	

F Rad	Artikel	Tillstånd sjukdom
	<p>103. Robbins MR. Neurologic Diseases in Special Care Patients. <i>Dent Clin North Am</i> 2016;60:707-35.</p> <p>104. Rogers CL, Shetter AG, Ponce FA, Fiedler JA, Smith KA, Speiser BL. Gamma knife radiosurgery for trigeminal neuralgia associated with multiple sclerosis. <i>J Neurosurg</i> 2002;97:529-32.</p> <p>105. Safran B, Knuutila M. Corticosteroid therapy and periodontal disease. <i>J Clin Periodontol</i> 1984;11:515-22.</p> <p>106. Sandberg-Wollheim M, Axell T, Hansen BU, Henricsson V, Ingesson E, Jacobsson L, et al. Primary Sjogren's syndrome in patients with multiple sclerosis. <i>Neurology</i> 1992;42:845-7.</p> <p>107. Sandell T, Eide PK. The effect of microvascular decompression in patients with multiple sclerosis and trigeminal neuralgia. <i>Neurosurgery</i> 2010;67:749-53; discussion 753-4.</p> <p>108. Sandyk R, Derpapas. Successful treatment of an acute exacerbation of multiple sclerosis by external magnetic fields. <i>Int J Neurosci</i> 1993;70:97-105.</p> <p>109. Santa Eulalia-Troisfontaines E, Martinez-Perez EM, Miegimolle-Herrero M, Planells-Del Pozo P. Oral health status of a population with multiple sclerosis. <i>Med Oral Patol Oral Cir Bucal</i> 2012;17:e223-7.</p> <p>110. Sarlani E, Grace EG, Balciunas BA, Schwartz AH. Trigeminal neuralgia in a patient with multiple sclerosis and chronic inflammatory demyelinating polyneuropathy. <i>J Am Dent Assoc</i> 2005;136:469-76.</p> <p>111. Schapiro RT. Management of spasticity, pain, and paroxysmal phenomena in multiple sclerosis. <i>Curr Neurol Neurosci Rep</i> 2001;1:299-302.</p> <p>112. Schnorpfeil F, Braune HJ. Nuclear facial palsy in multiple sclerosis: a case report. <i>Electromyogr Clin Neurophysiol</i> 1997;37:207-11.</p> <p>113. Seada YI, Nofel R, Sayed HM. Comparison between Trans-Cranial Electromagnetic Stimulation and Low-Level Laser on Modulation of Trigeminal Neuralgia. <i>J Phys Ther Sci</i> 2013;25:911-4.</p> <p>114. Sevim S, Kaleagasi H, Fidancı H. Sleep bruxism possibly triggered by multiple sclerosis attacks and treated successfully with botulinum toxin: Report of three cases. <i>Mult Scler Relat Disord</i> 2015;4:403-5.</p> <p>115. Sheu JJ, Lin HC. Association between multiple sclerosis and chronic periodontitis: a population-based pilot study. <i>Eur J Neurol</i> 2013;20:1053-9.</p> <p>116. Siblerud RL, Kienholz E. Evidence that mercury from silver dental fillings may be an etiological factor in multiple sclerosis. <i>Sci Total Environ</i> 1994;142:191-205.</p> <p>117. Signoriello E, Sagliocchi A, Fratta M, Lus G. Fingolimod efficacy in multiple sclerosis associated with Sjogren syndrome. <i>Acta Neurol Scand</i> 2015;131:140-3.</p> <p>118. Smith PF. New approaches in the management of spasticity in multiple sclerosis patients: role of cannabinoids. <i>Ther Clin Risk Manag</i> 2010;6:59-63.</p> <p>119. Solaro C, Brichetto G, Amato MP, Cocco E, Colombo B, D'Aleo G, et al. The prevalence of pain in multiple sclerosis: a multicenter cross-sectional study. <i>Neurology</i> 2004;63:919-21.</p> <p>120. Solaro C, Messmer Uccelli M. Pharmacological management of pain in patients with multiple sclerosis. <i>Drugs</i> 2010;70:1245-54.</p>	

F Rad	Artikel	Tillstånd sjukdom
	<p>121. Solaro C, Messmer Uccelli M, Uccelli A, Leandri M, Mancardi GL. Low-dose gabapentin combined with either lamotrigine or carbamazepine can be useful therapies for trigeminal neuralgia in multiple sclerosis. <i>Eur Neurol</i> 2000;44:45-8.</p> <p>122. Symons AL, Bortolanza M, Godden S, Seymour G. A preliminary study into the dental health status of multiple sclerosis patients. <i>Spec Care Dentist</i> 1993;13:96-101.</p> <p>123. Tanei T, Kajita Y, Wakabayashi T. Motor cortex stimulation for intractable neuropathic facial pain related to multiple sclerosis. <i>Neurol Med Chir (Tokyo)</i> 2010;50:604-7.</p> <p>124. Tuleasca C, Carron R, Resseguier N, Donnet A, Roussel P, Gaudart J, et al. Multiple sclerosis-related trigeminal neuralgia: a prospective series of 43 patients treated with gamma knife surgery with more than one year of follow-up. <i>Stereotact Funct Neurosurg</i> 2014;92:203-10.</p> <p>125. Urgosik D, Vymazal J, Vladyka V, Liscak R. Gamma knife treatment of trigeminal neuralgia: clinical and electrophysiological study. <i>Stereotact Funct Neurosurg</i> 1998;70:200-9.</p> <p>126. van de Biezenbos JB, Horstink MW, van de Vlasakker CJ, van Engelen BG, van Eikema Hommes OR, Barkhof F. A case of bilateral alternating hemifacial spasms. <i>Mov Disord</i> 1992;7:68-70.</p> <p>127. Wang YJ, Tsai KY, Fuh JL, Tsai CP, Wang SJ. High frequency of primary Sjogren's syndrome in Taiwanese patients presenting as relapsing-remitting multiple sclerosis. <i>Eur Neurol</i> 2004;51:21-5.</p> <p>128. Vargas WS, Perumal JS. Fingolimod and cardiac risk: latest findings and clinical implications. <i>Ther Adv Drug Saf</i> 2013;4:119-24.</p> <p>129. Weller M, Marshall K, Lovato JF, Bourland JD, deGuzman AF, Munley MT, et al. Single-institution retrospective series of gamma knife radiosurgery in the treatment of multiple sclerosis-related trigeminal neuralgia: factors that predict efficacy. <i>Stereotact Funct Neurosurg</i> 2014;92:53-8.</p> <p>130. Wicks P, Brandes D, Park J, Liakhovitski D, Koudinova T, Sasane R. Preferred features of oral treatments and predictors of non-adherence: two web-based choice experiments in multiple sclerosis patients. <i>Interact J Med Res</i> 2015;4:e6.</p> <p>131. Williams DE, Lynch JE, Doshi V, Singh GD, Hargens AR. Bruxism and temporal bone hypermobility in patients with multiple sclerosis. <i>Cranio</i> 2011;29:178-86.</p> <p>132. Wininger M, Craelius W, Settle J, Robinson S, Isaac B, Maloni H, et al. Biomechanical analysis of spasticity treatment in patients with multiple sclerosis. <i>Ther Adv Neurol Disord</i> 2015;8:203-11.</p> <p>133. Zhang GQ, Meng Y. Oral and craniofacial manifestations of multiple sclerosis: implications for the oral health care provider. <i>Eur Rev Med Pharmacol Sci</i> 2015;19:4610-20.</p>	
F8	<p>1. Abdelnour-Mallet M, Tezenas Du Montcel S, Cazzolli PA, Assouline A, Pointon C, Leveque N, et al. Validation of robust tools to measure sialorrhea in amyotrophic lateral sclerosis: a study in a large French cohort. <i>Amyotroph Lateral Scler Frontotemporal Degener</i> 2013;14:302-7.</p> <p>2. Anagnostou E, Rentzos M, Alexakis T, Zouvelou V, Zambelis T, Evdokimidis I. Volume matters: the influence of different botulinum toxin-A dilutions for sialorrhea in amyotrophic lateral sclerosis. <i>Muscle Nerve</i> 2013;47:276-8.</p>	ALS (amyotrofisk lateralskleros)

F Rad	Artikel	Tillstånd sjukdom
	<p>3. Assouline A, Levy A, Abdelnour-Mallet M, Gonzalez-Bermejo J, Lenglet T, Le Forestier N, et al. Radiation therapy for hypersalivation: a prospective study in 50 amyotrophic lateral sclerosis patients. <i>Int J Radiat Oncol Biol Phys</i> 2014;88:589-95.</p> <p>4. Banfi P, Ticozzi N, Lax A, Guidugli GA, Nicolini A, Silani V. A review of options for treating sialorrhea in amyotrophic lateral sclerosis. <i>Respir Care</i> 2015;60:446-54.</p> <p>5. Bergendal B, McAllister A. Orofacial function and monitoring of oral care in amyotrophic lateral sclerosis. <i>Acta Odontol Scand</i> 2017;0:1-10.</p> <p>6. Bushara KO. Sialorrhea in amyotrophic lateral sclerosis: a hypothesis of a new treatment--botulinum toxin A injections of the parotid glands. <i>Med Hypotheses</i> 1997;48:337-9.</p> <p>7. Contarino MF, Pompili M, Tittoto P, Vanacore N, Sabatelli M, Cedrone A, et al. Botulinum toxin B ultrasound-guided injections for sialorrhea in amyotrophic lateral sclerosis and Parkinson's disease. <i>Parkinsonism Relat Disord</i> 2007;13:299-303.</p> <p>8. Cooper-Knock J, Ahmedzai SH, Shaw P. The use of subcutaneous glycopyrrrolate in the management of sialorrhoea and facilitating the use of non-invasive ventilation in amyotrophic lateral sclerosis. <i>Amyotroph Lateral Scler</i> 2011;12:464-5.</p> <p>9. Costa J, Rocha ML, Ferreira J, Evangelista T, Coelho M, de Carvalho M. Botulinum toxin type-B improves sialorrhea and quality of life in bulbaronset amyotrophic lateral sclerosis. <i>J Neurol</i> 2008;255:545-50.</p> <p>10. Dand P, Sakel M. The management of drooling in motor neurone disease. <i>Int J Palliat Nurs</i> 2010;16:560-4.</p> <p>11. Diana A, Pillai R, Bongioanni P, O'Keeffe AG, Miller RG, Moore DH. Gamma aminobutyric acid (GABA) modulators for amyotrophic lateral sclerosis/motor neuron disease. <i>Cochrane Database Syst Rev</i> 2017;1:Cd006049.</p> <p>12. Erriu M, Pili FM, Denotti G, Garau V. Black hairy tongue in a patient with amyotrophic lateral sclerosis. <i>J Int Soc Prev Community Dent</i> 2016;6:80-3.</p> <p>13. Garuti G, Mandrioli J, Esquinas AM. Radiotherapy treatment of the salivary glands, sialorrhea, and non-invasive mechanical ventilation in amyotrophic lateral sclerosis: what are we doing? <i>J Neurol</i> 2016;263:583-4.</p> <p>14. Giess R, Naumann M, Werner E, Riemann R, Beck M, Puls I, et al. Injections of botulinum toxin A into the salivary glands improve sialorrhoea in amyotrophic lateral sclerosis. <i>J Neurol Neurosurg Psychiatry</i> 2000;69:121-3.</p> <p>15. Gilio F, Iacovelli E, Frasca V, Gabriele M, Giacomelli E, Picchiori F, et al. Botulinum toxin type A for the treatment of sialorrhoea in amyotrophic lateral sclerosis: a clinical and neurophysiological study. <i>Amyotroph Lateral Scler</i> 2010;11:359-63.</p> <p>16. Goyal NA, Mozaffar T. Tongue atrophy and fasciculations in transthyretin familial amyloid neuropathy: An ALS mimicker. <i>Neurol Genet</i> 2015;1:e18.</p> <p>17. Guidubaldi A, Fasano A, Ialongo T, Piano C, Pompili M, Masciana R, et al. Botulinum toxin A versus B in sialorrhea: a prospective, randomized, double-blind, crossover pilot study in patients with amyotrophic lateral sclerosis or Parkinson's disease. <i>Mov Disord</i> 2011;26:313-9.</p>	

F Rad	Artikel	Tillstånd sjukdom
	<p>18. Guy N, Bourry N, Dallel R, Duale C, Verrelle P, Lapeyre M, et al. Comparison of radiotherapy types in the treatment of sialorrhea in amyotrophic lateral sclerosis. <i>J Palliat Med</i> 2011;14:391-5.</p> <p>19. Harriman M, Morrison M, Hay J, Revonta M, Eisen A, Lentle B. Use of radiotherapy for control of sialorrhea in patients with amyotrophic lateral sclerosis. <i>J Otolaryngol</i> 2001;30:242-5.</p> <p>20. Hawkey NM, Zaorsky NG, Galloway TJ. The role of radiation therapy in the management of sialorrhea: A systematic review. <i>Laryngoscope</i> 2016;126:80-5.</p> <p>21. Jackson CE, Gronseth G, Rosenfeld J, Barohn RJ, Dubinsky R, Simpson CB, et al. Randomized double-blind study of botulinum toxin type B for sialorrhea in ALS patients. <i>Muscle Nerve</i> 2009;39:137-43.</p> <p>22. Kasarskis EJ, Hodskins J, St Clair WH. Unilateral parotid electron beam radiotherapy as palliative treatment for sialorrhea in amyotrophic lateral sclerosis. <i>J Neurol Sci</i> 2011;308:155-7.</p> <p>23. Manrique D. Application of botulinum toxin to reduce the saliva in patients with amyotrophic lateral sclerosis. <i>Braz J Otorhinolaryngol</i> 2005;71:566-9.</p> <p>24. Matsuda C, Shimizu T, Nakayama Y, Haraguchi M, Hakuta C, Itagaki Y, et al. Macroglossia in advanced amyotrophic lateral sclerosis. <i>Muscle Nerve</i> 2016;54:386-90.</p> <p>25. Matsuda C, Shimizu T, Nakayama Y, Haraguchi M, Mochizuki Y, Hakuta C, et al. Analysis of resting salivation rate in patients with amyotrophic lateral sclerosis using tracheostomy invasive ventilation. <i>Rinsho Shinkeigaku</i> 2016;56:465-71.</p> <p>26. McGeachan AJ, Hobson EV, Al-Chalabi A, Stephenson J, Chandran S, Crawley F, et al. A multicentre evaluation of oropharyngeal secretion management practices in amyotrophic lateral sclerosis. <i>Amyotroph Lateral Scler Frontotemporal Degener</i> 2017;18:1-9.</p> <p>27. McKee HR, Escott E, Damm D, Kasarskis E. Macroglossia in amyotrophic lateral sclerosis. <i>JAMA Neurol</i> 2013;70:1432-5.</p> <p>28. Miller RG, Jackson CE, Kasarskis EJ, England JD, Forshaw D, Johnston W, et al. Practice parameter update: the care of the patient with amyotrophic lateral sclerosis: multidisciplinary care, symptom management, and cognitive/behavioral impairment (an evidence-based review): report of the Quality Standards Subcommittee of the American Academy of Neurology. <i>Neurology</i> 2009;73:1227-33.</p> <p>29. Moller E, Karlsborg M, Bardow A, Lykkeaa J, Nissen FH, Bakke M. Treatment of severe drooling with botulinum toxin in amyotrophic lateral sclerosis and Parkinson's disease: efficacy and possible mechanisms. <i>Acta Odontol Scand</i> 2011;69:151-7.</p> <p>30. Moulding MB, Koroluk LD. An intraoral prosthesis to control drooling in a patient with amyotrophic lateral sclerosis. <i>Spec Care Dentist</i> 1991;11:200-2.</p> <p>31. Neppelberg E, Haugen DF, Thorsen L, Tysnes OB. Radiotherapy reduces sialorrhea in amyotrophic lateral sclerosis. <i>Eur J Neurol</i> 2007;14:1373-7.</p> <p>32. Newall AR, Orser R, Hunt M. The control of oral secretions in bulbar ALS/MND. <i>J Neurol Sci</i> 1996;139:43-4.</p>	

F Rad	Artikel	Tillstånd sjukdom
	<p>33. Pang KM, Park JW. Masticatory muscle pain and progressive mouth opening limitation caused by amyotrophic lateral sclerosis: a case report. <i>J Oral Facial Pain Headache</i> 2015;29:91-6.</p> <p>34. Scott K, Shannon R, Roche-Green A. Management of Sialorrhea in Amyotrophic Lateral Sclerosis #299. <i>J Palliat Med</i> 2016;19:110-1.</p> <p>35. Slade A, Stanic S. Managing excessive saliva with salivary gland irradiation in patients with amyotrophic lateral sclerosis. <i>J Neurol Sci</i> 2015;352:34-6.</p> <p>36. Squires N, Humberstone M, Wills A, Arthur A. The use of botulinum toxin injections to manage drooling in amyotrophic lateral sclerosis/motor neurone disease: a systematic review. <i>Dysphagia</i> 2014;29:500-8.</p> <p>37. Stokholm MG, Bisgard C, Vilholm OJ. Safety and administration of treatment with botulinum neurotoxin for sialorrhoea in ALS patients: review of the literature and a proposal for tailored treatment. <i>Amyotroph Lateral Scler Frontotemporal Degener</i> 2013;14:516-20.</p> <p>38. Stone CA, O'Leary N. Systematic review of the effectiveness of botulinum toxin or radiotherapy for sialorrhea in patients with amyotrophic lateral sclerosis. <i>J Pain Symptom Manage</i> 2009;37:246-58.</p> <p>39. Tiigimae-Saar J, Taba P, Tamme T. Does Botulinum neurotoxin type A treatment for sialorrhea change oral health? <i>Clin Oral Investig</i> 2016; [Epub ahead of print].</p> <p>40. Watts CR, Vanryckeghem M. Laryngeal dysfunction in Amyotrophic Lateral Sclerosis: a review and case report. <i>BMC Ear Nose Throat Disord</i> 2001;1:1.</p> <p>41. Weikamp JG, Schinagl DA, Verstappen CC, Schelhaas HJ, de Swart BJ, Kalf JG. Botulinum toxin-A injections vs radiotherapy for drooling in ALS. <i>Acta Neurol Scand</i> 2016;134:224-31.</p> <p>42. Verma A, Steele J. Botulinum toxin improves sialorrhea and quality of living in bulbar amyotrophic lateral sclerosis. <i>Muscle Nerve</i> 2006;34:235-7.</p> <p>43. Young CA, Ellis C, Johnson J, Sathasivam S, Pih N. Treatment for sialorrhea (excessive saliva) in people with motor neuron disease/amyotrophic lateral sclerosis. <i>Cochrane Database Syst Rev</i> 2011;0:Cd006981.</p>	

Tabell 3 Systematiska översikter och primärstudier för tillstånd som omfattas av Tandvårdsstöd S10.

Rad	Artikel	Subgrupp/ tema
S10	<p>1. Adachi K, Mishiro T, Tanaka S, Yoshikawa H, Kinoshita Y. A Study on the Relationship between Reflux Esophagitis and Periodontitis. <i>Intern Med</i> 2016;55:2523-8.</p> <p>2. Adibi P, Keshteli AH, Saneei M, Saneei P, Savabi O, Esmaillzadeh A. Relationship between Tooth Loss, Functional Dyspepsia and Gastro-Esophageal Reflux Disorder among Isfahani Adults. <i>Arch Iran Med</i> 2016;19:123-30.</p> <p>3. Afshar A. A systematic approach to recreate a patient's former smile. <i>Compend Contin Educ Dent</i> 2012;33:606, 608, 610 passim.</p> <p>4. Alaraudanjoki V, Laitala ML, Tjaderhane L, Pesonen P, Lussi A, Ronkainen J, et al. Influence of Intrinsic Factors on Erosive Tooth Wear in a Large-Scale Epidemiological Study. <i>Caries Res</i> 2016;50:508-516.</p> <p>5. Amin SM, Abdel Maged KH, Naser AY, Aly BH. Laryngopharyngeal reflux with sore throat: an ultrastructural study of oropharyngeal epithelium. <i>Ann Otol Rhinol Laryngol</i> 2009;118:362-7.</p> <p>6. Barron RP, Carmichael RP, Marcon MA, Sandor GK. Dental erosion in gastroesophageal reflux disease. <i>J Can Dent Assoc</i> 2003;69:84-9.</p> <p>7. Bartlett DW. The role of erosion in tooth wear: aetiology, prevention and management. <i>Int Dent J</i> 2005;55:277-84.</p> <p>8. Bartlett DW, Evans DF, Anggiansah A, Smith BG. A study of the association between gastro-oesophageal reflux and palatal dental erosion. <i>Br Dent J</i> 1996;181:125-31.</p> <p>9. Bartlett DW, Lussi A, West NX, Bouchard P, Sanz M, Bourgeois D. Prevalence of tooth wear on buccal and lingual surfaces and possible risk factors in young European adults. <i>J Dent</i> 2013;41:1007-13.</p> <p>10. Broliato GA, Volcato DB, Reston EG, Kramer PF, Marquezan M, Ruzzarin F, et al. Esthetic and functional dental rehabilitation in a patient with gastroesophageal reflux. <i>Quintessence Int</i> 2008;39:131-7.</p> <p>11. Correa MC, Lerco MM, Cunha Mde L, Henry MA. Salivary parameters and teeth erosions in patients with gastroesophageal reflux disease. <i>Arq Gastroenterol</i> 2012;49:214-8.</p> <p>12. Deppe H, Mucke T, Wagenpfeil S, Kesting M, Rozej A, Bajbouj M, et al. Erosive esophageal reflux vs. non erosive esophageal reflux: oral findings in 71 patients. <i>BMC Oral Health</i> 2015;15:84.</p> <p>13. Di Fede O, Di Liberto C, Occhipinti G, Vigneri S, Lo Russo L, Fedele S, et al. Oral manifestations in patients with gastro-oesophageal reflux disease: a single-center case-control study. <i>J Oral Pathol Med</i> 2008;37:336-40.</p> <p>14. Dundar A, Sengun A. Dental approach to erosive tooth wear in gastroesophageal reflux disease. <i>Afr Health Sci</i> 2014;14:481-6.</p> <p>15. Eryaman E, Ilhan BO. Laryngeal dysfunction and oral hygiene: Any relation? <i>Auris Nasus Larynx</i> 2012;39:284-7.</p> <p>16. Farahmand F, Sabbaghian M, Ghodousi S, Seddighoraei N, Abbasi M. Gastroesophageal reflux disease and tooth erosion: a cross-sectional observational study. <i>Gut Liver</i> 2013;7:278-81.</p> <p>17. Gharaibeh TM, Jadallah K, Jadayel FA. Prevalence of temporomandibular disorders in patients with gastroesophageal reflux disease: a case-controlled study. <i>J Oral Maxillofac Surg</i> 2010;68:1560-4.</p> <p>18. Gregory-Head BL, Curtis DA, Kim L, Cello J. Evaluation of dental erosion in patients with gastroesophageal reflux disease. <i>J Prosthet Dent</i> 2000;83:675-80.</p>	Reflux

Rad	Artikel	Subgrupp/ tema
	<p>19. Guare RO, Ferreira MC, Leite MF, Rodrigues JA, Lussi A, Santos MT. Dental erosion and salivary flow rate in cerebral palsy individuals with gastroesophageal reflux. <i>J Oral Pathol Med</i> 2012;41:367-71.</p> <p>20. Holbrook WP, Furuholm J, Gudmundsson K, Theodors A, Meurman JH. Gastric reflux is a significant causative factor of tooth erosion. <i>J Dent Res</i> 2009;88:422-6.</p> <p>21. Jarvinen V, Meurman JH, Hyvarinen H, Rytomaa I, Murtomaa H. Dental erosion and upper gastrointestinal disorders. <i>Oral Surg Oral Med Oral Pathol</i> 1988;65:298-303.</p> <p>22. Jensdottir T, Arnadottir IB, Thorsdottir I, Bardow A, Gudmundsson K, Theodors A, et al. Relationship between dental erosion, soft drink consumption, and gastroesophageal reflux among Icelanders. <i>Clin Oral Investig</i> 2004;8:91-6.</p> <p>23. Kitasako Y, Sasaki Y, Takagaki T, Sadr A, Tagami J. Age-specific prevalence of erosive tooth wear by acidic diet and gastroesophageal reflux in Japan. <i>J Dent</i> 2015;43:418-23.</p> <p>24. Li W, Liu J, Chen S, Wang Y, Zhang Z. Prevalence of dental erosion among people with gastroesophageal reflux disease in China. <i>J Prosthet Dent</i> 2017;117:48-54.</p> <p>25. Loffeld RJ. Incisor teeth status in patients with reflux oesophagitis. <i>Digestion</i> 1996;57:388-90.</p> <p>26. Mengatto CM, Dalberto Cda S, Scheeren B, Barros SG. Association between sleep bruxism and gastroesophageal reflux disease. <i>J Prosthet Dent</i> 2013;110:349-55.</p> <p>27. Milani DC, Venturini AP, Callegari-Jacques SM, Fornari F. Gastro-oesophageal reflux disease and dental erosions in adults: influence of acidified food intake and impact on quality of life. <i>Eur J Gastroenterol Hepatol</i> 2016;28:797-801.</p> <p>28. Milosevic A. Gastro-oesophageal reflux and dental erosion. <i>Evid Based Dent</i> 2008;9:54.</p> <p>29. Miyawaki S, Tanimoto Y, Araki Y, Katayama A, Fujii A, Takano-Yamamoto T. Association between nocturnal bruxism and gastroesophageal reflux. <i>Sleep</i> 2003;26:888-92.</p> <p>30. Miyawaki S, Tanimoto Y, Araki Y, Katayama A, Imai M, Takano-Yamamoto T. Relationships among nocturnal jaw muscle activities, decreased esophageal pH, and sleep positions. <i>Am J Orthod Dentofacial Orthop</i> 2004;126:615-9.</p> <p>31. Moazzez R, Anggiansah A, Bartlett DW. The association of acidic reflux above the upper oesophageal sphincter with palatal tooth wear. <i>Caries Res</i> 2005;39:475-8.</p> <p>32. Mosca F, Rossillo V, Leone CA. Manifestations of gastro-pharyngo-laryngeal reflux disease. <i>Acta Otorhinolaryngol Ital</i> 2006;26:247-51.</p> <p>33. Munoz JV, Herreros B, Sanchiz V, Amoros C, Hernandez V, Pascual I, et al. Dental and periodontal lesions in patients with gastro-oesophageal reflux disease. <i>Dig Liver Dis</i> 2003;35:461-7.</p> <p>34. Oginni AO, Agbakwuru EA, Ndububa DA. The prevalence of dental erosion in Nigerian patients with gastro-oesophageal reflux disease. <i>BMC Oral Health</i> 2005;5:1.</p> <p>35. Ohmure H, Oikawa K, Kanematsu K, Saito Y, Yamamoto T, Nagahama H, et al. Influence of experimental esophageal acidification on sleep bruxism: a randomized trial. <i>J Dent Res</i> 2011;90:665-71.</p> <p>36. Picos A, Chisnou A, Dumitrasco DL. Dental erosion in patients with gastroesophageal reflux disease. <i>Adv Clin Exp Med</i> 2013;22:303-7.</p>	

Rad	Artikel	Subgrupp/ tema
	<p>37. Picos AM, Poenar S, Opris A, Chira A, Bud M, Berar A, et al. Prevalence of dental erosions in GERD: a pilot study. <i>Clujul Med</i> 2013;86:344-6.</p> <p>38. Preetha A, Sujatha D, Patil BA, Hegde S. Oral manifestations in gastroesophageal reflux disease. <i>Gen Dent</i> 2015;63:e27-31.</p> <p>39. Roesch-Ramos L, Roesch-Dietlen F, Remes-Troche JM, Romero-Sierra G, Mata-Tovar Cde J, Azamar-Jacome AA, et al. Dental erosion, an extraesophageal manifestation of gastroesophageal reflux disease. The experience of a center for digestive physiology in Southeastern Mexico. <i>Rev Esp Enferm Dig</i> 2014;106:92-7.</p> <p>40. Saksena R, Bartlett DW, Smith BG. The role of saliva in regurgitation erosion. <i>Eur J Prosthodont Restor Dent</i> 1999;7:121-4.</p> <p>41. Schroeder PL, Filler SJ, Ramirez B, Lazarchik DA, Vaezi MF, Richter JE. Dental erosion and acid reflux disease. <i>Ann Intern Med</i> 1995;122:809-15.</p> <p>42. Silva MA, Damante JH, Stipp AC, Tolentino MM, Carlotto PR, Fleury RN. Gastroesophageal reflux disease: New oral findings. <i>Oral Surg Oral Med Oral Pathol Oral Radiol Endod</i> 2001;91:301-10.</p> <p>43. Song JY, Kim HH, Cho EJ, Kim TY. The relationship between gastroesophageal reflux disease and chronic periodontitis. <i>Gut Liver</i> 2014;8:35-40.</p> <p>44. Struzicka I, Lussi A, Boguslawska-Kapala A, Rusyan E. Prevalence of erosive lesions with respect to risk factors in a young adult population in Poland-a cross-sectional study. <i>Clin Oral Investig</i> 2016; [Epub ahead of print].</p> <p>45. Tantbirojn D, Pintado MR, Versluis A, Dunn C, Delong R. Quantitative analysis of tooth surface loss associated with gastroesophageal reflux disease: a longitudinal clinical study. <i>J Am Dent Assoc</i> 2012;143:278-85.</p> <p>46. Wang GR, Zhang H, Wang ZG, Jiang GS, Guo CH. Relationship between dental erosion and respiratory symptoms in patients with gastro-oesophageal reflux disease. <i>J Dent</i> 2010;38:892-8.</p> <p>47. Wilder-Smith CH, Wilder-Smith P, Kawakami-Wong H, Voronets J, Osann K, Lussi A. Quantification of dental erosions in patients with GERD using optical coherence tomography before and after double-blind, randomized treatment with esomeprazole or placebo. <i>Am J Gastroenterol</i> 2009;104:2788-95.</p> <p>48. Vinesh E, Masthan K, Kumar MS, Jeyapriya SM, Babu A, Thinakaran M. A Clinicopathologic Study of Oral Changes in Gastroesophageal Reflux Disease, Gastritis, and Ulcerative Colitis. <i>J Contemp Dent Pract</i> 2016;17:943-947.</p> <p>49. Yoshikawa H, Furuta K, Ueno M, Egawa M, Yoshino A, Kondo S, et al. Oral symptoms including dental erosion in gastroesophageal reflux disease are associated with decreased salivary flow volume and swallowing function. <i>J Gastroenterol</i> 2012;47:412-20.</p> <p>50. Firouzei MS, Khazaei S, Afghari P, Savabi G, Savabi O, Keshteli AH, et al. Gastroesophageal reflux disease and tooth erosion: SEPAHAN systematic review no. 10. <i>Dent Res J (Isfahan)</i> 2011;8:S9-s14.</p> <p>51. Marsicano JA, de Moura-Grec PG, Bonato RC, Sales-Peres Mde C, Sales-Peres A, Sales-Peres SH. Gastroesophageal reflux, dental erosion, and halitosis in epidemiological surveys: a systematic review. <i>Eur J Gastroenterol Hepatol</i> 2013;25:135-41.</p> <p>52. Pace F, Pallotta S, Tonini M, Vakil N, Bianchi Porro G. Systematic review: gastro-oesophageal reflux disease and dental lesions. <i>Aliment Pharmacol Ther</i> 2008;27:1179-86.</p>	
S10	1. Aframian DJ, Ofir M, Benoliel R. Comparison of oral mucosal pH values in bulimia nervosa, GERD, BMS patients and healthy population. <i>Oral Dis</i> 2010;16:807-11.	Ätstörning

Rad	Artikel	Subgrupp/ tema
	<p>2. Almeida e Silva JS, Baratieri LN, Araujo E, Widmer N. Dental erosion: understanding this pervasive condition. <i>J Esthet Restor Dent</i> 2011;23:205-16.</p> <p>3. DeBate RD, Shuman D, Tedesco LA. Eating disorders in the oral health curriculum. <i>J Dent Educ</i> 2007;71:655-63.</p> <p>4. Gudmundsson K, Kristleifsson G, Theodors A, Holbrook WP. Tooth erosion, gastroesophageal reflux, and salivary buffer capacity. <i>Oral Surg Oral Med Oral Pathol Oral Radiol Endod</i> 1995;79:185-9.</p> <p>5. Hazelton LR, Faine MP. Diagnosis and dental management of eating disorder patients. <i>Int J Prosthodont</i> 1996;9:65-73.</p> <p>6. Hellstrom I. [Anorexia nervosa--odontologic problems]. <i>Sven Tandlak Tidskr</i> 1974;67:253-69.</p> <p>7. Hellstrom I. Oral complications in anorexia nervosa. <i>Scand J Dent Res</i> 1977;85:71-86.</p> <p>8. Hurst PS, Lacey LH, Crisp AH. Teeth, vomiting and diet: a study of the dental characteristics of seventeen anorexia nervosa patients. <i>Postgrad Med J</i> 1977;53:298-305.</p> <p>9. Johansson AK, Johansson A, Unell L, Norring C, Carlsson GE. Eating disorders and signs and symptoms of temporomandibular disorders: a matched case-control study. <i>Swed Dent J</i> 2010;34:139-47.</p> <p>10. Kinzl J, Biebl W, Herold M. Significance of vomiting for hyperamylasemia and sialadenosis in patients with eating disorders. <i>Int J Eat Disord</i> 1993;13:117-24.</p> <p>11. Liew VP, Frisken KW, Touyz SW, Beumont PJ, Williams H. Clinical and microbiological investigations of anorexia nervosa. <i>Aust Dent J</i> 1991;36:435-41.</p> <p>12. Lo Russo L, Campisi G, Di Fede O, Di Liberto C, Panzarella V, Lo Muzio L. Oral manifestations of eating disorders: a critical review. <i>Oral Dis</i> 2008;14:479-84.</p> <p>13. Mehler PS. Medical complications of bulimia nervosa and their treatments. <i>Int J Eat Disord</i> 2011;44:95-104.</p> <p>14. Meurman JH, Toskala J, Nuutinen P, Klemetti E. Oral and dental manifestations in gastroesophageal reflux disease. <i>Oral Surg Oral Med Oral Pathol</i> 1994;78:583-9.</p> <p>15. Milosevic A, Brodie DA, Slade PD. Dental erosion, oral hygiene, and nutrition in eating disorders. <i>Int J Eat Disord</i> 1997;21:195-9.</p> <p>16. Milosevic A, Slade PD. The orodental status of anorexics and bulimics. <i>Br Dent J</i> 1989;167:66-70.</p> <p>17. Montecchi PP, Custureri V, Polimeni A, Cordaro M, Costa L, Marinucci S, et al. Oral manifestations in a group of young patients with anorexia nervosa. <i>Eat Weight Disord</i> 2003;8:164-7.</p> <p>18. Paszynska E, Slopien A, Dmitrzak-Weglacz M, Hannig C. Enzyme activities in parotid saliva of patients with the restrictive type of anorexia nervosa. <i>Arch Oral Biol</i> 2017;76:7-13.</p> <p>19. Paszynska E, Slopien A, Weglarz M, Linden RW. Parotid salivary parameters in bulimic patients - a controlled clinical trial. <i>Psychiatr Pol</i> 2015;49:709-20.</p> <p>20. Ritter AV. Eating disorders and oral health. <i>J Esthet Restor Dent</i> 2006;18:114.</p> <p>21. Romanos GE, Javed F, Romanos EB, Williams RC. Oro-facial manifestations in patients with eating disorders. <i>Appetite</i> 2012;59:499-504.</p> <p>22. Rytomaa I, Jarvinen V, Kanerva R, Heinonen OP. Bulimia and tooth erosion. <i>Acta Odontol Scand</i> 1998;56:36-40.</p> <p>23. Shaughnessy BF, Feldman HA, Cleveland R, Sonis A, Brown JN, Gordon CM. Oral health and bone density in adolescents and young women with anorexia nervosa. <i>J Clin Pediatr Dent</i> 2008;33:87-92.</p>	

Rad	Artikel	Subgrupp/ tema
	<p>24. Touyz SW, Liew VP, Tseng P, Frisken K, Williams H, Beumont PJ. Oral and dental complications in dieting disorders. <i>Int J Eat Disord</i> 1993;14:341-7.</p> <p>25. Uhlen MM, Tveit AB, Stenhammar KR, Mulic A. Self-induced vomiting and dental erosion--a clinical study. <i>BMC Oral Health</i> 2014;14:92.</p> <p>26. Willumsen T, Graugaard PK. Dental fear, regularity of dental attendance and subjective evaluation of dental erosion in women with eating disorders. <i>Eur J Oral Sci</i> 2005;113:297-302.</p>	
S10	<p>1. Bartlett D. Intrinsic causes of erosion. <i>Monogr Oral Sci</i> 2006;20:119-39.</p> <p>2. Kontaxopoulou I, Alam S. Risk Assessment for Tooth Wear. <i>Prim Dent J</i> 2015;4:25-9.</p> <p>3. Schlueter N, Tveit AB. Prevalence of erosive tooth wear in risk groups. <i>Monogr Oral Sci</i> 2014;25:74-98.</p> <p>4. Valena V, Young WG. Dental erosion patterns from intrinsic acid regurgitation and vomiting. <i>Aust Dent J</i> 2002;47:106-15.</p>	Både reflux och ätstörning
S10	<p>1. Abrahamsen TC. The worn dentition--pathognomonic patterns of abrasion and erosion. <i>Int Dent J</i> 2005;55:268-76.</p> <p>2. Altshuler BD. Eating disorder patients. Recognition and intervention. <i>J Dent Hyg</i> 1990;64:119-25.</p> <p>3. Bretz WA. Oral profiles of bulimic women: Diagnosis and management. What is the evidence? <i>J Evid Based Dent Pract</i> 2002;2:267-272.</p> <p>4. Emadi-Perlman A, Yoffe T, Rosenberg N, Eli I, Alter Z, Winocur E. Prevalence of psychologic, dental, and temporomandibular signs and symptoms among chronic eating disorders patients: a comparative control study. <i>J Orofac Pain</i> 2008;22:201-8.</p> <p>5. Filipi K, Halackova Z, Filipi V. Oral health status, salivary factors and microbial analysis in patients with active gastro-oesophageal reflux disease. <i>Int Dent J</i> 2011;61:231-7.</p> <p>6. Resch M, Nagy A. [Stomatologic complications of eating disorders]. <i>Orv Hetil</i> 2012;153:1779-86.</p>	Diagnostik av frätskador på tänder
S10	<p>1. Alfaro EV, Aps JK, Martens LC. Oral implications in children with gastroesophageal reflux disease. <i>Curr Opin Pediatr</i> 2008;20:576-83.</p> <p>2. Alves LS, Brusius CD, Dame-Teixeira N, Maltz M, Susin C. Dental erosion among 12-year-old schoolchildren: a population-based cross-sectional study in South Brazil. <i>Int Dent J</i> 2015;65:322-30.</p> <p>3. Arnone D. Review of the use of Topiramate for treatment of psychiatric disorders. <i>Ann Gen Psychiatry</i> 2005;4:5.</p> <p>4. Bell EJ, Kaidonis J, Townsend GC. Tooth wear in children with Down syndrome. <i>Aust Dent J</i> 2002;47:30-5.</p> <p>5. Dahshan A, Patel H, Delaney J, Wuerth A, Thomas R, Tolia V. Gastroesophageal reflux disease and dental erosion in children. <i>J Pediatr</i> 2002;140:474-8.</p> <p>6. De Oliveira PA, Paiva SM, De Abreu MH, Auad SM. Dental Erosion in Children with Gastroesophageal Reflux Disease. <i>Pediatr Dent</i> 2016;38:246-50.</p> <p>7. Deshpande SD, Hugar SM. Dental erosion in children : an increasing clinical problem. <i>J Indian Soc Pedod Prev Dent</i> 2004;22:118-27.</p> <p>8. Ersin NK, Oncag O, Tumgor G, Aydogdu S, Hilmisoglu S. Oral and dental manifestations of gastroesophageal reflux disease in children: a preliminary study. <i>Pediatr Dent</i> 2006;28:279-84.</p> <p>9. Ganesh M, Hertzberg A, Nurko S, Needleman H, Rosen R. Acid Rather Than Nonacid Reflux Burden Is a Predictor of Tooth Erosion. <i>J Pediatr Gastroenterol Nutr</i> 2016;62:309-13.</p>	Barn och ungdomar med frätskador

Rad	Artikel	Subgrupp/ tema
	<p>10. Linnett V, Seow WK, Connor F, Shepherd R. Oral health of children with gastro-esophageal reflux disease: a controlled study. <i>Aust Dent J</i> 2002;47:156-62.</p> <p>11. Mahoney EK, Kilpatrick NM. Dental erosion: part 1. Aetiology and prevalence of dental erosion. <i>N Z Dent J</i> 2003;99:33-41.</p> <p>12. Mantonanaki M, Koletsi-Kounari H, Mamai-Homata E, Papaioannou W. Dental erosion prevalence and associated risk indicators among preschool children in Athens, Greece. <i>Clin Oral Investig</i> 2013;17:585-93.</p> <p>13. Shaw L, O'Sullivan E. UK National Clinical Guidelines in Paediatric Dentistry. Diagnosis and prevention of dental erosion in children. <i>Int J Paediatr Dent</i> 2000;10:356-65.</p> <p>14. Shaw L, Weatherill S, Smith A. Tooth wear in children: an investigation of etiological factors in children with cerebral palsy and gastroesophageal reflux. <i>ASDC J Dent Child</i> 1998;65:484-6, 439.</p> <p>15. Souza VA, Abreu MH, Resende VL, Castilho LS. Factors associated with bruxism in children with developmental disabilities. <i>Braz Oral Res</i> 2015;29:1-5.</p> <p>16. Su JM, Tsamtsouris A, Laskou M. Gastroesophageal reflux in children with cerebral palsy and its relationship to erosion of primary and permanent teeth. <i>J Mass Dent Soc</i> 2003;52:20-4.</p> <p>17. Wild YK, Heyman MB, Vittinghoff E, Dalal DH, Wojcicki JM, Clark AL, et al. Gastroesophageal reflux is not associated with dental erosion in children. <i>Gastroenterology</i> 2011;141:1605-11.</p> <p>18. Wilder-Smith CH, Materna A, Martig L, Lussi A. Gastro-oesophageal reflux is common in oligosymptomatic patients with dental erosion: A pH-impedance and endoscopic study. <i>United European Gastroenterol J</i> 2015;3:174-81.</p> <p>19. Tolia V, Vandenplas Y. Systematic review: the extra-oesophageal symptoms of gastro-oesophageal reflux disease in children. <i>Aliment Pharmacol Ther</i> 2009;29:258-72.</p>	
S10	<p>1. Alves Mdo S, da Silva FA, Araujo SG, de Carvalho AC, Santos AM, de Carvalho AL. Tooth wear in patients submitted to bariatric surgery. <i>Braz Dent J</i> 2012;23:160-6.</p> <p>2. Barbosa CS, Barberio GS, Marques VR, Baldo Vde O, Buzalaf MA, Magalhaes AC. Dental manifestations in bariatric patients: review of literature. <i>J Appl Oral Sci</i> 2009;17:1-4.</p>	Andra diagnoser som kan ge frätskador