

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Schedule for Affective Disorders and Schizophrenia for School-Age Children (K-SADS) for diagnosing schizophrenia in children and adolescents with psychotic symptoms	ID1	1_Early	Cochrane Schizophrenia Group	Bergman H, Maayan N, Kirkham AJ, Adams CE, Soares-Weiser K. <i>Schedule for Affective Disorders and Schizophrenia for School-Age Children (K-SADS) for diagnosing schizophrenia in children and adolescents with psychotic symptoms. Cochrane Database of Systematic Reviews 2015, Issue 6. Art. No.: CD011733.</i>	2015-07-09
Schizophrenia/ psychotic disorders	First rank symptoms for schizophrenia	ID1	1_Early	Cochrane Schizophrenia Group	Soares-Weiser K, Maayan N, Bergman H, Davenport C, Kirkham AJ, Grabowski S, Adams CE. <i>First rank symptoms for schizophrenia. Cochrane Database of Systematic Reviews 2015, Issue 1. Art. No.: CD010653.</i>	2015-02-24
Schizophrenia/ psychotic disorders	Operational Criteria Checklist for Psychotic Illness and Affective Illness (OPCRIT+) for diagnosing schizophrenia in people with psychotic symptoms	ID1	1_Early	Cochrane Schizophrenia Group	Bergman H, Khodabakhsh A, Maayan N, Kirkham AJ, Adams CE, Soares-Weiser K. <i>Operational Criteria Checklist for Psychotic Illness and Affective Illness (OPCRIT+) for diagnosing schizophrenia in people with psychotic symptoms. Cochrane Database of Systematic Reviews 2014, Issue 6. Art. No.: CD011104.</i>	2014-07-10
PTSD	Self-report screening instruments for post-traumatic stress disorder (PTSD) in survivors of traumatic experiences	ID1	1_Early	Cochrane Depression, Anxiety and Neurosis Group	Sijbrandij M, Reitsma JB, Roberts NP, Engelhard IM, Olff M, Sonneveld LP, Bisson JI. <i>Self-report screening instruments for post-traumatic stress disorder (PTSD) in survivors of traumatic experiences. Cochrane Database of Systematic Reviews 2013, Issue 6. Art. No.: CD010575.</i>	2013-07-24
Anxiety disorders	Structured Clinical Interview for DSM Axis disorders (SCID-I) som komplement till klinisk bedömning jämfört med enbart kliniska bedömning vid diagnostik av ångest hos vuxna i specialiserad vård	ID1	1_Early	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018, rad 2b.</i> <i>SBU. Diagnostik och uppföljning av förstämningssyndrom. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2012. SBU-rapport nr 212. ISBN 978-91-85413-52-2.</i>	2020-02-26
Anxiety disorders	MINI-KID jämfört med semistrukturerad intervju, strukturerad intervju, eller LEAD som komplement till klinisk bedömning vid diagnostik av misstänkt ångest hos barn och ungdomar i specialiserad vård	ID1	1_Early	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018, rad 2c.</i> <i>SBU. Diagnostik och uppföljning av förstämningssyndrom. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2012. SBU-rapport nr 212. ISBN 978-91-85413-52-2.</i>	2020-02-26
Anxiety disorders	K-SADS-PL jämfört med semistrukturerad intervju, strukturerad intervju, eller LEAD som komplement till klinisk bedömning vid diagnostik av misstänkt ångest hos barn och ungdomar i specialiserad vård	ID1	1_Early	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018, rad 2c.</i> <i>SBU. Diagnostik och uppföljning av förstämningssyndrom. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2012. SBU-rapport nr 212. ISBN 978-91-85413-52-2.</i>	2020-02-26

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Anxiety disorders	Mini International Neuropsychiatric Interview (MINI) som komplement till klinisk bedömning jämfört med enbart klinisk bedömning vid diagnostik av ångest hos vuxna i specialiserad vård	ID1	1_Early	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018, rad 2b.</i> <i>SBU. Diagnostik och uppföljning av förstämningssyndrom. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2012. SBU-rapport nr 212. ISBN 978-91-85413-52-2.</i>	2020-02-19
Anxiety disorders	Mini International Neuropsychiatric Interview (MINI) jämfört med Longitudinal Experts All Data Procedure (LEAD) som komplement till klinisk bedömning vid diagnostik av misstänkt ångest hos vuxna i specialiserad vård	ID1	1_Early	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018, rad 2b.</i> <i>SBU. Diagnostik och uppföljning av förstämningssyndrom. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2012. SBU-rapport nr 212. ISBN 978-91-85413-52-2.</i>	2020-02-19
Schizophrenia/ psychotic disorders	Voxel-based morphometry for separation of schizophrenia from other types of psychosis in first episode psychosis	ID2	1_Early	Cochrane Schizophrenia Group	<i>Palaniyappan L, Maayan N, Bergman H, Davenport C, Adams CE, Soares-Weiser K. Voxel-based morphometry for separation of schizophrenia from other types of psychosis in first episode psychosis. Cochrane Database of Systematic Reviews 2015, Issue 8. Art. No.: CD011021.</i>	2015-09-17
Schizophrenia/ psychotic disorders	Elektroencefalografi (EEG) vid utredning av förstagångsinsjuknande i psykotiska symtom	ID2	1_Early	HTA-centrum Västra Götaland	<i>Gondinger J, Hedström A, Liljegren A, Molin C, Sjögren P, Svanberg T, Wallin A, Strandell A. EEG as a diagnostic tool in patients with first episode psychosis, [EEG som ett diagnostiskt verktyg vid förstagångsinsjuknande i psykos]. Göteborg: Västra Götalandsregionen, Sahlgrenska Universitetssjukhuset, HTA-centrum; 2012. Regional activitybased HTA 2012:47.</i>	2014-08-28
Schizophrenia/ psychotic disorders	SensoDetect hjärnstamsaudiometri för att identifiera schizofreni hos vuxna	ID2	1_Early	SBU	<i>SBU. SD-BERA vid diagnostisering av schizofreni. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2013. SBU:s upplysningsstjänst, publicerad 2013-10-02.</i>	2013-11-11
PANS/PANDAS	Diagnostik av barn och ungdomar med misstänkt PANS/PANDAS	ID2	1_Early	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-03-03
Self-harm	Using a validated risk scale vs not using a validated risk scale for assessing people who self harm	ID3	1_Early	NICE Clinical Guideline Self-harm	<i>National Collaborating Centre for Mental Health (2011) Self-harm (longer term management). Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-12-31
Depression	Patient Health Questionnaire-9 (PHQ-9) för att skilja mellan svårighetsgrader av depression	ID3	1_Early	SBU	<i>SBU. Patient Health Questionnaire-9 (PHQ-9) som stöd för diagnostik och bedömning av svårighetsgrad av depression. En systematisk översikt. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2018. SBU-rapport nr 276. ISBN 978-91-88437-18-1</i>	2018-03-21

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Self-harm	Interventions for self-harm in children and adolescents	ID4	1_Early	Cochrane Common Mental Disorders Group	<i>Witt KG, Hetrick SE, Rajaram G, Hazell P, Taylor Salisbury TL, Townsend E, Hawton K. Interventions for self-harm in children and adolescents. Cochrane Database of Systematic Reviews 2021, Issue 3. Art. No.: CD013667</i> <i>Hawton K, Witt KG, Taylor Salisbury TL, Arensman E, Gunnell D, Townsend E, van Heeringen K, Hazell P. Interventions for self-harm in children and adolescents. Cochrane Database of Systematic Reviews 2015, Issue 12. Art. No.: CD012013.</i>	2021-01-01 2016-03-10
Schizophrenia/ psychotic disorders	Cognitive Behavioural Therapy in the first episode of schizophrenia and those at risk of relapse	ID4	1_Early	National Institute for Health and Clinical Excellence research recommendation	<i>Mayer SF, Corcoran C, Kennedy L, Leucht S, Bighelli I. Cognitive behavioural therapy added to standard care for first-episode and recent-onset psychosis. Cochrane Database of Systematic Reviews 2024, Issue 3. Art. No.: CD015331.</i>	2024-01-01 2007-06-27
Schizophrenia/ psychotic disorders	Can a non-pharmaceutical treatment be the primary one for psychosis?	ID4	1_Early	Mind Cymru	<i>Marshall M, Rathbone J. Early Intervention for psychosis. Cochrane Database of Syst Rev 2006, Issue 4.</i> <i>Malmberg L, Fenton M. Individual psychodynamic psychotherapy and psychoanalysis for schizophrenia and severe mental illness. Cochrane Database of Syst Rev 2001, Issue 3.</i>	2007-09-11
PTSD	Psykodynamisk korttidsterapi (PDT) jämfört med annan behandling för barn och ungdomar med posttraumatiskt stresssyndrom (PTSD)	ID4	1_Early	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-03-02
PTSD	Early interventions with a stepped procedure in children with PTSD	ID4	1_Early	PTSD Evidence Update 2013	<i>Kramer DN, Landolt MA (2011) Characteristics and efficacy of early psychological interventions in children and adolescents after single trauma: a meta-analysis. European Journal of Psychotraumatology, Vol. 2</i>	2013-10-14
PTSD	Psychological therapies for the treatment of post-traumatic stress disorder in children and adolescents	ID4	1_Early	Cochrane Depression, Anxiety and Neurosis Group	<i>Gillies D, Taylor F, Gray C, O'Brien L, D'Abrew N. Psychological therapies for the treatment of post-traumatic stress disorder in children and adolescents. Cochrane Database of Systematic Reviews 2012, Issue 12. Art. No.: CD006726.</i>	2012-12-31
Bipolar disorder	Structured psychological interventions for young people with bipolar depression	ID4	1_Early	NICE CG. Bipolar disorder	<i>National Institute for Health and Clinical Excellence (2014) Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.</i>	2014-11-19
Trauma	Internetförmeldad psykologisk behandling jämfört med annan relevant behandling vid trauma- och stressrelaterade syndrom hos barn och ungdomar	ID5	1_Early	SBU	<i>SBU. Internetförmeldad psykologisk behandling – jämförelse med andra behandlingar vid psykiatriska syndrom. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2021. SBU-rapport nr 337. ISBN 978-91-88437-80-8.</i>	2022-11-10

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
OCD	Internetförmeklalad psykologisk behandling jämfört med annan relevant behandling vid tvångssyndrom och relaterade syndrom hos barn och ungdomar	ID5	1_Early	SBU	<i>SBU. Internetförmeklalad psykologisk behandling – jämförelse med andra behandlingar vid psykiatriska syndrom. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2021. SBU-rapport nr 337. ISBN 978-91-88437-80-8.</i>	2022-11-25
Schizophrenia/ psychotic disorders	Antipsychotic drugs in first episode of schizophrenia	ID6	1_Early	National Institute for Health and Clinical Excellence research recommendation	<i>Marshall M, Rathbone J. Early intervention for psychosis. Cochrane Database of Systematic Reviews 2011</i> <i>Marshall M, Rathbone J. Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD004718.</i>	2011-01-01 2007-06-18
Schizophrenia/ psychotic disorders	Atypical antipsychotics for psychosis in adolescents	ID6	1_Early	Cochrane Schizophrenia Group	<i>Kumar A, Datta SS, Wright SD, Furtado VA, Russell PS. Atypical antipsychotics for psychosis in adolescents. Cochrane Database of Systematic Reviews 2013, Issue 10. Art. No.: CD009582.</i>	2013-11-15
Schizophrenia/ psychotic disorders	Antipsychotic medication for childhood-onset schizophrenia	ID6	1_Early	Cochrane Schizophrenia Group	<i>Kennedy E, Kumar A, Datta SS. Antipsychotic medication for childhood-onset schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004027.</i>	2008-02-28
Schizophrenia/ psychotic disorders	Antipsychotic drugs for younger people with psychosis	ID6	1_Early	National Institute for Health and Clinical Excellence research recommendation	<i>Kennedy E, Kumar A, Datta SS. Antipsychotic medication for childhood-onset schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004027.</i>	2007-06-18
Schizophrenia/ psychotic disorders	What are the effects of antipsychotic drugs on children with early symptoms of schizophrenia?	ID6	1_Early	Mental Health Research Network Cymru	<i>Kennedy E, Kumar A, Datta SS. Antipsychotic medication for childhood-onset schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004027.</i>	2007-06-11
Schizophrenia/ psychotic disorders	What are the effects of antipsychotic drugs and/or psychological interventions in early onset schizophrenia?	ID6	1_Early	Mental Health Research Network Cymru	<i>Marshall M, Rathbone J. Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD004718.</i>	2007-04-23
PTSD	SSRI-preparat jämfört med placebo för barn och ungdomar med posttraumatiskt stressyndrom (PTSD)	ID6	1_Early	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-02-05
OCD	Antipsykotiskt läkemedel som tillägg till SSRI jämfört med enbart SSRI för barn och ungdomar med svårt tvångssyndrom (OCD)	ID6	1_Early	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-03-02

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Eating disorders	Antipsychotics in the Treatment of Children and Adolescents with Anorexia Nervosa	ID6	1_Early	DUET	Pruccoli J, Bergonzini L, La Tempa A, Parmeggiani A. Antipsychotics in the Treatment of Children and Adolescents with Anorexia Nervosa: A Systematic Review. <i>Biomedicines</i> . 2022 Dec 7;10(12):3167. doi: 10.3390/biomedicines10123167.	2022-01-01
Depression, severe	Sertraline jämfört med placebo för barn och ungdomar med medelsvår till svår egentlig depression avseende remission, självskattade symptom och livskvalitet	ID6	1_Early	Socialstyrelsen	Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.	2020-02-07
OCD	Kombinationsbehandling med selektiva serotoninåterupptagshämmare (SSRI) och kognitiv beteendeterapi (KBT) jämfört med läkemedelsplacebo för barn och ungdomar med medelsvårt till svårt tvångssyndrom (OCD)	ID7	1_Early	Socialstyrelsen	Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.	2020-03-02
OCD	Kombinationsbehandling med selektiva serotoninåterupptagshämmare (SSRI) och kognitiv beteendeterapi (KBT) jämfört med KBT för barn och ungdomar med medelsvårt till svårt tvångssyndrom (OCD) avseende respons, livskvalitet, oönskade effekter och långtidseffekter	ID7	1_Early	Socialstyrelsen	Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.	2020-02-10
OCD	Kombinationsbehandling med selektiva serotoninåterupptagshämmare (SSRI) och kognitiv beteendeterapi (KBT) jämfört med enbart SSRI för barn och ungdomar med medelsvårt till svårt tvångssyndrom (OCD) avseende remission, livskvalitet, oönskade effekter och långtidseffekter	ID7	1_Early	Socialstyrelsen	Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.	2020-02-10
Depression, severe	Kombinationsbehandling med antidepressiva läkemedel och kognitiv beteendeterapi (KBT) jämfört med enbart KBT för barn och ungdomar med medelsvår till svår egentlig depression avseende remission, självskattade symptom, funktionsförmåga, och avbrytande av behandling	ID7	1_Early	Socialstyrelsen	Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.	2020-02-10
Depression, severe	Kognitiv beteendeterapi (KBT) som tillägg till antidepressiva läkemedel jämfört med enbart läkemedel för ungdomar med behandlingsresistent medelsvår till svår egentlig depression avseende suicidbenägenhet	ID7	1_Early	Socialstyrelsen	Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.	2020-02-10

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Does social support in the early acute phase of schizophrenia help reduce relapse?	ID8	1_Early	Mental Health Research Network Cymru	<i>Marshall M, Rathbone J. Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4.</i>	2007-11-09
Schizophrenia/ psychotic disorders	Family interventions for families of people with schizophrenia presenting for the first time	ID8	1_Early	National Institute for Health and Clinical Excellence research recommendation	<i>Marshall M, Rathbone J. Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD004718.</i> <i>Pharoah F, Mari J, Rathbone J, Wong W. Family intervention for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD000088.</i> <i>Haddock G, Lewis S.(2005). Psychological interventions in early psychosis.Schizophr Bull. Jul;31(3):697-704.</i>	2007-06-18
Schizophrenia/ psychotic disorders	Cognitive deficits in adolescents and young people with familial high risk or ultra high risk, and risk of transition to psychosis	ID9	1_Early	Evidence Update - Psychosis and schizophrenia in children and young people	<i>Bora E, Lin A, Wood SJ, et al. Cognitive deficits in youth with familial and clinical high risk to psychosis: a systematic review and meta-analysis. Acta Psychiatr Scand 2014; Vol.130: No. 1.</i>	2014-12-15
Psychiatric comorbidity with addiction	What risk factors predict the onset of substance misuse in young people with psychosis?	ID9	1_Early	NICE Clinical Guideline Psychosis with coexisting substance misuse	<i>National Collaborating Centre for Mental Health (2011) Psychosis with coexisting substance misuse. Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-03-31
Psychiatric comorbidity with addiction	What are the prevalence, risk and protective factors, and course of illness for different combinations of psychosis and coexisting substance misuse (for example, schizophrenia and cannabis misuse or bipolar disorder and alcohol misuse)?	ID9	1_Early	NICE Clinical Guideline Psychosis with coexisting substance misuse	<i>National Collaborating Centre for Mental Health (2011) Psychosis with coexisting substance misuse. Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-03-31
Schizophrenia/ psychotic disorders	Interventions for prodromal stage of psychosis	ID10	1_Early	Cochrane	<i>Bosnjak Kuharic D, Kekin I, Hew J, Rojnic Kuzman M, Puljak L. Interventions for prodromal stage of psychosis. Cochrane Database Syst Rev. 2019 Nov 1;2019(11):CD012236.</i>	2019-01-01
PTSD	Pharmacological interventions for preventing post-traumatic stress disorder (PTSD)	ID10	1_Early	Cochrane Depression, Anxiety and Neurosis Group	<i>Amos T, Stein DJ, Ipser JC. Pharmacological interventions for preventing post-traumatic stress disorder (PTSD). Cochrane Database of Systematic Reviews 2014, Issue 7. Art. No.: CD006239.</i>	2014-08-12
Eating disorders	Interventions for preventing eating disorders in children and adolescents	ID10	1_Early	Cochrane	<i>Pratt BM, Woolfenden SR. Interventions for preventing eating disorders in children and adolescents. Cochrane Database Syst Rev. 2002;2002(2):CD002891.</i>	2002-01-01

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Suicidal behaviour	Attachment-based family therapy in young people to prevent suicide and suicidal behaviours	ID11	1_Early	Evidence Update - Self harm	<i>van der Spek N, Dekker W, Peen J, Santens T, Cuijpers P, Bosmans G, Dekker J. Attachment-Based Family Therapy for Adolescents and Young Adults With Suicide Ideation and Depression. Crisis. 2024 Jan;45(1):48-56.</i>	2024-01-01 2013-02-15
Suicidal behaviour	Interventions for primary prevention of suicide in university and other post-secondary educational settings	ID11	1_Early	Cochrane Injuries Group	<i>Harrod CS, Goss CW, Stallones L, DiGuiseppi C. Interventions for primary prevention of suicide in university and other post-secondary educational settings. Cochrane Database of Systematic Reviews 2014, Issue 10. Art. No.: CD009439.</i>	2014-11-13
Self-harm	Universella skolbaserade program för att förebygga andra självskadebeteenden än suicidförsök	ID11	1_Early	SBU	<i>SBU. Skolbaserade program för att förebygga självskadebeteende inklusive suicidförsök. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinska och sociala utvärderingar (SBU); 2015. SBU-rapport nr 241. ISBN 978-91-85413-85-0.</i>	2016-04-21
Self-harm	Selekterade eller indikerade skolbaserade program för att förebygga självskadebeteende inklusive suicidförsök (uppdatering pågår)	ID11	1_Early	SBU	<i>SBU. Skolbaserade program för att förebygga självskadebeteende inklusive suicidförsök. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinska och sociala utvärderingar (SBU); 2015. SBU-rapport nr 241. ISBN 978-91-85413-85-0.</i>	2016-04-19
Schizophrenia/ psychotic disorders	Mirtazapine (adjunct) versus placebo for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	<i>Perry LA, Ramson D, Stricklin S. Mirtazapine adjunct for people with schizophrenia. Cochrane Database of Systematic Reviews 2018, Issue 5. Art. No.: CD011943.</i>	2018-01-01 2015-12-22
Schizophrenia/ psychotic disorders	Fluphenazine (oral) versus placebo for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	<i>Matar HE, Almerie MQ, Sampson SJ. Fluphenazine (oral) versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2018, Issue 6. Art. No.: CD006352.</i> <i>Matar HE, Almerie MQ, Sampson S. Fluphenazine (oral) versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 7. Art. No.: CD006352.</i>	2018-01-01 2013-09-04
Schizophrenia/ psychotic disorders	Fluphenazine (oral) versus atypical antipsychotics for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	<i>Sampford JR, Sampson S, Li BG, Zhao S, Xia J, Furtado VA. Fluphenazine (oral) versus atypical antipsychotics for schizophrenia. Cochrane Database of Systematic Reviews 2016, Issue 7. Art. No.: CD010832.</i>	2016-01-01 2013-12-17
Schizophrenia/ psychotic disorders	Zuklopentixol jämfört med första generationens antipsykotiska läkemedel (FGA) vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende flera utfall	ID12	2_Drugs	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU. Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinska och sociala utvärderingar. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-04

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Iloperidone versus placebo for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2015-09-29
Schizophrenia/ psychotic disorders	Chlorpromazine versus penfluridol for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2015-09-29
Schizophrenia/ psychotic disorders	Chlorpromazine versus clorapine for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2015-08-12
Schizophrenia/ psychotic disorders	Chlorpromazine versus piperacetazine for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2015-07-09
Schizophrenia/ psychotic disorders	Chlorpromazine versus metiapine for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2015-07-01
Schizophrenia/ psychotic disorders	Perphenazine for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Hartung B, Sampson S, Leucht S. Perphenazine for schizophrenia. Cochrane Database of Systematic Reviews 2015, Issue 3. Art. No.: CD003443.	2015-04-17
Schizophrenia/ psychotic disorders	Asenapine versus placebo for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2015-02-25
Schizophrenia/ psychotic disorders	Haloperidol versus first-generation antipsychotics for the treatment of schizophrenia and other psychotic disorders	ID12	2_Drugs	Cochrane Schizophrenia Group	Dold M, Samara MT, Li C, Tardy M, Leucht S. Haloperidol versus first-generation antipsychotics for the treatment of schizophrenia and other psychotic disorders. Cochrane Database of Systematic Reviews 2015, Issue 1. Art. No.: CD009831. PICO: Outcomes (4): Adverse Event, Therapeutic Response, Withdrawn From Research Study, Global Assessment	2015-02-24
Schizophrenia/ psychotic disorders	Perphenazine versus low-potency first-generation antipsychotic drugs for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Tardy M, Huhn M, Engel RR, Leucht S. Perphenazine versus low-potency first-generation antipsychotic drugs for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 10. Art. No.: CD009369.	2014-11-13

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Flupentixol versus low-potency first-generation antipsychotic drugs for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Tardy M, Dold M, Engel RR, Leucht S. Flupentixol versus low-potency first-generation antipsychotic drugs for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 9. Art. No.: CD009227.	2014-10-31
Schizophrenia/ psychotic disorders	Fluphenazine versus low-potency first-generation antipsychotic drugs for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Tardy M, Huhn M, Engel RR, Leucht S. Fluphenazine versus low-potency first-generation antipsychotic drugs for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 8. Art. No.: CD009230.	2014-09-26
Schizophrenia/ psychotic disorders	Trifluoperazine versus low-potency first-generation antipsychotic drugs for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Tardy M, Dold M, Engel RR, Leucht S. Trifluoperazine versus low-potency first-generation antipsychotic drugs for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 7. Art. No.: CD009396.	2014-08-12
Schizophrenia/ psychotic disorders	Pericyazine for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Matar HE, Almerie MQ, Makhoul S, Xia J, Humphreys P. Pericyazine for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 5. Art. No.: CD007479.	2014-06-06
Schizophrenia/ psychotic disorders	Sulpiride versus placebo for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Wang J, Sampson S. Sulpiride versus placebo for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 4. Art. No.: CD007811.	2014-05-09
Schizophrenia/ psychotic disorders	Trifluoperazine versus placebo for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Koch K, Mansi K, Haynes E, Adams CE, Sampson S, Furtado VA. Trifluoperazine versus placebo for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 1. Art. No.: CD010226.	2014-02-10
Schizophrenia/ psychotic disorders	Chlorpromazine versus atypical antipsychotic drugs for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Adams CE, Awad GA, Rathbone J, Thornley B, Soares-Weiser K. Chlorpromazine versus placebo for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 1. Art. No.: CD000284.	2014-01-06
Schizophrenia/ psychotic disorders	Aripiprazole versus other atypical antipsychotics for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Khanna P, Suo T, Komossa K, Ma H, Rummel-Kluge C, El-Sayeh HG, Leucht S, Xia J. Aripiprazole versus other atypical antipsychotics for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 1. Art. No.: CD006569.	2014-01-02

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Haloperidol versus placebo for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Adams CE, Bergman H, Irving CB, Lawrie S. Haloperidol versus placebo for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 11. Art. No.: CD003082. PICO: Outcomes (11): Hospital discharge, Death, Suicide, Parkinsonism, Relapse, Behavior, All Cause Mortality, Withdrawn From Research Study, Patient Satisfaction, Clinical Improvement, Non-affective psychosis	2013-12-17
Schizophrenia/ psychotic disorders	Quetiapine versus other atypical antipsychotics for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Asmal L, Flegar SJ, Wang J, Rummel-Kluge C, Komossa K, Leucht S. Quetiapine versus other atypical antipsychotics for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 11. Art. No.: CD006625.	2013-12-17
Schizophrenia/ psychotic disorders	Pimozide for schizophrenia or related psychoses	ID12	2_Drugs	Cochrane Schizophrenia Group	Mothi M, Sampson S. Pimozide for schizophrenia or related psychoses. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 11. Art. No.: CD001949.	2013-12-17
Schizophrenia/ psychotic disorders	Zotepine versus placebo for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2013-08-14
Schizophrenia/ psychotic disorders	Zuclopentixol versus placebo for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2013-07-24
Schizophrenia/ psychotic disorders	Quetiapine versus typical antipsychotic medications for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Suttaijit S, Srisurapanont M, Xia J, Suttaijit S, Maneeton B, Maneeton N. Quetiapine versus typical antipsychotic medications for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 5. Art. No.: CD007815.	2013-06-03
Schizophrenia/ psychotic disorders	Lurasidone versus placebo for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2013-04-26
Schizophrenia/ psychotic disorders	Asenapine versus typical antipsychotics for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2012-11-20
Schizophrenia/ psychotic disorders	Flupenthixol versus placebo for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	Shen X, Xia J, Adams CE. Flupenthixol versus placebo for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2012, Issue 11. Art. No.: CD009777.	2012-11-16

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Sulpiride dose for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2012-07-13
Schizophrenia/ psychotic disorders	Paliperidone palmitate for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	<i>Nussbaum AM, Stroup TS. Paliperidone palmitate for schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 6. Art. No.: CD008296.</i>	2012-06-28
Schizophrenia/ psychotic disorders	Aripiprazole versus placebo for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	<i>Belgamwar RB, El-Sayeh HGG. Aripiprazole versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2011, Issue 8. Art. No.: CD006622.</i>	2011-08-18
Schizophrenia/ psychotic disorders	Pericyazine for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2010-01-13
Schizophrenia/ psychotic disorders	Levomepromazine for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2010-01-12
Schizophrenia/ psychotic disorders	Sultopride for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group		2007-07-24

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Direct comparisons between atypical antipsychotics for schizophrenia	ID12	2_Drugs	National Institute for Health and Clinical Excellence research recommendation	<i>El-Sayeh HG, Morganti C. Aripiprazole for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD004578.</i> <i>Murphy BE, Bagnall A, Chue P, Fenton M, Leitner M, Wood J. Loxapine for schizophrenia. Cochrane Database of Systematic Reviews 2000, Issue 1. Art. No.: CD001943.</i> <i>Bagnall A, Fenton M, Kleijnen J, Lewis R. Molindone for schizophrenia and severe mental illness. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD002083.</i> <i>Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. Olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD001359.</i> <i>Lewis R, Bagnall A-M, Leitner M. Sertindole for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 3. Art. No.: CD001715.</i> <i>Bagnall A, Kleijnen J, Leitner M, Lewis R. Ziprasidone for schizophrenia and severe mental illness. Cochrane Database of Systematic Reviews 2000, Issue 4. Art. No.: CD001945.</i> <i>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</i>	2007-06-27
Schizophrenia/ psychotic disorders	Paliperidone for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	<i>Nussbaum AM, Stroup TS. Oral paliperidone for schizophrenia. Cochrane Database of Systematic Reviews 2008, Issue 2. Art. No.: CD006369.</i>	2007-03-05
Schizophrenia/ psychotic disorders	Risperidone versus olanzapine for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	<i>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2.</i>	2006-10-09
Schizophrenia/ psychotic disorders	Haloperidol versus chlorpromazine for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	<i>Leucht C, Kitzmantel M, Kane J, Leucht S, Chua WLLC. Haloperidol versus chlorpromazine for schizophrenia. Cochrane Database of Systematic Reviews 2008, Issue 1. Art. No.: CD004278.</i>	2006-09-25
Schizophrenia/ psychotic disorders	Perazine for schizophrenia	ID12	2_Drugs	Cochrane Schizophrenia Group	<i>Leucht S, Helper B, Hartung B. Perazine for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD002832.</i>	2006-09-18

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Eating disorders	Centralstimulerande läkemedel (lisdexamfetamin) jämfört med placebo vid Eating disorders avseende ätstörningsspecifik psykopatologi, depressiv symptomatologi och livskvalitet	ID12	2_Drugs	SBU	<i>SBU. Behandling av Eating disorders. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 248. ISBN 978-91-85413-91-1.</i>	2017-10-11
Eating disorders	Selektiva serotoninåterupptagshämmare (SSRI) jämfört med placebo vid Eating disorders avseende ätstörningsspecifik psykopatologi, body mass index (BMI), depressiv symptomatologi och livskvalitet	ID12	2_Drugs	SBU	<i>SBU. Behandling av Eating disorders. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 248. ISBN 978-91-85413-91-1</i>	2017-10-11
Depression, severe	Agomelatine versus other antidepressive agents for major depression	ID12	2_Drugs	Cochrane Depression, Anxiety and Neurosis Group	<i>Guaiana G, Gupta S, Chiodo D, Davies SJC, Haederle K, Koesters M. Agomelatine versus other antidepressive agents for major depression. Cochrane Database of Systematic Reviews 2013, Issue 12. Art. No.: CD008851.</i>	2014-01-21
Depression, psychotic	Pharmacological treatment for psychotic depression	ID12	2_Drugs	Cochrane Depression, Anxiety and Neurosis Group	<i>Wijkstra J, Lijmer J, Burger H, Cipriani A, Geddes J, Nolen WA. Pharmacological treatment for psychotic depression. Cochrane Database of Systematic Reviews 2015, Issue 7. Art. No.: CD004044.</i>	2013-12-17
Bipolar disorder	Olanzapin i jämförelse med litium och valproat hos personer med bipolär sjukdom typ 1, mätt som avbrott och återfall oberoende av polaritet och återfall i mani	ID12	2_Drugs	SBU	<i>SBU. Underhållsbehandling med nyare antipsykotiska läkemedel vid bipolär sjukdom. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2015. SBU Alert-rapport nr 2015-02. ISSN 1652-7151.</i>	2016-08-08
Self-harm	Pharmacological interventions for self-harm in adults	ID13	2_Drugs	Cochrane Depression, Anxiety and Neurosis Group	<i>Hawton K, Witt KG, Taylor Salisbury TL, Arensman E, Gunnell D, Hazell P, Townsend E, van Heeringen K. Pharmacological interventions for self-harm in adults. Cochrane Database of Systematic Reviews 2015, Issue 7. Art. No.: CD011777.</i>	2015-09-03
Schizophrenia/ psychotic disorders	Selective noradrenaline reuptake inhibitors for schizophrenia	ID13	2_Drugs	Cochrane Schizophrenia Group	<i>Matthews PRL, Horder J, Pearce M. Selective noradrenaline reuptake inhibitors for schizophrenia. Cochrane Database of Systematic Reviews 2018, Issue 1. Art. No.: CD010219.</i>	2018-01-01 2012-11-20
Schizophrenia/ psychotic disorders	Do antidepressants improve negative symptoms in schizophrenia?	ID13	2_Drugs	BMJ Cochrane	<i>Barnes TRE, Paton C. Do antidepressants improve negative symptoms in schizophrenia? BMJ. 2011. 10.1136/bmj.d3371 Rummel C, Kissling W, Leucht S. Antidepressants for the negative symptoms of schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD005581.</i>	2011-06-01

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Lithium for schizophrenia	ID13	2_Drugs	Cochrane Schizophrenia Group	<i>Leucht S, Helfer B, Dold M, Kissling W, McGrath JJ. Lithium for schizophrenia. Cochrane Database of Systematic Reviews 2015, Issue 10. Art. No.: CD003834.</i>	2015-11-24
Schizophrenia/ psychotic disorders	Benzodiazepines for schizophrenia	ID13	2_Drugs	Cochrane Schizophrenia Group	<i>Dold M, Li C, Tardy M, Khorsand V, Gillies D, Leucht S. Benzodiazepines for schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD006391.</i>	2008-02-28
OCD	Gabapentin augmentation for obsessive compulsive disorder	ID13	2_Drugs	Evidence update - Obsessive compulsive disorder		2013-07-25
OCD	Second-generation antipsychotics for obsessive compulsive disorder	ID13	2_Drugs	Cochrane Depression, Anxiety and Neurosis Group	<i>Komossa K, Depping AM, Meyer M, Kissling W, Leucht S. Second-generation antipsychotics for obsessive compulsive disorder. Cochrane Database of Systematic Reviews 2010, Issue 12. Art. No.: CD008141.</i>	2011-04-28
Depression, severe	Second-generation antipsychotics for major depressive disorder and dysthymia	ID13	2_Drugs	Cochrane Depression, Anxiety and Neurosis Group	<i>Komossa K, Depping AM, Gaudchau A, Kissling W, Leucht S. Second-generation antipsychotics for major depressive disorder and dysthymia. Cochrane Database of Systematic Reviews 2010, Issue 12. Art. No.: CD008121.</i>	2011-04-28
Anxiety disorders	Second-generation antipsychotics for anxiety disorders	ID13	2_Drugs	Cochrane Depression, Anxiety and Neurosis Group	<i>Depping AM, Komossa K, Kissling W, Leucht S. Second-generation antipsychotics for anxiety disorders. Cochrane Database of Systematic Reviews 2010, Issue 12. Art. No.: CD008120.</i>	2011-04-27
Schizophrenia/ psychotic disorders	Memantine for schizophrenia	ID14	2_Drugs	Cochrane Schizophrenia Group	<i>Hsu et al. The efficacy and tolerability of memantine for depressive symptoms in major mental diseases: A systematic review and updated meta-analysis of double-blind randomized controlled trials. J Affect Disord. 2022 Jun 1;306:182-189.</i> <i>Zheng et al. Adjunctive memantine for major mental disorders: A systematic review and meta-analysis of randomized double-blind controlled trials. Schizophr Res. 2019 Jul;209:12-21.</i> <i>Vayisoğlu et al. Augmentation of Antipsychotic Treatment with Memantine in Patients with Schizophrenia: A Systematic Review and Meta-Analysis. Turk Psikiyatri Derg. 2019 Winter;30(4):253-259.</i>	2022-01-01 2013-07-24
Schizophrenia/ psychotic disorders	Atomoxetine for schizophrenia	ID14	2_Drugs	Cochrane Schizophrenia Group	<i>Solmi et al. Systematic review and exploratory meta-analysis of the efficacy, safety, and biological effects of psychostimulants and atomoxetine in patients with schizophrenia or schizoaffective disorder. Meta-Analysis CNS Spectr 2019 Oct;24(5):479-495.</i>	2019-01-01 2014-04-08

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Amphetamines versus placebo for schizophrenia	ID14	2_Drugs	Cochrane Schizophrenia Group		2015-11-09
Schizophrenia/ psychotic disorders	Cannabis and schizophrenia	ID14	2_Drugs	Cochrane Schizophrenia Group	<i>McLoughlin et al. Cannabis and schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 10. Art. No.: CD004837;</i> <i>Leweke et al. Cannabidiol enhances anandamide signaling and alleviates psychotic symptoms of schizophrenia. Transl Psychiatry 2012 Mar 20;2(3):e94.</i>	2014-11-28
Schizophrenia/ psychotic disorders	Acetylcholinesterase inhibitors for schizophrenia	ID14	2_Drugs	Cochrane Schizophrenia Group	<i>Singh J, Kour K, Jayaram MB. Acetylcholinesterase inhibitors for schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 1. Art. No.: CD007967.</i>	2010-01-08
Schizophrenia/ psychotic disorders	Antiglucocorticoid and related treatments for psychosis	ID14	2_Drugs	Cochrane Schizophrenia Group		2010-01-08
Schizophrenia/ psychotic disorders	Carbamazepine for schizophrenia	ID14	2_Drugs	Cochrane Schizophrenia Group	<i>Leucht S, Helfer B, Dold M, Kissling W, McGrath J. Carbamazepine for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 5. Art. No.: CD001258.</i>	2008-02-28
Schizophrenia/ psychotic disorders	Clotiapine for schizophrenia	ID14	2_Drugs	Mind Cymru	<i>Berk M, Rathbone J, Mandriota-Carpenter SL. Clotiapine for acute psychotic illnesses. Cochrane Database of Systematic Reviews 2004, Issue 4. Art. No.: CD002304.</i>	2008-02-11
Schizophrenia/ psychotic disorders	Testosterone for schizophrenia	ID14	2_Drugs	Cochrane Schizophrenia Group	<i>Elias A, Kumar A. Testosterone for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD006197.</i>	2006-12-04
PANS/PANDAS	Antibiotika jämfört med placebo vid PANS/PANDAS hos barn och ungdomar	ID14	2_Drugs	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-03-02
PANS/PANDAS	Intravenöst immunoglobulin jämfört med placebo vid svår PANS/PANDAS hos barn och ungdomar	ID14	2_Drugs	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-03-02
PANS/PANDAS	Antibiotika som profylax jämfört med placebo vid PANS/PANDAS hos barn och ungdomar	ID14	2_Drugs	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-03-02
PANS/PANDAS	Plasmaferes jämfört med placebo vid svår PANS/PANDAS hos barn och ungdomar	ID14	2_Drugs	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-03-02

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Eating disorders	Viktducerande läkemedel jämfört med placebo vid Eating disorders	ID14	2_Drugs	SBU	<i>SBU. Behandling av Eating disorders. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 248. ISBN 978-91-85413-91-1.</i>	2017-10-16
Eating disorders	Stämningsstabiliseraende (antikonvulsiva) läkemedel jämfört med placebo vid Eating disorders och samtidig fetma	ID14	2_Drugs	SBU	<i>SBU. Behandling av Eating disorders. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 248. ISBN 978-91-85413-91-1.</i>	2017-10-11
Depression, severe	Esketamin som tillägg till antidepressivt läkemedel vid medelsvår till svår, behandlingsresistent, egentlig depression hos vuxna	ID14	2_Drugs	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom. Översyn 2020.</i>	2021-05-12
Depression, severe	Ketamin som intravenös infusionsbehandling jämfört med placebo vid svår depression hos vuxna avseende effekter vid upprepade infusioner, långtidseffekter samt suicid/suicidförsök	ID14	2_Drugs	SBU	<i>SBU Kommentar: Ketamin vid svårbehandlad depression. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2017. SBU Kommentar nr 2017:01.</i>	2020-03-30
Depression, severe	Ketamine and other glutamate receptor modulators for depression in adults	ID14	2_Drugs	Cochrane Depression, Anxiety and Neurosis Group	<i>Caddy C, Amit BH, McCloud TL, Rendell JM, Furukawa TA, McShane R, Hawton K, Cipriani A. Ketamine and other glutamate receptor modulators for depression in adults. Cochrane Database of Systematic Reviews 2015, Issue 9. Art. No.: CD011612.</i>	2015-09-23
Bipolar disorder	Ketamine and other glutamate receptor modulators for depression in bipolar disorder in adults	ID14	2_Drugs	Cochrane Depression, Anxiety and Neurosis Group	<i>Dean et al. Ketamine and other glutamate receptor modulators for depression in adults with bipolar disorder. Cochrane Database of Syst Rev 2021, Issue 10. Art. No.: CD011611. McCloud et al. Ketamine and other glutamate receptor modulators for depression in bipolar disorder in adults. Cochrane Database of Syst Rev 2015, Issue 9. Art. No.: CD011611.</i>	2021-01-01 2015-09-29
Bipolar disorder	Ketamin som infusionsbehandling jämfört med placebo eller annan behandling vid bipolär sjukdom hos vuxna	ID14	2_Drugs	SBU	<i>SBU Kommentar: Ketamin vid svårbehandlad depression. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2017. SBU Kommentar nr 2017:01.</i>	2020-03-30
Schizophrenia/ psychotic disorders	Aripiprazole for people with schizophrenia whose illness has been partially responsive to clozapine	ID15	2_Drugs	Cochrane Schizophrenia Group		2012-05-30

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Antidepressants for people with both schizophrenia and depression	ID15	2_Drugs	NICE guideline on core interventions in the treatment and management of schizophrenia		2011-02-17
Schizophrenia/ psychotic disorders	Augmentation of clozapine monotherapy with an appropriate second antipsychotic where a refractory schizophrenic illness has shown only a partial response to clozapine	ID15	2_Drugs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	<i>Cipriani A, Boso M, Barbui C. Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 3 John Wiley & Sons, Ltd Chichester, UK.</i>	2010-02-22
Schizophrenia/ psychotic disorders	Combining antipsychotics to treat schizophrenia that has proved to be poorly responsive to adequate trials of antipsychotic monotherapy	ID15	2_Drugs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	<i>Cipriani A, Boso M, Barbui C. Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia. Cochrane Database of Systematic Reviews 2009, Issue 3. Art. No.: CD006324.</i>	2010-02-22
Schizophrenia/ psychotic disorders	Augmentation of antipsychotic monotherapy with lithium where a schizophrenic illness has shown only a partial response	ID15	2_Drugs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)		2010-02-22
Schizophrenia/ psychotic disorders	Augmentation of antipsychotic monotherapy with sodium valproate where a schizophrenic illness has shown only a partial response	ID15	2_Drugs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	<i>Schwarz C, Volz A, Li C, Leucht S. Valproate for schizophrenia. Cochrane Database of Systematic Reviews 2008, Issue 3. Art. No.: CD004028.</i>	2010-02-22
Schizophrenia/ psychotic disorders	Augmenting antipsychotic monotherapy with an antidepressant to treat persistent negative symptoms	ID15	2_Drugs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)		2010-02-22
Schizophrenia/ psychotic disorders	Combined antipsychotics (including clozapine) for schizophrenia when monotherapy has proved unsatisfactory	ID15	2_Drugs	National Institute for Health and Clinical Excellence research recommendation	<i>Correll C U, Rummel-Kluge C, Corves C, Kane J M, Leucht S. Antipsychotic combinations vs monotherapy in schizophrenia: a meta-analysis of randomized controlled trials. Schizophrenia Bulletin 2009; 35(2): 443-457 PMID 18417466</i>	2007-06-27

Prioritized research questions in health care and social care for serious mental illness - www.sbu.se/368e

Prioritering av forskningsfrågor inom vård och stöd vid allvarliga psykiska sjukdomar och tillstånd - www.sbu.se/368

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Are antipsychotic drugs more effective when combined with a mood stabilizer in severe mental illness?	ID15	2_Drugs	Mental Health Research Network Cymru		2007-04-23
Schizophrenia/ psychotic disorders	My daughter is taking olanzapine for schizophrenia. Could I give her Nytol (diphenhydramine) and olanzapine?	ID15	2_Drugs	United Kingdom Psychiatric Pharmacy Group Telephone Helpline		2005-10-18
Depression, severe	Ketamin som intravenös infusionsbehandling jämfört med annat läkemedel vid svår depression hos vuxna avseende effekter vid upprepade infusionser, långtidseffekter samt suicid/suicidförsök	ID15	2_Drugs	SBU	<i>SBU Kommentarer: Ketamin vid svårbehandlad depression. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2017. SBU Kommentarer nr 2017:01.</i>	2020-03-30
Depression, severe	Ketamin som intravenös infusionsbehandling jämfört med elektrokonvulsiv behandling (ECT) vid svår depression hos vuxna	ID15	2_Drugs	SBU	<i>SBU Kommentarer: Ketamin vid svårbehandlad depression. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2017. SBU Kommentarer nr 2017:01.</i>	2020-03-30
Depression, severe	Litium som tillägg till antidepressiva läkemedel jämfört med triiodtyronin för vuxna med behandlingsresistent svår egentlig depression	ID15	2_Drugs	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-02-28
Depression	Antidepressants plus benzodiazepines for major depression	ID15	2_Drugs	DUETs Mental Health Module Editorial Group	<i>Furukawa TA, Streiner D, Young LT, Kinoshita Y. Antidepressants plus benzodiazepines for major depression. Cochrane Database of Systematic Reviews 2001, Issue 3. Art. No.: CD001026.</i>	2009-07-23
Bipolar disorder	Olanzapin och risperidon-depot som tilläggsbehandling till litium eller valproat vid underhållsbehandling av personer med bipolär sjukdom typ 1, mätt som avbrott eller återfall	ID15	2_Drugs	SBU	<i>SBU. Underhållsbehandling med nyare antipsykotiska läkemedel vid bipolär sjukdom. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2015. SBU Alert-rapport nr 2015-02. ISSN 1652-7151.</i>	2016-08-08
Bipolar disorder	Fluoxetine combined with olanzapine versus other SSRI combined with olanzapine in the treatment of moderate to severe bipolar depression	ID15	2_Drugs	NICE CG. Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people.	<i>National Institute for Health and Clinical Excellence (2014) Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.</i>	2014-11-19
Serious/ Severe mental illness	'As required' medication regimens for seriously mentally ill people in hospital	ID16	2_Drugs	Cochrane Schizophrenia Group	<i>Douglas-Hall P, Whicher EV. 'As required' medication regimens for seriously mentally ill people in hospital. Cochrane Database of Systematic Reviews 2015, Issue 12. Art. No.: CD003441.</i>	2015-12-21

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Is olanzapine dangerous in patients with hyperglycaemia?	ID16	2_Drugs	Mental Health Research Network Cymru		2007-07-09
Schizophrenia/ psychotic disorders	Antipsykotiskt läkemedel i depåform jämfört med peroral form vid svårbehandlad schizofreni eller schizofreniliknande tillstånd hos vuxna avseende flera utfall	ID16	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU. Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-05
Schizophrenia/ psychotic disorders	Increasing antipsychotic dose for non response in schizophrenia	ID16	2_Drugs	Cochrane Schizophrenia Group		2015-11-09
Schizophrenia/ psychotic disorders	Increasing antipsychotic dose versus switching antipsychotic for non response in schizophrenia	ID16	2_Drugs	Cochrane Schizophrenia Group		2015-11-09
Schizophrenia/ psychotic disorders	Switching antipsychotic for non response in schizophrenia	ID16	2_Drugs	Cochrane Schizophrenia Group		2015-10-20
Schizophrenia/ psychotic disorders	Fluphenazine decanoate (depot) and enanthate for schizophrenia	ID16	2_Drugs	Cochrane Schizophrenia Group	<i>Maayan N, Quraishi SN, David A, Jayaswal A, Eisenbruch M, Rathbone J, Asher R, Adams CE. Fluphenazine decanoate (depot) and enanthate for schizophrenia. Cochrane Database of Systematic Reviews 2015, Issue 1. Art. No.: CD000307.</i>	2015-02-05
Schizophrenia/ psychotic disorders	Flupenthixol decanoate (depot) for schizophrenia or other similar psychotic disorders	ID16	2_Drugs	Cochrane Schizophrenia Group	<i>Mahapatra J, Quraishi SN, David A, Sampson S, Adams CE. Flupenthixol decanoate (depot) for schizophrenia or other similar psychotic disorders. Cochrane Database of Systematic Reviews 2014, Issue 6. Art. No.: CD001470.</i>	2014-06-10
Schizophrenia/ psychotic disorders	Antipsychotic drug treatment for elderly people with late-onset schizophrenia	ID16	2_Drugs	Cochrane Schizophrenia Group	<i>Essali A, Ali G. Antipsychotic drug treatment for elderly people with late-onset schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD004162.</i>	2012-03-02
Schizophrenia/ psychotic disorders	Depot/long-acting injectable antipsychotic preparations for schizophrenia	ID16	2_Drugs	Schizophrenia Core interventions in the treatment and management of schizophrenia		2010-02-21

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Safety/tolerability and patient acceptability of low dose antipsychotic medication for people with schizophrenia	ID16	2_Drugs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	Komossa K, Rummel-Kluge C, Schmid F, Hunger H, Schwarz S, El-Sayeh HGG, Kissling W, Leucht S. Aripiprazole versus other atypical antipsychotics for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 4 John Wiley & Sons, Ltd Chichester, UK. Bhattacharjee J, El-Sayeh Hany GG. Aripiprazole versus typical antipsychotic drugs for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2008 Issue 3 John Wiley & Sons, Ltd Chichester, UK. Cipriani A, Boso M, Barbui C. Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 3 John Wiley & Sons, Ltd Chichester, UK. Essali A, Al-Haj HN, Li C, Rathbone J. Clozapine versus typical neuroleptic medication for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 1 John Wiley & Sons, Ltd Chichester, UK. Leucht C, Kitzmantel M, Kane J, Leucht S, Chua WL. Haloperidol versus chlorpromazine for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2008 Issue 1 John Wiley & Sons, Ltd Chichester, UK. Nussbaum AM, Stroup TS. Oral paliperidone for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2008 Issue 2 John Wiley & Sons, Ltd Chichester, UK. Komossa K, Rummel-Kluge C, Hunger H, Schwarz S, Schmid F, Lewis R, Kissling W, Leucht S. Sertindole versus other atypical antipsychotics for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 2 John Wiley & Sons, Ltd Chichester, UK. Omori IM, Wang J. Sulpiride versus placebo for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 2 John Wiley & Sons, Ltd Chichester, UK. Komossa K, Rummel-Kluge C, Hunger H, Schwarz S, Bhoopathi PS, Kissling W, Leucht S. Ziprasidone versus other atypical antipsychotics for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 4 John Wiley & Sons, Ltd Chichester, UK.	2010-02-21
Schizophrenia/ psychotic disorders	Do individual metabolic differences influence outcomes treatment in schizophrenia? In what way?	ID16	2_Drugs	Mind Cymru		2008-04-14

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	In people with chronic schizophrenia who have to stop clozapine, what is the most appropriate choice of antipsychotic in terms of symptom control and quality of life?	ID16	2_Drugs	Mental Health Research Network Cymru		2008-03-18
Schizophrenia/ psychotic disorders	Intermittent drug techniques for schizophrenia	ID16	2_Drugs	Mental Health Research Network Cymru	<i>Sampson S, Mansour M, Maayan N, Soares-Weiser K, Adams CE. Intermittent drug techniques for schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 7. Art. No.: CD006196.</i>	2008-02-11
Schizophrenia/ psychotic disorders	Is the use of antipsychotic drugs in elderly patients more dangerous?	ID16	2_Drugs	Mental Health Research Network Cymru	<i>Marriott RG, Neil W, Waddingham S. Antipsychotic medication for elderly people with schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD005580.</i>	2008-02-11
Schizophrenia/ psychotic disorders	Are psychological interventions less effective in older people with severe mental illness?	ID16	3_Psych	DUETs Schizophrenia Module Editorial Group		2008-02-11
Schizophrenia/ psychotic disorders	Does variation in treatment for patients with psychosis, which is often trial and error, affect compliance?	ID16	2_Drugs	DUETs Schizophrenia Module Editorial Group		2007-10-09
Schizophrenia/ psychotic disorders	How do we improve adherence to oral antipsychotic drugs?	ID16	2_Drugs	Mind Cymru	<i>McIntosh AM, Conlon L, Lawrie SM, Stanfield AC. Compliance therapy for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 3.</i>	2007-09-11
Schizophrenia/ psychotic disorders	Antipsychotic switching for people with schizophrenia who have neuroleptic-induced weight or metabolic problems	ID16	2_Drugs	Cochrane Schizophrenia Group	<i>Mukundan A, Faulkner G, Cohn T, Remington G. Antipsychotic switching for people with schizophrenia who have neuroleptic-induced weight or metabolic problems. Cochrane Database of Systematic Reviews 2010, Issue 12. Art. No.: CD006629.</i>	2007-07-24

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Depot preparations of both conventional and atypical antipsychotics for schizophrenia	ID16	2_Drugs	National Institute for Health and Clinical Excellence research recommendation	<i>Abhijinhan A, Adams CE, David A, Ozbilen M. Depot fluspirilene for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD001718.</i> <i>David A, Quraishi S, Rathbone J. Depot perphenazine decanoate and enanthate for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 3. Art. No.: CD001717.</i> <i>Hosalli P, Davis JM. Depot risperidone for schizophrenia. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD004161.</i> <i>da Silva Freire Coutinho E, Fenton M, Quraishi SN. Zuclopentixol decanoate for schizophrenia and other serious mental illnesses. Cochrane Database of Systematic Reviews 1999, Issue 3. Art. No.: CD001164.</i>	2007-06-27
Schizophrenia/ psychotic disorders	My son has schizophrenia. He was on Clozapine and transferred to aripiprazole. He's now becoming unwell. Is it better to switch straight back to clozapine, taper the doses or combine the two?	ID16	2_Drugs	United Kingdom Psychiatric Pharmacy Group Telephone Helpline	<i>Tuunainen A, Wahlbeck K, Gilbody SM. Newer atypical antipsychotic medication versus clozapine for schizophrenia. The Cochrane Database of Systematic Reviews 2000, Issue 2.</i>	2005-09-12
Psychiatric comorbidity with addiction	Antipsykotiskt läkemedel i depåform jämfört med peroral form vid schizofreni eller schizofreniliknande tillstånd hos vuxna med missbruk eller beroende, avseende flera utfall	ID16	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-05
Bipolar disorder	Pharmacotherapy for bipolar disorder in older people	ID16	2_Drugs	Cochrane Depression, Anxiety and Neurosis Group		2013-05-02
Schizophrenia/ psychotic disorders	Once an antipsychotic medication is started for someone for a first episode of psychosis, how long do they need to keep taking them before we can start reducing the dose or consider stopping medication?	ID17	2_Drugs	DUETs Schizophrenia Module Editorial Group	<i>Rodolico A, Sifaris S, Bighelli I, Samara MT, Hansen W-P, Salomone S, Aguglia E, Cutrufelli P, Bauer I, Baeckers L, Leucht S. Antipsychotic dose reduction compared to dose continuation for people with schizophrenia. Cochrane Database of Syst Rev 2022, Issue 11.</i> <i>Almerie MQ, Alkhateeb H, Essali A, Matar HE, Rezk E. Cessation of medication for people with schizophrenia already stable on chlorpromazine. Cochrane Database of Syst Rev 2007, Issue 1.</i>	2022-01-01 2007-11-09
Schizophrenia/ psychotic disorders	Haloperidol discontinuation for schizophrenia	ID17	2_Drugs	Cochrane Schizophrenia Group	<i>Essali A, Turkmani K, Aboudamaah S, AbouDamaah A, Diaa Aldeen MR, Marwa ME, AlMounayer N. Haloperidol discontinuation for people with schizophrenia. Cochrane Database of Systematic Reviews 2019, Issue 4. Art. No.: CD011408</i>	2019-01-01 2015-02-25

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Medication discontinuation or reduction in first episode psychosis	ID17	2_Drugs	NICE Clinical Guideline Psychosis and schizophrenia in adults (CG178)	National Collaborating Centre for Mental Health (2014) <i>Psychosis and schizophrenia in adults (CG178). Clinical Guideline</i> . London: The British Psychological Society & The Royal College of Psychiatrists.	2014-03-25
Schizophrenia/ psychotic disorders	Olanzapine discontinuation for schizophrenia	ID17	2_Drugs	Evidence Update - Alcohol use disorders: harmful drinking and alcohol dependence		2012-04-10
Schizophrenia/ psychotic disorders	What are the indications for discontinuing medication in patients with schizophrenia?	ID17	2_Drugs	Mental Health Research Network Cymru		2008-03-18
Schizophrenia/ psychotic disorders	Would changes in my antipsychotic medication help my concentration improve?	ID17	2_Drugs	Mind Cymru		2008-03-10
Schizophrenia/ psychotic disorders	Do patients who are withdrawing from olanzapine, taken for schizophrenia, experience withdrawal symptoms after more than 5 years of treatment?	ID17	2_Drugs	Mental Health Research Network Cymru		2007-11-08
Schizophrenia/ psychotic disorders	Antipsychotic drug discontinuation phenomena	ID17	2_Drugs	National Institute for Health and Clinical Excellence research recommendation	Almerie MQ, Alkhatteeb H, Essali A, Matar HE, Rezk E. <i>Cessation of medication for people with schizophrenia already stable on chlorpromazine</i> . Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD006329.	2007-06-18
Schizophrenia/ psychotic disorders	Benzodiazepines for catatonia in persons with schizophrenia and other serious mental illnesses.	ID18	2_Drugs	Cochrane Schizophrenia Group	Zaman H, Gibson RC, Walcott G. <i>Benzodiazepines for catatonia in people with schizophrenia or other serious mental illnesses</i> . Cochrane Database of Systematic Reviews 2019, Issue 8. Art. No.: CD006570. Gibson RC, Walcott G. <i>Benzodiazepines for catatonia in people with schizophrenia and other serious mental illnesses</i> . Cochrane Database of Systematic Reviews 2008, Issue 4. Art. No.: CD006570.	2019-01-01 2007-07-24
Schizophrenia/ psychotic disorders	Klozapin jämfört med placebo vid svårbehandlad schizofreni eller schizofreniliknande tillstånd hos vuxna avseende psykiska symptom, agranulocytos, myokardit, sexuell dysfunktion, kognitiv påverkan och livskvalitet	ID18	2_Drugs	Socialstyrelsen SBU	Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU. Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.	2020-03-04

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Klozapin jämfört med andra generationens antipsykotiska läkemedel (SGA) vid svårbehandlad schizofreni eller schizofreniliknande tillstånd hos vuxna avseende flera utfall	ID18	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-04
Schizophrenia/ psychotic disorders	What is the best way to treat people with schizophrenia un-responsive to treatment?	ID18	2_Drugs	Mental Health Research Network Cymru	<i>Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. Olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2.</i>	2007-11-08
Schizophrenia/ psychotic disorders	Clozapine against other atypicals for treatment-resistant schizophrenia	ID18	2_Drugs	National Institute for Health and Clinical Excellence research recommendation		2007-06-18
Schizophrenia/ psychotic disorders	Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia.	ID18	2_Drugs	Cochrane Schizophrenia Group	<i>Cipriani A, Boso M, Barbui C. Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia.</i> <i>Cochrane Database of Systematic Reviews 2009, Issue 3. Art. No.: CD006324.</i>	2007-03-05
Depression, severe	Pharmacological interventions for treatment-resistant depression in adults	ID18	2_Drugs	Cochrane Depression, Anxiety and Neurosis Group		2013-07-24
Schizophrenia/ psychotic disorders	Maintenance treatment with antipsychotic drugs for schizophrenia: long-term effects, rehospitalisation, recovery status, social participation, death	ID19	2_Drugs	Cochrane Schizophrenia Group	<i>Ceraso A, LIN JJ, Schneider-Thoma J, Siafis S, Tardy M, Komossa K, Heres S, Kissling W, Davis JM, Leucht S. Maintenance treatment with antipsychotic drugs for schizophrenia. Cochrane Database of Systematic Reviews 2020, Issue 8. Art. No.: CD008016.</i> <i>Leucht S, Tardy M, Komossa K, Heres S, Kissling W, Davis JM. Maintenance treatment with antipsychotic drugs for schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 5. Art. No.: CD008016.</i>	2020-01-01 2010-01-12
Schizophrenia/ psychotic disorders	Aripiprazol jämfört med placebo vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende kognitiv påverkan, sexuell dysfunktion, livskvalitet och långtidsuppföljningar	ID19	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-03
Schizophrenia/ psychotic disorders	Quetiapin jämfört med placebo vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende kognitiv påverkan, sexuell dysfunktion, livskvalitet och långtidsuppföljningar	ID19	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-03

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Bipolar disorder	Andra generationens antipsykotiska läkemedel (SGA) vid underhållsbehandling av bipolär sjukdom typ 2	ID19	2_Drugs	SBU	<i>SBU. Underhållsbehandling med nyare antipsykotiska läkemedel vid bipolär sjukdom. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2015. SBU Alert-rapport nr 2015-02. ISSN 1652-7151.</i>	2016-08-08
Bipolar disorder	Quetiapin i jämförelse med litium hos personer med bipolär sjukdom typ 1, mätt som återfall i mani	ID19	2_Drugs	SBU	<i>SBU. Underhållsbehandling med nyare antipsykotiska läkemedel vid bipolär sjukdom. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2015. SBU Alert-rapport nr 2015-02. ISSN 1652-7151.</i>	2016-08-08
Bipolar disorder	In the maintenance treatment of bipolar disorder, what is the relative effect on quality of life of lithium, an antipsychotic (haloperidol, olanzapine, quetiapine or risperidone), or a combination of lithium and an antipsychotic?	ID19	2_Drugs	NICE CG. Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.	<i>National Institute for Health and Clinical Excellence (2014) Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.</i>	2014-11-19
Bipolar disorder	Valproic acid, valproate and divalproex in the maintenance treatment of bipolar disorder	ID19	2_Drugs	Cochrane Depression, Anxiety and Neurosis Group	<i>Cipriani A, Reid K, Young AH, Macritchie K, Geddes J. Valproic acid, valproate and divalproex in the maintenance treatment of bipolar disorder. Cochrane Database of Systematic Reviews 2013, Issue 10. Art. No.: CD003196.</i>	2013-11-14
Bipolar disorder	Tiagabine in the maintenance treatment of bipolar disorder	ID19	2_Drugs	Cochrane Depression, Anxiety and Neurosis Group	<i>Vasudev A, Macritchie K, Rao SNK, Geddes J, Young AH. Tiagabine in the maintenance treatment of bipolar disorder. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD005173.</i>	2012-03-14
Serious/ Severe mental illness	Pyridoxal 5 phosphate for neuroleptic-induced tardive dyskinesia	ID20	2_Drugs	Cochrane Schizophrenia Group		2013-05-02
Serious/ Severe mental illness	Vitamin E for neuroleptic-induced tardive dyskinesia	ID20	2_Drugs	Cochrane Schizophrenia Group	<i>Soares-Weiser K, Maayan N, McGrath J. Vitamin E for neuroleptic-induced tardive dyskinesia. Cochrane Database of Systematic Reviews 2011, Issue 2. Art. No.: CD000209.</i>	2011-07-12
Serious/ Severe mental illness	Do the adverse effects of antipsychotic drugs outweigh the benefits?	ID20	2_Drugs	Mind Cymru		2008-04-14
Serious/ Severe mental illness	Are side effects of antipsychotics proportional to their effectiveness?	ID20	2_Drugs	Mind Cymru		2008-04-14
Serious/ Severe mental illness	Can too high a dose of antipsychotic cause psychotic symptoms?	ID20	2_Drugs	Mind Cymru		2008-03-18

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Long term effects of antipsychotic drugs on kidneys	ID20	2_Drugs	Mind Cymru	<p>Kennedy E, Kumar A, Datta SS. Antipsychotic medication for childhood-onset schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004027.</p> <p>El-Sayeh HG, Morganti C. Aripiprazole for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD004578.</p> <p>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</p> <p>Leucht S, Hartung B. Benperidol for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD003083.</p> <p>Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. Olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD001359.</p> <p>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</p>	2008-03-18
Serious/ Severe mental illness	What are the long term side effects of tranquilizers taken with antipsychotics in the treatment of schizophrenia?	ID20	2_Drugs	Mental Health Research Network Cymru	<p>Volz A, Khorsand V, Gillies D, Leucht S. Benzodiazepines for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD006391.</p>	2008-03-18
Serious/ Severe mental illness	Do antipsychotic drugs make learning difficult?	ID20	2_Drugs	Hafal		2008-03-18
Serious/ Severe mental illness	Are antipsychotics bad for my sleep	ID20	2_Drugs	Hafal	<p>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</p> <p>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</p>	2008-02-13

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Which adverse effects from antipsychotic drugs do patients find most difficult to cope with?	ID20	2_Drugs	Mental Health Research Network Cymru	<p>Jayaram MB, Hosallli P, Stroup S. <i>Risperidone versus olanzapine for schizophrenia</i>. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</p> <p>Matar HE, AlMerie MQ. <i>Oral fluphenazine versus placebo for schizophrenia</i>. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD006352.</p> <p>Joy CB, Adams CE, Lawrie SM. <i>Haloperidol versus placebo for schizophrenia</i>. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD003082.</p> <p>Jayaram MB, Hosallli P, Stroup S. <i>Risperidone versus olanzapine for schizophrenia</i>. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</p> <p>Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. <i>Olanzapine for schizophrenia</i>. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD001359.</p> <p>Lewis R, Bagnall A-M, Leitner M. <i>Sertindole for schizophrenia</i>. Cochrane Database of Systematic Reviews 2005, Issue 3. Art. No.: CD001715.</p> <p>Lonergan E, Britton AM, Luxenberg J, Wyller T. <i>Antipsychotics for delirium</i>. Cochrane Database of Systematic Reviews 2007, Issue 2. Art. No.: CD005594.</p> <p>DeSilva P, Fenton M, Rathbone J. <i>Zotepine for schizophrenia</i>. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</p> <p>Murphy BE, Bagnall A, Chue P, Fenton M, Leitner M, Wood J. <i>Loxapine for schizophrenia</i>. Cochrane Database of Systematic Reviews 2000, Issue 1. Art. No.: CD001943.</p> <p>Haupt DW. <i>Differential metabolic effects of antipsychotic treatments</i>. Eur Neuropsychopharmacol. 2006 Sep;16 Suppl 3:S149-55. Review.</p>	2008-02-11
Serious/ Severe mental illness	Do antipsychotic drugs cause permanent physical adverse effects?	ID20	2_Drugs	Mind Cymru	DeSilva P, Fenton M, Rathbone J. <i>Zotepine for schizophrenia</i> . Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.	2008-02-11
Serious/ Severe mental illness	Should I be more concerned about adverse effects from antipsychotic drugs with late onset of psychosis?	ID20	2_Drugs	Mind Cymru	Marriott RG, Neil W, Waddingham S. <i>Antipsychotic medication for elderly people with schizophrenia</i> . Cochrane Database of Systematic Reviews 2006, Issue 1.	2007-11-08

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Long term adverse effects of antipsychotic medication	ID20	2_Drugs	Mind Cymru	<p>Kennedy E, Kumar A, Datta SS. Antipsychotic medication for childhood-onset schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004027.</p> <p>El-Sayeh HG, Morganti C. Aripiprazole for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD004578.</p> <p>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</p> <p>Leucht S, Hartung B. Benperidol for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD003083.</p> <p>Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. Olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD001359.</p> <p>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</p>	2007-09-24
Serious/ Severe mental illness	Does poly-pharmacy in older patients with severe mental illness cause greater adverse events?	ID20	2_Drugs	Mental Health Research Network Cymru	Marriott RG, Neil W, Waddingham S. Antipsychotic medication for elderly people with schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD005580.	2007-09-11
Serious/ Severe mental illness	Long term adverse effects of clozapine	ID20	2_Drugs	Mind Cymru		2007-07-12
Serious/ Severe mental illness	Is procyclidine effective in treating tardive dyskinesia if taken in conjunction with antipsychotics?	ID20	2_Drugs	Mind Cymru	<p>Bhoopathi PS, Soares-Weiser K. Benzodiazepines for neuroleptic-induced tardive dyskinesia. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD000205.</p> <p>El-Sayeh HG, Lyra da Silva JP, Rathbone J, Soares-Weiser K. Non-neuroleptic catecholaminergic drugs for neuroleptic-induced tardive dyskinesia. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD000458.</p>	2007-07-09
Serious/ Severe mental illness	Is risperidone less likely than other antipsychotic drugs to cause tardive dyskinesia?	ID20	2_Drugs	Mind Cymru		2007-07-09
Serious/ Severe mental illness	Does mild renal impairment get worse if a person takes lithium for mood disorders?	ID20	2_Drugs	Mental Health Research Network Cymru		2007-05-09
Serious/ Severe mental illness	If a person benefiting from taking lithium for mood disorders stays on it, are adverse renal effects dose-related?	ID20	2_Drugs	Mental Health Research Network Cymru		2007-03-12

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Zuklopentixol jämfört med andra generationens antipsykotiska läkemedel (SGA) vid schizofreni eller schizofreniliknande tillstånd hos vuxna	ID20	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-05
Schizophrenia/ psychotic disorders	Klozapin jämfört med första generationens antipsykotiska läkemedel (FGA) vid svårbehandlad schizofreni eller schizofreniliknande tillstånd hos vuxna avseende flera utfall	ID20	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-04
Schizophrenia/ psychotic disorders	Ziprasidon jämfört med placebo vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende kognitiv påverkan, sexuell dysfunktion, livskvalitet och långtidsuppföljningar	ID20	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-04
Schizophrenia/ psychotic disorders	Zuklopentixol jämfört med placebo vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende flera utfall	ID20	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-04
Schizophrenia/ psychotic disorders	Haloperidol jämfört med placebo vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende kognitiv påverkan, sexuell dysfunktion, livskvalitet och långtidsuppföljningar	ID20	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-04
Schizophrenia/ psychotic disorders	Olanzapin jämfört med placebo vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende kognitiv påverkan, sexuell dysfunktion, livskvalitet och långtidsuppföljningar	ID20	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-03

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Paliperidon jämfört med placebo vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende kognitiv påverkan, sexuell dysfunktion, livskvalitet och långtidsuppföljningar	ID20	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-03
Schizophrenia/ psychotic disorders	Risperidon jämfört med placebo vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende kognitiv påverkan, sexuell dysfunktion, livskvalitet och långtidsuppföljningar	ID20	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-03
Schizophrenia/ psychotic disorders	Are the adverse effects of antipsychotic drugs worse in the morning?	ID20	2_Drugs	Hafal	<i>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</i> <i>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</i>	2008-03-18
Schizophrenia/ psychotic disorders	Does Tegretol cause balance problem in schizophrenia?	ID20	2_Drugs	Hafal	<i>Leucht S, Kissling W, McGrath J, White P. Carbamazepine for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD001258.</i>	2007-09-10
Schizophrenia/ psychotic disorders	Oculogyric crisis in antipsychotic treatment of schizophrenia	ID20	2_Drugs	Hafal		2007-09-10
Schizophrenia/ psychotic disorders	Long term side effects of amisulpride for schizophrenia	ID20	2_Drugs	Mind Cymru		2007-07-12
Serious/ Severe mental illness	Benzodiazepines for neuroleptic-induced tardive dyskinesia	ID21	2_Drugs	Cochrane Schizophrenia Group	<i>Bergman et al. Benzodiazepines for antipsychotic-induced tardive dyskinesia. Cochrane Database of Systematic Reviews 2018, Issue 1. Art. No.: CD000205.</i> <i>Bhoopathi PS, Soares-Weiser K. Benzodiazepines for neuroleptic-induced tardive dyskinesia. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD000205.</i>	2018-01-01 2008-02-28
Serious/ Severe mental illness	Pharmacological interventions for clozapine-induced sinus tachycardia	ID21	2_Drugs	Cochrane Schizophrenia Group		2015-05-05

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Anticholinergics for neuroleptic-induced parkinsonism and tardive dyskinesia	ID21	2_Drugs	Cochrane Schizophrenia Group		2014-11-18
Serious/ Severe mental illness	Anticholinergics versus placebo for neuroleptic-induced parkinsonism	ID21	2_Drugs	Cochrane Schizophrenia Group		2014-07-10
Serious/ Severe mental illness	Anticholinergics (various) for neuroleptic-induced parkinsonism	ID21	2_Drugs	Cochrane Schizophrenia Group		2014-06-10
Serious/ Severe mental illness	Pharmacological treatment for antipsychotic-related constipation	ID21	2_Drugs	Cochrane Schizophrenia Group		2014-06-10
Serious/ Severe mental illness	Aripiprazole for neuroleptic induced hyperprolactinaemia	ID21	2_Drugs	Cochrane Schizophrenia Group		2013-11-20
Serious/ Severe mental illness	Management of sexual dysfunction due to antipsychotic drug therapy	ID21	2_Drugs	NICE guideline on core interventions in the treatment and management of schizophrenia		2011-02-17
Serious/ Severe mental illness	Is there an effective drug to treat akathisia as a side effect of long term antipsychotic medication?	ID21	2_Drugs	Mental Health Research Network Cymru	Lima AR, Bacalchuk J, Barnes TRE, Soares-Weiser K. <i>Central action beta-blockers versus placebo for neuroleptic-induced acute akathisia. Cochrane Database of Systematic Reviews 2004, Issue 4.</i> Art. No.: CD001946. Rathbone J, Soares-Weiser K. <i>Anticholinergics for neuroleptic-induced acute akathisia. Cochrane Database of Systematic Reviews 2006, Issue 4.</i> Art. No.: CD003727.	2008-03-18
Serious/ Severe mental illness	Pharmacological interventions for clozapine-induced hypersalivation	ID21	2_Drugs	Mental Health Research Network Cymru	Syed R, Au K, Cahill C, Duggan L, He Y, Udu V, Xia J. <i>Pharmacological interventions for clozapine-induced hypersalivation. Cochrane Database of Systematic Reviews 2008, Issue 3.</i> Art. No.: CD005579.	2008-03-10
Serious/ Severe mental illness	Anticholinergics for neuroleptic-induced parkinsonism	ID21	2_Drugs	Cochrane Schizophrenia Group		2006-09-18
Schizophrenia/ psychotic disorders	Pharmacological interventions for reducing weight gain in schizophrenia	ID21	2_Drugs	Cochrane Schizophrenia Group		2014-07-10

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Anticholinergic medication for non-clozapine neuroleptic-induced hypersalivation in people with schizophrenia	ID21	2_Drugs	Cochrane Schizophrenia Group	<i>Essali A, Rihawi A, Altujjar M, Alhafez B, Tarboush A, Alhaj Hasan N. Anticholinergic medication for non-clozapine neuroleptic-induced hypersalivation in people with schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 12. Art. No.: CD009546.</i>	2014-01-21
Schizophrenia/ psychotic disorders	Behavioural interventions for reducing weight gain in schizophrenia	ID21	5_Misc	Cochrane Schizophrenia Group		2013-11-20
Schizophrenia/ psychotic disorders	Interventions to reduce weight gain in schizophrenia	ID21	5_Misc	NICE guideline on core interventions in the treatment and management of schizophrenia		2011-02-17
Schizophrenia/ psychotic disorders	Anticholinergic medication for neuroleptic-induced tardive dyskinesia	ID21	2_Drugs	Cochrane Schizophrenia Group	<i>Soares-Weiser K, McGrath J. Anticholinergic medication for neuroleptic-induced tardive dyskinesia. Cochrane Database of Systematic Reviews 1997, Issue 2. Art. No.: CD000204.</i>	2010-03-18
Schizophrenia/ psychotic disorders	What treatments are best for insomnia whilst taking antipsychotic drugs for schizophrenia?	ID21	2_Drugs	Hafal	<i>DeMartinis NA, Winokur A. Effects of psychiatric medications on sleep and sleep disorders. CNS Neurol Disord Drug Targets. 2007 Feb;6(1):17-29.</i>	2008-04-16
Schizophrenia/ psychotic disorders	Anticholinergics for neuroleptic-induced acute akathisia	ID21	2_Drugs	Cochrane Schizophrenia Group	<i>Rathbone J, Soares-Weiser K. Anticholinergics for neuroleptic- induced acute akathisia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD003727.</i>	2007-07-11
Serious/ Severe mental illness	Is Cognitive Behavioural Therapy equally effective for all psychiatric conditions?	ID22	3_Psych	Mental Health Research Network Cymru		2008-04-16
Schizophrenia/ psychotic disorders	Kognitiv beteendeterapi (KBT) jämfört med KBT med färre sessioner vid schizofreni eller schizofreniliknande tillstånd hos vuxna med kvarstående psykossymtom	ID22	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i>	2020-03-06

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Kognitiv beteendeterapi (KBT) i grupp jämfört med väntelista eller KBT-grupp med färre sessioner vid schizofreni eller schizofreniliknande tillstånd hos vuxna med kvarstående psykossymtom	ID22	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i>	2020-03-06
Schizophrenia/ psychotic disorders	Cognitive behavioural therapy (brief versus standard duration) for schizophrenia	ID22	3_Psych	Cochrane Schizophrenia Group	<i>Naeem F, Farooq S, Kingdon D. Cognitive behavioural therapy (brief versus standard duration) for schizophrenia. Cochrane Database of Systematic Reviews 2015, Issue 10. Art. No.: CD010646.</i>	2015-10-21
Schizophrenia/ psychotic disorders	Cognitive behaviour therapy (brief versus standard duration) for schizophrenia	ID22	3_Psych	Cochrane Schizophrenia Group		2013-08-14
Schizophrenia/ psychotic disorders	Cognitive behaviour therapy versus other psychosocial treatments for schizophrenia	ID22	3_Psych	Cochrane Schizophrenia Group	<i>Jones C, Hacker D, Cormac I, Meaden A, Irving CB. Cognitive behaviour therapy versus other psychosocial treatments for schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 4. Art. No.: CD008712.</i>	2012-04-23
Schizophrenia/ psychotic disorders	Cognitive behaviour therapy versus standard care for schizophrenia	ID22	3_Psych	Cochrane Schizophrenia Group		2010-01-11
Schizophrenia + PTSD	Cognitive behavioural therapy (CBT) based trauma reprocessing intervention on PTSD symptoms in people with psychosis and schizophrenia	ID22	3_Psych	NICE Clinical Guideline Psychosis and schizophrenia in adults (CG178)	<i>National Collaborating Centre for Mental Health (2014) Psychosis and schizophrenia in adults (CG178). Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2014-03-25
Eating disorders	Kognitiv beteendeterapi (KBT) specifikt utvecklad för behandling av ätstörningar jämfört med väntelista vid Eating disorders avseende body mass index (BMI), livskvalitet och biverkningar	ID22	3_Psych	SBU	<i>SBU. Behandling av Eating disorders. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 248. ISBN 978-91-85413-91-1.</i>	2017-10-11
Eating disorders	KBT-baserad vägledd självhjälp jämfört med väntelista vid Eating disorders avseende body mass index (BMI), livskvalitet och biverkningar	ID22	3_Psych	SBU	<i>SBU. Behandling av Eating disorders. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 248. ISBN 978-91-85413-91-1.</i>	2017-10-11
Self-harm	Psychological therapy with problem-solving elements for people who self-harm	ID23	3_Psych	NICE Clinical Guideline Self-harm (longer term management)	<i>National Collaborating Centre for Mental Health (2011) Self-harm (longer term management). Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-11-30

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Acceptance and Commitment Therapy for schizophrenia and related disorders	ID23	3_Psych	Cochrane Schizophrenia Group		2015-07-09
Schizophrenia/ psychotic disorders	Which is the best psychotherapy for the treatment of psychosis?	ID23	3_Psych	Mind Cymru		2008-02-11
Schizophrenia/ psychotic disorders	Is bibliotherapy effective for relieving psychotic symptoms?	ID23	3_Psych	Mind Cymru		2008-02-11
Schizophrenia/ psychotic disorders	Does psychodynamic therapy really make a difference to symptoms, functioning and quality of life of people with schizophrenia?	ID23	3_Psych	Mental Health Research Network Cymru		2008-02-11
PTSD	Eye Movement Desensitization and Reprocessing (EMDR) jämfört med annan behandling (t.ex. icke traumafokuserad KBT) för vuxna med posttraumatiskt stressyndrom (PTSD)	ID23	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-02-14
PTSD	Traumafokuserad kognitiv beteendeterapi (KBT) jämfört med annan behandling för vuxna med posttraumatiskt stressyndrom (PTSD) avseende klinikerrapporterade PTSD-symtom på lång sikt och oönskade effekter	ID23	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-02-12
PTSD	Psykodynamisk korttidsterapi (korttids-PDT) jämfört med sedvanlig eller annan behandling för vuxna med posttraumatiskt stressyndrom (PTSD)	ID23	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-02-06
PTSD	Psychological interventions for post-traumatic stress disorder (PTSD) in people with severe mental illness	ID23	3_Psych	Cochrane Schizophrenia Group		2015-02-25
PTSD	Psychological therapies for chronic post-traumatic stress disorder (PTSD) in adults	ID23	3_Psych	Cochrane Depression, Anxiety and Neurosis Group	<i>Bisson JI, Roberts NP, Andrew M, Cooper R, Lewis C. Psychological therapies for chronic post-traumatic stress disorder (PTSD) in adults. Cochrane Database of Systematic Reviews 2013, Issue 12. Art. No.: CD003388.</i>	2014-02-12

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
PTSD	Psychological first aid in adults exposed to trauma and incidence of PTSD	ID23	3_Psych	PTSD Evidence Update 2013	Gartlehner G, Forneris CA, Brownley KA et al. <i>Interventions for the prevention of posttraumatic stress disorder (PTSD) in adults after exposure to psychological trauma</i> . Agency for Healthcare Research and Quality; 2013	2013-10-14
PTSD	Exposure therapy versus cognitive processing therapy for adults with PTSD for remission	ID23	3_Psych	PTSD Evidence Update 2013	Jonas DE, Cusack K, Forneris CA et al. <i>Psychological and pharmacological treatments for adults with posttraumatic stress disorder (PTSD)</i> . Agency for Healthcare Research and Quality; 2013.	2013-10-14
Personality disorders	Psychological therapies for people with borderline personality disorder	ID23	3_Psych	Cochrane Developmental, Psychosocial and Learning Problems Group	Storebø et al. <i>Psychological therapies for people with borderline personality disorder</i> . Cochrane Database of Systematic Reviews 2020, Issue 5. Art. No.: CD012955. Stoffers et al. <i>Psychological therapies for people with borderline personality disorder</i> . Cochrane Database of Systematic Reviews 2012, Issue 8. Art. No.: CD005652.	2020-01-01 2012-08-28
Personality disorders	Psychological interventions for people with narcissistic personality disorder	ID23	3_Psych	Cochrane Developmental, Psychosocial and Learning Problems Group		2012-04-10
Personality disorders	Psychological interventions for people with histrionic personality disorder	ID23	3_Psych	Cochrane Developmental, Psychosocial and Learning Problems Group		2012-04-10
OCD	Low intensity behavioural interventions in stepped care for obsessive compulsive disorder	ID23	3_Psych	Evidence update - Obsessive compulsive disorder	Gava I, Barbui C, Aguglia E, Carlino D, Churchill R, De Vanna M, McGuire H. <i>Psychological treatments versus treatment as usual for obsessive compulsive disorder (OCD)</i> . Cochrane Database of Systematic Reviews 2007, Issue 2. Art. No.: CD005333.	2013-07-25
OCD	Eye movement desensitisation and reprocessing (EMDR) in obsessive compulsive disorder	ID23	3_Psych	Evidence update - Obsessive compulsive disorder		2013-07-25
Eating disorders	Viktnedgångsprogram (BWL) jämfört med kognitiv beteendeterapi (KBT) i grupp eller guidad självhjälp vid Eating disorders avseende ätstörningsspecifik psykopatologi, livskvalitet och biverkningar	ID23	3_Psych		SBU. <i>Behandling av Eating disorders</i> . Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 248. ISBN 978-91-85413-91-1.	2017-10-16
Eating disorders	Interpersonell psykoterapi (IPT) jämfört med kognitiv beteendeterapi (KBT) eller KBT-baserad självhjälp vid Eating disorders avseende ätstörningsspecifik psykopatologi, depressiv symptomatologi, livskvalitet och biverkningar	ID23	3_Psych		SBU. <i>Behandling av Eating disorders</i> . Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 248. ISBN 978-91-85413-91-1.	2017-10-11

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Eating disorders	Individual psychological therapy in the outpatient treatment of adults with anorexia nervosa	ID23	3_Psych	Cochrane Depression, Anxiety and Neurosis Group	<i>Hay PJ, Claudio AM, Touyz S, Abd Elbaky G. Individual psychological therapy in the outpatient treatment of adults with anorexia nervosa. Cochrane Database of Systematic Reviews 2015, Issue 7. Art. No.: CD003909.</i>	2015-10-29
Eating disorders	Specific psychological therapies versus other therapies or no treatment for severe and enduring anorexia nervosa	ID23	3_Psych	Cochrane Depression, Anxiety and Neurosis Group		2015-05-05
Eating disorders	Individuell terapi vid anorexia nervosa	ID23	3_Psych		<i>Fisher CA, Hetrick SE, Rushford N. Family therapy for anorexia nervosa. Cochrane Database of Systematic Reviews 2010, Issue 4.</i> <i>Hay et al. Individual psychotherapy in outpatient treatment of adults with anorexia. Cochrane Database of Syst Rev 2003, Issue 4.</i>	2014-07-17
Delusional disorder	Treatments for delusional disorder	ID23	3_Psych	Cochrane Schizophrenia Group	<i>Skelton M, Khokhar WA, Thacker SP. Treatments for delusional disorder. Cochrane Database of Systematic Reviews 2015, Issue 5. Art. No.: CD009785.</i>	2015-06-10
Delusional disorder	Treatments for primary delusional infestation	ID23	3_Psych	Cochrane Schizophrenia Group		2014-11-18
Bipolar disorder	Structured psychological interventions for adults with bipolar disorder	ID23	3_Psych	DUETs Editorial team	<i>National Institute for Health and Clinical Excellence (2014) Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.</i>	2014-12-26
Schizophrenia/ psychotic disorders	Psykodynamisk terapi (PDT) som komplement till antipsykotisk behandling jämfört med sedvanlig behandling vid schizofreni eller schizofreniliknande tillstånd hos vuxna med kvarstående psykossymtom	ID24	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i>	2020-03-06
Schizophrenia/ psychotic disorders	Psychological intervention alone compared with treatment as usual in people with psychosis or schizophrenia who choose not to take antipsychotic medication	ID24	3_Psych	NICE Clinical Guideline Psychosis and schizophrenia in adults	<i>National Collaborating Centre for Mental Health (2014) Psychosis and schizophrenia in adults (CG178). Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2014-03-25

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Do psychological therapies decrease dependence on standard medication and promote full recovery in severe mental illness?	ID24	3_Psych	DUETs Schizophrenia Module Editorial Group	Ruddy RA, Dent-Brown K. <i>Drama therapy for schizophrenia or schizophrenia-like illnesses</i> . Cochrane Database of Syst Rev 2007, Issue 1. Pharoah F, Mari J, Rathbone J, Wong W. <i>Family intervention for schizophrenia</i> . Cochrane Database of Syst Rev 2006, Issue 4. Gold C, Heldal TO, Dahle T, Wigram T. <i>Music therapy for schizophrenia or schizophrenia-like illnesses</i> . Cochrane Database of Syst Rev 2005, Issue 2.	2007-09-11
PTSD	Eye Movement Desensitization and Reprocessing (EMDR) jämfört med väntelista eller aktiv kontroll för barn och ungdomar med posttraumatiskt stressyndrom (PTSD)	ID24	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018</i> .	2020-03-02
PTSD	Kombinationsbehandling med traumafokuserad kognitiv beteendeterapi med exponering (TF-KBT) och selektiva serotoninåterupptagshämmare (SSRI) jämfört med TF-KBT och läkemedelsplacebo, enbart KBT eller enbart SSRI för vuxna med posttraumatiskt stressyndrom (PTSD)	ID24	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018</i> .	2020-02-14
PTSD	Interpersonell psykoterapi (IPT) jämfört med sedvanlig eller annan behandling för vuxna med posttraumatiskt stressyndrom (PTSD)	ID24	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018</i> .	2020-02-06
Eating disorders	Stämningsstabiliseraende (antikonvulsiva) läkemedel i kombination med kognitiv beteendeterapi (KBT) vid Eating disorders	ID24	3_Psych		<i>SBU. Behandling av Eating disorders. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 248. ISBN 978-91-85413-91-1</i> .	2017-10-16
Eating disorders	Tricyklistk antidepressiva läkemedel i kombination med kognitiv beteendeterapi (KBT) vid Eating disorders	ID24	3_Psych		<i>SBU. Behandling av Eating disorders. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 248. ISBN 978-91-85413-91-1</i> .	2017-10-16
Eating disorders	Viktreduserande läkemedel i kombination med självhjälp och viktnedgångsprogram vid Eating disorders	ID24	3_Psych		<i>SBU. Behandling av Eating disorders. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 248. ISBN 978-91-85413-91-1</i> .	2017-10-16
Eating disorders	Selektiva serotoninåterupptagshämmare (SSRI) i kombination med kognitiv beteendeterapi (KBT) vid Eating disorders	ID24	3_Psych		<i>SBU. Behandling av Eating disorders. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 248. ISBN 978-91-85413-91-1</i>	2017-10-11

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Depression, severe	Kombinationsbehandling av antidepressiva läkemedel med samtidig psykologisk behandling (KBT, IPT eller PDT) jämfört med enbart antidepressiva läkemedel för vuxna med svår egentlig depression	ID24	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-02-28
Depression, severe	Psychological therapies for treatment-resistant depression in adults	ID24	3_Psych	Cochrane Depression, Anxiety and Neurosis Group		2013-07-24
Depression, severe	Cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment resistant depression in primary care	ID24	3_Psych	DUETs Mental Health Module Editorial Group		2009-07-23
Schizophrenia/ psychotic disorders	Avledande tekniker för att hantera psykossymtom hos personer med schizofreni eller schizofreniliknande tillstånd med kvarstående positiva eller negativa psykossymtom	ID25	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för psykosociala insatser vid schizofreni eller schizofreniliknande tillstånd 2011.</i>	2012-08-13
Schizophrenia/ psychotic disorders	Stödterapi eller stödsamtal till personer med schizofreni eller schizofreniliknande tillstånd med kvarstående positiva eller negativa psykossymtom	ID25	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för psykosociala insatser vid schizofreni eller schizofreniliknande tillstånd 2011.</i>	2012-08-13
Schizophrenia/ psychotic disorders	One-to-one psychological therapy versus group interventions for schizophrenia	ID25	3_Psych	Mental Health Research Network Cymru	<i>Lawrence et al. Group cognitive behavioural therapy for schizophrenia: a systematic review of the literature. Journal of Psychiatric & Mental Health Nursing. 13(6):673-681, December 2006</i>	2008-03-10
PTSD	Internet-based cognitive and behavioural therapies for post-traumatic stress disorder (PTSD) in adults	ID26	3_Psych	Cochrane Depression, Anxiety and Neurosis Group		2015-07-01
Panic syndrome	Internetförmekläd kognitiv beteendeterapi (KBT) med behandlingsstöd vid subsyndromalt paniksyndrom <i>(UPPDATERING PÅGÅR)</i>	ID26	3_Psych	SBU	<i>SBU. Internetförmekläd psykologisk behandling vid ångest- och förstämningsyndrom. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2013. SBU Alert-rapport nr 2013-02. ISSN 1652-7151.</i>	2013-12-20
Panic syndrome	Internetförmekläd kognitiv beteendeterapi (KBT) utan behandlingsstöd vid subsyndromalt paniksyndrom <i>(UPPDATERING PÅGÅR)</i>	ID26	3_Psych	SBU	<i>SBU. Internetförmekläd psykologisk behandling vid ångest- och förstämningsyndrom. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2013. SBU Alert-rapport nr 2013-02. ISSN 1652-7151.</i>	2013-12-20

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Panic syndrome	Internetförmeklalad psykodynamisk korttidsterapi vid subsyndromalt paniksyndrom (<i>UPPDATERING PÅGÅR</i>)	ID26	3_Psych	SBU	<i>SBU. Internetförmeklalad psykologisk behandling vid ångest- och förstämningssyndrom. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2013. SBU Alert-rapport nr 2013-02. ISSN 1652-7151.</i>	2013-12-20
OCD	Internetförmeklalad psykologisk behandling jämfört med annan relevant behandling vid tvångssyndrom och relaterade syndrom hos vuxna	ID26	3_Psych	SBU	<i>SBU. Internetförmeklalad psykologisk behandling – jämförelse med andra behandlingar vid psykiatriska syndrom. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2021. SBU-rapport nr 337. ISBN 978-91-88437-80-8.</i>	2022-11-25
OCD	Technology-enhanced delivery of treatment for obsessive compulsive disorder	ID26	3_Psych	Evidence update - Obsessive compulsive disorder	<i>Lovell, K. and Bee, P. (2011) Optimising treatment resources for OCD: a review of the evidence base for technology-enhanced delivery. Journal of Mental Health 20 (6): 525-542</i>	2013-07-25
Bipolar disorder	Face-to-face cognitive behavioural therapy (CBT) compared with internet-facilitated CBT in the long-term management of bipolar disorder	ID26	3_Psych	NICE CG. Bipolar disorder: assessment and management of bipolar disorder	<i>National Institute for Health and Clinical Excellence (2014) Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.</i>	2014-11-19
Bipolar disorder	Internetförmeklalad kognitiv beteendeterapi (KBT) med behandlingsstöd vid bipolärt syndrom (<i>UPPDATERING PÅGÅR</i>)	ID26	3_Psych	SBU	<i>SBU. Internetförmeklalad psykologisk behandling vid ångest- och förstämningssyndrom. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2013. SBU Alert-rapport nr 2013-02. ISSN 1652-7151.</i>	2014-01-07
Bipolar disorder	Internetförmeklalad psykodynamisk korttidsbehandling vid bipolärt syndrom (<i>UPPDATERING PÅGÅR</i>)	ID26	3_Psych	SBU	<i>SBU. Internetförmeklalad psykologisk behandling vid ångest- och förstämningssyndrom. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2013. SBU Alert-rapport nr 2013-02. ISSN 1652-7151.</i>	2014-01-07
Bipolar disorder	Internetförmeklalad kognitiv beteendeterapi (KBT) utan behandlingsstöd vid bipolärt syndrom (<i>UPPDATERING PÅGÅR</i>)	ID26	3_Psych	SBU	<i>SBU. Internetförmeklalad psykologisk behandling vid ångest- och förstämningssyndrom. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2013. SBU Alert-rapport nr 2013-02. ISSN 1652-7151.</i>	2014-01-07
Schizophrenia/ psychotic disorders	Family intervention (brief) for schizophrenia	ID27	3_Psych	Cochrane Schizophrenia Group	<i>Okpokoro U, Adams CE, Sampson S. Family intervention (brief) for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 3. Art. No.: CD009802.</i>	2014-04-28
Schizophrenia/ psychotic disorders	Does family therapy for schizophrenia reduce relapse?	ID27	3_Psych	Mental Health Research Network Cymru	<i>Pharoah F, Mari J, Rathbone J, Wong W. Family intervention for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD000088.</i>	2008-02-11

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	What is the impact of family interventions on the symptoms of schizophrenia?	ID27	3_Psych	National Institute for Health and Clinical Excellence research recommendation	Pharoah F, Mari J, Rathbone J, Wong W. <i>Family intervention for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4.</i> Art. No.: CD000088.	2007-06-26
Schizophrenia/ psychotic disorders	Which individuals with schizophrenia would most benefit from Family Interventions?	ID27	3_Psych	National Institute for Health and Clinical Excellence research recommendation	Pharoah F, Mari J, Rathbone J, Wong W. <i>Family intervention for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4.</i> Art. No.: CD000088.	2007-06-18
PTSD	Couple and family therapies for post-traumatic stress disorder (PTSD)	ID27	3_Psych	Cochrane Depression, Anxiety and Neurosis Group		2014-10-10
Eating disorders	Family therapy approaches for anorexia nervosa	ID27	3_Psych	Cochrane	Fisher CA, Hetrick SE, Rushford N. <i>Family therapy for anorexia nervosa. Cochrane Database of Systematic Reviews 2010, Issue 4.</i>	2019-01-01
Eating disorders	Familjeterapi jämfört med andra psykologiska behandlingar vid anorexia nervosa	ID27	3_Psych	Cochrane	Fisher CA, Hetrick SE, Rushford N. <i>Family therapy for anorexia nervosa. Cochrane Database of Systematic Reviews 2010, Issue 4.</i> Hay et al. <i>Individual psychotherapy in outpatient treatment of adults with anorexia. Cochrane Database of systematic reviews 2003, Issue 4.</i>	2014-07-17
Eating disorders	Familjeterapi vid anorexia nervosa	ID27	3_Psych	Cochrane	Fisher CA, Hetrick SE, Rushford N. <i>Family therapy for anorexia nervosa. Cochrane Database of Systematic Reviews 2010, Issue 4.</i> Hay et al. <i>Individual psychotherapy in outpatient treatment of adults with anorexia. Cochrane Database of systematic reviews 2003, Issue 4.</i>	2014-07-15
Schizophrenia/ psychotic disorders	Do psychological therapies decrease relapse and re-hospitalizations in patients with severe mental illness?	ID28	3_Psych	DUETs Schizophrenia Module Editorial Group	Ruddy RA, Dent-Brown K. <i>Drama therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2007, Issue 1.</i> Pharoah F, Mari J, Rathbone J, Wong W. <i>Family intervention for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4.</i> Gold C, Heldal TO, Dahle T, Wigram T. <i>Music therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2005, Issue 2.</i>	2007-09-11
Tvångssyndrom	Kombinationsbehandling med SSRI och KBT jämfört med KBT för barn och ungdomar med medelsvårt till svårt tvångssyndrom (OCD) avseende respons, livskvalitet, oönskade effekter och långtidseffekter	ID29	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2020</i>	2020-02-10

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Tvångssyndrom	Kombinationsbehandling med SSRI och KBT jämfört med enbart SSRI för barn och ungdomar med medelsvårt till svårt tvångssyndrom (OCD) avseende remission, livskvalitet, oönskade effekter och långtidseffekter	ID29	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2021</i>	2020-02-10
Schizofreni/schizofreniliknande tillstånd	Psykosocial insats för att minska självstigmatisering enligt NECT-metoden jämfört med sedvanlig vård vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende symptom, hantering (coping) av symptom och oönskade effekter	ID29	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2019</i>	2020-03-05
PTSD	Traumafokuserad kognitiv beteendeterapi (KBT) jämfört med annan behandling för vuxna med posttraumatiskt stressyndrom (PTSD) avseende klinikerrapporterade PTSD-symtom på lång sikt och oönskade effekter	ID29	3_Psych	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018</i>	2020-02-12
Schizophrenia/psychotic disorders	Unilateral electroconvulsive therapy (ECT) versus bilateral electroconvulsive therapy for schizophrenia	ID30	4_Device	Cochrane Schizophrenia Group		2015-12-22
Schizophrenia/psychotic disorders	Is ECT over the long term effective in treating schizophrenia?	ID30	4_Device	Mind Cymru	<i>Tharyan P, Adams CE. Electroconvulsive therapy for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD000076.</i> <i>Changpattana W, Andrade C. (2006). ECT for treatment-resistant schizophrenia: a response from the far East to the UK. NICE report</i>	2008-02-11
Schizophrenia/psychotic disorders	Is ECT advised to treat mood disorders in people with schizophrenia?	ID30	4_Device	Mental Health Research Network Cymru		2007-09-12
Schizophrenia/psychotic disorders	Electroconvulsive therapy (ECT) for schizophrenia	ID30	4_Device	Cochrane Schizophrenia Group	<i>Tharyan P, Adams CE. Electroconvulsive therapy for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD000076.</i>	2007-03-07
Depression, severe	Återfallsförebyggande elektrokonvulsiv behandling (ECT) jämfört med enbart läkemedelsbehandling vid recidiverande egentlig depression i remission hos vuxna	ID30	4_Device	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-02-28

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Depression, severe	Elektrokonvulsiv behandling (ECT) jämfört med placebo, antidepressiva läkemedel eller annan behandling vid svår egentlig depression hos vuxna avseende återinsjuknande och minnesproblem	ID30	4_Device	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-02-11
Depression, severe	Electroconvulsive therapy (ECT) for the depressed elderly	ID30	4_Device	DUETs Mental Health Module Editorial Group	<i>Stek ML, Wurff van der FFB, Hoogendoijk WJG, Beekman ATF. Electroconvulsive therapy for the depressed elderly. Cochrane Database of Systematic Reviews 2003, Issue 2. Art. No.: CD003593.</i>	2015-10-20
Serious/ Severe mental illness	What are the long term effects of Deep Brain Stimulation (DBS) in patient with a mental health problem?	ID31	4_Device	Mental Health Research Network Cymru		2008-02-11
Serious/ Severe mental illness	Is there any value in treatments such as Deep Brain Stimulation (DBS) or psychosurgery for people with severe mental illness?	ID31	4_Device	Mental Health Research Network Cymru		2007-04-23
Schizophrenia/ psychotic disorders	Transcranial magnetic stimulation (TMS) for schizophrenia	ID31	4_Device	Cochrane Schizophrenia Group	<i>Dougall N, Maayan N, Soares-Weiser K, McDermott LM, McIntosh A. Transcranial magnetic stimulation (TMS) for schizophrenia. Cochrane Database of Systematic Reviews 2015, Issue 8. Art. No.: CD006081.</i>	2015-09-17
PTSD	EEG-baserad neurofeedback vid posttraumatiskt stressyndrom (PTSD)	ID31	4_Device		<i>EEG-based neurofeedback as treatment for post-traumatic stress disorder [EEG-baserad neurofeedback som behandling för post-traumatiskt stressyndrom]. Göteborg: Västra Götalandsregionen, Sahlgrenska Universitetssjukhuset, HTA-centrum; 2019. Regional activity-based HTA 2019:105.</i>	2020-04-07
Eating disorders	Virtual reality-teknik vid behandling av ätstörningar	ID31	4_Device		<i>SBU. Behandling av ätstörningar med virtual reality-teknik. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2021. SBU:s upplysningsjänst ut202102.</i>	2023-01-27
Depression, severe	Transkraniell magnetstimulering med H-spole (dTMS) jämfört med behandling med repetitiv transkraniell magnetstimulering (rTMS) med annan typ av spole vid svårbehandlad depression	ID31	4_Device		<i>SBU. Behandling av depression med transkraniell magnetstimulering med H-spole (dTMS). Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2020. SBU-rapport nr 318.</i>	2021-05-07
Depression, severe	Transkraniell magnetstimulering med H-spole (dTMS) jämfört med behandling med överksam spole vid svårbehandlad depression en tid efter avslutad behandling	ID31	4_Device		<i>SBU. Behandling av depression med transkraniell magnetstimulering med H-spole (dTMS). Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2020. SBU-rapport nr 318.</i>	2021-05-06

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Depression, severe	Transkraniell magnetstimulering med H-spole (dTMS) jämfört med antidepressiv läkemedelsbehandling vid svårbehandlad depression	ID31	4_Device		<i>SBU. Behandling av depression med transkraniell magnetstimulering med H-spole (dTMS). Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2020. SBU-rapport nr 318.</i>	2021-05-05
Depression, severe	Transkraniell magnetstimulering med H-spole (dTMS) jämfört med behandling med elektrokonvulsiv terapi (ECT) vid svårbehandlad depression	ID31	4_Device		<i>SBU. Behandling av depression med transkraniell magnetstimulering med H-spole (dTMS). Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2020. SBU-rapport nr 318.</i>	2021-05-05
Depression, severe	Repetitiv transkraniell magnetstimulering (rTMS) jämfört med skenbehandling (shambehandling) eller elektrokonvulsiv behandling (ECT), vid medelsvår till svår egentlig depression hos vuxna avseende långtidseffekter, kognitiva biverkningar och krämer	ID31	4_Device	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-03-13
Depression, severe	Repetitiv transkraniell magnetstimulering (rTMS) jämfört med psykologisk behandling vid medelsvår till svår egentlig depression hos vuxna	ID31	4_Device	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård vid depression och ångestsyndrom 2018.</i>	2020-03-12
Depression, severe	Transkraniell magnetstimulering vid svår egentlig depression jämfört med elektrokonvulsiv behandling	ID31	4_Device		<i>SBU. Transkraniell magnetstimulering vid depression. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2009. SBU-rapport nr 192. ISBN 978-91-85413-29-4.</i>	2014-07-23
Depression, severe	Alternating current cranial electrotherapy stimulation (CES) for depression	ID31	4_Device	Cochrane Depression, Anxiety and Neurosis Group	<i>Kavirajan HC, Lueck K, Chuang K. Alternating current cranial electrotherapy stimulation (CES) for depression. Cochrane Database of Systematic Reviews 2014, Issue 7. Art. No.: CD010521.</i>	2014-07-08
Depression, severe	Neurosurgery for depressive disorders	ID31	4_Device	DUETs Mental Health Module Editorial Group		2009-07-23
Schizophrenia/ psychotic disorders	Are there long term adverse effects of ECT for schizo-affective disorders	ID32	4_Device	Mind Cymru	<i>Munkholm K, Jørgensen KJ, Paludan-Müller AS. Adverse effects of electroconvulsive therapy. Cochrane Database Syst Rev. 2021 Dec 26;2021(12):CD014995. Tharyan P, Adams CE. Electroconvulsive therapy for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2.</i>	2021-01-01 2007-09-11
Schizophrenia/ psychotic disorders	Does ECT for schizophrenia cause memory loss?	ID32	4_Device	Mind Cymru	<i>Munkholm K, Jørgensen KJ, Paludan-Müller AS. Adverse effects of electroconvulsive therapy. Cochrane Database Syst Rev. 2021 Dec 26;2021(12):CD014995. Tharyan P, Adams CE. Electroconvulsive therapy for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD000076.</i>	2021-01-01 2007-09-11

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Depression, severe	Does ECT for depression cause memory loss?	ID32	4_Device	DUETs Mental Health Module Editorial Group	Munkholm K, Jørgensen KJ, Paludan-Müller AS. Adverse effects of electroconvulsive therapy. <i>Cochrane Database Syst Rev.</i> 2021 Dec 26;2021(12):CD014995.	2021-01-01 2007-09-11
Schizophrenia/ psychotic disorders	Yoga for schizophrenia	ID33	5_Misc	Cochrane Schizophrenia Group		2015-11-11
Schizophrenia/ psychotic disorders	Tai chi for schizophrenia	ID33	5_Misc	Cochrane Schizophrenia Group		2015-02-25
Schizophrenia/ psychotic disorders	Dance therapy for schizophrenia	ID33	5_Misc	Cochrane Schizophrenia Group	Ren J, Xia J. Dance therapy for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 10. Art. No.: CD006868.	2013-11-14
Schizophrenia/ psychotic disorders	Basal kroppskändedom till personer med schizofreni eller schizofreniliknande tillstånd som lider av störd kroppsuppfattning, spännings- eller stressproblematik eller ångest och oro	ID33	5_Misc	Socialstyrelsen	Socialstyrelsens nationella riktlinjer för psykosociala insatser vid schizofreni eller schizofreniliknande tillstånd 2011.	2012-08-13
Schizophrenia/ psychotic disorders	Does activity scheduling and physical exercise increase well being of patients with schizophrenia?	ID33	5_Misc	Mental Health Research Network Cymru	Beebe LH, Tian L, Morris N, Goodwin A, Allen SS, Kulda J. Effects of exercise on mental and physical health parameters of persons with schizophrenia. <i>Issues in mental health nursing</i> , 2005, 26(6) 661-76.	2007-07-02
Schizophrenia/ psychotic disorders	Exercise therapy for schizophrenia	ID33	5_Misc	Cochrane Schizophrenia Group		2006-09-19
Serious/ Severe mental illness	Animal-assisted therapy for people with serious mental illness	ID34	5_Misc	Cochrane Schizophrenia Group		2014-01-10
Self-harm	Uttryckande konstterapi vid självskadebeteende	ID34	5_Misc	SBU	SBU. Uttryckande konstterapi vid psykisk ohälsa. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2014. SBU:s upplysningsstjänst, publicerad 2014-06-26.	2014-06-27
Schizophrenia/ psychotic disorders	Sinnesstimulerande avslappningsrum jämfört med sedvanlig vård vid schizofreni eller schizofreniliknande tillstånd hos vuxna	ID34	5_Misc	Socialstyrelsen	Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.	2020-03-06

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Bildterapi som komplement till sedvanlig vård jämfört med sedvanlig vård vid schizofreni eller schizofreniliknande tillstånd hos vuxna	ID34	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i> <i>Schückher-Ugge F, Zakrisson A-B. Utvärdering av effekten av bildterapi: en systematisk litteraturöversikt. Örebro: HTA-enheten CAMTO; 2014. HTA-rapport 2014.</i>	2020-03-06
Schizophrenia/ psychotic disorders	Musikterapi som komplement till sedvanlig vård jämfört med sedvanlig vård vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende flera utfall	ID34	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i>	2020-03-05
Schizophrenia/ psychotic disorders	Konst och hantverksterapi för behandling vid schizofreni	ID34	5_Misc	SBU	<i>SBU. Hantverk som terapiform till personer med psykiska och neuropsykiatiska funktionsnedsättningar. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2015. SBU:s upplysningsstjänst, publicerad 2015-06-10.</i>	2016-08-08
Schizophrenia/ psychotic disorders	Avatar therapy for schizophrenia or related disorders	ID34	5_Misc	Cochrane Schizophrenia Group		2015-10-20
Schizophrenia/ psychotic disorders	Acupuncture for schizophrenia	ID34	5_Misc	Cochrane Schizophrenia Group	<i>Shen X, Xia J, Adams CE. Acupuncture for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 10. Art. No.: CD005475.</i>	2014-11-28
Schizophrenia/ psychotic disorders	Horticultural therapy for schizophrenia	ID34	5_Misc	Cochrane Schizophrenia Group	<i>Liu Y, Sampson S, Roberts S, Zhang G, Bo L, Wu W. Horticultural therapy for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 5. Art. No.: CD009413.</i>	2014-06-06
Schizophrenia/ psychotic disorders	Music therapy for people with schizophrenia and schizophrenia-like disorders	ID34	5_Misc	Cochrane Schizophrenia Group	<i>Mössler K, Chen X, Heldal TO, Gold C. Music therapy for people with schizophrenia and schizophrenia-like disorders. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD004025.</i>	2012-03-14
Schizophrenia/ psychotic disorders	What are the effects of complementary therapies for schizophrenia?	ID34	5_Misc	Mental Health Research Network Cymru	<i>Ruddy R, Milnes D. Art therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2005, Issue 4. Art. No.: CD003728.</i> <i>Gold C, Heldal TO, Dahle T, Wigram T. Music therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD004025.</i> <i>Rathbone J, Xia J. Acupuncture for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 4. Art. No.: CD005475.</i>	2007-06-13

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Drama therapy for schizophrenia or schizophrenia-like illnesses	ID34	5_Misc	Cochrane Schizophrenia Group	Ruddy R, Dent-Brown K. <i>Drama therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD005378.</i>	2006-09-18
PTSD	Bildterapi för behandling av posttraumatiskt stressymptom	ID35	5_Misc	CAMTÖ	Schückher-Ugge F, Zakrisson A-B. <i>Utvärdering av effekten av bildterapi, en systematisk litteraturöversikt. Örebro: HTA-enheten CAMTÖ; 2014. HTA-rapport: 2014.</i>	2015-02-13
PTSD	Uttryckande konstterapi vid posttraumatiskt stressyndrom	ID35	5_Misc	SBU	SBU. <i>Uttryckande konstterapi vid psykisk ohälsa. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2014. SBU:s upplysningsstjänst, publicerad 2014-06-26.</i>	2014-06-27
Bipolar disorder	Uttryckande konstterapi vid bipolär sjukdom	ID35	5_Misc	SBU	SBU. <i>Uttryckande konstterapi vid psykisk ohälsa. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2014. SBU:s upplysningsstjänst, publicerad 2014-06-26.</i>	2014-06-27
Self-harm	Uttryckande konstterapi vid självskadebeteende	ID35	5_Misc	SBU	SBU. <i>Uttryckande konstterapi vid psykisk ohälsa. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2014. SBU:s upplysningsstjänst, publicerad 2014-06-26.</i>	2014-06-27
Schizophrenia/ psychotic disorders	Psykosocial insats för att minska självstigmatisering enligt NECT-metoden jämfört med sedvanlig vård vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende symptom, hantering (coping) av symptom och oönskade effekter	ID36	3_Psych	Socialstyrelsen	Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.	2020-03-05
Schizophrenia/ psychotic disorders	Do Omega 3 supplements alleviate psychotic symptoms?	ID36	5_Misc	Mind Cymru	Joy CB, Mumby-Croft R, Joy LA. <i>Polyunsaturated fatty acid supplementation for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD001257.</i> Schachter H M, Kourad K, Merali Z, Lumb A, Tran K, Miguelez M, Lewin G, Sampson M, Barrowman N, Senechal H, McGahern C, Zhang L, Morrison A, Shlik J, Pan Y, Lowcock E C, Gaboury I, Bradwejn J, Duffy A. <i>Effects of omega-3 fatty acids on mental health. 2005:225.</i> Rockville, MD, USA: Agency for Healthcare Research and Quality http://www.ahrq.gov/clinic/tp/o3menttp.htm	2007-09-11
Schizophrenia/ psychotic disorders	Diet and dietary supplements for schizophrenia	ID36	5_Misc	Hafal	Joy CB, Mumby-Croft R, Joy LA. <i>Polyunsaturated fatty acid supplementation for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD001257.</i>	2007-09-11
Schizophrenia/ psychotic disorders	Vitamin B for schizophrenia	ID36	5_Misc	Hafal		2007-09-10

Prioritized research questions in health care and social care for serious mental illness - www.sbu.se/368e

Prioritering av forskningsfrågor inom vård och stöd vid allvarliga psykiska sjukdomar och tillstånd - www.sbu.se/368

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Bipolar disorder	Adjunctive antioxidants for bipolar disorder	ID36	5_Misc	Cochrane Depression Anxiety and Neurosis Group		2012-10-23
Serious/ Severe mental illness	Kvalificerat rådgivande samtal vid riskbruk av alkohol hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-04-29
Serious/ Severe mental illness	Kvalificerat rådgivande samtal vid daglig rökning hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-04-25
Serious/ Severe mental illness	Kvalificerat rådgivande samtal vid ohälsosamma matvanor hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-04-25
Serious/ Severe mental illness	Kvalificerat rådgivande samtal vid otillräcklig fysisk aktivitet hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-04-25
Serious/ Severe mental illness	Rådgivande samtal vid daglig rökning hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-04-16
Serious/ Severe mental illness	Rådgivande samtal vid riskbruk av alkohol hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-04-15
Serious/ Severe mental illness	Webbaserad intervention vid daglig rökning hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-03-22
Serious/ Severe mental illness	Rådgivande eller kvalificerat rådgivande samtal med tillägg av läkemedel för rökavvänjning (vareniklin, bupropion) vid daglig rökning hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-03-21
Serious/ Severe mental illness	Rådgivande samtal vid daglig snusning hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-03-21
Serious/ Severe mental illness	Rådgivande eller kvalificerat rådgivande samtal med tillägg av nikotinläkemedel vid daglig snusning hos vuxna med svår psykisk sjukdom	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-03-21
Serious/ Severe mental illness	Rådgivande samtal med tillägg av läkemedel för snusavvänjning (vareniklin) vid daglig snusning hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-03-21
Serious/ Severe mental illness	Munhåleundersökning och rådgivande samtal vid daglig snusning hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-03-21

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Webbaserad intervention vid riskbruk av alkohol hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-03-21
Serious/ Severe mental illness	Webbaserad intervention vid ohälsosamma matvanor hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-03-21
Serious/ Severe mental illness	Rådgivande eller kvalificerat rådgivande samtal med tillägg av nikotinläkemedel vid daglig rökning hos vuxna med särskild risk	ID37	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för prevention och behandling vid ohälsosamma levnadsvanor 2018.</i>	2019-03-20
Serious/ Severe mental illness	Smoking cessation advice for people with serious mental illness	ID37	5_Misc	Cochrane Schizophrenia Group		2012-04-10
Serious/ Severe mental illness	Oral health advice for people with serious mental illness	ID37	5_Misc	Cochrane Schizophrenia Group	<i>Khokhar WA, Clifton A, Jones H, Tosh G. Oral health advice for people with serious mental illness. Cochrane Database of Systematic Reviews 2011, Issue 11. Art. No.: CD008802.</i>	2011-11-30
Serious/ Severe mental illness	General physical health advice for people with serious mental illness	ID37	5_Misc	Schizophrenia Group	<i>Tosh G, Clifton AV, Xia J, White MM. General physical health advice for people with serious mental illness. Cochrane Database of Systematic Reviews 2014, Issue 3. Art. No.: CD008567.</i>	2011-06-29
Schizophrenia/ psychotic disorders	Beteendepåverkande interventioner med syfte att främja fysisk aktivitet jämfört med stegräknare eller arbetsterapi för att minska kroppsvikt och BMI hos vuxna med schizofreni	ID37	5_Misc		<i>SBU. Åtgärder för att stödja personer med schizofreni att förändra ohälsosamma levnadsvanor. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2016. SBU-rapport nr 232. ISBN 978-91-85413-90-4.</i>	2015-03-24
Schizophrenia/ psychotic disorders	Interventions for smoking cessation and reduction in individuals with schizophrenia	ID37	5_Misc	Cochrane Tobacco Addiction Group	<i>Tsoi DT, Porwal M, Webster AC. Interventions for smoking cessation and reduction in individuals with schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 2. Art. No.: CD007253.</i>	2013-03-04
Serious/ Severe mental illness	HIV prevention advice for people with serious mental illness	ID38	5_Misc	Cochrane Schizophrenia Group	<i>Wright N, Akhtar A, Tosh GE, Clifton AV. HIV prevention advice for people with serious mental illness. Cochrane Database of Systematic Reviews 2014, Issue 12. Art. No.: CD009639.</i>	2015-01-13
Serious/ Severe mental illness	Physical health care monitoring for people with serious mental illness	ID38	5_Misc	Cochrane Schizophrenia Group	<i>Tosh G, Clifton AV, Xia J, White MM. Physical health care monitoring for people with serious mental illness. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD008298.</i>	2014-02-14
Serious/ Severe mental illness	Interventions to encourage uptake of cancer screening for people with severe mental illness	ID38	5_Misc	Cochrane Schizophrenia Group	<i>Barley E, Borschmann R, Walters P, Tylee A. Interventions to encourage uptake of cancer screening for people with severe mental illness. Cochrane Database of Systematic Reviews 2013, Issue 7. Art. No.: CD009641.</i>	2013-09-16

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Bupropion jämfört med placebo vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende rökreduktion och rökfrihet mätt vid längre uppföljningstid	ID38	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-05
Schizophrenia/ psychotic disorders	Bupropion som tillägg till nikotinplåster jämfört med enbart nikotinplåster vid schizofreni eller schizofreniliknande tillstånd hos vuxna	ID38	2_Drugs	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-05
Schizophrenia/ psychotic disorders	Vareniklin jämfört med placebo vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende rökreduktion och rökfrihet (mätt vid längre uppföljningstid)	ID38	5_Misc	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i> <i>SBU. Åtgärder för att stödja personer med schizofreni att förändra ohälsosamma levnadsvanor. 2016. SBU-rapport nr 232.</i>	2020-03-05
Schizophrenia/ psychotic disorders	Beteendepåverkande interventioner med syfte att främja fysisk aktivitet jämfört med stegränkare eller sedvanlig vård för att förbättra livskvalitet hos vuxna med schizofreni	ID38	5_Misc		<i>SBU. Åtgärder för att stödja personer med schizofreni att förändra ohälsosamma levnadsvanor. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2016. SBU-rapport nr 232. ISBN 978-91-85413-90-4. SBU.</i>	2015-03-24
Schizophrenia/ psychotic disorders	Effective interventions for managing physical health of people with schizophrenia in general practice	ID38	8_Org	National Institute for Health and Clinical Excellence research recommendation		2007-05-01
Schizophrenia/ psychotic disorders	Training to recognise the early signs of recurrence in schizophrenia	ID39	6_Support	Cochrane Schizophrenia Group	<i>Morriss R, Vinjamuri I, Faizal MAMir, Bolton CA, McCarthy JP. Training to recognise the early signs of recurrence in schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 2. Art. No.: CD005147.</i>	2013-03-20
Schizophrenia/ psychotic disorders	Information and communication technology in patient education and support for people with schizophrenia	ID39	6_Support	Cochrane Schizophrenia Group	<i>V?lim?ki M, H?t?nen H, Lahti M, Kuosmanen L, Adams CE. Information and communication technology in patient education and support for people with schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 10. Art. No.: CD007198.</i>	2012-10-18
Serious/ Severe mental illness	Psychoeducation (brief) for people with serious mental illness	ID39	6_Support	Cochrane Schizophrenia Group		2013-12-17

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Psychoeducation for siblings of people with severe mental illness	ID39 ID50	6_Support	Cochrane Schizophrenia Group		2013-07-24
Serious/ Severe mental illness	Consumer-providers of care for adult clients of statutory mental health services	ID40	6_Support	Cochrane Consumers and Communication Group	Pitt V, Lowe D, Hill S, Prictor M, Hetrick SE, Ryan R, Berends L. <i>Consumer-providers of care for adult clients of statutory mental health services. Cochrane Database of Systematic Reviews 2013, Issue 3. Art. No.: CD004807.</i>	2013-04-04
Schizophrenia/ psychotic disorders	Peer support (stöd av brukarspecialist) som komplement till sedvanlig vård jämfört med sedvanlig vård vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende flera utfall	ID40	6_Support	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i>	2020-03-05
Schizophrenia/ psychotic disorders	Peer support interventions in people with psychosis and schizophrenia	ID40	6_Support	NICE Clinical Guideline Psychosis and schizophrenia in adults	<i>National Collaborating Centre for Mental Health (2014) <i>Psychosis and schizophrenia in adults (CG178). Clinical Guideline</i>. London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2014-03-25
Schizophrenia/ psychotic disorders	Social skills programmes for schizophrenia	ID41	6_Support	Cochrane Schizophrenia Group	Almerie MQ, Okba Al Marhi M, Jawaresh M, Alsabbagh M, Matar HE, Maayan N, Bergman H. <i>Social skills programmes for schizophrenia. Cochrane Database of Systematic Reviews 2015, Issue 6. Art. No.: CD009006.</i>	2015-07-16
Schizophrenia/ psychotic disorders	Förmedling av problemlösningsfärdigheter till personer med schizofreni eller schizofreniliknande tillstånd med kvarstående positiva eller negativa psykossymtom	ID41	6_Support	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för psykosociala insatser vid schizofreni eller schizofreniliknande tillstånd 2011.</i>	2012-08-13
Schizophrenia/ psychotic disorders	Life skills programmes for chronic mental illnesses	ID41	6_Support	Cochrane Schizophrenia Group	<i>Tungpunkom P, Maayan N, Soares-Weiser K. Life skills programmes for chronic mental illnesses. Cochrane Database of Systematic Reviews 2012, Issue 1. Art. No.: CD000381.</i>	2012-03-07
Schizophrenia/ psychotic disorders	Are social activities beneficial for schizophrenia?	ID41	6_Support	Mental Health Research Network Cymru		2007-06-11
Schizophrenia/ psychotic disorders	Problem solving skills for schizophrenia	ID41	6_Support	Cochrane Schizophrenia Group	Xia J, Li C. <i>Problem solving skills for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 2. Art. No.: CD006365.</i>	2007-03-05
Schizophrenia/ psychotic disorders	Boendestöd i egen bostad jämfört med ingen eller annan insats vid schizofreni eller schizofreniliknande tillstånd hos vuxna	ID42	6_Support	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i>	2020-03-05

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Bostad med särskild service jämfört med ingen eller annan insats vid schizofreni eller schizofreniliknande tillstånd hos vuxna	ID42	6_Support	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i>	2020-03-05
Schizophrenia/ psychotic disorders	Stöd till personer med schizofreni eller schizofreniliknande tillstånd som saknar eller har en icke fullgjord utbildning som önskar fullfölja eller påbörja utbildning	ID43	6_Support	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för psykosociala insatser vid schizofreni eller schizofreniliknande tillstånd 2011.</i>	2012-08-13
Serious/ Severe mental illness	Interventions for obtaining and maintaining employment in adults with severe mental illness	ID43	6_Support	Cochrane Occupational Safety and Health Group		2015-10-20
Serious/ Severe mental illness	Supported employment for adults with severe mental illness	ID43	6_Support	Cochrane Schizophrenia Group	<i>Kinoshita Y, Furukawa TA, Kinoshita K, Honyashiki M, Omori IM, Marshall M, Bond GR, Huxley P, Amano N, Kingdon D. Supported employment for adults with severe mental illness. Cochrane Database of Systematic Reviews 2013, Issue 9. Art. No.: CD008297.</i>	2013-10-21
Serious/ Severe mental illness	Virtual reality for treatment compliance for people with serious mental illness	ID44	6_Support	Cochrane Schizophrenia Group	<i>Väistölä M, Härttinen HM, Lahti ME, Kurki M, Hottinen A, Metsäraita K, Riihimäki T, Adams CE. Virtual reality for treatment compliance for people with serious mental illness. Cochrane Database of Systematic Reviews 2014, Issue 10. Art. No.: CD009928.</i>	2014-11-13
Serious/ Severe mental illness	Information and communication technology based prompting for treatment compliance for people with serious mental illness	ID44	6_Support	Cochrane Schizophrenia Group	<i>Kauppi K, Väistölä M, Härttinen HM, Kuosmanen LM, Warwick-Smith K, Adams CE. Information and communication technology based prompting for treatment compliance for people with serious mental illness. Cochrane Database of Systematic Reviews 2014, Issue 6. Art. No.: CD009960.</i>	2014-07-24
Serious/ Severe mental illness	Information and communication technology-based cognitive remediation for supporting treatment compliance for people with serious mental illness	ID44	6_Support	Cochrane Schizophrenia Group		2012-05-30
Schizophrenia/ psychotic disorders	Tekniska hjälpmedel jämfört med ingen insats vid schizofreni eller schizofreniliknande tillstånd hos vuxna	ID44	6_Support	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i>	2020-03-05
Schizophrenia/ psychotic disorders	User-held personalised information for routine care of people with severe mental illness	ID44	6_Support	Cochrane Schizophrenia Group	<i>Farrelly S, Brown GE, Flach C, Barley E, Laugharne R, Henderson C. User-held personalised information for routine care of people with severe mental illness. Cochrane Database of Systematic Reviews 2013, Issue 10. Art. No.: CD001711.</i>	2013-10-05

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Treatment delivery using information and communication technology for people with schizophrenia	ID44	6_Support	Cochrane Schizophrenia Group		2010-01-12
Schizophrenia/ psychotic disorders	Anpassat föräldrastöd till personer som har schizofreni eller schizofreniliknande tillstånd jämfört med ingen insats	ID45	6_Support	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i>	2020-03-05
Suicidal behaviour	Bedömning av suicidrisk med instrument som komplement för ungdomar och vuxna med ångest jämfört med strukturerad klinisk bedömning avseende tillförlitlighet att förutsäga framtidia suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2020-03-03
Suicidal behaviour	Bedömning av suicidrisk med instrument som komplement för ungdomar och vuxna med depression jämfört med klinisk bedömning avseende tillförlitlighet att förutsäga framtidia suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2020-03-02
Suicidal behaviour	Bedömning av suicidrisk med instrument som komplement för ungdomar och vuxna med depression jämfört med strukturerad klinisk bedömning avseende tillförlitlighet att förutsäga framtidia suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2020-03-02
Suicidal behaviour	Bedömning av suicidrisk med instrument som komplement för ungdomar och vuxna med ångest jämfört med klinisk bedömning avseende tillförlitlighet att förutsäga framtidia suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2020-03-02
Suicidal behaviour	Beck's Suicide Intent Scale (SIS) för bedömning av risk för suicid, försök till suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-29
Suicidal behaviour	Edinburgh risk of repetition scale (ERRS) för bedömning av risk för suicid, försök till suicid (självmord)	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-29

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Suicidal behaviour	Implicit Association Test (IAT) för bedömning av risk för suicid, försök till suicid (självmord)	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinska och sociala utvärderingar (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-29
Suicidal behaviour	International Neuropsychiatric Interview (MINI- Suicidal Scale) för bedömning av risk för suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinska och sociala utvärderingar (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-29
Suicidal behaviour	Manchester Self Harm Rule (MSHR) för bedömning av risk för suicid, försök till suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinska och sociala utvärderingar (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-29
Suicidal behaviour	ReACT för bedömning av risk för suicid, försök till suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinska och sociala utvärderingar (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-29
Suicidal behaviour	Suicide Assessment Scale (SUAS) för bedömning av risk för suicid, försök till suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinska och sociala utvärderingar (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-29
Suicidal behaviour	Suicide Assessment Scale självskattningsversion (SUAS-S) för bedömning av risk för suicid, försök till suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinska och sociala utvärderingar (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-29
Suicidal behaviour	Suicide Probability Scale (SPS) för bedömning av risk för suicid, försök till suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinska och sociala utvärderingar (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-29
Suicidal behaviour	Södersjukhuset Self-Harm Rule (SoS-4) för bedömning av risk för suicid, försök till suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinska och sociala utvärderingar (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-29
Suicidal behaviour	Patient Health Questionnaire -9 (PHQ-9) för bedömning av risk för suicid, försök till suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinska och sociala utvärderingar (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-29

Prioritized research questions in health care and social care for serious mental illness - www.sbu.se/368e

Prioritering av forskningsfrågor inom vård och stöd vid allvarliga psykiska sjukdomar och tillstånd - www.sbu.se/368

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Suicidal behaviour	Columbia suicide severity rating scale (C-SSRS) för bedömning av risk för suicid, försök till suicid	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-28
Suicidal behaviour	Beck's Hopelessness scale (BHS) för bedömning av risk för suicid, försök till suicid (självmord)	ID46	7_Acute	SBU	<i>SBU. Instrument för bedömning av suicidrisk. En systematisk litteraturöversikt. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2015. SBU-rapport nr 242. ISBN 978-91-85413-86-7.</i>	2016-04-28
Schizophrenia/ psychotic disorders	Klozapin jämfört med annat antipsykotiskt läkemedel vid schizofreni eller schizofreniliknande tillstånd hos vuxna med misstänkt ökad suicidrisk avseende risken för våldsam beteende	ID46	7_Acute	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU. Schizofreni. Läkemedelsbehandling, patientens delaktighet och vårdens organisation. Statens beredning för medicinsk utvärdering (SBU); 2012. SBU-rapport nr 213.</i>	2020-03-05
Schizophrenia/ psychotic disorders	Clozapine to reduce hostility, violence and suicide for people with schizophrenia	ID46	7_Acute	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	<i>Essali A, Al-Haj HN, Li C, Rathbone J. Clozapine versus typical neuroleptic medication for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 1 John Wiley & Sons, Ltd Chichester, UK.</i>	2010-02-22
Schizophrenia/ psychotic disorders	Pharmacological interventions for acute and transient psychotic disorder (ATPD)	ID47	7_Acute	Cochrane Schizophrenia Group		2016-01-13
Schizophrenia/ psychotic disorders	Haloperidol dose for the acute phase of schizophrenia	ID47	7_Acute	Cochrane Schizophrenia Group	<i>Donnelly L, Rathbone J, Adams CE. Haloperidol dose for the acute phase of schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 8. Art. No.: CD001951.</i>	2013-10-11
Schizophrenia/ psychotic disorders	Haloperidol for psychosis-induced aggression or agitation (rapid tranquillisation)	ID47	7_Acute	Cochrane Schizophrenia Group	<i>Powney MJ, Adams CE, Jones H. Haloperidol for psychosis-induced aggression or agitation (rapid tranquillisation). Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD009377.</i>	2012-11-16
Schizophrenia/ psychotic disorders	Zuclopentixol acetate for acute schizophrenia and similar serious mental illnesses	ID47	7_Acute	Cochrane Schizophrenia Group	<i>Jayakody K, Gibson RC, Kumar A, Gunadasa S. Zuclopentixol acetate for acute schizophrenia and similar serious mental illnesses. Cochrane Database of Systematic Reviews 2012, Issue 4. Art. No.: CD000525.</i>	2012-04-30

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Utility, acceptability and safety of available drugs for urgent sedation (including atypical antipsychotics) for psychosis	ID47	7_Acute	National Institute for Health and Clinical Excellence research recommendation	Huf G, Alexander J, Allen MH. Haloperidol plus promethazine for psychosis induced aggression. <i>Cochrane Database of Systematic Reviews</i> 2004, Issue 4. Art. No.: CD005146. Gillies D, Beck A, McCloud A, Rathbone J. Benzodiazepines alone or in combination with antipsychotic drugs for acute psychosis. <i>Cochrane Database of Systematic Reviews</i> 2005, Issue 4. Art. No.: CD003079. Cure SJ, Rathbone J, Mandriota-Carpenter SL. Droperidol for acute psychosis. <i>Cochrane Database of Systematic Reviews</i> 2004, Issue 1. Art. No.: CD002830. Belgarraw RB, Fenton M. Olanzapine IM or velotab for acutely disturbed/agitated people with suspected serious mental illnesses. <i>Cochrane Database of Systematic Reviews</i> 2005, Issue 2. Art. No.: CD003729. Murphy BE, Bagnall A, Chue P, Fenton M, Leitner M, Wood J. Loxapine for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> 2000, Issue 1. Art. No.: CD001943.	2007-06-27
Bipolar disorder	Aripiprazole alone or in combination for acute mania	ID47	7_Acute	Cochrane Depression, Anxiety and Neurosis Group	Brown R, Taylor MJ, Geddes J. Aripiprazole alone or in combination for acute mania. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 12. Art. No.: CD005000.	2014-01-21
Bipolar disorder	Tiagabine for acute affective episodes in bipolar disorder	ID47	7_Acute	Cochrane Depression, Anxiety and Neurosis Group	Vasudev A, Macritchie K, Rao SK, Geddes J, Young AH. Tiagabine for acute affective episodes in bipolar disorder. <i>Cochrane Database of Systematic Reviews</i> 2012, Issue 12. Art. No.: CD004694.	2012-12-24
Bipolar disorder	Oxcarbazepine for acute affective episodes in bipolar disorder	ID47	7_Acute	Cochrane Depression, Anxiety and Neurosis Group	Vasudev A, Macritchie K, Vasudev K, Watson S, Geddes J, Young AH. Oxcarbazepine for acute affective episodes in bipolar disorder. <i>Cochrane Database of Systematic Reviews</i> 2011, Issue 12. Art. No.: CD004857.	2011-12-09
Schizophrenia/ psychotic disorders	Benzodiazepines for psychosis-induced aggression or agitation	ID48	7_Acute	Cochrane Schizophrenia Group	Zaman H, Sampson SJ, Beck ALS, Sharma T, Clay FJ, Spyridi S, Zhao S, Gillies D. Benzodiazepines for psychosis-induced aggression or agitation. <i>Cochrane Database of Systematic Reviews</i> 2017, Issue 12. Art. No.: CD003079. Gillies D, Sampson S, Beck A, Rathbone J. Benzodiazepines for psychosis-induced aggression or agitation. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 4. Art. No.: CD003079.	2017-01-01 2013-04-30
Schizophrenia/ psychotic disorders	Loxapine inhaler for psychosis-induced aggression or agitation	ID48	7_Acute	Cochrane Schizophrenia Group		2012-11-20

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Haloperidol for long-term aggression in psychosis	ID48	7_Acute	Cochrane Schizophrenia Group		2012-05-30
Schizophrenia/ psychotic disorders	Benzodiazepines and antipsychotic drugs for urgent sedation/control of acute behavioural disturbance	ID48	7_Acute	Schizophrenia Core interventions in the treatment and management of schizophrenia	Huf G, Alexander J, Allen MH, Raveendran NS. Haloperidol plus promethazine for psychosis-induced aggression. Cochrane Database of Systematic Reviews 2009, Issue 3. Art. No.: CD005146.	2010-02-21
Schizophrenia/ psychotic disorders	What is the best way of responding, in the short term, to severe challenging behaviour and agitation in relation to the use of anti-psychotics in schizophrenia?	ID48	7_Acute	Mind Cymru	Muralidharan S, Fenton M. Containment strategies for people with serious mental illness. Cochrane Database of Systematic Reviews 2006, Issue 3. Chakrabarti A, Whicher E, Morrison M, Douglas-Hall P. 'As required' medication regimens for seriously mentally ill people in hospital. Cochrane Database of Systematic Reviews 2007, Issue 3. Chakrabarti A, Bagnall A, Chue P, Fenton M, Palaniswamy V, Wong W, Xia J. Loxapine for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 4. Belgamwar RB, Fenton M. Olanzapine IM or velotab for acutely disturbed/agitated people with suspected serious mental illnesses. Cochrane Database of Systematic Reviews 2005, Issue 2. Gibson RC, Fenton M, da Silva Freire Coutinho E, Campbell C. Zipolopenthixol acetate for acute schizophrenia and similar serious mental illnesses. Cochrane Database of Systematic Reviews 2004, Issue 3.	2007-11-08
Schizophrenia/ psychotic disorders	Non-pharmacological treatments in behavioural control as an alternative to rapid tranquillisation for schizophrenia	ID48	7_Acute	National Institute for Health and Clinical Excellence research recommendation	Muralidharan S, Fenton M. Containment strategies for people with serious mental illness. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD002084.	2007-06-18
Schizophrenia/ psychotic disorders	Which is the best way to manage aggression in schizophrenia?	ID48	7_Acute	Mind Cymru		2007-04-23
Serious/ Severe mental illness	Tvångsåtgärder vid psykiatiska krissituationer	ID49	7_Acute	SBU	SBU. Behandling av aggressivitet och agitation vid psykos. Statens beredning för medicinsk utvärdering (SBU); 2015. SBU:s upplysningsstjänst, publicerad 2015-10-05.	2016-08-08

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Containment strategies for people with serious mental illness	ID49	7_Acute	Cochrane Schizophrenia Group	<i>Muralidharan S, Fenton M. Containment strategies for people with serious mental illness. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD002084.</i> <i>Sailas E, Fenton M. Seclusion and restraint for people with serious mental illnesses. Cochrane Database of Systematic Reviews 2000 https://doi.org/10.1002/14651858.CD001163</i>	2008-02-28
Schizophrenia/ psychotic disorders	Non-pharmacological treatments in behavioural control as an alternative to rapid tranquillisation for schizophrenia	ID49	7_Acute	National Institute for Health and Clinical Excellence research recommendation	<i>Muralidharan S, Fenton M. Containment strategies for people with serious mental illness. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD002084.</i>	2007-06-18
Schizophrenia/ psychotic disorders	Which is the best way to manage aggression in schizophrenia?	ID49	7_Acute	Mind Cymru		2007-04-23
Serious/ Severe mental illness	Crisis intervention for people with severe mental illnesses	ID49	7_Acute	Cochrane Schizophrenia Group	<i>Murphy SM, Irving CB, Adams CE, Waqar M. Crisis intervention for people with severe mental illnesses. Cochrane Database of Systematic Reviews 2015, Issue 12. Art. No.: CD001087.</i>	2015-12-04
Personality disorders	Crisis interventions for people with borderline personality disorder	ID49	7_Acute	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Borschmann R, Henderson C, Hogg J, Phillips R, Moran P. Crisis interventions for people with borderline personality disorder. Cochrane Database of Systematic Reviews 2012, Issue 6. Art. No.: CD009353.</i>	2012-06-28
Suicidal behaviour	Krisstöd i förskola och skola vid suicid	ID50	7_Acute	SBU	<i>SBU. Krisstöd i förskola och skola vid suicid. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2022. SBU:s upplysningsstjänst ut202212.</i>	2023-01-27
Bipolar disorder	How can family members and carers best be supported to manage life with a person with bipolar?	ID50	6_Support	JLA	<i>James Lind Alliance (2016) Priority Setting Partnership Bipolar. www.jla.nihr.ac.uk/priority-setting-partnerships/bipolar/</i>	2016-01-01
Bipolar disorder	How can family members and carers best support people with bipolar (e.g. through education, training and practical support)?	ID50	6_Support	JLA	<i>James Lind Alliance (2016) Priority Setting Partnership Bipolar. www.jla.nihr.ac.uk/priority-setting-partnerships/bipolar/</i>	2016-01-01
Serious/ Severe mental illness	Consultation liaison in primary care for people with mental disorders	ID51	8_Org	Cochrane Effective Practice and Organisation of Care Group	<i>Gillies D, Buykx P, Parker AG, Hetrick SE. Consultation liaison in primary care for people with mental disorders. Cochrane Database of Systematic Reviews 2015, Issue 9. Art. No.: CD007193.</i>	2015-10-08

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Can people with schizophrenia be diagnosed earlier by GPs, and can the management of first episode psychosis be carried out in general practice?	ID51	8_Org	Healthtalkonline Survey	<i>Marshall M, Rathbone J. Early intervention for psychosis. Cochrane Database of Systematic Reviews 2011, Issue 6. Art. No.: CD004718.</i>	2011-02-17
Schizophrenia/ psychotic disorders	A co-ordinated approach of primary and secondary care in the early diagnosis and management of schizophrenia	ID51	8_Org	National Institute for Health and Clinical Excellence research recommendation	<i>Marshall M, Rathbone J. Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD004718.</i>	2007-06-18
Serious/ Severe mental illness	Mass media interventions for reducing mental health-related stigma	ID52	8_Org	Cochrane Consumers and Communication Group	<i>Clement S, Lassman F, Barley E, Evans-Lacko S, Williams P, Yamaguchi S, Slade M, R?sch N, Thornicroft G. Mass media interventions for reducing mental health-related stigma. Cochrane Database of Systematic Reviews 2013, Issue 7. Art. No.: CD009453.</i>	2013-09-16
Serious/ Severe mental illness	Interventions to reduce experiences of stigma and discrimination of people with mental illness and their caregivers	ID52	8_Org	Cochrane Schizophrenia Group		2013-04-18
Serious/ Severe mental illness	Does the way information is provided to patients with mental health conditions effect the outcome of treatment?	ID52	8_Org	Mind Cymru		2007-11-19
Schizophrenia/ psychotic disorders	Different communication strategies for disclosing a diagnosis of schizophrenia and related disorders	ID52	8_Org	Cochrane Schizophrenia Group		2015-07-01
Serious/ Severe mental illness	Psychological treatment versus pharmacotherapy: patient preference in the full range of psychiatric illnesses	ID53	8_Org	Evidence Update - Service user experience in adult mental health	<i>McHugh RK, Whitton SW, Peckham AD et al. Patient preference for psychological vs pharmacologic treatment of psychiatric disorders: a meta-analytic review. Journal of Clinical Psychiatry 2013; Vol. 74; No. 6.</i>	2014-02-18
Schizophrenia/ psychotic disorders	Självvald inläggning jämfört med sedvanlig vård vid schizofreni eller schizofreniliknande tillstånd hos vuxna med tidiga tecken på återinsjuknande	ID53	8_Org	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i>	2020-03-06

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	How satisfied are patients with schizophrenia with the drug they take for their illness	ID53	2_Drugs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)		2010-02-21
Schizophrenia/ psychotic disorders	What is the experience for patients of drug treatments, both conventional and atypical antipsychotics, for schizophrenia?	ID53	2_Drugs	National Institute for Health and Clinical Excellence research recommendation		2007-06-19
Serious/ Severe mental illness	Advance treatment directives for people with severe mental illness	ID53 ID56	8_Org	Cochrane Schizophrenia Group	<i>Campbell LA, Kisely SR. Advance treatment directives for people with severe mental illness. Cochrane Database of Systematic Reviews 2009, Issue 1. Art. No.: CD005963.</i>	2006-09-19
Staff in Mental Health Care	Training programme for health and social care professionals for shared decision-making	ID53 ID59	8_Org	NICE Clinical Guideline Service user experience in adult mental health	<i>National Collaborating Centre for Mental Health (2011) Service user experience in adult mental health. Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-12-31
Staff in Mental Health Care	Activities and occupations on inpatient mental health wards	ID54	8_Org	NICE Clinical Guideline Service user experience in adult mental health	<i>National Institute for Health and Clinical Excellence (2011) Service user experience in adult mental health. Guideline CG136. London: National Institute for Health and Clinical Excellence.</i>	2011-12-31
Schizophrenia/ psychotic disorders	Environmental enrichment for schizophrenia	ID54	8_Org	Mental Health Research Network Cymru		2007-07-12
Schizophrenia/ psychotic disorders	Sysselsättning och daglig aktivitet utanför hemmet med individuell målsättning och uppföljning som är anpassad för personer med schizofreni	ID55	8_Org	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för psykosociala insatser vid schizofreni eller schizofreniliknande tillstånd 2011.</i>	2012-08-13
Serious/ Severe mental illness	Day centres for severe mental illness	ID55	8_Org	Cochrane Schizophrenia Group	<i>Catty JS, Bunstead Z, Burns T, Comas A. Day centres for severe mental illness. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD001710. Shek E, Stein AT, Shansis FM, Marshall M, Crowther R, Tyrer P. Day hospital versus outpatient care for people with schizophrenia. Cochrane Database of Systematic Reviews 2009, Issue 4. Art. No.: CD003240.</i>	2008-03-10
Serious/ Severe mental illness	Work-related day-time activities for schizophrenia and other serious mental health problems	ID55	8_Org	National Institute for Health and Clinical Excellence research recommendation	<i>Crowther R, Marshall M, Bond G, Huxley P. Vocational rehabilitation for people with severe mental illness. Cochrane Database of Systematic Reviews 2001, Issue 2. Art. No.: CD003080.</i>	2007-06-19

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Högre jämfört med lägre relationskontinuitet i vården för personer med allvarlig psykisk sjukdom avseende risk för sjukhusinläggning, symptom och funktion samt följsamhet till läkemedelsbehandling	ID56	8_Org		<i>SBU. Kontinuitet i vården. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2021. SBU-rapport nr 329. Mer om översikten</i>	2022-09-21
Serious/ Severe mental illness	Collaborative care approaches for people with severe mental illness	ID56	8_Org	Cochrane Schizophrenia Group	<i>Reilly S, Planner C, Gask L, Hann M, Knowles S, Druss B, Lester H. Collaborative care approaches for people with severe mental illness. Cochrane Database of Systematic Reviews 2013, Issue 11. Art. No.: CD009531.</i>	2013-12-09
Serious/ Severe mental illness	Samordnade individuella vårdplaner vid psykisk funktionsnedsättning	ID56	8_Org		<i>SBU. Individuella vårdplaner. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2012. SBU:s upplysningstjänst, publicerad 2012-11-08.</i>	2013-01-16
Serious/ Severe mental illness	Specialist interventions for homeless people with severe mental illness	ID56	8_Org	Cochrane Schizophrenia Group		2013-01-15
Schizophrenia/ psychotic disorders	Assertive Community Treatment (ACT) jämfört med mindre intensiv case management vid schizofreni eller schizofreniliknande tillstånd hos vuxna med betydande stödbehov i vardagen	ID56	8_Org	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU. Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-06
Schizophrenia/ psychotic disorders	Case management enligt FACT-modellen (Flexible Assertive Community Treatment) jämfört med sedvanlig vård vid schizofreni eller schizofreniliknande tillstånd hos vuxna	ID56	8_Org	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU. Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-06
Schizophrenia/ psychotic disorders	Samordnade insatser vid förstagångsinsjuknande i psykos hos vuxna jämfört med sedvanlig vård, avseende antal dagar i arbete/studier, slutenvårdskonsumtion och livskvalitet	ID56	8_Org	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018.</i>	2020-03-05
Schizophrenia/ psychotic disorders	Assertive Community Treatment (ACT) jämfört med sedvanlig vård vid schizofreni eller schizofreniliknande tillstånd hos vuxna med betydande stödbehov i vardagen avseende flera utfall	ID56	8_Org	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU. Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-05

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Case management jämfört med sedvanlig vård vid schizofreni eller schizofreniliknande tillstånd hos vuxna avseende flera utfall	ID56	8_Org	Socialstyrelsen SBU	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU.</i> <i>Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.</i>	2020-03-05
Schizophrenia/ psychotic disorders	How can the benefits of early intervention in psychosis services be maintained once service users are discharged after 3 years?	ID56	8_Org	NICE Clinical Guideline Psychosis and schizophrenia in adults (CG178)	<i>National Collaborating Centre for Mental Health (2014) Psychosis and schizophrenia in adults (CG178). Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2014-03-25
Schizophrenia/ psychotic disorders	Mindre intensiv case management enligt mäklarmodellen och i form av personligt ombud till personer med schizofreni	ID56	8_Org	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för psykosociala insatser vid schizofreni eller schizofreniliknande tillstånd 2011.</i>	2012-08-15
Schizophrenia/ psychotic disorders	The role of case registers in the long term management of people with schizophrenia in general practice	ID56	8_Org	National Institute for Health and Clinical Excellence research recommendation		2007-05-01
Bipolar disorder	Specialised collaborative care service for people admitted to hospital with bipolar disorder	ID56	8_Org	NICE CG. Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185.	<i>National Institute for Health and Clinical Excellence (2014) Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.</i>	2014-11-19
Serious/ Severe mental illness	Length of hospitalisation for people with severe mental illness	ID57	8_Org	Cochrane Schizophrenia Group	<i>Babalola O, Gormez V, Alwan NA, Johnstone P, Sampson S. Length of hospitalisation for people with severe mental illness. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD000384.</i>	2014-02-14
Serious/ Severe mental illness	Day hospital versus admission for acute psychiatric disorders	ID57	8_Org	Cochrane Schizophrenia Group	<i>Marshall M, Crowther R, Sledge WH, Rathbone J, Soares-Weiser K. Day hospital versus admission for acute psychiatric disorders. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD004026.</i>	2011-12-07
Serious/ Severe mental illness	Compulsory community and involuntary outpatient treatment for people with severe mental disorders	ID57	8_Org	Cochrane Schizophrenia Group	<i>Kisely SR, Campbell LA. Compulsory community and involuntary outpatient treatment for people with severe mental disorders. Cochrane Database of Systematic Reviews 2011, Issue 2. Art. No.: CD004408.</i>	2011-02-16

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Community Mental Health Teams trained to deliver specialist treatment, compared to specialist teams (e.g. Crisis Resolution, Home Treatment, and Early Intervention) for serious mental illness	ID57	8_Org	National Institute for Health and Clinical Excellence research recommendation	<p>Joy CB, Adams CE, Rice K. <i>Crisis intervention for people with severe mental illnesses</i>. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001087.</p> <p>Marshall M, Rathbone J. <i>Early Intervention for psychosis</i>. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD004718.</p> <p>Marshall M, Lockwood A. <i>Assertive community treatment for people with severe mental disorders</i>. Cochrane Database of Systematic Reviews 1998, Issue 2. Art. No.: CD001089.</p> <p>Tyler P, Coid J, Simmonds S, Joseph P, Marriott S. <i>Community mental health teams (CMHTs) for people with severe mental illnesses and disordered personality</i>. Cochrane Database of Systematic Reviews 1998, Issue 4. Art. No.: CD000270.</p> <p>Marshall M, Gray A, Lockwood A, Green R. <i>Case management for people with severe mental disorders</i>. Cochrane Database of Systematic Reviews 1998, Issue 2. Art. No.: CD000050.</p>	2007-06-18
Schizophrenia/ psychotic disorders	Specialist services for people with schizophrenia	ID57	8_Org	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	<p>Shek E, Stein AT, Shansis FM, Marshall M, Crowther R, Tyler P. <i>Day hospital versus outpatient care for people with schizophrenia</i>. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 4 John Wiley & Sons, Ltd Chichester, UK.</p> <p>Dieterich M, Irving CB, Marshall M. <i>Intensive Case Management for severe mental illness</i>. Cochrane Database of Systematic Reviews: Protocols 2009 Issue 3 John Wiley & Sons, Ltd Chichester, UK.</p> <p>Macpherson R, Edwards TR, Chilvers R, David C, Elliott HJ. <i>Twenty-four hour care for schizophrenia</i>. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 2 John Wiley & Sons, Ltd Chichester, UK.</p>	2010-02-21
Schizophrenia/ psychotic disorders	Inpatient admission versus day hospital for schizophrenia	ID57	8_Org	Mental Health Research Network Cymru	Catty JS, Bunstead Z, Burns T, Comas A. <i>Day centres for severe mental illness</i> . Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD001710.	2008-02-13

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Are there benefits of hospital treatment compared to home care treatment for psychotic episodes?	ID57	8_Org	Mind Cymru	<p>Marshall M, Crowther R, Almaraz-Serrano A, Creed F, Sledge W, Kluiter H, Roberts C, Hill E, Wiersma D. Day hospital versus admission for acute psychiatric disorders. <i>Cochrane Database of Systematic Reviews</i> 2003, Issue 1. Art. No.: CD004026.</p> <p>Marshall M, Lockwood A. Assertive community treatment for people with severe mental disorders. <i>Cochrane Database of Systematic Reviews</i> 1998, Issue 2. Art. No.: CD001089.</p> <p>Malone D, Newron-Howes G, Simmonds S, Marriot S, Tyrer P. Community mental health teams (CMHTs) for people with severe mental illnesses and disordered personality. <i>Cochrane Database of Systematic Reviews</i> 2007, Issue 3. Art. No.: CD000270.</p> <p>Kisely S, Campbell LA, Preston N. Compulsory community and involuntary outpatient treatment for people with severe mental disorders. <i>Cochrane Database of Systematic Reviews</i> 2005, Issue 3. Art. No.: CD004408.</p> <p>Joy CB, Adams CE, Rice K. Crisis intervention for people with severe mental illnesses. <i>Cochrane Database of Systematic Reviews</i> 2006, Issue 4. Art. No.: CD001087.</p>	2007-09-12
Eating disorders	People with eating disorders - inpatient care versus outpatient care, partial hospitalisation and wait-list	ID57	8_Org	Cochrane Depression, Anxiety and Neurosis Group	<p>Hay PJ, Touyz S, Claudino AM, Lujic S, Smith CA, Madden S. Inpatient versus outpatient care, partial hospitalisation and waiting list for people with eating disorders. <i>Cochrane Database of Systematic Reviews</i> 2019, Issue 1. Art. No.: CD010827.</p>	2019-01-01 2014-01-10
Serious/ Severe mental illness	For people using adult mental health services, how is compulsory treatment and 'control and restraint' used in different settings and what is the impact on the service user?	ID57	8_Org	NICE Clinical Guideline Service user experience in adult mental health	<p>National Institute for Health and Clinical Excellence (2011) <i>Service user experience in adult mental health. Guideline CG136</i>. London: National Institute for Health and Clinical Excellence.</p>	2011-12-31
Serious/ Severe mental illness	Community mental health teams (CMHTs) for people with severe mental illnesses and disordered personality	ID58	8_Org	Cochrane Schizophrenia Group	<p>Malone D, Marriot S, Newton-Howes G, Simmonds S, Tyrer P. Community mental health teams (CMHTs) for people with severe mental illnesses and disordered personality. <i>Cochrane Database of Systematic Reviews</i> 2007, Issue 3. Art. No.: CD000270.</p>	2008-02-28

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Acute day hospitals compared to other acute service provision, such as crisis resolution and home treatment teams for serious mental illness	ID58	8_Org	National Institute for Health and Clinical Excellence research recommendation	<i>Joy CB, Adams CE, Rice K. Crisis intervention for people with severe mental illnesses. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001087.</i> <i>Marshall M, Lockwood A. Assertive community treatment for people with severe mental disorders. Cochrane Database of Systematic Reviews 1998, Issue 2. Art. No.: CD001089.</i> <i>Tyler P, Coid J, Simmonds S, Joseph P, Marriott S. Community mental health teams (CMHTs) for people with severe mental illnesses and disordered personality. Cochrane Database of Systematic Reviews 1998, Issue 4. Art. No.: CD000270.</i> <i>Marshall M, Gray A, Lockwood A, Green R. Case management for people with severe mental disorders. Cochrane Database of Systematic Reviews 1998, Issue 2. Art. No.: CD000050.</i>	2007-06-18
Schizophrenia/ psychotic disorders	Crisis intervention for people with severe mental illnesses	ID58	8_Org	Cochrane Schizophrenia Group	<i>Murphy SM, Irving CB, Adams CE, Waqar M. Crisis intervention for people with severe mental illnesses. Cochrane Database of Systematic Reviews 2015, Issue 12. Art. No.: CD001087.</i>	2015-12-04
Schizophrenia/ psychotic disorders	Do Crisis or Outreach teams prevent relapse of psychosis?	ID58	8_Org	Mind Cymru	<i>Joy CB, Adams CE, Rice K. Crisis intervention for people with severe mental illnesses. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001087.</i>	2007-09-10
Schizophrenia/ psychotic disorders	Are general practice teams useful in crisis management of people with schizophrenia?	ID58	8_Org	National Institute for Health and Clinical Excellence research recommendation		2007-05-01
Personality disorders	Crisis interventions for people with borderline personality disorder	ID58	8_Org	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Borschmann R, Henderson C, Hogg J, Phillips R, Moran P. Crisis interventions for people with borderline personality disorder. Cochrane Database of Systematic Reviews 2012, Issue 6. Art. No.: CD009353.</i>	2012-06-28
Staff in Mental Health Care	Training in the use of the national quality standard and guidance on service user experience of care	ID59	8_Org	NICE Clinical Guideline Service user experience in adult mental health	<i>National Collaborating Centre for Mental Health (2011) Service user experience in adult mental health. Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-12-31
Staff in Mental Health Care	Training in assessment of health care staff who work with people who self-harm	ID59	8_Org	NICE Clinical Guideline Self-harm	<i>National Collaborating Centre for Mental Health (2011) Self-harm (longer term management). Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-11-30

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Screening programmes for helping mental health professionals to detect violent victimisation in people with severe mental illness	ID59	8_Org	Cochrane Schizophrenia Group		2014-04-08
Serious/ Severe mental illness	Implementation of treatment guidelines for specialist mental health care	ID59	8_Org	Cochrane Schizophrenia Group	<i>Barbui C, Girlanda F, Ay E, Cipriani A, Becker T, Koesters M. Implementation of treatment guidelines for specialist mental health care. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD009780.</i>	2014-02-10
Serious/ Severe mental illness	Communication skills training for mental health professionals working with people with severe mental illness	ID59	8_Org	Cochrane Schizophrenia Group		2012-08-23
Serious/ Severe mental illness	Risk monitoring of treatment by acute day hospitals, assertive outreach teams, in-patient units, and crisis resolution and home treatment teams	ID59	8_Org	NICE guideline on core interventions in the treatment and management of schizophrenia		2011-02-17
Serious/ Severe mental illness	Intensive Case Management for severe mental illness	ID59	8_Org	Cochrane Schizophrenia Group		2010-01-11
Schizophrenia/ psychotic disorders	Does staff training in cultural competence at an individual and organisational level improve the experience of care and chance of recovery from schizophrenia in Minority Ethnic groups, and reduce staff burnout?	ID59	8_Org	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)		2010-02-21
Serious/ Severe mental illness	Risperidone versus other antipsychotics for people with severe mental illness and co-occurring substance misuse	ID60	9_Comb	Cochrane Schizophrenia Group		2014-05-19
Serious/ Severe mental illness	Is the effect of antipsychotic medication altered by illicit drug use or excessive alcohol consumption?	ID60	9_Comb	Mind Cymru		2007-06-04
Schizophrenia/ psychotic disorders	Clozapine for psychotic disorders in adults with intellectual disabilities	ID60	9_Comb	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Ayub M, Saeed K, Munshi TA, Naeem F. Clozapine for psychotic disorders in adults with intellectual disabilities. Cochrane Database of Systematic Reviews 2015, Issue 9. Art. No.: CD010625.</i>	2015-09-23

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Psychiatric comorbidity with addiction	Litium jämfört med placebo vid beroende av spel om pengar (hasardspelssyndrom) och bipolärt syndrom II eller UNS	ID60	8_Org	SBU	<i>SBU. Spel om pengar – Behandling med psykologiska metoder eller läkemedel vid beroende eller problemspelande. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU); 2016. SBU-rapport nr 254.</i>	2020-05-27
Psychiatric comorbidity with addiction	Behandling med naltrexon jämfört med placebo för att minska alkoholkonsumtionen hos personer med schizofreni och samtidigt beroende/missbruk av alkohol	ID60	9_Comor b	SBU	<i>SBU. Åtgärder för att stödja personer med schizofreni att förändra ohälsosamma levnadsvanor. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2016. SBU-rapport nr 232. ISBN 978-91-85413-90-4.</i>	2015-03-24
Psychiatric comorbidity with addiction	Behandling med akamprosat jämfört med placebo för att minska alkoholkonsumtionen hos personer med schizofreni och samtidigt beroende/missbruk av alkohol	ID60	9_Comor b	SBU	<i>SBU. Åtgärder för att stödja personer med schizofreni att förändra ohälsosamma levnadsvanor. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2016. SBU-rapport nr 232. ISBN 978-91-85413-90-4.</i>	2015-03-24
Psychiatric comorbidity with addiction	Behandling med klozapin jämfört med ziprasidon för att minska psykossymtom hos personer med schizofreni och samtidigt beroende/missbruk av cannabis	ID60	9_Comor b	SBU	<i>SBU. Åtgärder för att stödja personer med schizofreni att förändra ohälsosamma levnadsvanor. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2016. SBU-rapport nr 232. ISBN 978-91-85413-90-4.</i>	2015-03-24
Psychiatric comorbidity with addiction	Interventions for drug-using offenders with co-occurring mental illness	ID60	9_Comor b	Cochrane Drugs and Alcohol Group	<i>Perry AE, Neilson M, Martyn-St James M, Glanville JM, McCool R, Duffy S, Godfrey C, Hewitt C. Interventions for drug-using offenders with co-occurring mental illness. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD010901.</i>	2014-02-10
Psychiatric comorbidity with addiction	Olanzapine for cannabis cravings or use in people with psychosis and coexisting substance misuse.	ID60	9_Comor b	Evidence Update		2012-11-05
Psychiatric comorbidity with addiction	Risperidone for cannabis cravings or use in people with psychosis and coexisting substance misuse	ID60	9_Comor b	Evidence Update		2012-11-05
Psychiatric comorbidity with addiction	Is clozapine clinically and cost effective when compared with other pharmacological interventions for people with psychosis and coexisting substance misuse?	ID60	9_Comor b	NICE Clinical Guideline Psychosis with coexisting substance misuse	<i>National Collaborating Centre for Mental Health (2011) Psychosis with coexisting substance misuse. Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-03-31
Psychiatric comorbidity with addiction	Interventions for psychosis or substance misuse	ID60 ID61	9_Comor b	NICE Clinical Guideline Psychosis with coexisting substance misuse	<i>National Collaborating Centre for Mental Health (2011) Psychosis with coexisting substance misuse. Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-03-31

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Psychosocial interventions for people with both severe mental illness and substance misuse	ID61	9_Comb	Cochrane Schizophrenia Group	Hunt GE, Siegfried N, Morley K, Brooke-Sumner C, Cleary M. <i>Psychosocial interventions for people with both severe mental illness and substance misuse. Cochrane Database of Systematic Reviews 2019, Issue 12. Art. No.: CD001088. DOI: 10.1002/14651858.CD001088.pub4.</i> Hunt GE, Siegfried N, Morley K, Sitharthan T, Cleary M. <i>Psychosocial interventions for people with both severe mental illness and substance misuse. Cochrane Database of Systematic Reviews 2013, Issue 10. Art. No.: CD001088.</i>	2019-01-01 2013-10-03
Psychiatric comorbidity with addiction	Integrerad behandlingsmetod (med KBT) vid samtidigt missbruk eller beroende av alkohol eller narkotika och bipolär sjukdom avseende antal dagar med droganvändning per månad	ID61	9_Comb	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid missbruk och beroende 2015.</i>	2019-12-19
Psychiatric comorbidity with addiction	Samordnad behandling med dialektisk beteendeterapi (DBT) eller psykodynamisk terapi (PDT) vid missbruk eller beroende av alkohol eller narkotika och samtidig personlighetsstörning	ID61	9_Comb	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid missbruk och beroende 2015.</i>	2016-10-18
Psychiatric comorbidity with addiction	Integrerad behandlingsmetod (med KBT) vid alkoholmissbruk eller alkoholberoende och samtidig social fobi jämfört med behandling (med KBT) för alkoholmissbruk eller alkoholberoende och social fobi var för sig	ID61	9_Comb	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för vård och stöd vid missbruk och beroende 2015.</i>	2016-10-18
Psychiatric comorbidity with addiction	Psykosociala åtgärder för missbruk eller beroende samtidigt med åtgärder för schizofreni eller schizofreniliknande tillstånd	ID61	9_Comb	Socialstyrelsen	<i>Socialstyrelsens nationella riktlinjer för psykosociala insatser vid schizofreni eller schizofreniliknande tillstånd 2011.</i>	2012-08-13
Psychiatric comorbidity with addiction	Environmental interventions for people with psychosis and coexisting substance misuse	ID61	9_Comb	NICE Clinical Guideline Psychosis with coexisting substance misuse	<i>National Collaborating Centre for Mental Health (2011) Psychosis with coexisting substance misuse. Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-03-31
Schizophrenia/ psychotic disorders	Motivational interventions for drug and alcohol use in schizophrenia	ID61	9_Comb	Mental Health Clinical Trials Database		2007-01-04

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Peer support for improving service engagement for people with psychosis and coexisting substance misuse	ID61 ID40	9_Cmor b	Evidence Update - Alcohol use disorders: harmful drinking and alcohol dependence		2012-11-05
Staff in Mental Health Care	What and how should training be provided to healthcare professionals working with people with psychosis and substance misuse?	ID62	8_Org	NICE Clinical Guideline Psychosis with coexisting substance misuse	National Collaborating Centre for Mental Health (2011) <i>Psychosis with coexisting substance misuse. Clinical Guideline</i> . London: The British Psychological Society & The Royal College of Psychiatrists.	2011-03-31
Psychiatric comorbidity with addiction	Assertive Community Treatment (ACT) jämfört med sedvanlig vård vid schizofreni eller schizofreniliknande tillstånd hos vuxna med samtidigt missbruk, avseende flera utfall	ID62	9_Cmor b	Socialstyrelsen SBU	Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU. Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.	2020-03-05
Psychiatric comorbidity with addiction	Assertive Community Treatment (ACT) jämfört med mindre intensiv case management vid schizofreni eller schizofreniliknande tillstånd hos vuxna med samtidigt missbruk avseende flera utfall	ID62	9_Cmor b	Socialstyrelsen SBU	Socialstyrelsens nationella riktlinjer för vård och stöd vid schizofreni och schizofreniliknande tillstånd 2018. SBU. Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för vård och behandling vid schizofreni. Statens beredning för medicinsk och social utvärdering. (SBU); 2017. SBU Bereder nr 271.	2020-03-05
Psychiatric comorbidity with addiction	Case management i form av integrerade eller samverkande team jämfört med sedvanlig vård vid missbruk eller beroende av alkohol och narkotika och svår psykisk sjukdom avseende substansmissbruk, psykiska symptom och livskvalitet	ID62	9_Cmor b	Socialstyrelsen	Socialstyrelsens nationella riktlinjer för vård och stöd vid missbruk och beroende 2015.	2019-12-13
Psychiatric comorbidity with addiction	Samverkande eller integrerade team som ger samordnade behandlingar och psykosociala åtgärder för både missbruk och schizofreni	ID62	9_Cmor b	Socialstyrelsen	Socialstyrelsens nationella riktlinjer för psykosociala insatser vid schizofreni eller schizofreniliknande tillstånd 2011.	2012-08-14
Psychiatric comorbidity with addiction	Is providing treatment for psychosis and substance misuse services within staffed accommodation more cost-effective than a combination of hospital and home treatment?	ID62	9_Cmor b	NICE Clinical Guideline Psychosis with coexisting substance misuse	National Collaborating Centre for Mental Health (2011) <i>Psychosis with coexisting substance misuse. Clinical Guideline</i> . London: The British Psychological Society & The Royal College of Psychiatrists.	2011-03-31
Psychiatric comorbidity with addiction	What service delivery models allow people with psychosis and coexisting substance misuse to remain living outside hospital?	ID62	9_Cmor b	NICE Clinical Guideline Psychosis with coexisting substance misuse	National Collaborating Centre for Mental Health (2011) <i>Psychosis with coexisting substance misuse. Clinical Guideline</i> . London: The British Psychological Society & The Royal College of Psychiatrists.	2011-03-31

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Schizophrenia/ psychotic disorders	Psychological and psychosocial interventions for people with schizophrenia from specific ethnic groups	un- class ified	3_Psych	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	Xia Jun, Grant Tessa Jane. <i>Dance therapy for schizophrenia</i> . Cochrane Database of Systematic Reviews: Reviews 2009 Issue 1 John Wiley & Sons, Ltd Chichester, UK. Malmberg L, Fenton M, Rathbone J. <i>Individual psychodynamic psychotherapy and psychoanalysis for schizophrenia and severe mental illness</i> . Cochrane Database of Systematic Reviews: Reviews 2001 Issue 3 John Wiley & Sons, Ltd Chichester, UK. Michalczuk R, Mitchell A. <i>Monetary incentives for schizophrenia</i> . Cochrane Database of Systematic Reviews: Reviews 2009 Issue 4 John Wiley & Sons, Ltd Chichester, UK.	2010-02-21
Schizophrenia/ psychotic disorders	Interventions for obsessive compulsive symptoms in people with schizophrenia	un- class ified	5_Misc	Cochrane Schizophrenia Group		2010-01-12
Depression, bipolar depression	Sömndeprivation jämfört med läkemedelsbehandling vid depression (inklusive bipolär depression)	un- class ified	5_Misc	HTA Västra Götaland	Ioannou M, Greenbrook JTV, Larson T, Magnusson K, Schmitz L, Sjögren P, Stadig I, Steingrimsson S, Svensson M, Szábo Z, Wartenberg C. <i>Efficacy of sleep deprivation in patients with depression including bipolar depression [Effekter av sömndeprivation som behandling vid depression (inklusive bipolär depression)]</i> . Göteborg: Västra Götalandsregionen, Sahlgrenska Universitetssjukhuset, HTA-centrum: 2019. <i>Regional activity based HTA 2019:110</i> .	2020-04-16
Depression, bipolar depression	Sömndeprivation jämfört med fysisk träning vid depression (inklusive bipolär depression)	un- class ified	5_Misc	HTA Västra Götaland	Ioannou M, Greenbrook JTV, Larson T, Magnusson K, Schmitz L, Sjögren P, Stadig I, Steingrimsson S, Svensson M, Szábo Z, Wartenberg C. <i>Efficacy of sleep deprivation in patients with depression including bipolar depression [Effekter av sömndeprivation som behandling vid depression (inklusive bipolär depression)]</i> . Göteborg: Västra Götalandsregionen, Sahlgrenska Universitetssjukhuset, HTA-centrum: 2019. <i>Regional activity based HTA 2019:110</i> .	2020-04-16
Depression, bipolar depression	Sömndeprivation som tillägg till standardbehandling vid depression (inklusive bipolär depression)	un- class ified	5_Misc	HTA Västra Götaland	Ioannou M, Greenbrook JTV, Larson T, Magnusson K, Schmitz L, Sjögren P, Stadig I, Steingrimsson S, Svensson M, Szábo Z, Wartenberg C. <i>Efficacy of sleep deprivation in patients with depression including bipolar depression [Effekter av sömndeprivation som behandling vid depression (inklusive bipolär depression)]</i> . Göteborg: Västra Götalandsregionen, Sahlgrenska Universitetssjukhuset, HTA-centrum: 2019. <i>Regional activity based HTA 2019:110</i> .	2020-04-16
Serious/ Severe mental illness	Illness management and recovery programme for people with severe mental illness	un- class ified	6_Support	Cochrane Schizophrenia Group		2014-05-19

APPENDIX. Underlying evidence gaps in serious mental illness

Condition/ Diagnosis	Evidence gap - Title	ID	Theme	Source	Reference	Date
Serious/ Severe mental illness	Personalised support services for adults with severe mental illness	un-classified	6_Support	Evidence Update - Service user experience in adult mental health	<i>Siskind D, Harris M, Pirkis J, Whiteford H. Personalised support delivered by support workers for people with severe and persistent mental illness: a systematic review of patient outcomes. Epidemiology and Psychiatric Science 2012; Vol. 21: No. 1.</i>	2014-03-07
Self-harm	Low-intensity/ brief psychosocial interventions for people who self-harm	un-classified	6_Support	NICE Clinical Guideline Self-harm (longer term management)	<i>National Collaborating Centre for Mental Health (2011) Self-harm (longer term management). Clinical Guideline . London: The British Psychological Society & The Royal College of Psychiatrists.</i>	2011-11-30
Schizophrenia/ psychotic disorders	Supportive therapy for schizophrenia	un-classified	6_Support	Cochrane Schizophrenia Group	<i>Buckley LA, Maayan N, Soares-Weiser K, Adams CE. Supportive therapy for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004716.</i>	2015-04-17
Schizophrenia/ psychotic disorders	Person centred counselling for psychosis	un-classified	6_Support	Mind Cymru	<i>Bower P, Rowland N. Effectiveness and cost effectiveness of counselling in primary care. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD001025.</i>	2007-09-12
Schizophrenia/ psychotic disorders	Interventions to improve compliance with treatment in schizophrenia	un-classified	6_Support	Cochrane Schizophrenia Group	<i>McIntosh AM, Conlon L, Lawrie SM, Stanfield AC. Compliance therapy for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 3.</i>	2006-09-07
Schizophrenia/ psychotic disorders	Pre-identification services, including assessment and diagnosis and early engagement, for racial and ethnic groups with schizophrenia	un-classified	8_Org	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)		2010-02-21
Schizophrenia/ psychotic disorders	Which ethnic, religious, language or racial identity factors hinder engagement for people with schizophrenia from Black and Minority Ethnic groups?	un-classified	8_Org	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)		2010-02-20
Schizophrenia/ psychotic disorders	What are my future treatment options for my schizophrenia when the medicine has not helped?	un-classified	8_Org	Mind Cymru		2008-03-18

APPENDIX. Underlying evidence gaps in serious mental illness

Evidence gap themes and indicative research questions

THEMES

1-Early	Assessments and early intervention – Interventions targeted at young individuals or in early stages
2-Drugs	Drug treatment
3-Psych	Psychological treatment
4-Device	Medical device treatments
5-Misc	Physical activity, Complimentary medicine, Diet and Lifestyle interventions
6-Support	Support interventions
7-Acute	Acute interventions and suicide ideation
8-Org	Health systems and service delivery
9-Comorb	Psychiatric comorbidity and addiction

INDICATIVE RESEARCH QUESTIONS

*top 10

**top 25

merged research question

Assessments and early intervention – Interventions targeted at young individuals or in early stages

ID 1*	How can assessments of early signs of serious mental illness be improved, including in younger individuals?
ID 2	Can examinations using medical devices improve assessments of signs of serious mental illness?
ID 3	How can assessments of illness severity and risk assessments in serious mental illness be made more reliable?
ID 4	What are the effects of psychological treatments of young individuals with serious mental illness?
ID 5	What is the effect of internet-based psychological treatments for serious mental illness in young individuals?
ID 6	How well do psychiatric medications work for serious mental illness in young people?
ID 7	What is the effect of psychological treatments in combination with medications for serious mental illness in young people?
ID 8**	How well do support interventions for young individuals work in the early stages of serious mental illness?
ID 9#	Can the risk of serious mental illness and serious mental conditions be detected at an earlier stage?
ID 10*	To what extent can serious mental illness, such as psychosis or eating disorders, be prevented?
ID 11#	Can structured prevention programs targeted to young people prevent suicide?

Drug treatment

ID 12	How well do antipsychotic drugs work compared to each other or compared to placebo?
ID 13	Can medications originally intended for a specific mental illness have an effect on another mental illness, for example antipsychotic drugs for severe depression?
ID 14	Can medications originally intended for another disease or other indications have an effect on serious mental illness, for example ketamine in severe depression?
ID 15	Can different combinations of medications have better effects on serious mental illness?
ID 16	How does different treatment strategies influence the effects of drug treatment? (e.g. depot injections, switching of medication or individualized treatment choices)

APPENDIX. Underlying evidence gaps in serious mental illness

- ID 17 How do you discontinue or decrease dose in drug treatments of serious mental illnesses in the best way?
- ID 18 What drug treatments for therapy resistance conditions are effective?
- ID 19 What are the long-term effects on relapse and functioning in maintenance treatment of severe mental illness?
- ID 20** What are the negative effects and consequences of psychiatric medications?
- ID 21 How can side effects of psychiatric drugs best be treated?
- Psychological treatment**
- ID 22 What is the effect of cognitive behavioural therapy (CBT) on different diagnoses/ conditions in serious mental illness?
- ID 23 What is the effect of specialized psychological treatments targeting certain diagnoses/ conditions or symptoms? (eg interpersonal therapy (ITP) or exposure therapy)
- ID 24** Will treatment effect be better if psychological treatment is given in addition to medication in severe mental illness?
- ID 25** Which forms of delivery of psychological treatment work best for serious mental illness? (eg group therapy, guided self-help, low-intensity treatment)
- ID 26 For which diagnoses/ conditions with serious mental illness does internet-mediated psychological treatment work?
- ID 27** What is the effect of psychological treatments in serious mental illness in which the family is involved? (so-called family therapy, family intervention)
- ID 28** What are the long-term effects of psychological treatments for serious mental illness?
- ID 29 What are the negative effects of psychological treatments for serious mental illness?
- Medical device treatments**
- ID 30 What is the effect of electroconvulsive therapy (ECT) in different diagnoses/ conditions in severe mental illness?
- ID 31** What effect does newer types of medical device treatments have in serious mental illness? (eg transcranial magnetic stimulation, TMS)
- ID 32 What are the negative effects of medical device treatments for serious mental illness?
- Physical activity, Complimentary medicine, Diet and Lifestyle interventions**
- ID 33** What effect does physiotherapy and physical activities have on serious mental illness?
- ID 34* What are the effects of complementary interventions in promoting well-being in serious mental illness? (e.g. art therapy, music therapy, horticulture)
- ID 35 What are the effects of specialized complementary interventions targeted at treating certain conditions or symptoms (eg art therapy for PTSD)?
- ID 36 What are the effects of dietary supplements, for example vitamins, on serious mental illness?
- ID 37 What are the effects of counselling on lifestyle factors on improving physical health in severe mental illness?
- ID 38# What interventions are needed from healthcare services to monitor and manage physical health in serious mental illness?
- Support interventions**
- ID 39* How is psychoeducation and patient information delivered in the best way? (interventions that support the person's own strategies to understand and manage their illness)
- ID 40** What is the effect of peer support (receiving support from another patient or user) in serious mental illness?
- ID 41 What are the effects of skills training, for example social training or cognitive training, in serious mental illness?

APPENDIX. Underlying evidence gaps in serious mental illness

- ID 42 How is housing support provided in the best way in serious mental illness?
- ID 43 How are support interventions for education or work delivered in the best way in serious mental illness?
- ID 44 What are the effects of practical support interventions in everyday life, for example technical aids such as calendar tools and reminders, for people with serious mental illness?
- ID 45* How is support to next of kin and family members provided in the best way?
- Acute interventions and suicide ideation**
- ID 46# How can assessments and interventions for suicidality and suicidal ideation be improved?
- ID 47 Which medications are most effective in acute situations of an illness episode, for example acute mania, in serious mental illness?
- ID 48 Which sedative drugs work best in acute situations, for example in aggression or aggressive behavior, in the mental illness or a serious mental condition?
- ID 49 Which coercive measures (such as restraint or isolation), or newer types of coercive measures, are appropriate and do the least harm in acute crisis situations?
- ID 50** How is support provided in the best way to next of kin and family members after suicide?
- Health systems and service delivery**
- ID 51** What role can primary care have in the early detection and early treatment of individuals with serious mental illness and serious mental conditions?
- ID 52** How can communication and attitudes in psychiatric care of individuals with serious mental illness be improved?
- ID 53* How can shared decision making and patient involvement in serious mental illness be improved?
- ID 54* Which activities, treatments and professions within psychiatric inpatient care services are needed?
- ID 55 Which activities and interventions in psychiatric day treatment centers are most suitable, meaningful, and health-promoting for individuals with serious mental illness?
- ID 56* How well do different methods and models for coordinated and collaborative care and support work (for example, coordination of care between different disciplines) and how can they be of most benefit?
- ID 57 When is outpatient care or inpatient care most effective for people with serious mental illness?
- ID 58 What effect does care at home have compared to hospital care in acute crisis situations for serious mental illness?
- ID 59* What training targeted at staff are needed to improve care and support for people with serious mental illness? What knowledge and skills are required in the care of special conditions, for example self-harm?
- Psychiatric comorbidity and addiction**
- ID 60 How well does medical treatment work for individuals with serious mental illness and concurrent addiction problems?
- ID 61 Which support interventions have the best effect for individuals with serious mental illness and concurrent addiction problems?
- ID 62* How can medical care and social support for people with serious mental illness and concurrent addiction problems be organized to have the best effect?

APPENDIX. Underlying evidence gaps in serious mental illness

Kunskapsluckor - teman och övergripande forskningsfrågor

TEMAN

1-Early	Utredning och insatser riktade till unga personer eller i tidigt skede
2-Drugs	Läkemedelsbehandling
3-Psych	Psykologisk behandling
4-Device	Medicinteknisk behandling
5-Misc	Fysisk aktivitet, komplementärmedicin, kost och levnadsvanor
6-Support	Stödinsatser
7-Acute	Akuta insatser och självmordsproblematik
8-Org	Organisation av vård och stöd
9-Comorb	Samsjuklighet beroende-problematik

ÖVERGRIPANDE FORSKNINGSFRÅGA

*top 10

**top 25

#sammanfogad fråga

Utredning och insatser riktade till unga personer eller i tidigt skede

- ID 1* Hur kan man förbättra utredning och bedömning vid tecken på allvarlig psykisk sjukdom, inklusive hos unga personer?
- ID 2 Kan medicintekniska undersökningar förbättra utredning och bedömning vid tecken på allvarlig psykisk sjukdom?
- ID 3 Hur kan man göra bedömningen av svårighetsgrad och riskbedömning vid psykisk sjukdom mer tillförlitlig?
- ID 4 Vilken effekt har psykologisk behandling av unga personer med allvarlig psykisk sjukdom?
- ID 5 Vilken effekt har internet-förmedlad psykologisk behandling vid allvarlig psykisk sjukdom hos unga personer?
- ID 6 Hur väl fungerar psykiatriska läkemedel vid allvarlig psykisk sjukdom hos unga personer?
- ID 7 Vilken effekt har psykologiska behandlingar i kombination med läkemedel vid allvarlig psykisk sjukdom hos unga personer?
- ID 8** Hur väl fungerar olika stödinsatser i tidigt skede av allvarlig psykisk sjukdom?
- ID 9# Kan man upptäcka risk för allvarlig psykisk sjukdom och allvarliga psykiska tillstånd i ett tidigare skede?
- ID 10* I vilken utsträckning kan man förebygga allvarlig psykisk sjukdom, exempelvis psykossjukdom eller ätstörningar?
- ID 11# Kan man förebygga självmord med strukturerade förebyggande program som ges till unga personer?

Läkemedelsbehandling

- ID 12 Hur väl fungerar antipsykotiska läkemedel jämfört med varandra eller placebo?
- ID 13 Kan läkemedel ursprungligen avsedda för en viss psykisk sjukdom ha effekt på en annan psykisk sjukdom, exempelvis antipsykotiska läkemedel vid svår depression?
- ID 14 Kan läkemedel ursprungligen avsedda för en annan sjukdom eller annat ändamål ha effekt på en allvarlig psykisk sjukdom, exempelvis ketamin vid svår depression?
- ID 15 Kan kombinationer av olika typer av läkemedel ha bättre effekt mot allvarlig psykisk sjukdom?
- ID 16 Hur påverkar olika behandlingsstrategier effekten av läkemedelsbehandling? (exempelvis individbaserat preparatval, byte av läkemedel, användning av depåinjektioner)

APPENDIX. Underlying evidence gaps in serious mental illness

- ID 17 Hur gör man för att avsluta eller trappa ner en läkemedelsbehandling av allvarlig psykisk sjukdom?
- ID 18 Kan man hitta läkemedelsbehandlingar mot svårbehandlade tillstånd (så kallad terapiresistens)?
- ID 19 Vilka är långtidseffekterna på återinsjuknande och funktion vid underhållsbehandling av svår psykisk sjukdom?
- ID 20** Vilka negativa konsekvenser ger psykiatriska läkemedel?
- ID 21 Hur kan man behandla biverkningar av psykiatriska läkemedel?
- Psykologiska behandlingsmetoder**
- ID 22 Vilken effekt har kognitiv beteendeterapi (KBT) för olika diagnoser/tillstånd vid allvarlig psykisk sjukdom?
- ID 23 Vilken effekt har specialiserade psykologiska behandlingar, inriktade på vissa diagnoser/ tillstånd eller symptom? (exempelvis interpersonell terapi (ITP) eller exponeringsterapi)
- ID 24** Blir behandlingseffekten bättre om man ger psykologisk behandling i tillägg till läkemedel vid allvarlig psykisk sjukdom?
- ID 25** Vilka utförandeformer av psykologisk behandling fungerar bäst vid allvarlig psykisk sjukdom? (exempelvis grupptherapi, vägledd självhjälp, lågintensiv behandling)
- ID 26 För vilka diagnoser/tillstånd med allvarlig psykisk sjukdom fungerar internet-förmedlad psykologisk behandling?
- ID 27** Vilken effekt har psykologiska behandlingar där familjen involveras vid allvarlig psykisk sjukdom? (så kallad familjeterapi, familjeintervention)
- ID 28** Vilka långtidseffekter har psykologiska behandlingar vid allvarlig psykisk sjukdom?
- ID 29 Vilka negativa effekter har psykologiska behandlingar vid allvarlig psykisk sjukdom?
- Medicintekniska behandlingar**
- ID 30 Vilken effekt har elbehandling (ECT) vid olika diagnoser/tillstånd vid allvarlig psykisk sjukdom?
- ID 31** Vilken effekt har nyare typer av medicintekniska behandlingar (exempelvis transkraniell magnetstimulering, TMS) vid allvarlig psykisk sjukdom?
- ID 32 Vilka negativa effekter har medicintekniska behandlingar vid allvarlig psykisk sjukdom?
- Fysisk aktivitet, Komplementärmedicin, Kost och Levnadsvanor**
- ID 33** Vilken effekt har olika typer av fysisk aktivitet vid allvarlig psykisk sjukdom?
- ID 34* Vilken effekt har komplementärmedicinska insatser (exempelvis bildterapi, musikterapi, trädgårdsterapi) som främjande av välbefinnande vid allvarlig psykisk sjukdom?
- ID 35 Vilken är effekten av specialiserade komplementärmedicinska insatser inriktade på behandling av vissa diagnoser eller symptom, (exempelvis bildterapi vid PTSD)?
- ID 36 Vilken effekt har olika kosttillskott, exempelvis vitaminer, vid allvarlig psykisk sjukdom?
- ID 37 Vilken effekt har rådgivning om levnadsvanor för att förbättra den fysiska hälsan vid allvarlig psykisk sjukdom?
- ID 38# Vilka insatser behövs från vården för att följa och förbättra den fysiska hälsan vid allvarlig psykisk sjukdom?
- Stödinsatser**
- ID 39* Hur ges informations- och utbildningsinsatser, så kallad psykopädagogisk utbildning, på bästa sätt? (insatser som stödjer personens egna strategier för att förstå och hantera sin sjukdom)
- ID 40** Vilken är effekten av att få stöd av annan patient eller brukare (så kallad peer support) vid allvarlig psykisk sjukdom?
- ID 41 Vilken effekt har olika typer av färdighetsträning, exempelvis social träning eller kognitiv träning, vid allvarlig psykisk sjukdom?

APPENDIX. Underlying evidence gaps in serious mental illness

- ID 42 Hur ges boendestöd på bästa sätt vid allvarlig psykisk sjukdom?
- ID 43 Hur ges olika stödinsatser till utbildning eller arbete vid allvarlig psykisk sjukdom på bästa sätt?

- ID 44 Vilka hjälpmittel kan fungera som praktiska stöd i vardagslivet, exempelvis tekniska hjälpmittel som kalenderverktyg och påminnelser, för personer med allvarlig psykisk sjukdom?

- ID 45* Hur ges insatser och stöd till anhöriga på bästa sätt?

Akuta insatser och självmordsproblematik

- ID 46# Hur kan man förbättra bedömning och behandling vid självmordsbenägenhet?

- ID 47 Vilka läkemedel är mest effektiva i akuta lägen av en sjukdomsepisod, exempelvis akut mani, vid allvarlig psykisk sjukdom?

- ID 48 Vilka lugnande läkemedel fungerar bäst vid akuta situationer, exempelvis vid aggression eller utåtagerande beteende, vid allvarlig psykisk sjukdom eller allvarligt psykiskt tillstånd?

- ID 49 Vilka tvångsåtgärder, exempelvis bältesläggning, isolering eller nyare typer av tvångsåtgärder, gör mest nytta och minst skada vid akuta krissituationer?

- ID 50** Hur ges stöd till anhöriga efter suicid på bästa sätt?

Organisation av vård och stöd

- ID 51** Vilken roll kan primärvården ha vid tidig upptäckt och tidig behandling av personer med allvarlig psykisk sjukdom och allvarliga psykiska tillstånd?

- ID 52** Hur kan man förbättra bemötandet av personer med allvarlig psykisk sjukdom?

- ID 53* Hur kan man stärka individens delaktighet i vård och stöd i samband med allvarlig psykisk sjukdom?

- ID 54* Vilka insatser och aktiviteter inom psykiatrisk heldygnsvård är nödvändiga och mest önskvärda?

- ID 55 Vilka insatser och aktiviteter inom dagverksamhet är mest lämpade, meningsfulla, önskvärda och hälsofrämjande för personer med allvarlig psykisk sjukdom?

- ID 56* Hur väl fungerar olika metoder och modeller för koordinerad vård och stöd (exempelvis samordning mellan olika aktörer) och hur kan de göra störst nytta?

- ID 57 När är öppenvård, dagvård, respektive slutenvård mest effektivt för personer med allvarlig psykisk sjukdom?

- ID 58 Vilken effekt har vård i hemmet jämfört med på sjukhus i akuta krissituationer vid allvarlig psykisk sjukdom?

- ID 59* Vilka utbildningsinsatser riktade till personalen behövs för att förbättra vård och stöd till personer med allvarlig psykisk sjukdom? Vilken kunskap och kompetens krävs vid vård av särskilda tillstånd, till exempel självkadebeteende?

Samsjuklighet med beroendeproblematik

- ID 60 Hur väl fungerar läkemedelsbehandling vid allvarlig psykisk sjukdom hos personer med samtidig beroendeproblematik?

- ID 61 Vilka stödinsatser har bäst effekt för personer med allvarlig psykisk sjukdom och samtidig beroendeproblematik?

- ID 62* Hur kan vård och stöd till personer med allvarlig psykisk sjukdom och samtidig beroendeproblematik organiseras för att ha bäst effekt?