



Detta är ett svar från SBU:s Upplysningstjänst 5 april 2018. SBU:s Upplysningstjänst svarar på avgränsade frågor. Svaret bygger inte på en systematisk litteraturöversikt utförd av SBU. Därför kan resultaten av litteratursökningen vara ofullständiga. Kvaliteten på ingående studier har inte bedömts. Detta svar har tagits fram av SBU:s kansli och har inte granskats av SBU:s nämnd.

Behandling av våldsutövare i nära relationer

För att stoppa våld i nära relationer behövs effektiva återfallsförebyggande insatser. Genom att kartlägga forskningen om vilka behandlingsmetoder som fungerar för våldsutövare skulle samhällets insatser kunna utvecklas och stärkas.

Fråga:

Vilka systematiska översikter finns det som utvärderat behandling av våldsutövare i nära relationer?

Frågeställare: Utredningen om återfallsförebyggande insatser för män som utsätter närliggande för våld (S 2017:02)

Sammanfattning:

Upplysningstjänsten har identifierat tolv systematiska översikter som utvärderar behandling av män som utövar våld i nära relationer. Översikterna tar upp en eller flera av följande behandlingsmetoder: kognitiv beteendeterapi (KBT), terapi enligt Duluthmodellen, psykodynamisk terapi, psykoedukation samt motiverande samtal. Två systematiska översikter utvärderar specifikt behandling av våldsutövare med alkoholmiss bruk och en systematisk översikt undersöker specifikt om domstolsbeslutade interventioner har effekt.

De flesta av översiktsförfattarna rapporterar liten eller ingen effekt på minskat våldsutövande med de metoder de utvärderat, alternativt att rådande evidens är otillräcklig för att dra slutsatser. Flera författare efterlyser mer forskning för att kunna fastställa vilka metoder som har effekt och i vilka sammanhang.

SBU har inte tagit ställning i sakfrågan, om de behandlingar av våldsutövare i nära relationer som namnges i detta upplysningstjänstsvar, eftersom vi inte har bedömt de enskilda studiernas och systematiska översikternas kvalitet och inte vägt samman resultaten. Här redovisar vi endast de enskilda författarnas slutsatser.



Bakgrund

Återfallsförebyggande insatser för våldsutövare i nära relationer är efterfrågade och genom att kartlägga forskningen om vilka metoder som fungerar kan dessa insatser utvecklas och stärkas. Socialtjänsten, kriminalvården och ideella organisationer har på senare tid utarbetat insatser för män som utövar våld i nära relationer [1].

Exempel på metoder som används är KBT, psykodynamisk terapi och integrerade metoder som har inslag av båda dessa metoder [2]. Vid kognitiv beteendetterapi framhålls tankemässiga och beteendemässiga orsaker till våldet och målet är att personen ska lära sig nya sätt att tänka och handla. Vid psykodynamisk terapi betonas känsломässiga orsaker till våldet och terapin är inriktad på förståelse av dessa för att kunna förändras. Det finns också metoder, till exempel Duluthmodellen, som anser att detta våld kommer frånmannens patriarchaliska syn på kvinnans roll, och som vanligtvis syftar till att ändra sättet män utövar makt och kontroll över sin partner [3].

Avgränsningar

Vi har gjort sökningar i databaserna Academic Search Elite, Cinahl, ERIC, Medline, PsycInfo, SocIndex, Medline, Cochrane Library, Campbell Collaboration, Prospero och SCIE (se avsnittet Litteratursökning).

Vi har begränsat sökningen till systematiska översikter. I detta svar har vi exkluderat systematiska översikter om prevention, screening, behandling av personer som utövar våld mot barn och behandling av våldsoffer. För att inkludera en systematisk översikt i svaret krävde vi att den peer-review-granskats och var publicerad på engelska, norska, danska eller svenska.

Resultat från sökningen

Upplysningstjänstens litteratursökning genererade totalt 797 unika träffar. En person läste alla artikelsammanfattningar. Utifrån denna genomgång bedömdes 29 artiklar vara relevanta. De lästes i fulltext av en person. Ytterligare två artiklar identifierades genom handsökning av ett tidigare Upplysningstjänstsvär [4].

Totalt ingår tolv systematiska översikter i svaret. De artiklar som inte ingår i svaret exkluderades på grund av att de inte var relevanta för frågeställningen. Observera att vi inte bedömt kvaliteten på varken översikterna eller de ingående primärstudierna. Det är därför möjligt att flera av dessa kan ha lägre kvalitet än vad SBU inkluderar i sina ordinarie utvärderingar.



Systematiska översikter

Upplysningstjänsten har identifierat tolv systematiska översikter som utvärderar behandling av våldsutövare i nära relationer. Primärstudierna i dessa är utförda inom öppenvården. Terapi enligt Duluthmodellen slås i vissa översikter ihop med KBT, medan de i andra översikter behandlas som separata terapimetoder. Det förekommer att översikterna inkluderar samma primärstudier.

Två systematiska översikter från år 2015 respektive år 2014 utvärderar specifikt behandling av våldsutövare med alkoholmissbruk. Den systematiska översikten av Gilchrist och medförfattare utvärderar KBT med aggressionshanterings-komponenter för att minska våldet mot sin kvinnliga partner utförd av alkoholmissbrukande män [5]. Översikten baseras på fyra randomiserade kontrollerade studier (RCT) utförda i USA (Tabell 1). Wilson och medförfattare utvärderar alkoholinterventioner på partnervåld på populations-, samhälls-, parförhållande- och individnivå [6]. Översikten baseras på elva studier varav en RCT på parterapi och tre RCT:er om individuell behandling (Tabell 1). Studierna är gjorda i USA.

Feder & Wilson publicerade år 2005 en systematisk översikt och metaanalys av domstolsbeslutade interventioner mot våld i nära relationer [7]. Den systematiska översikten baseras på tio studier varav alla är utförda i Nordamerika (Tabell 1).

I en systematisk översikt och metaanalys av Karakurt och medförfattare från år 2016 [8] sammanställs resultaten från sex RCT:er om parterapi som behandlingsform mot partnervåld (Tabell 1). De inkluderade studierna är gjorda i USA.

I Cochrane-översikten från år 2012 utvärderas KBT och program som innehåller inslag av KBT på män som utövar fysiskt våld mot sin kvinnliga partner [9]. Översikten baseras på sex RCT:er, alla från USA (Tabell 1). Författarna presenterar en metaanalys över det primära utfallsmåttet; återfall i partnervåld mellan gruppen som fått KBT respektive gruppen som inte fått behandling.

I en systematisk översikt av McMurran från år 2009 utvärderas motiverande samtal eller motivationshöjande behandling på dömda [10]. Översikten baseras på 13 publicerade studier och 16 sammanfattningar från avhandlingar. Av dessa sammanfattningar var det en RCT som riktade sig mot män dömda för våldsutövande i hemmet och som hade återfall i partnervåld som utfallsmått (Tabell 1). Översikten av McMurran har endast en författare och det anges inte om studierna relevansgranskats av två oberoende personer eller om studierna har kvalitetsgranskats.



Tarzia och medförfattare publicerade år 2017 en systematisk översikt på interventioner inom hälso- och sjukvården för manliga utövare av partnervåld [11]. Översikten baseras på 14 studier varav 13 riktar sig mot våldsutövaren (Tabell 1). Tio av dessa studier är utförda i USA, två i Indien och en i Norge. Författarna skriver att narrativ syntes gjordes på grund av olikheter i studietyp och utfallsmått.

I en systematisk översikt och metaanalys av Arias och medförfattare från år 2013 som innehåller 19 primärstudier skrivna på engelska eller spanska utvärderas effekten av interventionsprogram för våldsutövare [12] (Tabell 1). I översikten anges inte om studiernas relevansgranskats av två oberoende personer eller om studierna har kvalitetsgranskats.

Akoensi och medförfattare publicerade år 2012 en systematisk översikt, inom Europa, om program för våldsutövare i nära relationer [13]. De identifierade 12 studier, 6 publicerade och 6 opublicerade. De sju studier som rapporterade utfall, relaterade till våldsutövande presenterades narrativt (4 från Storbritannien, 1 från Sverige, 1 från Finland och 1 från Cypern, Tabell 1). Resterande studier rörde kvalitativa data och beskrevs översiktligt i tabellformat. I översikten anges inte om studiernas relevansgranskats av två oberoende personer.

I översikten av Stover och medförfattare från år 2009 utvärderas interventioner för våldsutövaren, våldsoffren, par i våldsamma förhållanden samt barn som bevitnat våld i hemmet [14]. Översikten innehåller totalt 22 studier varav sju studier rör behandling av enbart våldsutövaren och fem studier rör parterapi (Tabell 1). Det är inte beskrivet om studiernas relevansgranskats av två oberoende personer och de inkluderade studierna har inte kvalitetsgranskats.

Babcock och medförfattare utvärderar 22 studier som undersöker terapi enligt Duluthmodellen, KBT och andra typer av behandling, i en systematisk översikt och metanalys från år 2004 [15] (Tabell 1).

I en systematisk översikt av Wathen och MacMillan från år 2003 utvärderas interventioner i primärvården med syfte att förhindra våld eller återfall i våld riktat mot kvinnor [16]. Översikten innehåller totalt 22 studier varav en systematisk översikt och tio studier handlar om behandling av våldsutövare och/eller par (Tabell 1).



Tabell 1. Systematiska översikter

Inkluderade studier	Intervention/ kontroll	Utfallsmått
Tarzia och medförfattare 2017 [11]		
9 RCT 3 kohortstudier 1 fall-kontrollstudie	Intervention KBT, motiverande samtal, psykoedukation, farmakologisk behandling, behandling av missbruk Kontroll 12-stegsprogrammet, väntelista, ingen behandling	Minskning i partnervåld, minskning i alkohol/droganvändning, mental hälsa Baserat på uppgifter från våldsutövare och/eller offer Uppföljningstid 12 veckor – 24 månader
Författarnas slutsatser:		
<p>"Overall, the evidence for effectiveness of interventions in health-care settings was weak, although IPV interventions conducted concurrently with alcohol treatment show some promise. More work is urgently needed in health-care services to determine what interventions might be effective, and in what settings, to improve the response to male perpetrators or victims of IPV."</p>		
Karakurt och medförfattare 2016 [8]		
6 RCT	Intervention Parterapi (i grupp eller i individuella par) Kontroll Ingen behandling, könsspecifik terapi i grupp eller individuellt	Minskning i partnervåld Baserat på uppgifter från våldsutövare och/eller offer Uppföljningstid >30 dagar
Författarnas slutsatser:		
<p>"Overall quality of evidence was moderate, indicating that there are benefits of couple therapy for reducing violence in the relationship, but these benefits may be variable across couples. Our sample was not very diverse. We caution therapists to carefully consider their patients cultural background before determining whether couple therapy is an appropriate treatment. Our sample was also relatively young on average, which may limit the generalizability of our findings to older populations."</p>		



Gilchrist och medförfattare 2015 [5]		
4 RCT	Intervention Grupp-KBT med aggressionshanterings-komponenter Kontroll Profeministisk metod, ingen behandling, 12-stegsprogrammet, motiverande samtal	Återfall i partnersvåld Baserat på uppgifter från våldsutövare och offer Uppföljningstid 0, 6 och 12 månader (varierade för våldsutövare och offer i dessa studier)
Författarnas slutsatser:		
<p>"The current evidence is insufficient to draw conclusions about the effectiveness of CBT interventions with anger management components for male alcohol abusers in reducing or eliminating physical IPV perpetrated towards their female partners. However, the review suggests that CBT with anger management shows some promise short term, but further research is required."</p>		
Wilson och medförfattare 2014 [6]		
4 RCT	Intervention Kombinerad behandling av alkoholmissbruk och våldsutövande (motiverande feedback, standard behandling + motiverande alkoholintervention, motivationshöjande behandling, KBT) Kontroll Minimal icke-motiverande feedback, standard-behandling, utbildningsmaterial, 12-stegsprogrammet	Minskning i partnersvåld, minskning i alkoholanvändning Baserat på uppgifter från våldsutövare, offer samt mätning av utandningsluft och urinprov Uppföljningstid 1 vecka – 12 månader
Författarnas slutsatser:		
<p>"These studies focused on the effects of the addition of an IPV component to addictions treatment and/or addictions component to IPV treatment to examine the combined effect of addressing both alcohol and IPV. These studies were able to demonstrate significant reductions in alcohol consumption and IPV (compared to the control condition) but these effects were not sustained and none of the studies tested the relationships between reductions in drinking and reductions in IPV."</p>		



Arias och medförfattare 2013 [12]		
6 experimentella studier 13 kvasiexperimentella studier	Intervention Terapi enligt Duluthmodellen, KBT, psykodynamisk terapi, "mind-body bridging" Kontroll Ingen behandling, "dropouts"	Återfall i partnervåld Baserat på uppgifter från våldsutövare och offer samt polisrapporter Uppföljningstid ≥ 6 månader
Författarnas slutsatser:		
"In conclusion, overall, the treatment of batterers is not efficacious, though some programmes were ($k = 16$ for the positive effect of a small effect size or larger than 0.20) or had negative effects ($k = 7$). Of the moderators, only the type of intervention (i.e., OTIs) and the duration of the intervention (long-term) were significant, i.e., interventions adapted to the batterers' needs (OTI: psychological-psychiatric programme for batterers with psychopathology) and long-term interventions, which would indicate that (toxic) cognition that sanctions domestic violence is highly resistant to treatment. Nonetheless, the results remain inconsistent and further studies are required to assess the efficacy of batterer treatment programmes, i.e., to examine moderators that may explain why some batterers respond to treatment yet others fail to do so under similar treatment programmes."		
Akoensi och medförfattare 2012 [13]		
7 studier varav 6 utan kontrollgrupp	Intervention KBT, terapi enligt Duluthmodellen, psykodynamisk terapi, psykoedukation Kontroll Ingen behandling	Återfall i partnervåld Baserat på uppgifter från våldsutövare, offer och/eller polisrapporter Uppföljningstid 0 – 12 månader
Författarnas slutsatser:		
"Our findings resonate with the conclusions of reviews from North America, namely, that we do not yet know what works best, for whom, and under what circumstances. Compared with other fields of offender treatment, evaluation research on domestic violence perpetrator programs is still at an early stage."		



Smedslund och medförfattare 2011 [9]		
6 RCT	Intervention KBT (inklusive terapi enligt Duluthmodellen) Kontroll Ingen behandling, psykodynamisk terapi	Primärt Återfall i partnervåld Sekundära Ökat självförtroende, droganvändning, aggressionskontroll Baserat på uppgifter från våldsutövare, offer och/eller polisrapporter Uppföljningstid 6 – 24 månader
Författarnas slutsatser:		
"The research evidence is insufficient to draw conclusions about the effectiveness of cognitive behavioural interventions for physically abusive men in reducing or eliminating male violence against female partners. This does not mean that there is evidence for no effect. We simply do not know whether the interventions help, whether they have no effect, or whether they are harmful."		
Mc Murran 2009 [10]		
1 RCT	Intervention Motiverande samtal Kontroll Ingen behandling	Återfall i partnervåld Självrapporterat Uppföljningstid Anges ej
Författarens slutsatser:		
"The MI group showed more acceptance of blame and more improvement of stage of change, but there was no significant difference between groups on violence, although this was attributed to a floor effect."		
Stover och medförfattare 2009 [14]		
7 RCT 1 multicenterstudie 4 studier utan icke-behandlad kontrollgrupp	Intervention Häktning, terapi enligt Duluthmodellen, KBT i grupp, psykoedukation Kontroll Information, ingen häktning, ingen behandling, samhällstjänst, villkorlig dom, väntelista	Återfall i partnervåld Baserat på uppgifter från våldsutövare, offer och/eller polisrapporter Uppföljningstid 6 – 18 månader



Författarnas slutsatser:

"Extant interventions have limited effect on repeat violence, with most treatments reporting minimal benefit above arrest alone. The results of this treatment review indicate a lack of research evidence for the effectiveness of many of the most common treatments provided for victims and perpetrators of IPV, including the Duluth model for perpetrators and shelter-advocacy approaches for victims. According to partner reports, rates of recidivism in most perpetrator- and partner-focused treatments are approximately 30% within 6 months, regardless of intervention strategy used. Emerging data supports the integration of empirically validated substance abuse, couples, and trauma-focused interventions into IPV treatments. However, considerably more work is needed in this area."

Feder & Wilson 2004 [7]

4 RCT 6 kvasiexperimentella studier	Intervention Psykoedukation, KBT eller kombination av dessa Kontroll Villkorlig dom, ingen behandling, "dropouts"	Återfall i partnervåld baserat på uppgifter från offer och/eller polisrapporter Uppföljningstid ≥ 6 månader
--	--	---

Författarnas slutsatser:

"The findings from this meta-analysis combined with the caveats above raise questions as to the value of these programs. While additional research is needed, the meta-analysis does not offer strong support that court-mandated treatment to misdemeanor domestic violence offenders reduces the likelihood of further reassault."

Babcock och medförfattare 2004 [15]

5 RCT 17 kvasirandomiserade studier	Intervention KBT, terapi enligt Duluthmodellen, psykoedukation, aggressionshantering Kontroll Ingen behandling, väntelista, samhällstjänst, "dropouts"	Återfall i partnervåld Baserat på uppgifter från offer och/eller polisrapporter Uppföljningstid 6 – 36 månader
--	---	--

Författarnas slutsatser:

"Regardless of reporting method, study design, and type of treatment, the effect on recidivism rates remains in the small range. In the best case scenario, using quasi-experimental designs based on partner report, the effect size is $d = 0.34$ indicating that treated offenders showed a one-third standard deviation in improvement in recidivism as compared to nontreated batterers."



Wathen & MacMillan 2001 [16]

1 SÖ 5 RCT 1 kvasirandomiserad kontrollerad studie 1 kontrollerad studie 3 kohortstudier	Intervention KBT, psykodynamisk terapi, aggressionshantering, självhjälpsmodellen, utbildning, straffrättsliga interventioner Kontroll Ingen behandling, väntelista eller annan behandling	Återfall i partnervåld Baserat på uppgifter från våldsutövare, offer och/eller polisrapporter Uppföljningstid 3 – 25 månader
--	---	--

Författarnas slutsatser:

"Of the 10 individual studies, only 1 was given a quality rating of good. While several of the studies rated poor or fair reported some evidence of effectiveness for interventions aimed at batterers and/or couples, the study of good quality concluded that 3 types of interventions were not effective in reducing subsequent violence against women."

RCT = randomiserad kontrollerad studie; KBT = kognitiv beteendeterapi; IPV = våld i nära relationer; CBT = kognitiv beteendeterapi; OTI = andra former av interventioner; SÖ = systematisk översikt

Projektgrupp

Detta svar är sammanställt av Miriam Entesarian Matsson, Therese Åström och Agneta Brolund på SBU.



Litteratursökning

EBSCO: Academic Search Elite, Cinahl, ERIC, Medline, PsycInfo, SocIndex 14 February 2018
Title: Intimate partner violence: treatment of the perpetrators

Search terms	Items found
Population: Domestic violence	
1. (DE "Domestic Violence" OR DE "Battered Females" OR DE "Partner Abuse" OR DE "Intimate Partner Violence" OR MH "Domestic Violence" OR MH "Intimate Partner Violence" OR MH "Spouse Abuse" OR DE "FAMILY violence" OR DE "LGBT family violence" OR DE "MARITAL violence" OR DE "ABUSIVE parents" OR DE "INTIMATE partner violence") OR TI((domestic N3 (violen* OR abuse*)) OR ((partner OR spous* OR famil*) N3 (violen* OR abuse*)))	107,421
2. TI((perpetrator* OR batterer OR (abusive W3 men) OR ((men OR men's) W3 abus*) OR (violen* N3 (men* OR male OR husband* OR husband* OR partner* OR spous* OR wife OR wives OR female*)))	37306
3. TI(((violen* OR abusive*) N2 (men OR men's OR male OR husband* OR partner* OR spous* OR wife OR wives OR female*)) OR (batter* N2 (men OR men's OR male OR husband* OR partner* OR spous* OR wife OR wives OR female*)) OR (violen* W2 offender*) OR (violen* N2 practi*) OR ("same sex" N3 violen*) OR (wife* N2 abuser*) OR (wives N2 abuser*) OR (wom?n N2 abuser*) OR perpetrator*)) OR KW(((violen* OR abusive*) N2 (men OR men's OR male OR husband* OR partner* OR spous* OR wife OR wives OR female*)) OR (batter* N2 (men OR men's OR male OR husband* OR partner* OR spous* OR wife OR wives OR female*)) OR (violen* W2 offender*) OR (violen* N2 practi*) OR ("same sex" N3 violen*) OR (wife* N2 abuser*) OR (wives N2 abuser*) OR (wom?n N2 abuser*) OR perpetrator*))	39350
4. 2 OR 3	46711
5. 1 AND 4	33387
Intervention: Specific treatment	
6. TI((men OR men's) N2 cent*) OR Duluth* OR "Alternativ til Vold" OR "Alternative to violence program*" OR "Core Conflictual Relationship Theme" OR "Domestic Abuse Intervention Project" OR "Expect Respect" OR "Integrated Domestic Abuse Program*" OR "Violence Prevention Program*" OR "Violence Prevention Project*" OR ((ATV OR CCRT OR DAIP OR ERSG OR IDAP) N10 (violen* OR abus* OR harm* OR batter*)) OR KW((men OR men's) N2 cent*) OR Duluth* OR "Alternativ til Vold" OR "Alternative to violence program*" OR "Core Conflictual Relationship Theme" OR "Domestic Abuse Intervention Project" OR "Expect Respect" OR "Integrated Domestic Abuse Program*" OR "Violence Prevention Program*" OR "Violence Prevention Project*" OR ((ATV OR CCRT OR DAIP OR ERSG OR IDAP) N10 (violen* OR abus* OR harm* OR batter*)) OR AB((men OR men's) N2 cent*) OR Duluth* OR "Alternativ til Vold" OR "Alternative to violence program*" OR "Core Conflictual Relationship Theme" OR "Domestic Abuse Intervention Project" OR "Expect Respect" OR "Integrated Domestic Abuse Program*" OR "Violence Prevention Program*" OR "Violence Prevention Project*")	22053
Intervention: Program/education/training	
7. TI(program* OR education* OR intervent* OR train* OR treat* OR prevent*) OR KW(program* OR education* OR intervent* OR train* OR treat* OR prevent*)	6,977,631
Intervention: Psychological/therapy/psychosocial	
8. TI(therapy OR psychotherapy OR psychoanalys* OR counsel* OR mindful*) OR KW(therapy OR psychotherapy OR psychoanalys* OR counsel* OR mindful* OR "social learning" OR "social support" OR "support groups")	1,941,309
Intervention: Home visits	
9. TI((visit* OR home OR house OR health*) AND (visit* OR call* OR intervention* OR program*)) OR KW((visit* OR home OR house OR health*) AND (visit* OR call* OR intervention* OR program*))	244,219



Intervention: Interprofessional team

10. TI(cooperat* OR collaborat* or coalition* OR partnership* OR liaison* OR team* OR (inter W1 profession*) OR (inter W1 agenc*) OR interagen* OR (inter W1 disciplin*) OR interdisciplin* OR (trans W1 disciplin*) OR transdisciplin* OR (multi* W1 agenc*) OR multiagenc* OR (multi W1 disciplin*) OR multidisciplin* OR (cross W1 professional*) OR (cross W1 disciplin*) OR (multi* W1 profession*) OR (joint W1 (work* OR practice*)) OR ((advocacy OR family) W1 cent?e*) OR (protective W1 service*) OR (micro W1 system*) OR microsystem*) OR KW(cooperat* OR collaborat* or coalition* OR partnership* OR liaison* OR team* OR (inter W1 profession*) OR (inter W1 agenc*) OR interagen* OR (inter W1 disciplin*) OR interdisciplin* OR (trans W1 disciplin*) OR transdisciplin* OR (multi* W1 agenc*) OR multiagenc* OR (multi W1 disciplin*) OR multidisciplin* OR (cross W1 professional*) OR (cross W1 disciplin*) OR (multi* W1 profession*) OR (joint W1 (work* OR practice*)) OR ((advocacy OR family) W1 cent?e*) OR (protective W1 service*) OR (micro W1 system*) OR microsystem*) 597,441

Intervention: Internet/Electronic devices

11. TI((internet* OR computer* OR "web based" OR twitter OR "social media" OR e-mail* OR (text w1 messag*) OR sms OR mms OR phone* OR android* OR iphone* OR smartphone* OR cellphone* OR (mobile W1 (application* OR technolog*))) OR apps OR mulimedia OR "multi media") AND TI((program* OR interven* OR skill* OR educat* OR train* OR promotion*)) OR KW((internet* OR computer* OR "web based" OR twitter OR "social media" OR e-mail* OR (text w1 messag*) OR sms OR mms OR phone* OR android* OR iphone* OR smartphone* OR cellphone* OR (mobile W1 (application* OR technolog*))) OR apps OR mulimedia OR "multi media") AND KW(program* OR interven* OR skill* OR educat* OR train* OR promotion* OR rehabilit*)) 69172

Relapse prevention

12. TI((relaps* AND (violen* OR abuse* OR harm* OR batter*)) OR (recidivis* AND (violen* OR abuse* OR harm* OR batter*)) OR (reprisal AND (violen* OR abuse* OR harm* OR batter*)) OR ((reoffen* OR re-offen*) AND (violen* OR abuse* OR harm* OR batter*)) OR ((reabuse* OR re-abuse*) AND (violen* OR abuse* OR harm* OR batter*)) OR (repeat* AND (violen* OR abuse* OR harm* OR batter*)) OR (prevent* N3 (violen* OR abuse* OR harm* OR batter*))) OR KW((relaps* AND (violen* OR abuse* OR harm* OR batter*)) OR (recidivis* AND (violen* OR abuse* OR harm* OR batter*)) OR (reprisal AND (violen* OR abuse* OR harm* OR batter*)) OR ((reoffen* OR re-offen*) AND (violen* OR abuse* OR harm* OR batter*)) OR ((reabuse* OR re-abuse*) AND (violen* OR abuse* OR harm* OR batter*)) OR (repeat* AND (violen* OR abuse* OR harm* OR batter*)) OR (prevent* N3 (violen* OR abuse* OR harm* OR batter*))) 26785

13. AB(prevent* N4 (violen* OR abuse* OR harm* OR batter*)) OR AB(recidivis* N4 (violen* OR abuse* OR harm* OR batter*)) OR AB((reoffen* OR re-offen*) N4 (violen* OR abuse* OR harm* OR batter*)) OR AB((reabuse* OR re-abuse*) N4 (violen* OR abuse* OR harm* OR batter*)) OR AB(repeat* N4 (violen* OR abuse* OR harm* OR batter*)) OR AB(prevent* N4 (violen* OR abuse* OR harm* OR batter*)) 61067

14. 12 OR 13 75564

Combined sets

- | | | |
|-----|----------|------|
| 15. | 5 AND 6 | 336 |
| 16. | 5 AND 7 | 5896 |
| 17. | 5 AND 8 | 1396 |
| 18. | 5 AND 9 | 572 |
| 19. | 5 AND 10 | 384 |
| 20. | 5 AND 11 | 13 |
| 21. | 5 AND 14 | 2327 |

Study types: Systematic review/syntheses

22. (TX (systematic* N3 review*) OR TX (metaanaly* OR meta-analy* OR "meta analy*") OR TX ((systematic* n3 bibliographic*) OR (systematic* N3 literature) OR (comprehensive* n3 literature) OR (comprehensive* n3 bibliographic*) OR (integrative n3 review) OR (information N2 synthesis) OR (data n2 synthesis) OR (data N2 extract*)) OR JN ("Cochrane 1,878,470



Database of Systematic Reviews") OR TX ((systematic W2 synthes*) OR (meta W2 synthes*)
OR metasyntheses*) OR AB(meta W2 (ethnograph* OR metaethnograph*))
OR AB((thematic W2 synthes*) OR "meta-study" OR "meta-summary" OR "critical
interpretive syntheses" OR "qualitative cross-case analysis" OR "grounded theory synthesis"
OR "meta-interpretation") OR TX("scoping review" OR "realist review" OR (evidence W2
map*) OR "mapping review" OR (systematic W2 map*))

Combined sets	
23.	15 AND 22
24.	16 AND 22
25.	17 AND 22
26.	18 AND 22
27.	19 AND 22
28.	20 AND 22
29.	21 AND 22
30.	(23 OR 24 OR 25 OR 26 OR 27 OR 28 OR 29)

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

" " = Citation Marks; searches for an exact phrase



Medline via OvidSP 15 February 2018

Title: Intimate partner violence: treatment of the perpetrators

Search terms	Items found
Population: Intimate partner violence	
1. Domestic Violence/ or Spouse Abuse/ or Intimate Partner Violence/ or ((domestic adj (violen* or abuse*)) or ((partner or spous* or famil*) adj3 (violen* or abuse*))).ti,kw.	15039
2. (perpetrator* OR batterer* OR ((violen* OR abusive) adj (men OR men# OR male OR husband* OR partner* OR spous* OR wife OR wives OR female*))) OR ((men OR men#) adj3 abus*).ti,ab,kw.	6549
3. ((batter* adj3 (men OR men# OR male OR husband* OR partner* OR spous* OR wife OR wives OR female*))) OR (violen* adj3 practi*) OR ("same sex" adj3 (violen* OR abus*) OR (wife adj3 abuser*) OR (wives adj3 abuser*) OR (wom#n adj3 abuser*))).ti,ab,kw.	960
4. 2 OR 3	7312
5. 1 AND 4	2034
Intervention: Specific treatment	
6. ((men OR men#) adj2 cent*).ti,kw. OR (Duluth* OR "Alternativ til Vold" OR "Alternative to violence program*" OR "Core Conflictual Relationship Theme" OR "Domestic Abuse Intervention Project" OR "Expect Respect" OR "Integrated Domestic Abuse Program*" OR "Violence Prevention Program*" OR "Violence Prevention Project*").mp. OR ((ATV OR CCRT OR DAIP OR ERSG OR IDAP) adj10 (violen* OR abus* OR harm* OR batter*)).ti,ab,kw.	758
Intervention: Program/education/training	
7. (education, nonprofessional/ or health education/ or patient education as topic/ or Program Evaluation/) or (program* or interven* or skill* or educat* or train* or promot* or treatment* or prevent*).ti,kw.	2083672
Intervention: Psychological/therapy/psychosocial	
8. exp family therapy/ or exp Counseling/ or exp behavior therapy/ or exp cognitive therapy/ or exp Psychotherapy/ or exp "reinforcement (psychology)"/	256474
9. (counsel* or social support* or social group* or social learning or psychosocial or psycho social or therap* or behavioral or behavioural or cognitive OR multisystemic or systemic or brief or motivational or brief or motivational or therap* or psychotherap*).ti,kw.	1021145
10. 8 OR 9	1202047
Intervention: Home visits	
11. House Calls/ OR ((visit* OR home OR house OR health*) AND (visit* OR call* OR intervention* OR program*)).ti,ab,kw.	629969
Intervention: Internet/Electronic devices	
12. (internet/ or blogging/ or social media/ or computers/ or electronic mail/ or text messaging/ or audiovisual aids/ or telephone/ or cell phones/ or smartphone/ or television/ or videoconferencing/ or wireless technology/ or video recording/ or "instructional films and videos") or (video* or internet* or computer* or web based or twitter or facebook or face book or social media or electronic mail* or e-mail or email* or text messag* or sms or mms or phone* or telephone* or android* or iphone* or smartphone* or cellphone* or mobile* or apps or ipad* or mulimedia or multi media or technolog*).ti,ab,kw	1005848
Relapse prevention	
13. (Secondary Prevention/ OR Recurrence/) AND (Domestic Violence/ OR Spouse Abuse/ OR Intimate Partner Violence/)	147
14. ((relaps* AND (violen* OR abuse* OR harm* OR batter*)) OR (recidivis* AND (violen* OR abuse* OR harm* OR batter*)) OR (reprisal AND (violen* OR abuse* OR harm* OR batter*)) OR ((reoffen* OR re-offen*) AND (violen* OR abuse* OR harm* OR batter*)) OR ((reabuse* OR re-abuse*) AND (violen* OR abuse* OR harm* OR batter*)) OR (repeat* AND (violen* OR abuse* OR harm* OR batter*)) OR (prevent* AND (violen* OR abuse* OR harm* OR batter*))).ti,kw.	4255



15.	((relaps* adj3 (violen* OR abuse* OR harm* OR batter*)) OR (recidivis* adj3 (violen* OR abuse* OR harm* OR batter*)) OR (reprisal adj3 (violen* OR abuse* OR harm* OR batter*)) OR ((reoffen* OR re-offen*) adj3 (violen* OR abuse* OR harm* OR batter*)) OR ((reabuse* OR re-abuse*) adj3 (violen* OR abuse* OR harm* OR batter*)) OR (repeat* adj3 (violen* OR abuse* OR harm* OR batter*)) OR (prevent* adj3 (violen* OR abuse* OR harm* OR batter*))).ab.	8525
16.	13 OR 14 OR 15	11437
Combined sets		
17.	5 AND 6	16
18.	5 AND 7	356
19.	5 AND 10	272
20.	5 AND 11	330
21.	5 AND 12	98
22.	5 AND 16	200
23.	17 OR 18 OR 19 OR 20 OR 21 OR 22	871
Study types:		
24.	(meta-analysis/ OR exp "review literature"/) OR (metaanaly* or meta-analy* or meta analy*).tw. or (systematic* adj3 (review* or overview*)).tw.	2443868
Combined sets		
25.	17 AND 24	1
26.	18 AND 24	62
27.	19 AND 24	43
28.	20 AND 24	45
29.	21 AND 24	4
30.	22 AND 24	29

The search result, usually found at the end of the documentation, forms the list of abstracts.

.ab. =Abstract

.ab,ti. = Abstract or title

.af.= All fields

Exp= Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

.sh.= Term from the Medline controlled vocabulary

.ti. = Title

/ = Term from the Medline controlled vocabulary, but does not include terms found below this term in the MeSH hierarchy

* = Focus (if found in front of a MeSH-term)

* or \$= Truncation (if found at the end of a free text term)

.mp=text, heading word, subject area node, title



PsycInfo via EBSCO 14 February 2018

Title: Intimate partner violence: treatment of the perpetrators

Search terms	Items found
Population: Intimate partner violence	
1. (DE "Domestic Violence" OR DE "Battered Females" OR DE "Partner Abuse" OR DE "Intimate Partner Violence") OR TI((domestic N3 (violen* OR abuse*)) OR ((partner OR spous* OR famil*) N3 (violen* OR abuse*)))	32296
2. DE "Perpetrators" OR TI((perpetrator* OR batterer OR (abusive W3 men) OR ((men OR men's) W3 abus*)) OR ((violen* OR abusive) N3 (men OR men's OR male OR husband* OR partner* OR spous* OR wife OR wives OR female*))) OR KW((perpetrator* OR batterer OR (abusive W3 men) OR ((men OR men's) W3 abus*)) OR ((violen* OR abusive) N3 (men OR men's OR male OR husband* OR partner* OR spous* OR wife OR wives OR female*)))	21368
3. TI(((batter* N2 (men OR men's OR male OR husband* OR partner* OR spous* OR wife OR wives OR female*)) OR (violen* W2 offender*) OR (violen* N2 practi*) OR ("same sex" N3 violen*) OR (wife* N2 abuser*) OR (wives N2 abuser*) OR (wom?n N2 abuser*) OR perpetrator*)) OR KW(((violen* OR abusive) N2 (men OR men's OR male OR husband* OR partner* OR spous* OR wife OR wives OR female*)) OR (batter* N2 (men OR men's OR male OR husband* OR partner* OR spous* OR wife OR wives OR female*)) OR (violen* W2 offender*) OR (violen* N2 practi*) OR ("same sex" N3 violen*) OR (wife* N2 abuser*) OR (wives N2 abuser*) OR (wom?n N2 abuser*) OR perpetrator*))	11766
4. 2 OR 3	22562
5. 1 AND 4	12950
Intervention: Specific treatment	
6. TI((men OR men's) N2 cent*) OR Duluth* OR "Alternativ til Vold" OR "Alternative to violence program*" OR "Core Conflictual Relationship Theme" OR "Domestic Abuse Intervention Project" OR "Expect Respect" OR "Integrated Domestic Abuse Program*" OR "Violence Prevention Program*" OR "Violence Prevention Project*" OR ((ATV OR CCRT OR DAIP OR ERSG OR IDAP) N10 (violen* OR abus* OR harm* OR batter*)) OR KW((men OR men's) N2 cent*) OR Duluth* OR "Alternativ til Vold" OR "Alternative to violence program*" OR "Core Conflictual Relationship Theme" OR "Domestic Abuse Intervention Project" OR "Expect Respect" OR "Integrated Domestic Abuse Program*" OR "Violence Prevention Program*" OR "Violence Prevention Project*" OR ((ATV OR CCRT OR DAIP OR ERSG OR IDAP) N10 (violen* OR abus* OR harm* OR batter*)) OR AB((men OR men's) N2 cent*) OR Duluth* OR "Alternativ til Vold" OR "Alternative to violence program*" OR "Core Conflictual Relationship Theme" OR "Domestic Abuse Intervention Project" OR "Expect Respect" OR "Integrated Domestic Abuse Program*" OR "Violence Prevention Program*" OR "Violence Prevention Project*")	4338
Intervention: Program/education/training	
7. "Program Evaluation" OR DE "Program Development" OR DE "Mental Health Program Evaluation" OR DE "Mental Health Programs" OR DE "Family Intervention" OR DE "Family Life Education" OR DE "Parent Training" OR "Parenting Skills"	55199
8. TI(program* OR education* OR intervent* OR train* OR treat* OR prevent*) OR KW(program* OR education* OR intervent* OR train* OR treat* OR prevent*)	745075
9. 7 OR 8	757,838
Intervention: Psychological/therapy/psychosocial	
10. DE "Family Therapy" OR DE "Couples Therapy" OR DE "Conjoint Therapy" OR DE "Brief Relational Therapy" OR DE "Mirroring" OR DE "Motivational Interviewing" OR DE "Network Therapy" OR DE "Client Centered Therapy" OR DE "Interpersonal Psychotherapy" OR DE "Mindfulness" OR DE "Psychotherapy" OR DE "Analytical Psychotherapy" OR DE "Behavior Therapy" OR DE "Brief Psychotherapy" OR DE "Brief Relational Therapy" OR DE "Client Centered Therapy" OR DE "Cognitive Behavior Therapy" OR DE "Existential Therapy" OR DE "Experiential Psychotherapy" OR DE "Group Psychotherapy" OR DE "Humanistic	310,887



"Psychotherapy" OR DE "Individual Psychotherapy" OR DE "Insight Therapy" OR DE "Integrative Psychotherapy" OR DE "Interpersonal Psychotherapy" OR DE "Narrative Therapy" OR DE "Network Therapy" OR DE "Psychoanalysis" OR DE "Psychodynamic Psychotherapy" OR DE "Psychotherapeutic Counseling" OR DE "Rational Emotive Behavior Therapy" OR DE "Reality Therapy" OR DE "Relationship Therapy" OR DE "Solution Focused Therapy" OR DE "Supportive Psychotherapy" OR DE "Self-Help Techniques" OR DE "Self-Management" OR DE "Twelve Step Programs" OR DE "Counseling" OR DE "Community Counseling" OR DE "Educational Counseling" OR DE "Group Counseling" OR DE "Microcounseling" OR DE "Pastoral Counseling" OR DE "Peer Counseling" OR DE "Psychotherapeutic Counseling" OR DE "Rehabilitation Counseling" OR DE "School Counseling" OR DE "Social Support" OR DE "Support Groups")

11.	TI(therapy OR psychotherapy OR psychoanalys* OR counsel* OR mindful*) OR KW(therapy OR psychotherapy OR psychoanalys* OR counsel* OR mindful* OR "social learning" OR "social support" OR "support groups")	324794
12.	10 OR 11	441299
Intervention: Home visits		
13.	DE "Home Visiting Programs" OR TI((visit* OR home OR house OR health*) AND (visit* OR call* OR intervention* OR program*)) OR KW((visit* OR home OR house OR health*) AND (visit* OR call* OR intervention* OR program*))	41308
Intervention: Internet/Electronic devices		
14.	((DE "Internet" OR DE "Social Media" OR DE "Online Social Networks" OR DE "Mobile Devices" OR DE "Cellular Phones" OR DE "Electronic Communication" OR DE "Blog" OR DE "Computer Mediated Communication" OR DE "Electronic Learning" OR DE "Social Media" OR DE "Video Display Units" OR DE "Computer Peripheral Devices" OR DE "Computers" OR DE "Analog Computers" OR DE "Digital Computers" OR DE "Microcomputers" OR DE "Audiovisual Communications Media" OR DE "Educational Television") AND (program* OR interven* OR skill* OR educat* OR train* OR promotion* OR rehabilit*))	35197
15.	TI((internet* OR computer* OR "web based" OR twitter OR "social media" OR e-mail* OR (text w1 messag*) OR sms OR mms OR phone* OR android* OR iphone* OR smartphone* OR cellphone* OR (mobile W1 (application* OR technolog*))) OR apps OR mulimedia OR "multi media") AND TI((program* OR interven* OR skill* OR educat* OR train* OR promotion*)) OR KW((internet* OR computer* OR "web based" OR twitter OR "social media" OR e-mail* OR (text w1 messag*) OR sms OR mms OR phone* OR android* OR iphone* OR smartphone* OR cellphone* OR (mobile W1 (application* OR technolog*))) OR apps OR mulimedia OR "multi media") AND KW(program* OR interven* OR skill* OR educat* OR train* OR promotion* OR rehabilit*))	16239
16.	14 OR 15	44780
Relapse prevention		
17.	(DE "Relapse Prevention" OR DE "Relapse (Disorders)" OR DE "Remission (Disorders)") AND (DE "Domestic Violence" OR DE "Battered Females" OR DE "Partner Abuse" OR DE "Intimate Partner Violence")	15
18.	TI((relaps* AND (viol* OR abuse* OR harm* OR batter*)) OR (recidivis* AND (viol* OR abuse* OR harm* OR batter*)) OR (reprisal AND (viol* OR abuse* OR harm* OR batter*)) OR ((reoffen* OR re-offen*) AND (viol* OR abuse* OR harm* OR batter*)) OR ((reabuse* OR re-abuse*) AND (viol* OR abuse* OR harm* OR batter*)) OR (repeat* AND (viol* OR abuse* OR harm* OR batter*)) OR (prevent* AND (viol* OR abuse* OR harm* OR batter*)) OR (recidivis* AND (viol* OR abuse* OR harm* OR batter*)) OR (reprisal AND (viol* OR abuse* OR harm* OR batter*)) OR (relaps* AND (viol* OR abuse* OR harm* OR batter*)) OR (reoffen* OR re-offen*) AND (viol* OR abuse* OR harm* OR batter*)) OR (reabuse* OR re-abuse*) AND (viol* OR abuse* OR harm* OR batter*)) OR (repeat* AND (viol* OR abuse* OR harm* OR batter*)) OR (prevent* AND (viol* OR abuse* OR harm* OR batter*)))	9721
19.	AB((relaps* N3 (viol* OR abuse* OR harm* OR batter*)) OR (recidivis* N3 (viol* OR abuse* OR harm* OR batter*)) OR (reprisal N3 (viol* OR abuse* OR harm* OR batter*)) OR ((reoffen* OR re-offen*) N3 (viol* OR abuse* OR harm* OR batter*)) OR ((reabuse* OR re-abuse*) N3 (viol* OR abuse* OR harm* OR batter*)) OR (repeat* N3 (viol* OR abuse* OR harm* OR batter*)))	11623



	abuse* OR harm* OR batter*)) OR (prevent* N3 (violenc* OR abuse* OR harm* OR batter*)))))	
20.	17 OR 18 OR 19	16750
Combined sets		
21.	5 AND 6	167
22.	5 AND 9	2182
23.	5 AND 12	1175
24.	5 AND 13	189
25.	5 AND 16	20
26.	5 AND 20	881
Study types: Systematic review/syntheses		
27.	(DE "Meta Analysis" OR ZC "systematic review" OR ZC "meta analysis") OR TX (systematic* N3 review*) OR TX (metaanaly* OR meta-analy* OR "meta analy*") OR TX ((systematic* n3 bibliographic*) OR (systematic* n3 literature) OR (comprehensive* n3 literature) OR (comprehensive* n3 bibliographic*) OR (integrative n3 review) OR (information n2 synthesis) OR (data n2 synthesis) OR (data n2 extract*)) OR JN ("Cochrane Database of Systematic Reviews") OR TX ((systematic W2 synthe*) OR (meta W2 synthe*) OR metasyntheses*) OR AB(meta W2 (ethnograph* OR metaethnograph*)) OR AB((thematic W2 synthe*) OR "meta-study" OR "meta-summary" OR "critical interpretive syntheses" OR "qualitative cross-case analysis" OR "grounded theory synthesis" OR "meta-interpretation") OR TX("scoping review" OR "realist review" OR (evidence W2 map*) OR "mapping review" OR (systematic W2 map*))	116468
Limits		
28.	Limiter - Peer Reviewed; Language: Danish, English, Norwegian, Swedish	
Combined sets Systematic reviews		
29.	21 AND 27 AND 28	6
30.	22 AND 27 AND 28	60
31.	23 AND 27 AND 28	23
32.	24 AND 27 AND 28	11
33.	25 AND 27 AND 28	0
34.	26 AND 27 AND 28	23
35.	29 OR 30 OR 31 OR 32 OR 33 OR 34	109

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

" " = Citation Marks; searches for an exact phrase



Cochrane Library via Wiley 20 February 2018 (CDSR, DARE & CENTRAL)

Title: Intimate partner violence: treatment of the perpetrators

Search terms	Items found
Population: Intimate partner violence	
1. ([mh "domestic violence"] or [mh "spouse abuse"] or [mh "intimate partner violence"]) or (perpetrator* or batterer* or ((violen* or abusive) next (men or men? or male or husband* or partner* or spous* or wife or wives or female*)) or ((men or men?) near/3 abus*):ti,ab,kw or (batter* near/3 (men or men? or male or husband* or partner* or spous* or wife or wives or female*)) or (violen* near/3 practi*) or ("same sex" near/3 (violen* or abus*)) or (wife near/3 abuser*) or (wives near/3 abuser*) or (wom?n near/3 abuser*):ti,ab,kw	1200
Intervention: Specific treatment	
2. ((men or men?) near/2 cent*):ti,kw or (Duluth* or "Domestic Abuse Intervention Project" or "Core Conflictual Relationship Theme" or matac or "Alternativ til Vold" or sinnesmestring or "Icke-valdsgrupp för man" or "Alternative to violence program" or "Alternative to violence programme" or "Core Conflictual Relationship Theme" or "Domestic Abuse Intervention Project" or "Expect Respect" or "Integrated Domestic Abuse Program" or "Integrated Domestic Abuse Programme" or "Violence Prevention Program" or "Violence Prevention Programme" or "Violence Prevention Project"):ti,ab,kw or ((ATV or CCRT or DAIP or ERSG or IDAP) near/5 (violen* or abus* or harm* or batter*)):ti,ab,kw	97
Intervention: Program/training/education	
3. ([mh "education, nonprofessional"] or [mh "health education"] or [mh "consumer health information"] or [mh "patient education as topic"] or [mh "program evaluation"]) or (program* or interven* or skill* or educat* or train* or promot* or treatment* or prevent*:ti,ab,kw)	97
Intervention: Psychological/therapy/psychosocial	
4. ([mh "family therapy"] or [mh counseling] or [mh "behavior therapy"] or [mh "cognitive therapy"] or [mh psychotherapy] or [mh "reinforcement (psychology)"]) or "family group conference":ab,ti,kw or (counsel* or "social support" or "social group" or "social learning" or psychosocial or "psycho social" or therap* or behavioral or behavioural or cognitive OR multisystemic or systemic or brief or motivational or brief or motivational or therap* or psychotherap*):ti,ab,kw	481260
Intervention: Home visits	
5. [mh "house calls"] or (visit* or home or house or child or health*) NEAR/4 (visit* or call* or program* or skill* or educat* or train* or promotion*):ti,ab,kw OR (care near/2 visit*):ti,ab,kw	63295
Intervention: Interprofessional teams	
6. ([mh "interprofessional relations"] or [mh "patient care team"] or [mh "cooperative behavior"] or [mh "community networks"]) or ((inter next profession*) or (inter next agenc*) or interagenc* or (inter next disciplin*) or transdisciplin* or (multi next agenc*) or (multi next disciplin*) or (multidisciplin* next team*) or (cross next disciplin*) or (cross next profession*) or (multiple next profession*) or "cross sectional collaboration" or (family next centre*) or (joint next work*) or partnership* or liaison* or team* or cooperat* or collaborat* or coalition*):ti,ab,kw	25760
Intervention: Internet/Electronic devices	
7. ([mh internet] or [mh blogging] or [mh "social media"] or [mh computers] or [mh "electronic mail"] or [mh "text messaging"] or [mh "audiovisual aids"] or [mh telephone] or [mh "answering services"] or [mh "cell phones"] or [mh smartphone] or [mh "text messaging"] or [mh television] or [mh videoconferencing] or [mh "wireless technology"] or [mh "video recording"] or (video* or internet* or computer* or "web based" or twitter or facebook or "face book" or "social media" or (electronic NEXT mail*) or "e-mail" or email* or (text NEXT messag*) or sms or mms or phone* or telephone* or android* or iphone* or smartphone* or cellphone* or mobile* or apps or ipad* or mulimedia or "multi media" or technolog*):ti,ab,kw	102305



Combined sets: specific

8.	1 AND 2 = 12	CDSR/0 DARE/0 Central/12 CRM/0 HTA/0 EED/0
----	---------------------	---

Combined sets: program

9.	1 AND 3 = 961	CDSR/20 DARE/76 Central/836 CRM/0 HTA/16 EED/13
----	----------------------	--

Combined sets: psychology/therapy

10.	1 AND 4 = 664	CDSR/16 DARE/41 Central/597 CRM/0 HTA/5 EED/
-----	----------------------	---

Combined sets: home visits

11.	1 AND 5 = 272	CDSR/13 DARE/12 Central/242 CRM/0 HTA/0 EED/5
-----	----------------------	--

Combined sets: Interprofessional

12.	1 AND 6 = 105	CDSR/6 DARE/1 Central/97 CRM/0 HTA/0 EED/1
-----	----------------------	---

Combined sets: internet/electronic devices

13.	1 AND 7 = 252	CDSR/5 DARE/18 Central/222 CRM/1 HTA/5 EED/1
-----	----------------------	---

14.	8 OR 9 OR 10 OR 11 OR 12 OR 13 = 1081	CDSR/5 DARE/18 Central/222 CRM/1 HTA/5 EED/1
-----	--	---

The search result, usually found at the end of the documentation, forms the list of abstracts.

[AU] = Author

[MAJR] = MeSH Major Topic

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy





Systematic[SB] = Filter for retrieving systematic reviews

[TI] = Title

[TIAB] = Title or abstract

[TW] = Text Word

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

CDSR = Cochrane Database of Systematic Review

CENTRAL = Cochrane Central Register of Controlled Trials, “trials”

CRM = Method Studies

DARE = Database Abstracts of Reviews of Effects, “other reviews”

EED = Economic Evaluations

HTA = Health Technology Assessments



**Campbell Collaboration, Prospero via CRD, SCIE (Social Care Institute of Excellence) web 21
February 2018**

Title: Intimate partner violence: treatment of the perpetrators

Search terms	Items found
Campbell Collaboration	
Crime and Justice (80) AND Review (145)	42
Social Welfare (94) AND Review (145)	59
Prospero	
MeSH DESCRIPTOR Domestic Violence EXPLODE ALL TREES	128
MeSH DESCRIPTOR Spouse Abuse EXPLODE ALL TREES	42
MeSH DESCRIPTOR Spouse Abuse EXPLODE ALL TREES	45
Scie Social Care Institute of Excellence	
Knowledge reviews	23



Referenser

1. Behandling av män som utövar våld i nära relationer – en utvärdering. Socialstyrelsen 2010. Artikelnr 2010-6-34.
2. Metoder i arbetet med våldsutövare, en förstudie. Socialstyrelsen 2011. Artikelnr 2011-10-19.
3. Hamilton L, Koehler JA, Lösel FA. Domestic violence perpetrator programs in Europe, part I: A survey of current practice. International Journal of Offender Therapy and Comparative Criminology 2013;57:1189-1205.
4. SBU. Behandling av män som utövar våld i nära relationer. Stockholm: Statens beredning för medicinsk och social utvärdering (SBU) 2012. SBU:s Upplysningstjänst.
5. Gilchrist G, Munoz JT, Easton CJ. Should we reconsider anger management when addressing physical intimate partner violence perpetration by alcohol abusing males? A systematic review. Aggression and Violent Behavior 2015;25:124-132.
6. Wilson IM, Graham K, Taft A. Alcohol interventions, alcohol policy and intimate partner violence: a systematic review. BMC Public Health 2014;14:881.
7. Feder L, Wilson DB. A meta-analytic review of court-mandated batterer intervention programs: Can courts affect abusers' behavior? Journal of Experimental Criminology 2005;1:239-262.
8. Karakurt G, Whiting K, Esch C, Bolen SD, Calabrese JR. Couples therapy for intimate partner violence: A systematic review and meta-analysis. Journal of Marital and Family Therapy 2016;42:567-583.
9. Smedslund GC-A, J., Dalsbo TK, Steiro AK, Winsvold A. Cognitive behavioural therapy for men who physically abuse their female partner. 2011.
10. McMurran M. Motivational interviewing with offenders: A systematic review. Legal and Criminological Psychology 2009;14:83-100.
11. Tarzia L, Forsdike K, Feder G, Hegarty K. Interventions in Health Settings for Male Perpetrators or Victims of Intimate Partner Violence. Trauma Violence & Abuse 2017;1524838017744772.
12. Arias E, Arce R, Vilariño M. Batterer intervention programmes: A meta-analytic review of effectiveness. Psychosocial Intervention 2013;22:153-160.
13. Akoensi TD, Koehler JA, Lösel F, Humphreys DK. Domestic violence perpetrator programs in Europe, Part II: A systematic review of the state of evidence. International Journal of Offender Therapy and Comparative Criminology 2013;57:1206-1225.
14. Stover C, Meadows A, Kaufman J. Interventions for intimate partner violence: review and implications for evidence-based practice (Structured abstract). In: Professional Psychology, Research and Practice; 2009. p 223-233.
15. Babcock JC, Green CE, Robie C. Does batterers' treatment work? A meta-analytic review of domestic violence treatment. Clinical Psychology Review 2004;23:1023-1053.
16. Wathen CN, MacMillan HL. Interventions for violence against women: scientific review. Jama 2003;289:589-600.