

Bilaga 1

Program för att förebygga suicid och
suicidförsök hos barn / Programs for prevention
of suicide and suicidal attempts in children,
rapport 336 (2021)

Bilaga 1 Sökstrategier / Appendix 1 Search strategies

Multi database search via EBSCO (Academic Search Premiere, CINAHL, ERIC, Medline, PsycINFO, SocINDEX and Psychology and Behavioral Sciences Collection) 6 May 2020 – specific programmes

Title: Programs for prevention of suicide and suicidal attempts in children

Search terms	Items found
Programmes	
1. TI ("ASSIP" AND suicid*) OR "Attempted Suicide Short Intervention Program" OR ("CAMS" AND suicid*) OR "Collaborative Assessment and Management of Suicidality" OR ("Counselors Care" N3 "Assess, Respond, Empower") OR "C-CARE" OR "Coping and Support Training" OR (CAST W1 CARE) OR "Forsta hjälpen till psykisk halsa" OR "Första hjälpen till psykisk hälsa" OR "MHFA" OR "Mental Health First Aid" OR (SAFETY AND suicid* AND (program* OR famil*)) OR "Question, Persuade, Refer" OR ("QPR" AND suicid*) OR "Skills for Life Programme for Adolescents" OR ("SEL" AND suicid*) OR "Screening for Professionals" OR "ProfScreen" OR "SAFE-T" OR "Suicide Assessment Five-step Evaluation and TRIage" OR "Signs of Suicide" OR ("Sources of Strength" AND suicid*) OR ("Yellow Ribbons" AND suicid*) OR "Youth Aware of Mental Health" OR ("YAM" AND suicid*)	1,057
2. AB("ASSIP" N5 suicid*) OR "Attempted Suicide Short Intervention Program" OR ("CAMS" N5 suicid*) OR "Collaborative Assessment and Management of Suicidality" OR ("Counselors Care" N3 "Assess, Respond, Empower") OR "C-CARE" OR ("Coping and Support Training" N5 suicid*) OR (CAST W2 CARE) OR "Forsta hjälpen till psykisk halsa" OR "Första hjälpen till psykisk hälsa" OR "MHFA" OR "Mental Health First Aid" OR ((SAFETY N5 suicid*) AND (program* OR famil*)) OR "Question, Persuade, Refer" OR ("QPR" N5 suicid*) OR "Skills for Life Programme for Adolescents" OR ("SEL" N5 suicid*) OR "Screening for Professionals" OR "ProfScreen" OR "SAFE-T" OR "Suicide Assessment Five-step Evaluation and TRIage" OR "Signs of Suicide" OR ("Sources of Strength" N5 suicid*) OR ("Yellow Ribbons" N5 suicid*) OR "Youth Aware of Mental Health" OR ("YAM" N5 suicid*)	2,361
3. 1 OR 2	2,637
Study types: Systematic reviews, meta analysis	
4. DE "Meta Analysis" OR ZC "systematic review" OR ZC "meta analysis" OR DE "Systematic Review" OR TX(systematic* N3 review*) OR TX(metaanaly* OR meta-analy* OR "meta analy*") OR TX (systematic* N3 bibliographic*) OR (systematic* N3 literature) OR (comprehensive* N3 literature) OR (comprehensive* N3 bibliographic*) OR (integrative N3 review) OR (information N2 synthesis) OR (data N2 synthesis) OR (data N2 extract*) OR JN ("Cochrane Database of Systematic Reviews")	2,536,792
Combined sets	
5. 3 AND 4 Limiters - Peer Reviewed, EBSCO automatic deduplication	116
Study types: Randomised controlled trials and other trials	
6. (ZC "treatment outcome/clinical trial" OR DE "Between Groups Design" OR DE "Clinical Trials" OR DE "Experimental Design" OR DE "Placebo" OR DE "Quasi Experimental Methods" OR DE "Randomized Clinical Trials" OR DE "Randomized Controlled Trials" OR DE "Random Sampling" OR DE "Repeated Measures") OR TI(experiment* OR "matched sample" OR "matched control*" OR (random W2 sample) OR randomiz* OR randomis* OR randomly OR trial*) OR AB(experiment* OR "matched sample" OR "matched control*" OR (random W2 sample) OR randomiz* OR randomis* OR randomly OR trial*)	11,914,294
Study types: Observational studies	
7. (DE "Cohort Analysis" OR DE "Followup Studies" OR DE "Longitudinal Studies" OR DE "Posttesting" OR DE "Pretesting" OR DE "Program Development" OR DE "Program Evaluation" OR ZC "longitudinal study" OR ZC "prospective study" OR ZC "retrospective study") OR TI((cohort W1 stud*) OR (comparative W1 stud*) OR (evaluation W1 stud*) OR followup* OR (follow W1 up) OR longitudinal OR prepost* OR (pre w1 post*) OR (pre W1	2,080,715

test*) OR pretest* OR (post W1 test*) OR posttest* OR (program* w1 evalu*) OR prospective* OR ("real-world" N2 setting*) OR KW(cohort* OR (comparative W1 stud*) OR (evaluation W1 stud*)) OR followup* OR (follow W1 up*) OR (observation* W1 stud*) OR prospectiv* OR prepost* OR (pre W1 post*) OR (pre W1 test*) OR pretest* OR (post W1 test*) OR posttest* OR (program* W1 evalu*) OR ("real-world" N2 setting*) OR AB((cohort W1 stud*) OR (comparative W1 stud*) OR (evaluation W1 stud*)) OR followup* OR (follow W1 up) OR longitudinal OR (observation* W1 stud*) OR prepost* OR (pre W1 post*) OR (pre W1 test*) OR pretest* OR (post W1 test*) OR posttest* OR (program* W1 evalu*) OR prospective* OR ("real-world" N2 setting*))

8.	6 OR 7	13,665,271
Combined sets:		
9.	3 AND 8 <i>Limiters Peer Reviewed, EBSCO automatic deduplication</i>	265

The final search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract; **DE** = Term from the thesaurus; **TI** = Title; **TX** = All Text. Performs a keyword search of all the database's searchable fields; **ZC** = Methodology Index; * = Truncation; " " = Citation Marks; searches for an exact phrase; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them.

Scopus via Elsevier 6 May 2020 – specific programmes

Title: Programs for prevention of suicide and suicidal attempts in children

Search terms	Items found
Population: XX	
1. TITLE-ABS-KEY (("ASSIP" W/3 suicid*) OR "Attempted Suicide Short Intervention Program" OR ("CAMS" W/3 suicid*) OR "Collaborative Assessment and Management of Suicidality" OR "Mental Health First Aid" OR "Forsta hjälpen till psykisk halsa")	285
2. TITLE-ABS-KEY ("Assess, Respond, Empower" OR "Counselors Care" OR "C--CARE" OR "Coping and Support Training" OR (CAST PRE/1 CARE) OR "Skills for Life Programme for Adolescents" OR (SEL W/5 suicide*) OR "Screening for Professionals" OR "ProfScreen")	46
3. TITLE-ABS-KEY ("Question, Persuade, Refer" OR ("QPR" AND suicid*) OR "SAFE-T" OR "Suicide Assessment Five-step Evaluation and TRIage")	172
4. TITLE-ABS-KEY (((("safety plan" OR "safety planning") AND suicid*) OR "Signs of Suicide" OR ("Sources of Strength" AND suicid*) OR ("Yellow Ribbons" AND suicid*))	242
5. TITLE (safety AND suicide* AND (program* OR famil*)	4
6. 1 OR 2 OR 3 OR 4 OR 5 OR 6	744
Study types: systematic review, meta analysis	
7. TITLE-ABS-KEY((systematic* W/3 review*) OR metaanaly* OR (meta PRE/1 analy*) OR (systematic* W/3 bibliographic*) OR (systematic* W/3 literature) OR (comprehensive* W/3 literature) OR (integrative W/3 review) OR (information W/2 synthesis))	470,117
Combined sets	
8. 6 AND 7 AND (LIMIT-TO (SUBJAREA , "MEDI") OR LIMIT-TO (SUBJAREA , "PSYC") OR LIMIT-TO (SUBJAREA , "SOCI") OR LIMIT-TO (SUBJAREA , "NURS") OR LIMIT-TO (SUBJAREA , "HEAL") OR LIMIT-TO (SUBJAREA , "BUSI") OR LIMIT-TO (SUBJAREA , "MULT")) AND (LIMIT-TO (DOCTYPE , "re")) AND (LIMIT-TO (LANGUAGE , "English") OR LIMIT-TO (LANGUAGE , "German"))	34
Study types	
9. TITLE-ABS-KEY((cohort PRE/1 stud*) OR "controlled before-after studies" OR experiment* OR followup* OR (follow PRE/1 up) OR "matched sample" OR "matched control*" OR (random PRE/2 sample) OR randomiz* OR randomis* OR randomly OR trial*)	14,673,744
10. TITLE-ABS-KEY((comparative PRE/1 stud*) OR (evaluation PRE/1 stud*) OR longitudinal* OR prepost* OR (pre PRE/1 post*) OR (pre PRE/1 test*) OR pretest* OR (post PRE/1 test*) OR posttest* OR (program* PRE/1 evalut*) OR prospective*)	139,581
11. 9 OR 10	14,727,433
Combined sets	
12. 6 AND 11 AND (LIMIT-TO (SUBJAREA , "MEDI") OR LIMIT-TO (SUBJAREA , "PSYC") OR LIMIT-TO (SUBJAREA , "SOCI") OR LIMIT-TO (SUBJAREA , "NURS") OR LIMIT-TO (SUBJAREA , "HEAL") OR LIMIT-TO (SUBJAREA , "MULT") OR LIMIT-TO (SUBJAREA , "ARTS")) AND (LIMIT-TO (DOCTYPE , "ar")) AND (LIMIT-TO (LANGUAGE , "English") OR LIMIT-TO (LANGUAGE , "German")) AND (LIMIT-TO (SRCTYPE , "j"))	272

The final search result, usually found at the end of the documentation, forms the list of abstracts.

TITLE-ABS-KEY = Title or abstract or keywords; **PRE/n** = "precedes by". The first term in the search must precede the second by a specified number of terms (n).; **W/n** = "Within". The terms in the search must be within a specified number of terms (n) in any order.; * = Truncation; " " = Citation Marks; searches for an exact phrase; **LIMIT-TO (SRCTYPE, "j"** = Limit to source type journal; **LIMIT-TO (DOCTYPE, "ar"** = Limit to document type article; **LIMIT-TO (DOCTYPE, "re"** = Limit to document type review.

Embase via Elsevier 6 May 2020 – specific programmes

Title: Programs for prevention of suicide and suicidal attempts in children

Search terms	Items found
1. ((“ASSIP” AND suicid*) OR “Attempted Suicide Short Intervention Program” OR (“CAMS” AND suicid*) OR “Collaborative Assessment and Management of Suicidality” OR (“Counselors Care” NEAR/3 “Assess, Respond, Empower”) OR “C–CARE” OR “Coping and Support Training” OR (CAST NEXT/2 CARE) OR “Forsta hjälpen till psykisk halsa” OR “Första hjälpen till psykisk hälsa” OR “MHFA” OR “Mental Health First Aid” OR “Question, Persuade, Refer” OR (“QPR” AND suicid*) OR “Skills for Life Programme for Adolescents” OR (“SEL” AND suicid*) OR “Screening for Professionals” OR “ProfScreen” OR (SAFETY AND suicid* AND (program* OR famil*)) OR “SAFE-T” OR “Suicide Assessment Five-step Evaluation and TRIage” OR “Signs of Suicide” OR (“Sources of Strength” AND suicid*) OR (“Yellow Ribbons” AND suicid*) OR “Youth Aware of Mental Health” OR (“YAM” AND suicid*)):kw,ti	243
2. ((“ASSIP” NEAR/5 suicid*) OR “Attempted Suicide Short Intervention Program” OR (“CAMS” NEAR/5 suicid*) OR “Collaborative Assessment and Management of Suicidality” OR (“Counselors Care” NEAR/2 “Assess, Respond, Empower”) OR “C–CARE” OR (“Coping and Support Training” NEAR/5 suicid*) OR (CAST NEXT/2 CARE) OR “Forsta hjälpen till psykisk halsa” OR “Första hjälpen till psykisk hälsa” OR “MHFA” OR “Mental Health First Aid” OR “Question, Persuade, Refer” OR (“QPR” NEAR/5 suicid*) OR “Skills for Life Programme for Adolescents” OR (“SEL” NEAR/5 suicid*) OR “Screening for Professionals” OR “ProfScreen” OR ((SAFETY NEAR/5 suicid*) AND (program* OR famil*)) OR “SAFE-T” OR “Suicide Assessment Five-step Evaluation and TRIage” OR “Signs of Suicide” OR (“Sources of Strength” NEAR/5 suicid*) OR (“Yellow Ribbons” NEAR/5 suicid*) OR “Youth Aware of Mental Health” OR (“YAM” NEAR/5 suicid*)):ab	502
3. 1 OR 2	560
Study types: systematic review, meta analysis	
4. 'systematic review'/de OR 'meta analysis'/de OR (systematic* NEXT/3 (review* OR overview)):ab,kw,ti OR (systematic* NEXT/3 bibliographic*):ab,kw,ti OR (systematic* NEXT/3 literature):ab,kw,ti OR (meta-analy* OR metaanaly*):ab,kw,ti	451,946
Combined sets	
5. 3 AND 4 AND ([danish]/lim OR [english]/lim OR [german]/lim OR [norwegian]/lim OR [swedish]/lim)	18
Study types: randomised controlled trials and other trials	
6. 'clinical trial'/exp OR 'randomized controlled trial'/de OR 'randomization'/de OR 'single blind procedure'/de OR 'double blind procedure'/de OR 'crossover procedure'/de OR 'placebo'/de OR trial*:kw,ti OR (randomi?ed NEAR/2 trial*):ab,kw,ti OR “random allocation”:ab,kw,ti OR “randomly allocated”:ab,kw,ti OR (allocated NEAR/2 random):ab,kw,ti OR (single NEXT/1 blind*):ab,kw,ti OR (double NEXT/1 blind*):ab,kw,ti OR ((treble OR triple) NEXT/1 blind*):ab,kw,ti OR placebo*:ab,kw,ti NOT ('case study'/de OR “case report” OR 'abstract report'/de OR 'letter'/de)	2,022,297
7. 'comparative study'/de OR 'comparative effectiveness'/de OR 'program evaluation'/exp	1,492,893
8. 'cohort analysis'/exp OR 'evaluation and follow up'/exp OR 'observational study'/exp OR 'prospective study'/exp OR ((cohort NEXT/1 stud*) OR (comparative NEXT/1 stud*) OR (evaluation NEXT/1 stud*) OR followup* OR (follow NEXT/1 up) OR longitudinal* OR “matched sample” OR “matched control*” OR longitudinal* OR prepost* OR (pre NEXT/1 post*) OR (pre NEXT/1 test*) OR pretest* OR (post NEXT/1 test*) OR posttest* OR (program* NEXT/1 evalu*) OR prospective*):ab,kw,ti	4,779,951
9. 6 OR 7 OR 8	6,327,055
Combined sets	
10. 3 AND 9 AND [article]/lim OR [article in press]/lim OR [erratum]/lim) AND ([danish]/lim OR [english]/lim OR [german]/lim OR [norwegian]/lim OR [swedish]/lim)	163

The final search result, usually found at the end of the documentation, forms the list of abstracts.

/de = Term from the EMTREE controlled vocabulary; **/exp** = Includes terms found below this term in the EMTREE hierarchy

/mj = Major Topic; **:ab** = Abstract; **:ti** = Article Title; **:kw** = Author keywords; ***** = Truncation; **' '** = Citation Marks; searches for an exact phrase; **NEAR/n** = Requests terms that are within 'n' words of each other in either direction; **NEXT/n** = Requests terms that are within 'n' words of each other in the order specified.

Medline via OvidSP 9 October 2020

Title: Programs for prevention of suicide and suicidal attempts in children

Search terms	Items found
Population: Age	
1. (adolescent/ or exp child/) or (adolescen* or boys or child* or early adult* or girls or juvenile* or minor* or offspring* or preschool* or puber* or school* or student* or teen* or young adult* or young people* or young person* or youngster* or youth*).ti,ab,kf.	4,231,025
Population: Self-harm and Suicide	
2. *self-injurious behavior/ or *self mutilation/ or *Suicide/ or *Suicide, Attempted/ or *Suicide, Completed/	45,462
3. (self-cut* or self -harm* or self-hurt* or self-injur* or self-mutil* or self-poison* or suicid* or parasuicid* or para suicid*).ti,ab,kf.	91,726
4. 2 OR 3	97,087
Combined sets	
5. 1 AND 4	35,512
Intervention: Programs etc.	
6. (Family/ or Family Relations/ or Internet/ or exp Parents/ed or exp peer group/ or School Health Services/) AND (education* or intervention* or method* or prevention* or preventive or program* or train*).ti,ab,kf. or Early Intervention, Educational/ or Internet-Based Intervention/ or Preventive Health Services/ or Primary Prevention/ or secondary prevention/ or pc.fs.	1,405,455
7. ((clinical or communit* or digital or family* or families or health care or health service* or internet or parent* or peer* or school* or web) adj5 (education* or intervention* or method* or prevention* or preventive or program* or train*).ti,ab,kf. or ((multi-component* or multicomponent* or multi-modal* or multimodal or multi-focal or multifocal or multi-facet* or multifacet* or multisite* or multi-site* or primary or selective or universal) adj5 (education* or intervention* or method* or prevention* or preventive or program* or train*).ti,ab,kf. or (prevent* adj3 (educat* or intervention* or method* or program* or train*).ti,ab,kf. or prevent*.ti,kf.	972,179
8. 6 OR 7	2,076,435
Combined sets	
9. 5 AND 8	9,386
10. 9 AND Limit to (meta analysis or "systematic review" or systematic reviews as topic) AND limit to (danish or english or german or norwegian or swedish)	162
Study types: randomised controlled trials and other trials based on SIGN with some editions	
11. (clinical trial/ or controlled clinical trial/ or controlled clinical trials as topic/ or non-randomized controlled trials as topic/ or randomized controlled trials as topic/or control groups/ or cross-over studies/ or double-blind method/ or multicenter study/ or Placebos/ or pragmatic clinical trial/ or random allocation/ or exp randomized controlled trial/ or single-blind method/ or (clinical adj2 trial*).ti,ab,kf. or (controlled adj trial*).ti,ab,kf. or (random* adj2 trial*).ab,kf. or randomi?ed.ti,ab,kf. or ((singl* or doubl* or treb* or tripl*) adj (blind*3 or mask*3)).ti,ab,kf. or placebo*.ti,ab,kf. or randomly.ti,ab,kf. or (allocated adj2 random*).ti,ab,kf.) not (case report.tw or letter/ or historical article/)	1,955,977
Study types: observational studies	
12. exp "Outcome and Process Assessment, Health Care"/ or Program Evaluation/	83,032
13. 11 OR 12	2,840,112
Combined sets	
14. 9 AND 14 AND limit to (danish or english or german or norwegian or Swedish)	1,333
Additional search	
15. (Collaborative Assessment adj2 Management of Suicidality).mp. OR (CAMS.mp. AND 4)	39

The final search result, usually found at the end of the documentation, forms the list of abstracts.

.ab. = Abstract; **.ab,ti.** = Abstract or title; **Exp** = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy; **.ti.** = Title; **/** = Term from the Medline controlled vocabulary, but does not include terms found below this term in the MeSH hierarchy; ***** = Focus (if found in front of a MeSH-term); ***** = Truncation (if found at the end of a free text term); **" "** = Citation Marks; searches for an exact phrase; **ADJn** = Positional operator that lets you retrieve records that contain your terms (in any order) within a specified number (n) of words of each other.

PsycInfo via EBSCO 7 October 2020

Title: Programs for prevention of suicide and suicidal attempts in children

Search terms	Items found
Population: Age	
1. (ZG "adolescence (13-17 yrs)") or (ZG "childhood (birth-12 yrs)") or (ZG "preschool age (2-5 yrs)") or (ZG "school age (6-12 yrs)") or (ZG "young adulthood (18-29 yrs)") OR DE "Child Behavior" OR TI(adolescen* OR boys OR child* OR "early adult " OR girls OR juvenile* OR minor* OR school-age* OR student* OR teen* OR tween* OR young* OR youth*) OR AB(adolescen* OR boys OR child* OR "early adult" OR girls OR juvenile* OR minor* OR school-age* OR student* OR teen* OR tween* OR young OR "young adult*" OR "young people" OR "young person*" OR youngster* OR youth*)	1,892,444
Intervention: Self-harm and Suicide	
2. DE "Attempted Suicide" OR DE "Suicide" OR DE "Self-Injurious Behavior" OR DE "Self-Inflicted Wounds" OR DE "Self-Mutilation" OR DE "Self-Poisoning"	44,241
3. TI("self-cut*" OR "self-harm*" OR "self-hurt*" OR "self-injur*" OR "self-poison*" OR "self-mutilat*" OR suicid* OR parasuicid* OR "para suicid*") OR KW("self-cut*" OR "self-harm*" OR "self-hurt*" OR "self-injur*" OR "self-poison*" OR "self- mutilat*" OR suicid* OR parasuicid* OR "para suicid*") OR AB("self injur*" OR "self harm*" OR "self hurt*" OR "self cut*" OR "self poison*" OR "self mutilat*" OR suicid* OR parasuicid* OR "para suicid*") OR KW("self injur*" OR "self harm*" OR "self hurt*" OR "self cut*" OR "self poison*" OR "self mutilat*" OR suicid* OR parasuicid* OR "para suicid*")	72,832
4. 2 OR 3	75,003
Combined sets	
5. 1 AND 4	36,760
Intervention: Programs etc.	
6. (DE "Digital Interventions" OR DE "Educational Program Evaluation" OR DE "Health Education" OR DE "Human Relations Training" OR DE "Mental Health Programs" OR DE "Mental Health Program Evaluation" OR DE "Parent Training" OR DE "Preventive Health Services" OR DE "Preventive Mental Health Services" OR DE "Program Evaluation" OR DE "School Based Intervention" OR DE "Early Intervention" OR DE "Suicide Prevention" OR DE "Suicide Prevention Centers") OR (DE "Parent Child Relations" OR DE "Peer Relations" OR DE "Prevention") AND (TI(education* OR intervention* OR method* OR prevention* OR preventive OR program* OR train*) OR AB(education* OR intervention* OR method* OR prevention* OR preventive OR program* OR train*)) OR TI(prevent*) OR KW(prevent*)	164,438
7. TI(prevent*) OR KW(prevent*) OR TI((clinical OR communit* OR digital OR family* OR families OR "health care" OR "health service*" OR internet OR parent* OR peer* OR school* OR web) N5 (education* OR intervention* OR method* OR prevention* OR preventive OR program* OR train*)) OR TI((multi-component* OR multicomponent* OR multi-modal* OR multimodal OR multi-focal OR multifocal OR multi-facet* OR multifacet* OR multisite* OR multi-site* OR primary OR selective OR universal) N5 (education* OR intervention* OR method* OR program* OR prevent* OR train*))	119,214
8. KW((clinical OR communit* OR digital OR family* OR families OR "health care" OR "health service*" OR internet OR parent* OR peer* OR school* OR web) N5 (education* OR intervention* OR method* OR prevention* OR preventive OR program* OR train*)) OR KW((multi-component* OR multicomponent* OR multi-modal* OR multimodal OR multi-focal OR multifocal OR multi-facet* OR multifacet* OR multisite* OR multi-site* OR primary OR selective OR universal) N5 (education* OR intervention* OR method* OR program* OR prevent* OR train*))	51,003
9. AB((clinical OR communit* OR digital OR family* OR families OR "health care" OR "health service*" OR internet OR parent* OR peer* OR school* OR web) N5 (education* OR intervention* OR method* OR prevention* OR preventive OR program* OR train*)) OR AB((multi-component* OR multicomponent* OR multi-modal* OR multimodal OR multi-focal OR multifocal OR multi-facet* OR multifacet* OR multisite* OR multi-site* OR primary OR selective OR universal) N5 (education* OR intervention* OR method* OR program* OR prevent* OR train*)) OR AB(prevent* N2 (educat* OR intervention* OR method* OR program* OR train*))	324,425
10. 6 OR 7 OR 8 OR 9	389,987

Combined sets		
11.	5 AND 10	6,859
Study types: Systematic review		
12.	DE "Meta Analysis" OR ZC "systematic review" OR ZC "meta analysis" OR DE "Systematic Review" OR TX(systematic* N3 review*) OR TX(metaanaly* OR meta-analy* OR "meta analy*" OR (TX (systematic* N3 bibliographic*) OR (systematic* N3 literature) OR (comprehensive* N3 literature) OR (comprehensive* N3 bibliographic*) OR (integrative N3 review) OR (information N2 synthesis) OR (data N2 synthesis) OR (data N2 extract*)) OR JN ("Cochrane Database of Systematic Reviews")	79,403
Study types: randomised controlled trials and other trials		
13.	ZC "treatment outcome/clinical trial" OR DE "Clinical Trials" OR DE "Placebo" OR TX(((randomi?ed) N3 (study OR trial OR design OR method* OR test* OR assessment)) OR TX(((random*) N3 (assign* OR alloca*)) OR TX(((singl* OR doubl* OR tripl* OR trebl*)) N3 (blind* OR dumm* OR mask*)) OR TX(clinical W2 trial*) OR TX(((singl* OR doubl* OR treb* OR tripl*) W2 (blind* OR mask*)) OR TX(placebo*) OR TX(randomly allocated) OR TX(allocated N2 random*) OR TI(controlled W3 trial*) OR AB(controlled W3 trial*))	182,585
14.	DE "Educational Program Evaluation" OR DE "Mental Health Program Evaluation" OR DE "Program Evaluation"	31,366
15.	13 OR 14	210,419
Limits		
16.	Limiters - Peer Reviewed; Publication Type: Peer Reviewed Journal; Language: Danish, English, German, Norwegian, Swedish	
Combined sets		
17.	11 AND 12 AND 16 (systematic reviews)	191
18.	11 AND 15 AND 16	637

The final search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract; **DE** = Term from the thesaurus; **KW** = Subject Terms; **TI** = Title; **TX** = All Text, performs a keyword search of all the database's searchable fields; **ZG** = Age Group; **ZC** = Methodology Index; * = Truncation; " " = Citation Marks; searches for an exact phrase; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them.

ERIC via EBSCO 9 October 2020

Title: Programs for prevention of suicide and suicidal attempts in children

Search terms	Items found
Population: Age	
1. DE "Adolescents" OR DE "Early Adolescents" OR DE "Late Adolescents" OR DE "Children" DE "Child Behavior" OR DE "College Students" OR DE "Elementary School Students" OR DE "Preadolescents" OR DE "Puberty" OR DE "Secondary School Students" OR DE "Students" OR DE "Young Adults" OR DE "Young Children" OR DE "Youth" OR TI(adolescen* OR boys OR child* OR "early adult " OR girls OR juvenile* OR minor* OR school-age* OR student* OR teen* OR tween* OR young* OR youth*) OR AB(adolescen* OR boys OR child* OR "early adult" OR girls OR juvenile* OR minor* OR school-age* OR student* OR teen* OR tween* OR young OR "young adult*" OR "young people" OR "young person*" OR youngster* OR youth*)	1,016,050
Intervention: Self-harm and Suicide	
2. DE "Self Destructive Behavior" OR DE "Suicide"	5,265
3. TX("self-cut*" OR "self destruct*" OR "self-harm*" OR "self-hurt*" OR "self-injur*" OR "self-poison*" OR "self- mutilat*" OR suicid* OR parasuicid* OR "para suicid*")	6,900
4. 2 OR 3	6,900
Combined sets	
5. 1 AND 4	4,757
Intervention: Programmes etc	
6. ((DE "After School Programs" OR DE "Church Programs" OR DE "Community Programs" OR DE "Cooperative Programs" OR DE "Experimental Programs" OR DE "Family Programs" OR DE "Improvement Programs" OR DE "Mental Health Programs" OR DE "National Programs" OR DE "Nonschool Educational Programs" OR DE "Pilot Projects" OR DE "Programs" OR DE "Program Attitudes" OR DE "Program Effectiveness" OR DE "Program Evaluation" OR DE "School Community Programs" OR DE "Regional Programs" OR DE "Residential Programs" OR DE "Special Programs" OR DE "Urban Programs" OR DE "Youth Programs") OR ((DE "Caregiver Child Relationship" OR DE "Community Involvement" OR DE "Early Intervention" OR DE "Family Involvement" OR DE "Internet" OR DE "Peer Groups" OR DE "Peer Influence" OR DE "Prevention" OR DE "Preventive Medicine") AND TI((education* OR intervention* OR method* OR prevention* OR preventive OR program* OR train*) OR AB(education* OR intervention* OR method* OR prevention* OR preventive OR program* OR train*)))	187,199
7. TI((clinical OR communit* OR digital OR family* OR families OR "health care" OR "health service*" OR internet OR parent* OR peer* OR school* OR web) N5 (education* OR intervention* OR method* OR prevention* OR preventive OR program* OR train*)) OR TI((multi-component* OR multicomponent* OR multi-modal* OR multimodal OR multi-focal OR multifocal OR multi-facet* OR multifacet* OR multisite* OR multi-site* OR primary OR selective OR universal) N5 (education* OR intervention* OR method* OR program* OR prevent* OR train*)) OR TI(prevent*)	61,009
8. KW((clinical OR communit* OR digital OR family* OR families OR "health care" OR "health service*" OR internet OR parent* OR peer* OR school* OR web) N5 (education* OR intervention* OR method* OR prevention* OR preventive OR program* OR train*)) OR KW((multi-component* OR multicomponent* OR multi-modal* OR multimodal OR multi-focal OR multifocal OR multi-facet* OR multifacet* OR multisite* OR multi-site* OR primary OR selective OR universal) N5 (education* OR intervention* OR method* OR program* OR prevent* OR train*)) OR KW(prevent*)	3,532
9. AB((clinical OR communit* OR digital OR family* OR families OR "health care" OR "health service*" OR internet OR parent* OR peer* OR school* OR web) N5 (education* OR intervention* OR method* OR prevention* OR preventive OR program* OR train*)) OR AB((multi-component* OR multicomponent* OR multi-modal* OR multimodal OR multi-focal OR multifocal OR multi-facet* OR multifacet* OR multisite* OR multi-site* OR primary OR selective OR universal) N5 (education* OR intervention* OR method* OR program* OR prevent* OR train*)) OR AB(prevent* N2 (educat* OR intervention* OR method* OR program* OR train*))	242,259
10. 6 OR 7 OR 8 OR 9	347,865

Combined sets		
11.	5 AND 10	1,739
Study types: Systematic review, meta analysis		
12.	DE "Meta Analysis" OR ZC "systematic review" OR ZC "meta analysis" OR DE "Systematic Review" OR TX(systematic* N3 review*) OR TX(metaanaly* OR meta-analy* OR "meta analy*") OR (TX (systematic* N3 bibliographic*) OR (systematic* N3 literature) OR (comprehensive* N3 literature) OR (comprehensive* N3 bibliographic*) OR (integrative N3 review) OR (information N2 synthesis) OR (data N2 synthesis) OR (data N2 extract*)) OR JN ("Cochrane Database of Systematic Reviews")	59,201
Study types: randomised controlled trials and other trials		
13.	(DE "Control Groups" OR DE "Evaluation Research" OR DE "Experimental Groups" OR DE "Program Evaluation" OR DE "Quasiexperimental Design") OR TX(randomi?ed N3 (study OR trial OR design OR method* OR test* OR assessment)) OR TX(random* N3 (assign* OR alloca*)) OR TX(((singl* OR doubl* OR tripl* OR trebl*) N3 (blind* OR dumm* OR mask*)) OR TX(clinical W2 trial*) OR TX((singl* OR doubl* OR treb* OR tripl*) W2 (blind* OR mask*)) OR TX(placebo*) OR TX(randomly allocated) OR TX(allocated N2 random*) OR TI(controlled W3 trial*) OR AB(controlled W3 trial*))	82,774
Limits		
14.	Limiters - Peer Reviewed; Language: Danish, English, German, Swedish	
Combined sets		
15.	11 AND 12 AND 14 (systematic reviews)	33
16.	11 AND 13 AND 14	70

The final search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract; **DE** = Term from the thesaurus; **TI** = Title; **TX** = All Text. Performs a keyword search of all the database's searchable fields; **ZC** = Methodology Index; **KW** = Keywords or Identifiers [Word Indexed]; * = Truncation; " " = Citation Marks; searches for an exact phrase; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them.