

Bilaga 4. Exkluderade artiklar/Appendix 4. Excluded studies

Reference	Reason for exclusion
Bertolin-Guillen JM, Bertolin-Colilla M. Effectiveness of mindfulness-based therapies as an alternative or adjuvant of antidepressants in the treatment of depression. <i>Eur Neuropsychopharmacol.</i> 2011;21:S367-S8.	Conference abstract
Binks CA, Fenton M, McCarthy L, Lee T, Adams CE, Duggan C. Psychological therapies for people with borderline personality disorder. <i>Cochrane Database Syst Rev.</i> 2006(1):CD005652.	Duplicate
Busby DR, Hatkevich C, McGuire TC, King CA. Evidence-Based Interventions for Youth Suicide Risk. <i>Curr Psychiatry Rep.</i> 2020;22(2).	Wrong study design
Cailhol L, Bouchard S, Belkadi A, Benkirane G, Corduan G, Dupouy S, et al. Acceptability and feasibility of psychotherapy for patients with borderline personality disorder. <i>Ann Med Psychol (Paris).</i> 2010;168(6):435-9.	Wrong language
Calati R, Lopez-Castroman J, Courtet P. Refining suicide prevention: Advances in psychotherapeutic tools. <i>Eur Psychiatry.</i> 2018;48:S109-S10.	Duplicate
Calati R, Courtet P, Lopez-Castroman J. Refining Suicide Prevention: a Narrative Review on Advances in Psychotherapeutic Tools. <i>Curr Psychiatry Rep.</i> 2018;20(2).	Wrong intervention
Carter G. Effective interventions to reduce deliberate self-harm in borderline personality disorder. <i>Aust N Z J Psychiatry.</i> 2017;51(1):82.	Conference abstract
Chaudhary AMD, Memon RI, Dar SK, Bhullar DK, Dar KR, Naveed S. Suicide during Transition of Care: a Review of Targeted Interventions. <i>Psychiatr Q.</i> 2020;91(2):417-50.	Wrong intervention
Churchill R, Moore TH, Furukawa TA, Caldwell DM, Davies P, Jones H, et al. 'Third wave' cognitive and behavioural therapies versus treatment as usual for depression. <i>Cochrane Database Syst Rev.</i> 2013;10(10):CD008705.	Wrong intervention
Comtois KA, Linehan MM. Psychosocial treatments of suicidal behaviors: A practice-friendly review. <i>J Clin Psychol.</i> 2006;62(2):161-70.	Wrong study design
Cook NE, Gorraiz M. Dialectical behavior therapy for nonsuicidal self-injury and depression among adolescents: Preliminary meta-analytic evidence. <i>Child Adolesc Ment Health.</i> 2016;21(2):81-9.	Wrong control
Daig I, BERPPOHL F, Kienast T. Psychotherapy for patients with borderline personality disorder and comorbid addiction disorder. <i>Sucht.</i> 2011;57(5):363-71.	Wrong language
Doering S. Borderline Personality Disorder in Patients with Medical Illness: A Review of Assessment, Prevalence, and Treatment Options. <i>Psychosom Med.</i> 2019;81(7):584-94.	Wrong study design
Dowling NA, Merkouris SS, Lorains FK. Interventions for comorbid problem gambling and psychiatric disorders: Advancing a developing field of research. <i>Addict Behav.</i> 2016;58:21-30.	Wrong intervention
Gibbon S, Khalifa NR, Cheung NHY, Völlm BA, McCarthy L. Psychological interventions for antisocial personality disorder. <i>Cochrane Database Syst Rev.</i> 2020;2020(9).	Wrong intervention

Gómez-De-Regil L, Estrella-Castillo DF, Vega-Cauich J. Psychological Intervention in Traumatic Brain Injury Patients. <i>Behav Neurol</i> . 2019;2019.	Wrong outcome
Gregorowski C, Seedat S, Jordaan GP. A clinical approach to the assessment and management of co-morbid eating disorders and substance use disorders. <i>BMC Psychiatry</i> . 2013;13.	Wrong study design
Groves S, Backer HS, van den Bosch W, Miller A. Dialectical behaviour therapy with adolescents. <i>Child Adolesc Ment Health</i> . 2012;17(2):65-75.	Wrong study design
Guillén V, Díaz-García A, Mira A, García-Palacios A, Escrivá-Martínez T, Baños R, et al. Interventions for Family Members and Carers of Patients with Borderline Personality Disorder: A Systematic Review. <i>Fam Process</i> . 2020.	Wrong population
Halfon N, Labelle R, Cohen D, Guilé JM, Breton JJ. Juvenile bipolar disorder and suicidality: a review of the last 10 years of literature. <i>Eur Child Adolesc Psychiatry</i> . 2013;22(3):139-51.	Wrong outcome
Hazell P. Interventions for deliberate self-harm in adolescents. <i>Aust N Z J Psychiatry</i> . 2017;51(1):82.	Duplicate
James S, Alemi Q, Zepeda V. Effectiveness and Implementation of Evidence-Based Practices in Residential Care Settings. <i>Child Youth Serv Rev</i> . 2013;35(4):642-56.	Wrong outcome
Kingdon D, Dimech A. Cognitive and behavioural therapies: the state of the art. <i>Psychiatry (Abingdon)</i> . 2008;7(5):217-20.	Wrong intervention
Kröger C, Kosfelder J. A meta-analysis of the efficacy of Dialectical Behavior Therapy in borderline personality disorder. <i>Z Klin Psychol Psychother (Gott)</i> . 2007;36(1):11-7.	Wrong language
Levy KN, McMMain S, Bateman A, Clouthier T. Treatment of Borderline Personality Disorder. <i>Psychiatr Clin North Am</i> . 2018;41(4):711-28.	Wrong study design
López-Pinar C, Martínez-Sanchís S, Carbonell-Vayá E, Fenollar-Cortés J, Sánchez-Meca J. Long-Term Efficacy of Psychosocial Treatments for Adults With Attention-Deficit/Hyperactivity Disorder: A Meta-Analytic Review. <i>Front Psychol</i> . 2018;9:638.	Wrong intervention
Madeddu F, Aquaro P, Preti E. Psychotherapy for borderline personality disorder: A review of literature on the efficacy of four manualized treatments. <i>Journal of Psychopathology</i> . 2012;18(3):196-209.	Wrong language
Méndez-Bustos P, Calati R, Rubio-Ramírez F, Olié E, Courtet P, Lopez-Castroman J. Effectiveness of Psychotherapy on Suicidal Risk: A Systematic Review of Observational Studies. <i>Front Psychol</i> . 2019;10:277.	Wrong control
Morken IS, Dahlgren A, Lunde I, Toven S. The effects of interventions preventing self-harm and suicide in children and adolescents: An overview of systematic reviews. <i>F1000Research</i> . 2019;8.	Wrong study design
O'Sullivan M, Murphy A, Bourke J. The cost of dialectic behaviour therapy (DBT) for people diagnosed with borderline personality disorder (BPD): A review of the literature. <i>Value Health</i> . 2017;20(9):A714.	Conference abstract
Praško JP, Ocisková M, Kamarádová D, Látalová K, Vrbová K, Sedláčková Z, et al. Cognitive-behavioral therapy and dialectical-behavioral therapy in suicidal patients. <i>Psychiatrie</i> . 2014;18(1):8-17.	Conference abstract
Robinson J, Cox G, Hetrick S. Suicide-related behaviour in young people: Rates, risk factors and intervention. <i>Schizophr Res</i> . 2014;153:S10-S11.	Conference abstract

Schmeck K. Personality disorders in adolescence: Conceptual issues and treatment approaches. <i>Prax Kinderpsychol Kinderpsychiatr.</i> 2008;57(8):625-40.	Wrong language
Smith D. Experiences of dialectical behavioural therapy by adults diagnosed with borderline personality disorder. Liverpool: University of Liverpool; 2013. Available from: https://livrepository.liverpool.ac.uk/13733/2/SmithDon_Jun2013_13733_%28abridged%29.pdf .	Wrong publication type
Soomro GM. Deliberate self-harm (and attempted suicide). <i>BMJ Clin Evid.</i> 2008;2008.	Wrong study design
Sousa-Ferreira T, Ferreira MC, Ferreira S, Cabral T. Psychotherapeutic approaches on borderline personality disorder. <i>Eur Psychiatry.</i> 2015;30:1646.	Wrong study design
Stoffers J, Völlm B, Lieb K. Efficacy of psychotherapies for borderline personality disorder - A meta-analysis of randomized controlled trials. <i>Eur Psychiatry.</i> 2010;25.	Conference abstract
Townshend K, Jordan Z, Stephenson M, Tsey K. The effectiveness of mindful parenting programs in promoting parents' and children's wellbeing: A systematic review. <i>JBI Database System Rev Implement Rep.</i> 2016;14(3):139-78.	Wrong outcome
van Alphen SPJ, van Dijk SDM, Videler AC, Rossi G, Dierckx E, Bouckaert F, et al. Personality Disorders in Older Adults: Emerging Research Issues. <i>Curr Psychiatry Rep.</i> 2014;17(1).	Wrong study design
Öst LG. Efficacy of the third wave of behavioral therapies: A systematic review and meta-analysis. <i>Behav Res Ther.</i> 2008;46(3):296-321.	Wrong outcome