



Bilaga 2 Sökstrategier/Appendix 2 Search strategy

Table of contents

Cinahl via Ebsco	page 2
Cochrane Database of Systematic Reviews (CDSR) via Wiley	page 4
Embase via Elsevier	page 5
Epistemonikos via Epistemonikos	page 7
International HTA Database via INAHTA	page 8
KSR Evidence via KSR	page 10
Medline via Ovid	page 11
PsycInfo via Ebsco	page 13

Search terms	Items found
Population: Postpartum depression	
1. (MH "Postpartum Psychosis") OR (MH "Depression, Postpartum")	5,984
2. TI (((postpart* or "post part*") N1 (depress*))) OR AB (((postpart* or "post part*") N1 (depress*))) OR SU (((postpart* or "post part*") N1 (depress*)))	6,587
3. 1 OR 2	6,659
Population: Perinatal period	
4. (MH "Puerperal Disorders") OR (MH "Pregnancy Complications") OR (MH "Postpartum (Omaha)") OR (MH "Postnatal Period") OR (MH "Lactation") OR (MH "Puerperium") OR (MH "Mothers") OR (MH "Adolescent Mothers") OR (MH "Multiparas") OR (MH "Primiparas")	61,868
5. TI (perinatal or "peri natal" or prenatal or "pre natal" or antenatal or "ante natal" or postpart* or "post part*" or postnatal or "post natal" or antenatal or "ante natal" or peripart* or "peri part*") OR AB (perinatal or "peri natal" or prenatal or "pre natal" or antenatal or "ante natal" or postpart* or "post part*" or postnatal or "post natal" or antenatal or "ante natal" or peripart* or "peri part*") OR SU (perinatal or "peri natal" or prenatal or "pre natal" or antenatal or "ante natal" or postpart* or "post part*" or postnatal or "post natal" or antenatal or "ante natal" or peripart* or "peri part*")	119,521
6. 4 OR 5	158,174
Population: Mental disorders	
7. (MH "Eating Disorders") OR (MH "Anorexia") OR (MH "Anorexia Nervosa") OR (MH "Binge Eating Disorder") OR (MH "Avoidant Restrictive Food Intake Disorder") OR (MH "Bulimia") OR (MH "Bulimia Nervosa") OR (MH "Pica") OR (MH "Night Eating Syndrome") OR (MH "Hypochondriasis") OR (MH "Self-Injurious Behavior") OR (MH "Suicidal Ideation") OR (MH "Suicide, Attempted") OR (MH "Mental Disorders") OR (MH "Depression") OR (MH "Dysthymic Disorder") OR (MH "Seasonal Affective Disorder") OR (MH "Anxiety Disorders+") OR (MH "Body Dysmorphic Disorder") OR (MH "Phobic Disorders") OR (MH "Acrophobia") OR (MH "Agoraphobia") OR (MH "Belonephobia") OR (MH "Claustrophobia") OR (MH "Dental Anxiety") OR (MH "Kinesiophobia") OR (MH "Social Anxiety Disorders") OR (MH "Stress Disorders, Post-Traumatic") OR (MH "Psychotic Disorders") OR (MH "Affective Disorders, Psychotic") OR (MH "Bipolar Disorder") OR (MH "Cyclothymic Disorder") OR (MH "Paranoid Disorders") OR (MH "Schizoaffective Disorder") OR (MH "Schizophrenia") OR (MH "Dissociative Disorders") OR (MH "Panic Disorder") OR (MH "Personality Disorders+") OR (MH "Injuries, Self-Inflicted")	267,482
8. TI (depression or depressive or dysthymi* or melancholi* or "acute stress" or PTSD or "moral injur*" or hypochondr* or "body dysmorph*" or "as if personality" or "impulse ridden personality" or psychosis or psychoses or psychotic* or bipolar or mania or manic or "manic-depress*" or anorexi* or bulimi* or "food addict*" or OCD or "obsessive compulsive" or "anankastic personalit*" or "specific phobi*" or schizophren* or "self harm" or "self injur*" or suicidality or parasuicid* or "personality disorder*" or "inadequate personality") OR TI ((affective or dissociative or panic or mood) N1 (disorder*)) OR TI ((generalized or social) N1 (anxiety)) OR TI ((suicid*) N1 (idea* or attempt*)) OR TI (("post trauma*" or posttrauma*) N1 (stress* or neuros*)) OR TI (("body image") N1 (dysfunction* or disorder*)) OR TI ((anxiety) N1 (disorder* or neuro* or state)) OR TI ((feeding or eating or appetite) N1 (disorder*)) OR TI ((compulsive* or binge) N1 (eating)) OR TI ((mental* or psychiatric*) N1 (illness* or disorder* or disease*))	155,187
9. AB (depression or depressive or dysthymi* or melancholi* or "acute stress" or PTSD or "moral injur*" or hypochondr* or "body dysmorph*" or "as if personality" or "impulse ridden personality" or psychosis or psychoses or psychotic* or bipolar or mania or manic or "manic-depress*" or anorexi* or bulimi* or "food addict*" or OCD or "obsessive compulsive" or "anankastic personalit*" or "specific phobi*" or schizophren* or "self harm" or "self injur*" or suicidality or parasuicid* or "personality disorder*" or "inadequate personality") OR AB ((affective or dissociative or panic or mood) N1 (disorder*)) OR AB ((generalized or social) N1 (anxiety)) OR AB ((suicid*) N1 (idea* or attempt*)) OR AB (("post trauma*" or posttrauma*) N1 (stress* or neuros*)) OR AB (("body image") N1 (dysfunction* or disorder*)) OR AB ((anxiety) N1 (disorder* or neuro* or state)) OR AB ((feeding or eating or appetite) N1 (disorder*)) OR AB ((compulsive* or binge) N1 (eating)) OR AB ((mental* or psychiatric*) N1 (illness* or disorder* or disease*))	230,061

10.	SU (depression or depressive or dysthymi* or melancholi* or "acute stress" or PTSD or "moral injur*" or hypochondr* or "body dysmorph*" or "as if personality" or "impulse ridden personality" or psychosis or psychoses or psychotic* or bipolar or mania or manic or "manic-depress*" or anorexi* or bulimi* or "food addict*" or OCD or "obsessive compulsive" or "anankastic personalit*" or "specific phobi*" or schizophren* or "self harm" or "self injur*" or suicidality or parasuicid* or "personality disorder*" or "inadequate personality") OR SU ((affective or dissociative or panic or mood) N1 (disorder*)) OR SU ((generalized or social) N1 (anxiety)) OR SU ((suicid*) N1 (idea* or attempt*)) OR SU (("post trauma*" or posttrauma*) N1 (stress* or neuros*)) OR SU (("body image") N1 (dysfunction* or disorder*)) OR SU ((anxiety) N1 (disorder* or neuro* or state)) OR SU ((feeding or eating or appetite) N1 (disorder*)) OR SU ((compulsive* or binge) N1 (eating)) OR SU ((mental* or psychiatric*) N1 (illness* or disorder* or disease*))	298,784
11.	7-10 (OR)	395,934
Study types: systematic reviews, meta analysis, meta synthesis		
12.	MH "Systematic Review" OR ZT "systematic review" OR MH "Meta Analysis" OR ZT "meta analysis"	131,804
13.	(TI (systematic* n3 review*)) or (AB (systematic* n3 review*)) or (TI (systematic* n3 bibliographic*)) or (AB (systematic* n3 bibliographic*)) or (TI (systematic* n3 literature)) or (AB (systematic* n3 literature)) or (TI (comprehensive* n3 literature)) or (AB (comprehensive* n3 literature)) or (TI (comprehensive* n3 bibliographic*)) or (AB (comprehensive* n3 bibliographic*)) or (TI (integrative n3 review)) or (AB (integrative n3 review)) or (JN "Cochrane Database of Systematic Reviews") or (TI (information n2 synthesis)) or (TI (data n2 synthesis)) or (AB (information n2 synthesis)) or (AB (data n2 synthesis)) or (TI (data n2 extract*)) or (AB (data n2 extract*)) or (TI (medline or pubmed or psyclit or cinahl or (psycinfo not "psycinfo database") or "web of science" or scopus or embase)) or (AB (medline or pubmed or psyclit or cinahl or (psycinfo not "psycinfo database") or "web of science" or scopus or embase)) or (TI (meta-analy* or metaanaly*)) or (AB (meta-analy* or metaanaly*))	183,635
14.	12 OR 13	214,838
15.	(MH "Meta Synthesis")	1,620
16.	(((review or systematic or meta or synthes*) N3 (qualitative or narrative or interpret* or integrative OR evidence)) OR (meta W3 (study or studies or synthes* or ethnograph* or "data analys*" or summary)) OR ((realist or framework or thematic or "mixed method*") N3 (synthes* or review)) OR ((meta* or review or synthes* or systematic) N3 ("grounded theory")) OR ((information OR data) N2 synthes*) OR data W2 extract* OR (metasynthes* OR metaethnograph* OR "qualitative cross-case analysis" OR "aggregated analys*")	198,975
17.	15 OR 16	198,975
Limits: Publication date, language		
18.	Limiters - Published Date: 20000101-20201231; Language: Danish, English, Norwegian, Swedish	
Combined sets		
19.	(3 OR (6 AND 11))	18,200
20.	(14 OR 17) AND 19	1,355
21.	18 AND 20	1,320

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

“ “ = Citation Marks; searches for an exact phrase

Search terms	Items found
Population: Postpartum depression	
1. MeSH descriptor: [Depression, Postpartum] explode all trees	572
2. (((postpart* or "post part*") NEAR/1 depress*)):ti,ab,kw	1122
3. 1 OR 2	1122
Population: Perinatal period	
4. MeSH descriptor: [Puerperal Disorders] explode all trees	1725
5. MeSH descriptor: [Pregnancy Complications] this term only	1667
6. MeSH descriptor: [Postpartum Period] explode all trees	1625
7. MeSH descriptor: [Mothers] explode all trees	1770
8. (perinatal or peri NEXT natal or prenatal or pre NEXT natal or antenatal or ante NEXT natal or postpart* or post NEXT part* or postnatal or post NEXT natal or antenatal or ante NEXT natal or peripart* or peri NEXT part*):ti,ab,kw	23559
9. 4-8 (OR)	25987
Population: Mental disorders	
10. MeSH descriptor: [Mental Disorders] explode all trees	72284
11. MeSH descriptor: [Stress Disorders, Traumatic] explode all trees	2704
12. MeSH descriptor: [Self-Injurious Behavior] explode all trees	1397
13. MeSH descriptor: [Obsessive-Compulsive Disorder] explode all trees	1031
14. (depression or depressive or dysthymi* or melancholi* or acute NEXT stress or PTSD or moral NEXT injur* or hypochondr* or body NEXT dysmorph* or "as if personality" or "impulse ridden personality" or psychosis or psychoses or psychotic* or bipolar or mania or manic or manic NEXT depress* or anorexi* or bulimi* or food NEXT addict* or OCD or "obsessive compulsive" or anankastic NEXT personalit*):ti,ab,kw OR (((affective or dissociative or panic or mood or feeding or eating or appetite) NEAR/1 disorder*)):ti,ab,kw OR (specific NEXT phobi* or schizophren* or self NEXT harm or self NEXT injur*):ti,ab,kw OR (((generalized or social) NEAR/1 anxiety):ti,ab,kw OR (suicidality or parasuicid* or suicid* NEAR/1 (idea* or attempt*)):ti,ab,kw (Word variations have been searched)	126266
15. (((post NEXT trauma* or posttrauma*) NEAR/1 (stress* or neuro*)):ti,ab,kw OR (((("body image") NEAR/1 (dysfunction* or disorder*)) or personality NEXT disorder* or "inadequate personality"):ti,ab,kw OR ((anxiety NEXT (disorder* or neuro* or state)):ti,ab,kw OR (((compulsive* or binge) NEXT eating)):ti,ab,kw OR (((mental* or psychiatric*) NEXT (illness* or disorder* or disease*)):ti,ab,kw (Word variations have been searched)	34535
16. 10-15 (OR)	170231
Combined sets	
17. 3 OR (9 AND 16)	CDSR/98 Protocols/ 3

The search result, usually found at the end of the documentation, forms the list of abstracts.

:au = Author

MeSH = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

this term only = Does not include terms found below this term in the MeSH hierarchy

:ti = title

:ab = abstract

:kw = keyword

* = Truncation

“ “ = Citation Marks; searches for an exact phrase

CDSR = Cochrane Database of Systematic Review

Search terms	Items found
Population: Postpartum depression	
1. 'perinatal depression'/exp	12,634
2. ((postpart* OR 'post part*') NEAR/1 depress*):ab,ti	5,533
3. 1 OR 2	13,368
Population: Perinatal period	
4. 'pregnancy complication'/de OR 'maternal disease'/de OR 'puerperal psychosis'/de OR 'puerperium'/de OR 'mother'/de OR 'adolescent mother'/de OR 'maternal stress'/de	220,284
5. perinatal:ab,ti OR 'peri natal':ab,ti OR prenatal:ab,ti OR 'pre natal':ab,ti OR postpart*:ab,ti OR 'post part*':ab,ti OR postnatal:ab,ti OR 'post natal':ab,ti OR antenatal:ab,ti OR 'ante natal':ab,ti OR peripart*:ab,ti OR 'peri part*':ab,ti	426,402
6. 4 OR 5	582,966
Population: Mental disorders	
7. Mental Disorders/ or depressive disorder/ or depressive disorder, major/ or depressive disorder, treatment-resistant/ or dysthymic disorder/ or seasonal affective disorder/ or stress disorders, post-traumatic/ or stress disorders, traumatic, acute/ or exp "Bipolar and Related Disorders"/ or exp Anxiety Disorders/ or exp "Feeding and Eating Disorders"/ or exp Personality Disorders/ or body dysmorphic disorders/ or hypochondriasis/ or "Schizophrenia Spectrum and Other Psychotic Disorders"/ or Affective Disorders, Psychotic/ or Capgras Syndrome/ or Delusional Parasitosis/ or Morgellons Disease/ or Paranoid Disorders/ or Psychoses, Substance-Induced/ or Psychoses, Alcoholic/ or Schizophrenia/ or Schizophrenia, Catatonic/ or Schizophrenia, Disorganized/ or Schizophrenia, Paranoid/ or Shared Paranoid Disorder/ or exp Dissociative disorders/ or Panic disorders/ or exp Phobic disorders/ or Mood disorders/ or Self-injurious behavior/	1,499,347
8. depression:ab,ti OR depressive:ab,ti OR dysthymi*:ab,ti OR melancholi*:ab,ti OR 'acute stress':ab,ti OR ptsd:ab,ti OR 'moral injur*':ab,ti OR hypochondr*:ab,ti OR 'body dysmorph*':ab,ti OR 'as if personality':ab,ti OR 'impulse ridden personality':ab,ti OR psychos?:ab,ti OR psychotic*:ab,ti OR bipolar:ab,ti OR mania:ab,ti OR manic:ab,ti OR 'manic-depress*':ab,ti OR anorexi*:ab,ti OR bulimi*:ab,ti OR 'food addict*':ab,ti OR ocd:ab,ti OR 'obsessive compulsive':ab,ti OR 'anankastic personalit*':ab,ti OR 'specific phobi*':ab,ti OR schizophren*:ab,ti OR 'self harm':ab,ti OR 'self injur*':ab,ti OR suicidality:ab,ti OR parasuicid*:ab,ti OR 'personality disorder*':ab,ti OR 'inadequate personality':ab,ti	904,379
9. ((affective OR dissociative OR panic OR mood OR feeding OR eating OR appetite) NEAR/1 disorder*):ab,ti	87,239
10. ((generalized OR social) NEAR/1 anxiety):ab,ti	17,848
11. (suicid* NEAR/1 (idea* OR attempt*)):ab,ti	34,527
12. (('post trauma*' OR posttrauma*) NEAR/1 (stress* OR neuros*)):ab,ti	40,602
13. ('body image' NEAR/1 (dysfunction* OR disorder*)):ab,ti	250
14. (anxiety NEAR/1 (disorder* OR neuro* OR state)):ab,ti	51,502
15. ((compulsive* OR binge) NEAR/1 eating):ab,ti	7,603
16. ((mental* OR psychiatric*) NEAR/1 (illness* OR disorder* OR disease*)):ab,ti	164,454
17. 7-16 (OR)	1,780,427
Study types: Systematic reviews, meta analysis	
18. 'systematic review'/de	257,734
19. 'meta analysis'/de	192,154
20. [cochrane review]/lim	21,590
21. ((systematic* NEXT/3 (review* OR overview)):ti,ab) OR ((systematic* NEXT/3 bibliographic*):ti,ab) OR ((systematic* NEXT/3 literature):ti,ab) OR 'meta analy*':ti,ab OR metaanaly*:ti,ab	375,055
22. 18-21 (OR)	471,175
Limits: language, publication year, publication type	
23. ([danish]/lim OR [english]/lim OR [norwegian]/lim OR [swedish]/lim) AND [2000-2020]/py	

24. ([conference abstract]/lim OR [conference paper]/lim OR [conference review]/lim OR [data papers]/lim)

Combined sets

25. ((3 OR (6 AND 17)) AND 22 AND 23) NOT 24 1,603

The search result, usually found at the end of the documentation, forms the list of abstracts.

/de= Term from the EMTREE controlled vocabulary

/exp= Includes terms found below this term in the EMTREE hierarchy

/mj = Major Topic

:ab = Abstract

:au = Author

:ti = Article Title

:ti:ab = Title or abstract

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

Search terms	Items found
Population: Postpartum depression	
1. (title:(("postpartum depression" OR "postpartal depression" OR "post partum depression" OR "post partal depression") OR abstract:(("postpartum depression" OR "postpartal depression" OR "post partum depression" OR "post partal depression"))) Publication type: Systematic review, Publication year: 2000-2020	283
Population: Perinatal period	
2. (title:(("perinatal OR "peri natal" OR prenatal OR "pre natal" OR antenatal OR "ante natal" OR postpart* OR "post part*" OR postnatal OR "post natal" OR antenatal OR "ante natal" OR peripart* OR "peri part*")) OR abstract:(("perinatal OR "peri natal" OR prenatal OR "pre natal" OR antenatal OR "ante natal" OR postpart* OR "post part*" OR postnatal OR "post natal" OR antenatal OR "ante natal" OR peripart* OR "peri part*")))	
Population: Mental disorders	
3. (title:(depression OR depressive OR dysthymic OR dysthymia OR melancholia OR "acute stress" OR PTSD OR "moral injury" OR hypochondriasis OR "body dysmorphic" OR "as if personality" OR "impulse ridden personality" OR psychosis OR psychoses OR psychotic OR bipolar OR mania OR manic OR "manic-depressive" OR anorexia OR bulimia OR "food addiction" OR "food addicts" OR OCD OR "obsessive compulsive" OR "anankastic personality" OR "affective disorder" OR "affective disorders" OR "dissociative disorder" OR "dissociative disorders" OR "panic disorder" OR "mood disorder" OR "specific phobia" OR schizophrenia OR schizophrenic OR "self harm" OR "self injury" OR "self injuries" OR "personality disorder" OR "inadequate personality" OR "generalized anxiety" OR "social anxiety" OR suicidality OR parasuicide OR "suicidal ideation" OR "suicide attempt" OR "suicide attempts" OR "post traumatic" OR posttraumatic OR "body image dysfunction" OR "body image disorder" OR "anxiety disorder" OR "anxiety neurosis" OR "state of anxiety" OR "feeding disorder" OR "eating disorder" OR "appetite disorder" OR "compulsive eating" OR "binge eating" OR "mental disorder" OR "mental illness" OR "mental disease" OR "psychiatric illness" OR "psychiatric disorder" OR "psychiatric disease") OR abstract:(depression OR depressive OR dysthymic OR dysthymia OR melancholia OR "acute stress" OR PTSD OR "moral injury" OR hypochondriasis OR "body dysmorphic" OR "as if personality" OR "impulse ridden personality" OR psychosis OR psychoses OR psychotic OR bipolar OR mania OR manic OR "manic-depressive" OR anorexia OR bulimia OR "food addiction" OR "food addicts" OR OCD OR "obsessive compulsive" OR "anankastic personality" OR "affective disorder" OR "affective disorders" OR "dissociative disorder" OR "dissociative disorders" OR "panic disorder" OR "mood disorder" OR "specific phobia" OR schizophrenia OR schizophrenic OR "self harm" OR "self injury" OR "self injuries" OR "personality disorder" OR "inadequate personality" OR "generalized anxiety" OR "social anxiety" OR suicidality OR parasuicide OR "suicidal ideation" OR "suicide attempt" OR "suicide attempts" OR "post traumatic" OR posttraumatic OR "body image dysfunction" OR "body image disorder" OR "anxiety disorder" OR "anxiety neurosis" OR "state of anxiety" OR "feeding disorder" OR "eating disorder" OR "appetite disorder" OR "compulsive eating" OR "binge eating" OR "mental disorder" OR "mental illness" OR "mental disease" OR "psychiatric illness" OR "psychiatric disorder" OR "psychiatric disease"))	58,167
Combined sets	
4. 1 OR (2 AND 3) Publication type: Systematic review, Publication year: 2000-2020	1200

The search result, usually found at the end of the documentation, forms the list of abstracts.

* = Truncation

Search terms	Items found
Population: Postpartum depression	
1. Depression, Postpartum/	5
2. ((postpart* AND depress*) OR ("post part*" AND depress*)) [Title] OR ((postpart* AND depress*) OR ("post part*" AND depress*)) [abs] OR ((postpart* AND depress*) OR ("post part*" AND depress*)) [Keywords]	6
3. 1-2 (OR)	8
Population: Perinatal period	
4. "Pregnancy Complications" [mh]	28
5. "Puerperal Disorders" [mh]	2
6. "Postpartum Period" [mh]	12
7. "Mothers" [mh]	10
8. ((perinatal or "peri natal" or prenatal or "pre natal" or antenatal or "ante natal" or postpart* or "post part*" or postnatal or "post natal" or antenatal or "ante natal" or peripart* or "peri part*")) [Title] OR ((perinatal or "peri natal" or prenatal or "pre natal" or antenatal or "ante natal" or postpart* or "post part*" or postnatal or "post natal" or antenatal or "ante natal" or peripart* or "peri part*")) [abs] OR ((perinatal or "peri natal" or prenatal or "pre natal" or antenatal or "ante natal" or postpart* or "post part*" or postnatal or "post natal" or antenatal or "ante natal" or peripart* or "peri part*")) [Keywords]	208
9. 4-8 (OR)	238
Population: Mental disorders	
10. "Mental Disorders" [mhe]	602
11. "Self-Injurious Behavior" [mh]	6
12. ((depression or depressive or dysthymi* or melancholi* or "acute stress" or PTSD or "moral injur*" or hypochondr* or "body dysmorph*" or "as if personality" or "impulse ridden personality" or psychosis or psychoses or psychotic* or bipolar or mania or manic or "manic-depress*" or anorexi* or bulimi* or "food addict*" or OCD or "obsessive compulsive" or "anankastic personalit*")) [Title] OR ((depression or depressive or dysthymi* or melancholi* or "acute stress" or PTSD or "moral injur*" or hypochondr* or "body dysmorph*" or "as if personality" or "impulse ridden personality" or psychosis or psychoses or psychotic* or bipolar or mania or manic or "manic-depress*" or anorexi* or bulimi* or "food addict*" or OCD or "obsessive compulsive" or "anankastic personalit*")) [abs] OR ((depression or depressive or dysthymi* or melancholi* or "acute stress" or PTSD or "moral injur*" or hypochondr* or "body dysmorph*" or "as if personality" or "impulse ridden personality" or psychosis or psychoses or psychotic* or bipolar or mania or manic or "manic-depress*" or anorexi* or bulimi* or "food addict*" or OCD or "obsessive compulsive" or "anankastic personalit*")) [Keywords]	426
13. ((affective or dissociative or panic or mood) AND (disorder*)) [Title] OR ((affective or dissociative or panic or mood) AND (disorder*)) [abs] OR ((affective or dissociative or panic or mood) AND (disorder*)) [Keywords]	48
14. (("specific phobi*" or schizophren* or "self harm" or "self injur*" or "personality disorder*" or "inadequate personality")) [Title] OR (("specific phobi*" or schizophren* or "self harm" or "self injur*" or "personality disorder*" or "inadequate personality")) [abs] OR (("specific phobi*" or schizophren* or "self harm" or "self injur*" or "personality disorder*" or "inadequate personality")) [Keywords]	110

15.	(((generalized or social) AND (anxiety)) OR suicidality or parasuicid* or ((suicid*) AND (idea* or attempt*)) or ("post trauma*" or posttrauma*) AND (stress* or neuros*)) or ("body image") AND (dysfunction* or disorder*) or ((anxiety) AND (disorder* or neuro* or state)) or ((feeding or eating or appetite) AND (disorder*)) or ((compulsive* or binge) AND (eating)) or ((mental* or psychiatric*) AND (illness* or disorder* or disease*))) [Title] OR (((generalized or social) AND (anxiety)) OR suicidality or parasuicid* or ((suicid*) AND (idea* or attempt*)) or ("post trauma*" or posttrauma*) AND (stress* or neuros*)) or ("body image") AND (dysfunction* or disorder*) or ((anxiety) AND (disorder* or neuro* or state)) or ((feeding or eating or appetite) AND (disorder*)) or ((compulsive* or binge) AND (eating)) or ((mental* or psychiatric*) AND (illness* or disorder* or disease*))) [abs] OR (((generalized or social) AND (anxiety)) OR suicidality or parasuicid* or ((suicid*) AND (idea* or attempt*)) or ("post trauma*" or posttrauma*) AND (stress* or neuros*)) or ("body image") AND (dysfunction* or disorder*) or ((anxiety) AND (disorder* or neuro* or state)) or ((feeding or eating or appetite) AND (disorder*)) or ((compulsive* or binge) AND (eating)) or ((mental* or psychiatric*) AND (illness* or disorder* or disease*))) [Keywords]	256
16.	10-15 (OR)	1000
Combined sets		
17.	2 OR (9 AND 16)	24

The search result, usually found at the end of the documentation, forms the list of abstracts.

* = Truncation

KSR Evidence via KSR 16 September 2020

Title: Behandling av psykisk sjukdom i samband med graviditet och förlossning (SBU Kartläggning)

Search terms		Items found
Population: Postpartum depression		
1.	"postpartum depress*" OR "postpartal depress*" OR "post partum depress*" OR "post partal depress*" in Title	114
2.	"postpartum depress*" OR "postpartal depress*" OR "post partum depress*" OR "post partal depress*" in Abstract	171
3.	1 OR 2	185
Population: Perinatal period		
4.	(perinatal or "peri natal" or prenatal or "pre natal" or antenatal or "ante natal" or postpart* or "post part*" or postnatal or "post natal" or antenatal or "ante natal" or peripart* or "peri part*") in Title	1289
5.	(perinatal or "peri natal" or prenatal or "pre natal" or antenatal or "ante natal" or postpart* or "post part*" or postnatal or "post natal" or antenatal or "ante natal" or peripart* or "peri part*") in Abstract	2768
6.	4 OR 5	2938
Population: Mental disorders		
7.	depression or depressive or dysthymi* or melancholi* or "acute stress" or PTSD or "moral injur*" or hypochondr* or "body dysmorph*" or "as if personality" or "impulse ridden personality" or psychosis or psychoses or psychotic* or bipolar or mania or manic or "manic-depress*" or anorexi* or bulimi* or "food addict*" or OCD or "obsessive compulsive" or "anankastic personalit*" or "affective disorder*" or "dissociative disorder*" or "panic disorder*" or "mood disorder*" or "specific phobi*" or schizophren* or "self harm" or "self injur*" or "personality disorder*" or "inadequate personality" or "generalized anxiety" or "social anxiety" OR suicidality or parasuicid* or "suicidal ideation" or "suicide attempt*" or "post trauma*" or posttrauma* or "body image dysfunction" or "body image disorder*" or "anxiety disorder*" or "anxiety neuros*" or "state of anxiety" or "feeding disorder*" or "eating disorder*" or "appetite disorder*" or "compulsive eating" or "binge eating" or "mental disorder*" or "mental illness*" or "mental disease*" or "psychiatric illness*" or "psychiatric disorder*" or "psychiatric disease*" in Title	9385
8.	depression or depressive or dysthymi* or melancholi* or "acute stress" or PTSD or "moral injur*" or hypochondr* or "body dysmorph*" or "as if personality" or "impulse ridden personality" or psychosis or psychoses or psychotic* or bipolar or mania or manic or "manic-depress*" or anorexi* or bulimi* or "food addict*" or OCD or "obsessive compulsive" or "anankastic personalit*" or "affective disorder*" or "dissociative disorder*" or "panic disorder*" or "mood disorder*" or "specific phobi*" or schizophren* or "self harm" or "self injur*" or "personality disorder*" or "inadequate personality" or "generalized anxiety" or "social anxiety" OR suicidality or parasuicid* or "suicidal ideation" or "suicide attempt*" or "post trauma*" or posttrauma* or "body image dysfunction" or "body image disorder*" or "anxiety disorder*" or "anxiety neuros*" or "state of anxiety" or "feeding disorder*" or "eating disorder*" or "appetite disorder*" or "compulsive eating" or "binge eating" or "mental disorder*" or "mental illness*" or "mental disease*" or "psychiatric illness*" or "psychiatric disorder*" or "psychiatric disease*" in Abstract	28638
9.	7 OR 8	29777
Combined sets		
10.	3 OR (6 AND 9)	515

The search result, usually found at the end of the documentation, forms the list of abstracts.

* = Truncation

Medline via OvidSP 27 August 2020

Title: Behandling av psykisk sjukdom i samband med graviditet och förlossning (SBU Kartläggning)

Search terms		Items found
Population: Postpartum depression		
1.	Depression, Postpartum/	5581
2.	((postpart* or "post part*") adj depress*).ab,kf,ti.	4266
3.	1-2 (OR)	7248
Population: Perinatal period		
4.	pregnancy complications/ or puerperal disorders/ or Postpartum Period/ or Mothers/	163405
5.	(perinatal or "peri natal" or prenatal or "pre natal" or antenatal or "ante natal" or postpart* or "post part*" or postnatal or "post natal" or antenatal or "ante natal" or peripart* or "peri part*").ab,kf,ti.	333256
6.	4-5 (OR)	450805
Population: Mental disorders		
7.	Mental Disorders/ or depressive disorder/ or depressive disorder, major/ or depressive disorder, treatment-resistant/ or dysthymic disorder/ or seasonal affective disorder/ or stress disorders, post-traumatic/ or stress disorders, traumatic, acute/ or exp "Bipolar and Related Disorders"/ or exp Anxiety Disorders/ or exp "Feeding and Eating Disorders"/ or exp Personality Disorders/ or body dysmorphic disorders/ or hypochondriasis/ or "Schizophrenia Spectrum and Other Psychotic Disorders"/ or Psychotic Disorders/ or Affective Disorders, Psychotic/ or Capgras Syndrome/ or Delusional Parasitosis/ or Morgellons Disease/ or Paranoid Disorders/ or Psychoses, Substance-Induced/ or Psychoses, Alcoholic/ or Schizophrenia/ or Schizophrenia, Catatonic/ or Schizophrenia, Disorganized/ or Schizophrenia, Paranoid/ or Shared Paranoid Disorder/ or exp Dissociative disorders/ or Panic disorders/ or exp Phobic disorders/ or Mood disorders/ or Self-injurious behavior/	542914
8.	(depression or depressive or dysthymi* or melancholi* or "acute stress" or PTSD or "moral injur*" or hypochondr* or "body dysmorph*" or "as if personality" or "impulse ridden personality" or psychos#s or psychotic* or bipolar or mania or manic or "manic-depress*" or anorexi* or bulimi* or "food addict*" or OCD or "obsessive compulsive" or "anankastic personalit*").ab,kf,ti.	567008
9.	((affective or dissociative or panic or mood) adj disorder*).ab,kf,ti.	43970
10.	("specific phobi*" or schizophren* or "self harm" or "self injur*").ab,kf,ti.	138705
11.	((generalized or social) adj anxiety).ab,kf,ti.	13187
12.	(suicidality or parasuicid* or (suicid* adj (idea* or attempt*))).ab,kf,ti.	26832
13.	((("post trauma*" or posttrauma*) adj (stress* or neuros*))).ab,kf,ti.	34361
14.	((("body image" adj (dysfunction* or disorder*)) or "personality disorder*" or "inadequate personality").ab,kf,ti.	20427
15.	(anxiety adj (disorder* or neuro* or state)).ab,kf,ti.	32733
16.	((feeding or eating or appetite) adj disorder*).ab,kf,ti.	21294
17.	((compulsive* or binge) adj eating).ab,kf,ti.	6039
18.	((mental* or psychiatric*) adj (illness* or disorder* or disease*)).ab,kf,ti.	128670
19.	7-18 (OR)	979117
Study types: systematic reviews, meta analysis, meta synthesis		
20.	meta analysis or "systematic review"	
21.	((((review or systematic or meta or synthes*) adj3 (qualitative or narrative or interpret* or integrative or evidence)) or (meta adj3 (study or studies or synthes* or ethnograph* or "data analys*" or summary)) or ((realist or framework or thematic or "mixed method*") adj3 (synthes* or review)) or ((meta* or review or synthes* or systematic) adj3 "grounded theory") or ((information or data) adj2 synthes*) or (data adj2 extract*) or (metasynthes* or metaethnograph* or "qualitative cross-case analysis" or "aggregated analys*")).af.	162957
Limits: publication year, language		
22.	yr="2000 -Current"	
23.	danish or english or norwegian or swedish	

The search result, usually found at the end of the documentation, forms the list of abstracts.

.ab. =Abstract

.ab,ti. = Abstract or title

.af.= All fields

Exp= Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

.sh.= Term from the Medline controlled vocabulary

.ti. = Title

/ = Term from the Medline controlled vocabulary, but does not include terms found below this term in the MeSH hierarchy

* = Focus (if found in front of a MeSH-term)

* or \$= Truncation (if found at the end of a free text term)

.mp=text, heading word, subject area node, title

Search terms		Items found
Population: Postpartum depression		
1.	DE "Postpartum Depression" OR DE "Postpartum Psychosis"	5,060
2.	TI ((postpart* or "post part*") N1 depress*) OR AB ((postpart* or "post part*") N1 depress*) OR KW ((postpart* or "post part*") N1 depress*)	3,724
3.	1-2 (OR)	5,931
Population: Perinatal period		
4.	DE "Pregnancy" OR DE "Adolescent Pregnancy" OR DE "Primipara" OR DE "Perinatal Period" OR DE "Postnatal Period" OR DE "Mothers" OR DE "Adolescent Mothers" OR DE "Primipara" OR DE "Schizophrenogenic Mothers" OR DE "Single Mothers" OR DE "Unwed Mothers" OR DE "Expectant Mothers"	91,203
5.	TI (perinatal or "peri natal" or prenatal or "pre natal" or antenatal or "ante natal" or postpart* or "post part*" or postnatal or "post natal" or antenatal or "ante natal" or peripart* or "peri part*") OR AB (perinatal or "peri natal" or prenatal or "pre natal" or antenatal or "ante natal" or postpart* or "post part*" or postnatal or "post natal" or antenatal or "ante natal" or peripart* or "peri part*") OR KW (perinatal or "peri natal" or prenatal or "pre natal" or antenatal or "ante natal" or postpart* or "post part*" or postnatal or "post natal" or antenatal or "ante natal" or peripart* or "peri part*")	55,150
6.	4 OR 5	119,063
Population: Mental disorders		
7.	DE "Mental Disorders" OR DE "Affective Disorders" OR DE "Disruptive Mood Dysregulation Disorder" OR DE "Major Depression" OR DE "Seasonal Affective Disorder" OR DE "Anxiety Disorders" OR DE "Generalized Anxiety Disorder" OR DE "Obsessive Compulsive Disorder" OR DE "Panic Attack" OR DE "Panic Disorder" OR DE "Phobias" OR DE "Separation Anxiety Disorder" OR DE "Trichotillomania" OR DE "Bipolar Disorder" OR DE "Bipolar I Disorder" OR DE "Bipolar II Disorder" OR DE "Cyclothymic Disorder" OR DE "Mania" OR DE "Borderline States" OR DE "Dissociative Disorders" OR DE "Depersonalization" OR DE "Depersonalization/Derealization Disorder" OR DE "Dissociative Amnesia" OR DE "Dissociative Identity Disorder" OR DE "Fugue Reaction" OR DE "Eating Disorders" OR DE "Anorexia Nervosa" OR DE "Binge Eating Disorder" OR DE "Bulimia" OR DE "Feeding Disorders" OR DE "Hyperphagia" OR DE "Kleine Levin Syndrome" OR DE "Pica" OR DE "Purging (Eating Disorders)" OR DE "Rumination (Eating)" OR DE "Neurosis" OR DE "Experimental Neurosis" OR DE "Traumatic Neurosis" OR DE "Psychosis" OR DE "Phobias" OR DE "Acrophobia" OR DE "Agoraphobia" OR DE "Claustrophobia" OR DE "Ophidiophobia" OR DE "School Phobia" OR DE "Social Phobia" OR DE "Major Depression" OR DE "Anaclitic Depression" OR DE "Dysthymic Disorder" OR DE "Endogenous Depression" OR DE "Reactive Depression" OR DE "Recurrent Depression" OR DE "Treatment Resistant Depression" OR DE "Acute Psychosis" OR DE "Acute Schizophrenia" OR DE "Affective Psychosis" OR DE "Capgras Syndrome" OR DE "Chronic Psychosis" OR DE "Hallucinosi" DE "Paranoia (Psychosis)" OR DE "Reactive Psychosis" OR DE "Somatoform Disorders" OR DE "Hypochondriasis" OR DE "Posttraumatic Stress Disorder" OR DE "Posttraumatic Stress" OR DE "Self-Injurious Behavior" OR DE "Suicidal Ideation" OR DE "Suicidality" OR DE "Attempted Suicide" OR DE "Schizophrenia" OR DE "Acute Schizophrenia" OR DE "Catatonic Schizophrenia" OR DE "Paranoid Schizophrenia" OR DE "Process Schizophrenia" OR DE "Schizoaffective Disorder" OR DE "Schizophrenia (Disorganized Type)" OR DE "Schizophreniform Disorder" OR DE "Undifferentiated Schizophrenia" OR DE "Body Dysmorphic Disorder" OR DE "Body Image Disturbances"	526,831
8.	TI (depression or depressive or dysthymi* or melancholi* or "acute stress" or PTSD or "moral injur*" or hypochondr* or "body dysmorph*" or "as if personality" or "impulse ridden personality" or psychosis or psychoses or psychotic* or bipolar or mania or manic or "manic-depress*" or anorexi* or bulimi* or "food addict*" or OCD or "obsessive compulsive" or "anankastic personalit*" or "specific phobi*" or schizophren* or "self harm" or "self injur*" or suicidality or parasuicid* or "personality disorder*" or "inadequate personality") OR TI ((affective or dissociative or panic or mood) N1 (disorder*)) OR TI ((generalized or social) N1 (anxiety)) OR TI ((suicid*) N1 (idea* or attempt*)) OR TI (("post trauma*" or posttrauma*) N1 (stress* or neuros*)) OR TI (("body image") N1 (dysfunction* or disorder*)) OR TI ((anxiety) N1 (disorder* or neuro* or state)) OR TI (391,058

	(feeding or eating or appetite) N1 (disorder*)) OR TI ((compulsive* or binge) N1 (eating)) OR TI ((mental* or psychiatric*) N1 (illness* or disorder* or disease*))	
9.	AB (depression or depressive or dysthymi* or melancholi* or "acute stress" or PTSD or "moral injur*" or hypochondr* or "body dysmorph*" or "as if personality" or "impulse ridden personality" or psychosis or psychoses or psychotic* or bipolar or mania or manic or "manic-depress*" or anorexi* or bulimi* or "food addict*" or OCD or "obsessive compulsive" or "anankastic personalit*" or "specific phobi*" or schizophren* or "self harm" or "self injur*" or suicidality or parasuicid* or "personality disorder*" or "inadequate personality") OR AB ((affective or dissociative or panic or mood) N1 (disorder*)) OR AB ((generalized or social) N1 (anxiety)) OR AB ((suicid*) N1 (idea* or attempt*)) OR AB (("post trauma*" or posttrauma*) N1 (stress* or neuros*)) OR AB (("body image") N1 (dysfunction* or disorder*)) OR AB ((anxiety) N1 (disorder* or neuro* or state)) OR AB ((feeding or eating or appetite) N1 (disorder*)) OR AB ((compulsive* or binge) N1 (eating)) OR AB ((mental* or psychiatric*) N1 (illness* or disorder* or disease*))	764,389
10.	KW (depression or depressive or dysthymi* or melancholi* or "acute stress" or PTSD or "moral injur*" or hypochondr* or "body dysmorph*" or "as if personality" or "impulse ridden personality" or psychosis or psychoses or psychotic* or bipolar or mania or manic or "manic-depress*" or anorexi* or bulimi* or "food addict*" or OCD or "obsessive compulsive" or "anankastic personalit*" or "specific phobi*" or schizophren* or "self harm" or "self injur*" or suicidality or parasuicid* or "personality disorder*" or "inadequate personality") OR KW ((affective or dissociative or panic or mood) N1 (disorder*)) OR KW ((generalized or social) N1 (anxiety)) OR KW ((suicid*) N1 (idea* or attempt*)) OR KW (("post trauma*" or posttrauma*) N1 (stress* or neuros*)) OR KW (("body image") N1 (dysfunction* or disorder*)) OR KW ((anxiety) N1 (disorder* or neuro* or state)) OR KW ((feeding or eating or appetite) N1 (disorder*)) OR KW ((compulsive* or binge) N1 (eating)) OR KW ((mental* or psychiatric*) N1 (illness* or disorder* or disease*))	533,351
11.	7-10 (OR)	902,582
Study types: Systematic review, meta analysis, meta synthesis		
12.	(DE "Meta Analysis" OR ZC "systematic review" OR ZC "meta analysis" OR DE "Systematic Review") OR (TX (systematic* N3 review*) OR TX (metaanaly* OR meta-analy* OR "meta analy*")) OR (TX ((systematic* n3 bibliographic*) OR (systematic* n3 literature) OR (comprehensive* n3 literature) OR (comprehensive* n3 bibliographic*) OR (integrative n3 review) OR (information n2 synthesis) OR (data n2 synthesis) OR (data n2 extract*)) OR JN ("Cochrane Database of Systematic Reviews"))	78,498
13.	(ZC "metasynthesis") OR ((review or systematic or meta or synthes*) N3 (qualitative or narrative or interpret* or integrative OR evidence)) OR ((meta W3 (study or studies or synthes* or ethnograph* or "data analys*" or summary)) OR ((realist or framework or thematic or "mixed method*") N3 (synthes* or review)) OR ((meta* or review or synthes* or systematic) N3 ("grounded theory")) OR ((information OR data) N2 synthes*) OR data W2 extract* OR (metasynthes* OR metaethnograph* OR "qualitative cross-case analysis" OR "aggregated analys*")	58,428
Limits: publication year, language		
14.	Limiters - Published Date: 20000101-20201231; Language: Danish, English, Norwegian, Swedish	
Combined sets		
15.	3 OR (6 AND 11)	28,197
16.	(12 OR 13) AND 14 AND 15	967

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

“ “ = Citation Marks; searches for an exact phrase