

Behandling av luftvägsinfektioner av barn med läkemedel och andra preparat, rapport 251 (2016)

Bilaga 2 Exkluderade systematiska översikter på grund av låg kvälfitet

Appendix 2 Excluded systematic reviews due to high risk of bias

Reference	No answer to AMSTAR question number
Arroll B. Non-antibiotic treatments for upper-respiratory tract infections (common cold). <i>Respir Med</i> 2005;99:1477-84.	1–4, 8–11
Arroll B. Antibiotics for upper respiratory tract infections: an overview of Cochrane reviews. <i>Respir Med</i> 2005;99:255–61.	1–4, 8–11
Arroll B. Common cold. <i>BMJ Clin Evid</i> 2011;2011.	1–3, 5, 10, 11
Arroll B, Kenealy T, Falloon K. Are antibiotics indicated as an initial treatment for patients with acute upper respiratory tract infections? A review. <i>N Z Med J</i> 2008;121:64–70.	2, 3, 5–8, 10, 11
Ausejo M, Saenz A, Pham B, Kellner JD, Johnson DW, Moher D, et al. The effectiveness of glucocorticoids in treating croup: meta-analysis. <i>Bmj</i> 1999;319:595–600.	5, 6
Ausejo M, Saenz A, Pham B, Kellner JD, Johnson DW, Moher D, et al. Glucocorticoids for croup. <i>Cochrane Database Syst Rev</i> 2000;Cd001955.	3, 4, 6, 10
Ausejo M, Saenz A, Pham B, Moher D, Chalmers TC, Kellner JD, et al. The effectiveness of glucocorticoids in treating croup: meta-analysis. <i>West J Med</i> 1999;171:227–32.	5, 6, 11
Azarpazhoo A, Limeback H, Lawrence HP, Shah PS. Xylitol for preventing acute otitis media in children up to 12 years of age. <i>Cochrane Database Syst Rev</i> 2011;Cd007095.	8
Barriere SL. Review of in vitro activity, pharmacokinetic characteristics, safety, and clinical efficacy of cefprozil, a new oral cephalosporin. <i>Ann Pharmacother</i> 1993;27:1082–9.	2–4, 8–11

Reference	No answer to AMSTAR question number
Beck CR, Sokal R, Arunachalam N, Puleston R, Cichowska A, Kessel A, et al. Neuraminidase inhibitors for influenza: a review and public health perspective in the aftermath of the 2009 pandemic. <i>Influenza Other Respir Viruses</i> 2013;7:14-24.	1–3, 5, 8–10
Bliziotis IA, Ntziora F, Lawrence KR, Falagas ME. Rifampin as adjuvant treatment of Gram-positive bacterial infections: a systematic review of comparative clinical trials. <i>Eur J Clin Microbiol Infect Dis</i> 2007;26:849–56.	3, 5
Bourke T, Shields M. Bronchiolitis. <i>BMJ Clin Evid</i> 2011;2011.	2, 3, 5, 8, 10
Casey JR, Pichichero ME. Higher dosages of azithromycin are more effective in treatment of group A streptococcal tonsillopharyngitis. <i>Clin Infect Dis</i> 2005;40:1748–55.	2, 3
Catto AG, Zgaga L, Theodoratou E, Huda T, Nair H, El Arifeen S, et al. An evaluation of oxygen systems for treatment of childhood pneumonia. <i>BMC Public Health</i> 2011;11:S28.	2,3
Chang AB, Lasserson TJ, Gaffney J, Connor FL, Garske LA. Gastro-oesophageal reflux treatment for prolonged non-specific cough in children and adults. <i>Cochrane Database Syst Rev</i> 2011;0:Cd004823.	7
Chang AB, Peake J, McElrea MS. Anti-histamines for prolonged non-specific cough in children. <i>Cochrane Database of Systematic Reviews</i> 2008;0.	7
Chiappini E, Conti C, Galli L, de Martino M. Clinical efficacy and tolerability of linezolid in pediatric patients: a systematic review. <i>Clin Ther</i> 2010;32:66–88.	2, 3, 5–10
Chocas EC, Paap CM, Godley PJ. Cefpodoxime proxetil: a new, broad-spectrum, oral cephalosporin. <i>Ann Pharmacother</i> 1993;27:1369–77.	1–3
Claessen JQ, Appelman CL, Touw-Otten FW, De Melker RA, Hordijk GJ. A review of clinical trials regarding treatment of acute otitis media. <i>Clin Otolaryngol Allied Sci</i> 1992;17:251–7.	3, 5, 6

Reference	No answer to AMSTAR question number
Clifford V, Tebruegge M, Vandeleur M, Curtis N. Question 3: can pneumonia caused by penicillin-resistant Streptococcus pneumoniae be treated with penicillin? <i>Arch Dis Child</i> 2010;95:73-7.	2, 4, 5, 7-10
Cooper NJ, Sutton AJ, Abrams KR, Wailoo A, Turner D, Nicholson KG. Effectiveness of neuraminidase inhibitors in treatment and prevention of influenza A and B: systematic review and meta-analyses of randomised controlled trials. <i>Bmj</i> 2003;326:1235.	2, 3
Cuevas LE, Koyanagi A. Zinc and infection: A review. <i>Annals of Tropical Paediatrics</i> 2005;25:149-160.	2-11
Damoiseaux RA, Rovers MM. AOM in children. <i>BMJ Clin Evid</i> 2011;2011.	2, 3
Damoiseaux RA, van Balen FA, Hoes AW, de Melker RA. Antibiotic treatment of acute otitis media in children under two years of age: evidence based? <i>Br J Gen Pract</i> 1998;48:1861-4.	2, 3
Das RR, Singh M, Panigrahi I, Naik SS. Vitamin d supplementation for the treatment of acute childhood pneumonia: a systematic review. <i>ISRN Pediatr</i> 2013;2013:459160.	7
Davison C, Ventre KM, Luchetti M, Randolph AG. Efficacy of interventions for bronchiolitis in critically ill infants: a systematic review and meta-analysis. <i>Pediatr Crit Care Med</i> 2004;5:482-9.	only one database used for litterature search
Deeter RG, Kalman DL, Rogan MP, Chow SC. Therapy for pharyngitis and tonsillitis caused by group A beta-hemolytic streptococci: a meta-analysis comparing the efficacy and safety of cefadroxil monohydrate versus oral penicillin V. <i>Clin Ther</i> 1992;14:740-54.	1-3, 5-8, 10, 11
Del Mar C, Glasziou P, Hayem M. Are antibiotics indicated as initial treatment for children with acute otitis media? A meta-analysis. <i>Bmj</i> 1997;314:1526-9.	2, 3
Dodhia H, Miller E. Review of the evidence for the use of erythromycin in the management of persons exposed to pertussis. <i>Epidemiol Infect</i> 1998;120:143-9.	2, 3

Reference	No answer to AMSTAR question number
Fahey T, Stocks N, Thomas T. Systematic review of the treatment of upper respiratory tract infection. Arch Dis Child 1998;79:225-30.	2, 3, 5
Flores G, Horwitz RI. Efficacy of beta2-agonists in bronchiolitis: a reappraisal and meta-analysis. Pediatrics 1997;100:233-9.	only one database used for litterature search
Gadomski AM. Potential interventions for preventing pneumonia among young children: lack of effect of antibiotic treatment for upper respiratory infections. Pediatr Infect Dis J 1993;12:115-20.	7
Garrison MM, Christakis DA, Harvey E, Cummings P, Davis RL. Systemic corticosteroids in infant bronchiolitis: A meta-analysis. Pediatrics 2000;105:E44.	1-8, 10-11
Georgalas CC, Tolley NS, Narula A. Recurrent throat infections (tonsillitis). BMJ Clin Evid 2007;2007.	3, 7, 8
Glasziou PP, Del Mar CB, Sanders SL, Hayem M. Antibiotics for acute otitis media in children. Cochrane Database Syst Rev 2004;0:Cd000219.	2, 3, 5-8
Griffin S, Ellis S, Fitzgerald-Barron A, Rose J, Egger M. Nebulised steroid in the treatment of croup: a systematic review of randomised controlled trials. Br J Gen Pract 2000;50:135-41.	2, 7-9
Gulani A, Sachdev HP, Qazi SA. Efficacy of short course (<4 days) of antibiotics for treatment of acute otitis media in children: a systematic review of randomized controlled trials. Indian Pediatr 2010;47:74-87.	2, 3, 6-8
Gutierrez-Castrellon P, Mayorga-Buitron JL, Bosch-Canto V, Solomon-Santibanez G, de Colsa-Ranero A. Efficacy and safety of clarithromycin in pediatric patients with upper respiratory infections: a systematic review with meta-analysis. Rev Invest Clin 2012;64:126-35.	2, 3, 7-10
Heimer KA, Hart AM, Martin LG, Rubio-Wallace S. Examining the evidence for the use of vitamin C in the prophylaxis and treatment of the common cold. J Am Acad Nurse Pract 2009;21:295-300.	1-3
Hemila H. Vitamin C intake and susceptibility to the common cold (Structured abstract). British Journal of Nutrition 1997;77:59-72.	1, 2

Reference	No answer to AMSTAR question number
Ioannidis JP, Lau J. Technical report: evidence for the diagnosis and treatment of acute uncomplicated sinusitis in children: a systematic overview. <i>Pediatrics</i> 2001;108:E57.	3
Isbister GK, Prior F, Kilham HA. Restricting cough and cold medicines in children. <i>J Paediatr Child Health</i> 2012;48:91-8.	1-3
Johnson DW. Croup. <i>BMJ Clin Evid</i> 2014;2014.	2, 3
Kairys SW, Olmstead EM, O'Connor GT. Steroid treatment of laryngotracheitis: a meta-analysis of the evidence from randomized trials. <i>Pediatrics</i> 1989;83:683-93.	only one database used for litterature search
Keller S, Konig V, Mosges R. Thermal water applications in the treatment of upper respiratory tract diseases: A systematic review and meta-analysis. <i>Journal of Allergy</i> 2014;2014.	2
Kellner JD, Ohlsson A, Gadomski AM, Wang EE. Efficacy of bronchodilator therapy in bronchiolitis. A meta-analysis. <i>Arch Pediatr Adolesc Med</i> 1996;150:1166-72.	only one database used for litterature search
King VJ, Viswanathan M, Bordley WC, Jackman AM, Sutton SF, Lohr KN, et al. Pharmacologic treatment of bronchiolitis in infants and children: a systematic review. <i>Arch Pediatr Adolesc Med</i> 2004;158:127-37.	2, 3
Deschler D, Judge B. Bet 3: Paediatric deaths associated with over the counter cough and cold medicines. <i>Emergency Medicine Journal</i> 2014;31:171-172.	1-5, 7-11
Dotis J, Iosifidis E, Ioannidou M, Roilides E. Use of linezolid in pediatrics: a critical review. <i>Int J Infect Dis</i> 2010;14:e638-48.	only one database used for litterature search
Ewald H, Raatz H, Boscacci R, Furrer H, Bucher HC, Briel M. Adjunctive corticosteroids for <i>Pneumocystis jiroveci</i> pneumonia in patients with HIV infection. <i>Cochrane Database Syst Rev</i> 2015;4:Cd006150.	7
Falagas ME, Koletsi PK, Vouloumanou EK, Rafailidis PI, Kapaskelis AM, Rello J. Effectiveness and safety of neuraminidase inhibitors in reducing influenza complications: a meta-analysis of randomized controlled trials. <i>J Antimicrob Chemother</i> 2010;65:1330-46.	3

Reference	No answer to AMSTAR question number
Koopman L, Hoes AW, Glasziou PP, Appelman CL, Burke P, McCormick DP, et al. Antibiotic therapy to prevent the development of asymptomatic middle ear effusion in children with acute otitis media: a meta-analysis of individual patient data. <i>Arch Otolaryngol Head Neck Surg</i> 2008;134:128-32.	2, 3, 5, 8, 10
Kronman MP, Zhou C, Mangione-Smith R. Bacterial prevalence and antimicrobial prescribing trends for acute respiratory tract infections. <i>Pediatrics</i> 2014;134:e956-65.	1-3, 5, 7, 10
Law C, Amsden GW. Single-dose azithromycin for respiratory tract infections. <i>Ann Pharmacother</i> 2004;38:433-9.	3, 4-10
Mar C, Glasziou P, Hayem M. Are antibiotics indicated as initial treatment for children with acute otitis media: a meta-analysis (Structured abstract). <i>Bmj</i> 1997;314.	2
Marchant JM, Morris P, Gaffney JT, Chang AB. Antibiotics for prolonged moist cough in children. <i>Cochrane Database Syst Rev</i> 2005;Cd004822.	9
Marsland TW, Newton WP. Should patients with acute cough or bronchitis be treated with beta-2 agonists? <i>J Fam Pract</i> 2002;51:170.	1, 3, 5-11
McKean M, Ducharme F. Inhaled steroids for episodic viral wheeze of childhood. <i>Cochrane Database Syst Rev</i> 2000;0: Cd001107.	1, 3
Mener DJ, Lin SY, Ishman SL, Boss EF. Treatment and outcomes of chronic rhinosinusitis in children with primary ciliary dyskinesia: where is the evidence? A qualitative systematic review. <i>Int Forum Allergy Rhinol</i> 2013;3:986-91.	3-7, 9-11
Morris P. Chronic suppurative otitis media. <i>BMJ Clin Evid</i> 2012;2012.	2, 5, 10
Niittynen L, Pitkaranta A, Korpela R. Probiotics and otitis media in children. <i>Int J Pediatr Otorhinolaryngol</i> 2012;76:465-470.	1-5, 7-9
O'Neill P, Roberts T, Bradley Stevenson C. Otitis media in children (acute). <i>BMJ Clin Evid</i> 2007;2007.	1-3, 5, 8

Reference	No answer to AMSTAR question number
Chonmaitree T, Leibovitz E, Lieberthal A, Lous J, Mandel E, McCormick D, Morris P, Ruohola A M. Panel 7: Treatment and comparative effectiveness research. Otolaryngology - Head and Neck Surg (United States) 2013;148:E102-E121-.	2–8
Pignataro O, Pignataro LD, Gallus G, Calori G, Cordaro Cl. Otitis media with effusion and S-carboxymethylcysteine and/or its lysine salt: a critical overview. Int J Pediatr Otorhinolaryngol 1996;35:231-41.	3–6
Ralston S, Comick A, Nichols E, Parker D, Lanter P. Effectiveness of quality improvement in hospitalization for bronchiolitis: a systematic review. Pediatrics 2014;134:571-81.	2, 3, 5, 9, 10
Rosenfeld RM, Post JC. Meta-analysis of antibiotics for the treatment of otitis media with effusion. Otolaryngol Head Neck Surg 1992;106:378-86.	2, 3
Rosenfeld RM, Vertrees JE, Carr J, Cipolle RJ, Uden DL, Giebink GS, et al. Clinical efficacy of antimicrobial drugs for acute otitis media: metaanalysis of 5400 children from thirty-three randomized trials. J Pediatr 1994;124:355-67.	2, 5–10
Rovers MM, Glasziou P, Appelman CL, Burke P, McCormick DP, Damoiseaux RA, et al. Antibiotics for acute otitis media: a meta-analysis with individual patient data. Lancet 2006;368:1429-35.	2, 3, 6, 10
Schilder AG, Lok W, Rovers MM. International perspectives on management of acute otitis media: a qualitative review. Int J Pediatr Otorhinolaryngol 2004;68:29-36.	2–8
Schmelzle J, Birtwhistle RV, Tan AK. Acute otitis media in children with tympanostomy tubes. Can Fam Physician 2008;54:1123-7.	2–6, 9, 10
Sih TM, Bricks LF. Optimizing the management of the main acute infections in pediatric ORL: tonsillitis, sinusitis, otitis media. Braz J Otorhinolaryngol 2008;74:755-62.	2, 3, 5–11
Smith MJ. Evidence for the diagnosis and treatment of acute uncomplicated sinusitis in children: a systematic review. Pediatrics 2013;132:e284-96.	1–3

Reference	No answer to AMSTAR question number
Spurling GK, Del Mar CB, Dooley L, Foxlee R. Delayed antibiotics for symptoms and complications of respiratory infections. Cochrane Database Syst Rev 2004;Cd004417.	6–8
Thornton K, Parrish F, Swords C. Topical vs. systemic treatments for acute otitis media. Pediatr Nurs 2011;37:263–7, 242.	2–5, 7, 8, 10, 11
Toll EC, Nunez DA. Diagnosis and treatment of acute otitis media: review. J Laryngol Otol 2012;126:976–83.	1, 2, 4, 5
Tudor GJ, Hafner JW. In infants younger than 24 months old and with bronchiolitis, does nebulized epinephrine improve clinical status? Ann Emerg Med 2013;61:289–290.	4–6, 10, 11
Wacogne I. Nebulised hypertonic saline reduced the severity of illness in infants with bronchiolitis: Commentary. Archives of Disease in Childhood: Education and Practice Edition 2010;95:168.	2, 4, 5, 7–10
Venekamp RP, Damoiseaux RA, Schilder AG. Acute otitis media in children. BMJ Clin Evid 2014;2014.	2, 4, 7, 10
Verma N, Lodha R, Kabra SK. Recent advances in management of bronchiolitis. Indian Pediatr 2013;50:939–49.	1–3, 5–8
Williamson I. Otitis media with effusion in children. BMJ Clin Evid 2011;2011.	2, 3
Witmer A, Wells AM, Seymour RJ. A comparison of the effectiveness of pharmacologic treatment of otitis media with effusion in children: integrative and meta-analysis. Online J Knowl Synth Nurs 1998;5:4.	3, 5, 6, 10
Wood DN, Nakas N, Gregory CW. Clinical trials assessing ototopical agents in the treatment of pain associated with acute otitis media in children. Int J Pediatr Otorhinolaryngol 2012;76:1229–35.	only one database used for litterature search
Zeng L, Zhang L, Hu Z, Ehle EA, Chen Y, Liu L, et al. Systematic review of evidence-based guidelines on medication therapy for upper respiratory tract infection in children with AGREE instrument. PLoS One 2014;9:e87711.	2, 3, 5, 10

Reference	No answer to AMSTAR question number
Zentz SE. Care of infants and children with bronchiolitis: a systematic review. <i>J Pediatr Nurs</i> 2011;26:519-29.	2, 3, 7
Brown N, Roberts C. Vitamin A for acute respiratory infection in developing countries: A meta-analysis. <i>Acta Paediatrica, International Journal of Paediatrics</i> 2004;93:1437-42.	2, 3
Mathew JL. Vitamin A supplementation for prophylaxis or therapy in childhood pneumonia: a systematic review of randomized controlled trials. <i>Indian Pediatr</i> 2010;47:255-61.	1-3
Nascimento-Carvalho CM, Andrade DC, Vilas-Boas AL. An update on antimicrobial options for childhood community-acquired pneumonia: a critical appraisal of available evidence. <i>Expert Opin Pharmacother</i> 2015;1-26.	2, 3, 6, 7
Turner D, Wailoo A, Nicholson K, Cooper N, Sutton A, Abrams K. Systematic review and economic decision modelling for the prevention and treatment of influenza A and B: neuraminidase inhibitors for treatment (Structured abstract). In: <i>Health Technology Assessment</i> ; 2003;1-182.	2
Zanasi A, Lanata L, Fontana G, Saibene F, Dicpinigaitis P, De Blasio F. Levodropropizine for treating cough in adult and children: a meta-analysis of published studies. <i>Multidiscip Respir Med</i> 2015;10:19.	2, 3
Lan AJ, Colford JM. The impact of dosing frequency on the efficacy of 10-day penicillin or amoxicillin therapy for streptococcal tonsillopharyngitis: a meta-analysis (Structured abstract). <i>Pediatrics</i> 2000;E19.	2, 3