


Postcovid - En kartläggning av behandlings- och rehabiliteringsstudier/Post covid condition - an evidence map of treatment and rehabilitation studies, rapport 413 (2026)

## Bilaga 4 Sammanställning av risk för bias/Risk for bias in the included studies

Nedan redovisas bedömningen i samtliga artiklar som SBU har bedömt för risk för bias. Endast de artiklar med låg eller måttlig risk för bias redovisas i SBU:s interaktiva [karta](#)./Presented below are the risk of bias-assessments for all articles, assessed by the SBU. Only articles with low or moderate risk of bias are presented in the interactive evidence map.


### Inkluderade studier med låg eller måttlig risk för bias/Included studies with low or moderate risk for bias

**Figur 10.4.1** Sammanställning av 105 st primärstudier med låg eller måttlig risk för bias [1-105], visualiserat med verktyget Robvis [106].



## Inkluderade studier med hög risk för bias/Included studies with high risk for bias

**Figur 10.4.2** Sammanställning av 117 st primärstudier med hög risk för bias [23, 28, 46, 83, 107-219], visualiserat med verktyget Robvis [106].



## References

1. Al-Jabr H, Castle DJ, Thompson DR, Windle K, Belcher J, Valenzuela MMI, et al. Long COVID Optimal Health Programme to Enhance Mental and Physical Health: A Feasibility Randomised Controlled Trial. *Health expectations : an international journal of public participation in health care and health policy*. 2025;28(4):e70399. Available from: <https://doi.org/10.1111/hex.70399>
2. Bai B, Xu M, Zhou H, Liao Y, Liu F, Liu Y, et al. Effects of aerobic training on cardiopulmonary fitness in patients with long COVID-19: a randomized controlled trial. *Trials*. 2024;25(1):649. Available from: <https://doi.org/10.1186/s13063-024-08473-3>
3. Bassi A, Devasenapathy N, Thankachen SS, Ghosh A, Rastogi A, Khan R, et al. Effectiveness of Colchicine for the Treatment of Long COVID: A Randomized Clinical Trial. *JAMA Internal Medicine*. 2025;185(12):1462–70. Available from: <https://doi.org/10.1001/jamainternmed.2025.5408>
4. Berenguel Senén A, Gadella Fernández A, Godoy López J, Borrego Rodríguez J, Gallango Brejano M, Cepas Guillén P, et al. Functional rehabilitation based on therapeutic exercise training in patients with postacute COVID syndrome (RECOVER). *Rev Esp Cardiol (Engl Ed)*. 2024;77(2):167–75. Available from: <https://doi.org/10.1016/j.rec.2023.06.016>
5. Berry C, McKinley G, Bayes HK, Anderson D, Lang CC, Gill A, et al. Resistance Exercise Therapy After COVID-19 Infection: A Randomized Clinical Trial. *JAMA Network Open*. 2025;8(11):e2534304–e. Available from: <https://doi.org/10.1001/jamanetworkopen.2025.34304>
6. Bérubé S, Demers C, Bussière N, Cloutier F, Pek V, Chen A, et al. Olfactory Training Impacts Olfactory Dysfunction Induced by COVID-19: A Pilot Study. *ORL J Otorhinolaryngol Relat Spec*. 2023;85(2):57–66. Available from: <https://doi.org/10.1159/000528188>
7. Besnier F, Malo J, Mohammadi H, Clavet S, Klai C, Martin N, et al. Effects of Cardiopulmonary Rehabilitation on Cardiorespiratory Fitness and Clinical Symptom Burden in Long COVID: Results From the COVID-Rehab Randomized Controlled Trial. *Am J Phys Med Rehabil*. 2025;104(2):163–71. Available from: <https://doi.org/10.1097/PHM.0000000000002559>
8. Busse M, Pallmann P, Riaz M, Potter C, Leggat FJ, Harris S, et al. Effectiveness of a personalised self-management intervention for people living with long covid (Listen trial): pragmatic, multicentre, parallel group, randomised controlled trial. *BMJ Med*. 2025;4(1):e001068. Available from: <https://doi.org/10.1136/bmjmed-2024-001068>
9. Calvache-Mateo A, Navas-Otero A, Raya-Benitez J, Martin-Nunez J, Heredia-Ciuro A, Ortiz-Rubio A, et al. Effectiveness of a Pain Informed Movement Program in Individuals With Post-COVID-19 Condition: A Randomized Controlled Trial. *Archives of physical medicine and rehabilitation*. 2025. Available from: <https://doi.org/10.1016/j.apmr.2025.05.008>

10. Calvo-Paniagua J, Díaz-Arribas MJ, Valera-Calero JA, Ramos-Sánchez M, Fernández-de-Las-Peñas C, Navarro-Santana MJ, et al. Educational, Exercise, and Occupational Therapy-Based Telerehabilitation Program Versus "Wait-and-See" for Improving Self-perceived Exertion in Patients With Post-COVID Fatigue and Dyspnea: A Randomized Clinical Trial. *Am J Phys Med Rehabil.* 2024;103(9):797–804. Available from: <https://doi.org/10.1097/phm.0000000000002441>
11. Campos MCV, Schuler SSV, Lacerda AJ, Mazzoni AC, Silva T, Rosa FCS, et al. Evaluation of vascular photobiomodulation for orofacial pain and tension type headache following COVID 19 in a pragmatic randomized clinical trial. *Scientific Reports.* 2024;14(1):31138. Available from: <https://doi.org/10.1038/s41598-024-82412-9>
12. Capin JJ, Jolley SE, Morrow M, Connors M, Hare K, MaWhinney S, et al. Safety, feasibility and initial efficacy of an app-facilitated telerehabilitation (AFTER) programme for COVID-19 survivors: a pilot randomised study. *BMJ Open.* 2022;12(7):e061285. Available from: <https://doi.org/10.1136/bmjopen-2022-061285>
13. Charoenporn V, Tungsukruthai P, Teacharushatakit P, Hanvivattanakul S, Sriyakul K, Sukprasert S, et al. Effects of an 8-week high-dose vitamin D supplementation on fatigue and neuropsychiatric manifestations in post-COVID syndrome: A randomized controlled trial. *Psychiatry Clin Neurosci.* 2024;78(10):595–604. Available from: <https://doi.org/10.1111/pcn.13716>
14. Chen Y, Liu C, Wang T, Qi J, Jia X, Zeng X, et al. Efficacy and safety of Bufei Huoxue capsules in the management of convalescent patients with COVID-19 infection: A multicentre, double-blind, and randomised controlled trial. *J Ethnopharmacol.* 2022;284:114830. Available from: <https://doi.org/10.1016/j.jep.2021.114830>
15. Chung TW-H, Zhang H, Wong FK-C, Sridhar S, Lee TM-C, Leung GK-K, et al. A Pilot Study of Short-Course Oral Vitamin A and Aerosolised Diffuser Olfactory Training for the Treatment of Smell Loss in Long COVID. *Brain Sciences.* 2023;13(7):1014. Available from: <https://doi.org/10.1093/eurheartj/ehac666.3038>
16. D'Ascanio L, Vitelli F, Cingolani C, Maranzano M, Brenner MJ, Di Stadio A. Randomized clinical trial "olfactory dysfunction after COVID-19: olfactory rehabilitation therapy vs. intervention treatment with Palmitoylethanolamide and Luteolin": preliminary results. *Eur Rev Med Pharmacol Sci.* 2021;25(11):4156–62. Available from: [https://doi.org/10.26355/eurrev\\_202106\\_26059](https://doi.org/10.26355/eurrev_202106_26059)
17. da Silva EA, Moraes GD, de Moura Neto E, Coelho TS, Moreira CM, Souza VC, et al. Effect of smartphone-based physical training combined with cognitive training on cognitive abilities in individuals with long COVID: A multicenter pilot randomized clinical trial. *Journal of Behavioral and Cognitive Therapy.* 2025;35(3). Available from: <https://doi.org/10.1016/j.jbct.2025.100534>
18. Dal Negro RW, Turco P, Povero M. Nebivolol: an effective option against long-lasting dyspnoea following COVID-19 pneumonia - a pivotal double-blind, cross-over controlled study. *Multidiscip Respir Med.* 2022;17:886. Available from: <https://doi.org/10.4081/mrm.2022.886>

19. Daynes E, Baldwin MM, Greening NJ, Wain LV, Singapuri A, Brightling CE, et al. Post-Hospital COVID-19 Rehabilitation (PHOSP-R): a randomised controlled trial. *European respiratory journal*. 2024;64:OA3668. Available from: <https://doi.org/10.1183/13993003.congress-2024.OA3668>
20. del Corral T, Fabero-Garrido R, Plaza-Manzano G, Fernández-de-las-Peñas C, Navarro-Santana M, López-de-Uralde-Villanueva I. Home-based respiratory muscle training on quality of life and exercise tolerance in long-term post-COVID-19: Randomized controlled trial. *Annals of Physical and Rehabilitation Medicine*. 2023;66(1):101709. Available from: <https://doi.org/10.1016/j.rehab.2022.101709>
21. del Corral T, Fabero-Garrido R, Plaza-Manzano G, Izquierdo-Garcia J, Lopez-Saez M, Garcia-Garcia R, et al. Effect of respiratory rehabilitation on quality of life in individuals with post-COVID-19 symptoms: A randomised controlled trial. *Ann Phys Rehabil Med*. 2025;68(1):101920. Available from: <https://doi.org/10.1016/j.rehab.2024.101920>
22. Di Stadio A, D'Ascanio L, Vaira LA, Cantone E, De Luca P, Cingolani C, et al. Ultramicronized Palmitoylethanolamide and Luteolin Supplement Combined with Olfactory Training to Treat Post-COVID-19 Olfactory Impairment: A Multi-Center Double-Blinded Randomized Placebo-Controlled Clinical Trial. *Curr Neuropharmacol*. 2022;20(10):2001–12. Available from: <https://doi.org/10.2174/1570159x20666220420113513>
23. Di Stadio A, Gallina S, Cocuzza S, De Luca P, Ingrassia A, Oliva S, et al. Treatment of COVID-19 olfactory dysfunction with olfactory training, palmitoylethanolamide with luteolin, or combined therapy: a blinded controlled multicenter randomized trial. *European Archives of Oto-Rhino-Laryngology*. 2023;280(11):4949–61. Available from: <https://doi.org/10.1007/s00405-023-08085-8>
24. Duffy A, Naimi B, Garvey E, Hunter S, Kumar A, Kahn C, et al. Topical platelet-rich plasma as a possible treatment for olfactory dysfunction-A randomized controlled trial. *Int Forum Allergy Rhinol*. 2024;09:09. Available from: <https://doi.org/10.1002/alar.23363>
25. Dwiputra B, Ambari AM, Triangto K, Supriami K, Kesuma TW, Zuhdi N, et al. The home-based breathing and chest mobility exercise improves cardiorespiratory functional capacity in long COVID with cardiovascular comorbidities: a randomized study. *BMC Cardiovasc Disord*. 2024;24(1):574. Available from: <https://doi.org/10.1186/s12872-024-04196-0>
26. Elgayar SL, Bakkar LM, Omar MG, Elgendy SM, Elhamrawy MY. Effects of aerobic, resistance, and combined exercises on ventilatory function and quality of life in men with chronic post-COVID pulmonary fibrosis: A randomized controlled trial. *Braz J Phys Ther*. 2025;29(5):101247. Available from: <https://doi.org/10.1016/j.bjpt.2025.101247>
27. Elhamrawy M, Hamied A, Sherbini I, Mokhtar M, Mashaal A, Elkady S, et al. Effect of Tai Chi versus Aerobic Training on Improving Hand Grip Strength, Fatigue, and Functional Performance in Older Adults Post-COVID-19: a randomized controlled trial. *Journal of Population Therapeutics and Clinical Pharmacology*. 2023:190–8. Available from: <https://doi.org/10.47750/jptcp.2023.30.07.024>
28. Emmel C, Bruder O, Keller N, Schipper L, Schneider C, Ferrauti A, et al. Feasibility of an unsupervised aerobic exercise training program for

- participants with persistent symptoms after SARS-CoV-2 infection. *Scientific reports*. 2025;15(1):28827. Available from: <https://doi.org/10.1038/s41598-025-13905-4>
29. Espinoza-Bravo C, Arnal-Gómez A, Martínez-Arnau FM, Núñez-Cortés R, Hernández-Guillén D, Flor-Rufino C, et al. Effectiveness of Functional or Aerobic Exercise Combined With Breathing Techniques in Telerehabilitation for Patients With Long COVID: A Randomized Controlled Trial. *Physical Therapy*. 2023;103(11). Available from: <https://doi.org/10.1093/ptj/pzad118>
  30. Fan Y, Shi Y, Zhang J, Sun D, Wang X, Fu G, et al. The effects of narrative exposure therapy on COVID-19 patients with post-traumatic stress symptoms: A randomized controlled trial. *Journal of Affective Disorders*. 2021;293:141–7. Available from: <https://doi.org/10.1016/j.jad.2021.06.019>
  31. Farrell NF, Crock LW, Islam A, Adkins D, Peterson AM, Kallogjeri D, et al. Stellate Ganglion Block for the Treatment of COVID-19-Induced Parosmia: A Randomized Clinical Trial. *JAMA otolaryngology-- head & neck surgery*. 2025;151(8):741–9. Available from: <https://doi.org/10.1001/jamaoto.2025.1304>
  32. Fernandez C, Didone V, Lesoinne A, Slama H, Fery P, Rousseau A-F, et al. Cognitive and affective psychoeducation for Long COVID: a randomized controlled trial. *Brain Communications*. 2025;7(6). Available from: <https://doi.org/10.1093/braincomms/fcaf447>
  33. Figueiredo LP, Paim P, Cerqueira-Silva T, Barreto CC, Lessa MM. Alpha-lipoic acid does not improve olfactory training results in olfactory loss due to COVID-19: a double-blind randomized trial. *Braz J Otorhinolaryngol*. 2024;90(1):101356. Available from: <https://doi.org/10.1016/j.bjorl.2023.101356>
  34. Finnigan L, Cassar M, Koziel M, Pradines J, Lamlum H, Azer K, et al. Efficacy and Tolerability of AXA1125 (Endogenous Metabolic Modulator) in Fatigue-Predominant Long COVID: A Randomized, Double-Blind, Controlled Study. *SSRN*. 2023. Available from: <https://doi.org/10.2139/ssrn.4356755>
  35. Geng LN, Bonilla H, Hedlin H, Jacobson KB, Tian L, Jagannathan P, et al. Nirmatrelvir-Ritonavir and Symptoms in Adults With Postacute Sequelae of SARS-CoV-2 Infection: The STOP-PASC Randomized Clinical Trial. *JAMA Intern Med*. 2024;184(9):1024–34. Available from: <https://doi.org/10.1001/jamainternmed.2024.2007>
  36. Gupta S, Lee JJ, Perrin A, Khan A, Smith HJ, Farrell N, et al. Efficacy and Safety of Saline Nasal Irrigation Plus Theophylline for Treatment of COVID-19-Related Olfactory Dysfunction: The SCENT2 Phase 2 Randomized Clinical Trial. *JAMA otolaryngology-- head & neck surgery*. 2022;148(9):830–7. Available from: <https://doi.org/10.1001/jamaoto.2022.1573>
  37. Guttuso T, Jr., Zhu J, Wilding GE. Lithium Aspartate for Long COVID Fatigue and Cognitive Dysfunction: A Randomized Clinical Trial. *JAMA netw open*. 2024;7(10):e2436874. Available from: <https://doi.org/10.1001/jamanetworkopen.2024.36874>
  38. Hansen KS, Mogensen TH, Agergaard J, Schiøttz-Christensen B, Østergaard L, Vibholm LK, et al. High-dose coenzyme Q10 therapy versus placebo in

- patients with post COVID-19 condition: a randomized, phase 2, crossover trial. *Lancet Reg Health Eur.* 2023;24:100539. Available from: <https://doi.org/10.1016/j.lanepe.2022.100539>
39. He Y, Liu X, Zha S, Wang Y, Zhang J, Zhang Q, et al. A pilot randomized controlled trial of major ozone autohemotherapy for patients with post-acute sequelae of COVID-19. *Int Immunopharmacol.* 2024;139:112673. Available from: <https://doi.org/10.1016/j.intimp.2024.112673>
  40. Hohberger B, Ganslmayer M, Harrer T, Kruse F, Maas S, Borst T, et al. Safety, tolerability and clinical effects of rovnaptabin, also known as BC007 on fatigue and quality of life in patients with Post-COVID syndrome (reCOVER): a prospective, exploratory, placebo-controlled, double-blind, randomised phase IIa clinical trial (RCT). *EClinicalMedicine.* 2025;86:103358. Available from: <https://doi.org/10.1016/j.eclinm.2025.103358>
  41. Hosseinpour M, Kabiri M, Rajati Haghi M, Ghadam Soltani T, Rezaei A, Faghfour A, et al. Intranasal Corticosteroid Treatment on Recovery of Long-Term Olfactory Dysfunction Due to COVID-19. *Laryngoscope.* 2022;132(11):2209–16. Available from: <https://doi.org/10.1002/lary.30353>
  42. Ibrahim AA, Hussein HM, Ali MS, Kanwal R, Acar T, Shaik DH, et al. A randomized controlled trial examining the impact of low vs. moderate-intensity aerobic training in post-discharge COVID-19 older subjects. *Eur Rev Med Pharmacol Sci.* 2023;27(9):4280–91. Available from: [https://doi.org/10.26355/eurrev\\_202305\\_32338](https://doi.org/10.26355/eurrev_202305_32338)
  43. Jimeno-Almazan A, Buendia-Romero A, Martinez-Cava A, Franco-Lopez F, Sanchez-Alcaraz BJ, Courel-Ibanez J, et al. Effects of a concurrent training, respiratory muscle exercise, and self-management recommendations on recovery from post-COVID-19 conditions: the RECOVE trial. *J Appl Physiol (1985).* 2023;134(1):95–104. Available from: <https://doi.org/10.1152/jappphysiol.00489.2022>
  44. Jimeno-Almazán A, Franco-López F, Buendía-Romero Á, Martínez-Cava A, Sánchez-Agar JA, Sánchez-Alcaraz Martínez BJ, et al. Rehabilitation for post-COVID-19 condition through a supervised exercise intervention: A randomized controlled trial. *Scandinavian Journal of Medicine & Science in Sports.* 2022;32(12):1791–801. Available from: <https://doi.org/10.1111/sms.14240>
  45. Jing F, Wang W, Ke J, Huang T, Jiang B, Qiu Q, et al. Fuzheng Huayu tablets for treating pulmonary fibrosis in post-COVID-19 patients: a multicenter, randomized, double-blind, placebo-controlled trial. *Front Pharmacol.* 2025;16:1508276. Available from: <https://doi.org/10.3389/fphar.2025.1508276>
  46. Kaczmarczyk K, Matharu Y, Bobowik P, Gajewski J, Maciejewska-Skrendo A, Kulig K. Resistance Exercise Program Is Feasible and Effective in Improving Functional Strength in Post-COVID Survivors. *J.* 2024;13(6):16. Available from: <https://doi.org/10.3390/jcm13061712>
  47. Kaddoussi R, Rejeb H, Kalai A, Zaara E, Rouetbi N, Salah Frih ZB, et al. Effects of a cardiopulmonary rehabilitation programme on submaximal exercise in Tunisian patients with long-COVID19: A randomized clinical trial. *Biol Sport.* 2024;41(4):197–217. Available from: <https://doi.org/10.5114/biolSport.2024.139072>

48. Kerget B, Çil G, Araz Ö, Alper F, Akgün M. Comparison of two antifibrotic treatments for lung fibrosis in post-COVID-19 syndrome: A randomized, prospective study. *Med Clin (Barc)*. 2023;160(12):525–30. Available from: <https://doi.org/10.1016/j.medcli.2022.12.021>
49. Kerling A, Beyer S, Dirks M, Scharbau M, Hennemann A-K, Dopfer-Jablonka A, et al. Effects of a randomized-controlled and online-supported physical activity intervention on exercise capacity, fatigue and health related quality of life in patients with post-COVID-19 syndrome. *BMC Sports Science, Medicine and Rehabilitation*. 2024;16(1):33. Available from: <https://doi.org/10.1186/s13102-024-00817-5>
50. Khodabakhshian F, Tagharrobi Z, Sharifi K, Sooki Z, Momen-Heravi M, Joshaghani FZ. Effect of auriculotherapy on persistent fatigue in recovered patients from the acute phase of COVID-19: a double-blind randomized clinical trial. *Fatigue: Biomedicine, Health and Behavior*. 2025;13(1):54–66. Available from: <https://doi.org/10.1080/21641846.2024.2395230>
51. Kim S, D'Anniballe VM, Finlay JB, Ko T, Wang M, Jang DW, et al. Analysis of mucosal immune dysregulation and safety and tolerability of endoscopic topical steroid therapy for long-COVID hyposmia: randomized, double-blinded pilot study. *Communications Medicine*. 2025;6(1):60. Available from: <https://doi.org/10.1038/s43856-025-01322-7>
52. Kjellberg A, Hassler A, Boström E, El Gharbi S, Al-Ezerjawi S, Schening A, et al. Ten sessions of hyperbaric oxygen versus sham treatment in patients with long covid (HOT-LoCO): a randomised, placebo-controlled, double-blind, phase II trial. *BMJ Open*. 2025;15(4). Available from: <https://doi.org/10.1136/bmjopen-2024-094386>
53. Klírová M, Adamová A, Biačková N, Laskov O, Renková V, Stuchlíková Z, et al. Transcranial direct current stimulation (tDCS) in the treatment of neuropsychiatric symptoms of long COVID. *Sci Rep*. 2024;14(1):2193. Available from: <https://doi.org/10.1038/s41598-024-52763-4>
54. Knopman DS, Koltai D, Laskowitz DT, Becker J, Charvet L, Wisnivesky J, et al. Evaluation of Interventions for Cognitive Symptoms in Long COVID: A Randomized Clinical Trial. *JAMA Neurology*. 2026;83(1):49–59. Available from: <https://doi.org/10.1001/jamaneurol.2025.4415>
55. Kogel A, Machatschek M, Scharschmidt R, Wollny C, Lordick F, Ghanem M, et al. Physical exercise as a treatment for persisting symptoms post covid infection. *European heart journal*. 2023;44. Available from: <https://doi.org/10.1093/eurheartj/ehad655.2398>
56. Kuut TA, Müller F, Csorba I, Braamse A, Aldenkamp A, Appelman B, et al. Efficacy of Cognitive-Behavioral Therapy Targeting Severe Fatigue Following Coronavirus Disease 2019: Results of a Randomized Controlled Trial. *Clinical Infectious Diseases*. 2023;77(5):687–95. Available from: <https://doi.org/10.1093/cid/ciad257>
57. Lasheen YR, Abdelzahr MM, Saleh AM, Mohamed F. Influence of Cupping Therapy on Immune Systems in Post COVID-19 Patients. *African journal of biological sciences (south africa)*. 2024;6:82–98. Available from: <https://doi.org/10.33472/AFJBS.6.Si3.2024.82-98>
58. Lau RI, Su Q, Lau ISF, Ching JYL, Wong MCS, Lau LHS, et al. A synbiotic preparation (SIM01) for post-acute COVID-19 syndrome in Hong Kong (RECOVERY): a randomised, double-blind, placebo-controlled trial. *The*

- Lancet Infectious Diseases. 2024;24(3):256–65. Available from: [https://doi.org/10.1016/S1473-3099\(23\)00685-0](https://doi.org/10.1016/S1473-3099(23)00685-0)
59. Leitman M, Fuchs S, Tyomkin V, Hadanny A, Zilberman-Itskovich S, Efrati S. The effect of hyperbaric oxygen therapy on myocardial function in post-COVID-19 syndrome patients: a randomized controlled trial. *Scientific Reports*. 2023;13(1):9473. Available from: <https://doi.org/10.1038/s41598-023-36570-x>
  60. Leon-Herrera S, Oliván-Blázquez B, Sánchez-Recio R, Méndez-López F, Magallón-Botaya R, Sánchez-Arizcuren R. Effectiveness of an online multimodal rehabilitation program in long COVID patients: a randomized clinical trial. *Arch public health*. 2024;82(1):159. Available from: <https://doi.org/10.1186/s13690-024-01354-w>
  61. León-Herrera S, Samper-Pardo M, Oliván-Blázquez B, Magallón-Botaya R, Casado-Vicente V, Sánchez-Recio R, et al. Effectiveness of ReCOVeRY APP to Improve the Quality of Life of Long COVID Patients: A 6-Month Follow-Up Randomized Clinical Trial. *International Journal of Clinical Practice*. 2025;2025(1). Available from: <https://doi.org/10.1155/ijcp/7692776>
  62. Lerner DK, Garvey KL, Arrighi-Allisan A, Kominsky E, Filimonov A, Al-Awady A, et al. Omega-3 Fatty Acid Supplementation for the Treatment of Persistent COVID-Related Olfactory Dysfunction. *Am J Rhinol Allergy*. 2023;37(5):531–40. Available from: <https://doi.org/10.1177/19458924231174799>
  63. Li J, an, Xia W, Zhan C, Liu S, Yin Z, et al. A telerehabilitation programme in post-discharge COVID-19 patients (TERECO): a randomised controlled trial. *Thorax*. 2022;77(7):697. Available from: <https://doi.org/10.1136/thoraxjnl-2021-217382>
  64. Longobardi I, Goessler K, de Oliveira Júnior GN, Prado DMLd, Santos JVP, Meletti MM, et al. Effects of a 16-week home-based exercise training programme on health-related quality of life, functional capacity, and persistent symptoms in survivors of severe/critical COVID-19: a randomised controlled trial. *British Journal of Sports Medicine*. 2023;57(20):1295. Available from: <https://doi.org/10.1136/bjsports-2022-106681>
  65. Lukkunaprasit T, Satapornpong P, Kulchanawichien P, Prawang A, Limprasert C, Saingam W, et al. Impact of combined plant extracts on long COVID: An exploratory randomized controlled trial. *Complement Ther Med*. 2024;87:103107. Available from: <https://doi.org/10.1016/j.ctim.2024.103107>
  66. Maritescu A, Crisan AF, Pescaru CC, Stoicescu ER, Oancea C, Iacob D. Effectiveness of Combined Pulmonary Rehabilitation and Progressive Muscle Relaxation in Treating Long-Term COVID-19 Symptoms: A Randomized Controlled Trial. *J Clin Med*. 2024;13(20). Available from: <https://doi.org/10.3390/jcm13206237>
  67. McGregor G, Sandhu H, Bruce J, Sheehan B, McWilliams D, Yeung J, et al. Clinical effectiveness of an online supervised group physical and mental health rehabilitation programme for adults with post-covid-19 condition (REGAIN study): multicentre randomised controlled trial. *BMJ*. 2024;384:e076506. Available from: <https://doi.org/10.1136/bmj-2023-076506>

68. McIntyre RS, Phan L, Kwan ATH, Mansur RB, Rosenblat JD, Guo Z, et al. Vortioxetine for the treatment of post-COVID-19 condition: a randomized controlled trial. *Brain*. 2024;147(3):849–57. Available from: <https://doi.org/10.1093/brain/awad377>
69. McNarry MA, Berg RMG, Shelley J, Hudson J, Saynor ZL, Duckers J, et al. Inspiratory muscle training enhances recovery post-COVID-19: a randomised controlled trial. *European Respiratory Journal*. 2022;60(4):2103101. Available from: <https://doi.org/10.1183/13993003.03101-2021>
70. Melian-Ortiz A, Zurdo-Sayalero E, Perpina-Martínez S, Delgado-Lacosta A, Jimenez-Antona C, Fernandez-Carnero J, et al. Superficial Neuromodulation in Dysautonomia in Women with Post-COVID-19 Condition: A Pilot Study. *Brain sciences*. 2025;15(5). Available from: <https://doi.org/10.3390/brainsci15050510>
71. Mogensen DG, Aanaes K, Andersen IB, Jarden M, Backer V. Effect of Olfactory Training in COVID-19 Related Olfactory Dysfunction-A Placebo-Controlled Trial. *Laryngoscope*. 2025. Available from: <https://doi.org/10.1002/lary.32275>
72. Momtazmanesh S, Ansari S, Izadi Z, Shobeiri P, Vatankhah V, Seifi A, et al. Effect of famotidine on cognitive and behavioral dysfunctions induced in post-COVID-19 infection: A randomized, double-blind, and placebo-controlled study. *Journal of Psychosomatic Research*. 2023;172:111389. Available from: <https://doi.org/10.1016/j.jpsychores.2023.111389>
73. Murano L, Damico V, Cossalter L, Riggio M, Calabresi F, Zappia L, et al. The impact of Mindfulness-based stress reduction on Covid-19 survivors. A randomized controlled trial. *Ann Ig*. 2025;37(3):350–64. Available from: <https://doi.org/10.7416/ai.2025.2678>
74. Navas-Otero A, Valenza-Pena G, Granados-Santiago M, Martin-Nunez J, Ortiz-Rubio A, Valenza MC. Enhancing Health Outcomes: a Lifestyle Adjustment Program for Long COVID-19 Patients - A Randomized Control Trial. *European respiratory journal*. 2024;64:PA4152. Available from: <https://doi.org/10.1183/13993003.congress-2024.PA4152>
75. Nerli TF, Selvakumar J, Cvejic E, Heier I, Pedersen M, Johnsen TL, et al. Brief Outpatient Rehabilitation Program for Post-COVID-19 Condition: A Randomized Clinical Trial. *JAMA netw open*. 2024;7(12):e2450744. Available from: <https://doi.org/10.1001/jamanetworkopen.2024.50744>
76. Ogonowska-Slodownik A, Labecka MK, Maciejewska-Skrendo A, McNamara RJ, Kaczmarczyk K, Starczewski M, et al. Effect of Water-Based vs. Land-Based Exercise Intervention (postCOVIDkids) on Exercise Capacity, Fatigue, and Quality of Life in Children with Post COVID-19 Condition: A Randomized Controlled Trial. *Journal of Clinical Medicine*. 2023;12(19):6244. Available from: <https://doi.org/10.3390/jcm12196244>
77. Ojeda A, Calvo A, Cuñat T, Mellado-Artigas R, Costas-Carrera A, Sánchez-Rodríguez MM, et al. Effectiveness of a specific follow up program for the management of the mental components of post-intensive care syndrome and chronic pain after COVID-19: results from the PAIN-COVID randomized clinical trial. *Revista Española de Anestesiología y Reanimación (English Edition)*. 2024;71(5):349–59. Available from: <https://doi.org/10.1016/j.redare.2023.12.009>

78. Okan F, Okan S, Yücesoy F. Evaluating the Efficiency of Breathing Exercises via Telemedicine in Post-Covid-19 Patients: Randomized Controlled Study. *Clinical Nursing Research*. 2022;31:105477382210972. Available from: <https://doi.org/10.1177/10547738221097241>
79. Oliver-Mas S, Delgado-Alonso C, Delgado-Álvarez A, Díez-Cirarda M, Cuevas C, Fernández-Romero L, et al. Transcranial direct current stimulation for post-COVID fatigue: a randomized, double-blind, controlled pilot study. *Brain Communications*. 2023;5(2). Available from: <https://doi.org/10.1093/braincomms/fcad117>
80. Oliver-Mas S, Matias-Guiu JA, Delgado-Alonso C, Gil-Martinez L, Cuevas C, Polidura C, et al. A randomized comparative feasibility study of neuromodulation and cognitive training for post-COVID fatigue. *Scientific reports*. 2025;15(1):26818. Available from: <https://doi.org/10.1038/s41598-025-09772-8>
81. Palau P, Domínguez E, Gonzalez C, Bondía E, Albiach C, Sastre C, et al. Effect of a home-based inspiratory muscle training programme on functional capacity in postdischarged patients with long COVID: the InsCOVID trial. *BMJ Open Respiratory Research*. 2022;9(1):e001439. Available from: <https://doi.org/10.1136/bmjresp-2022-001439>
82. Philip KEJ, Owles H, Mcvey S, Pagnuco T, Bruce K, Brunjes H, et al. Impact of an online breathing and wellbeing programme (ENO Breathe) in people with persistent symptoms following COVID-19: a randomised controlled trial. *European Respiratory Journal*. 2022;60(suppl 66):112. Available from: <https://doi.org/10.1183/13993003.congress-2022.112>
83. Pleguezuelos E, Del Carmen A, Moreno E, Serra-Prat M, Serra-Paya N, Garnacho-Castano MV. Telerehabilitation improves cardiorespiratory and muscular fitness and body composition in older people with post-COVID-19 syndrome. *J Cachexia Sarcopenia Muscle*. 2024;15(5):1785–96. Available from: <https://doi.org/10.1002/jcsm.13530>
84. Polat M, Oba P, Karadağ A. Effect of Motion-Controlled Video Games-Based Virtual Reality Exercise on Patients with Post-COVID-19 Condition: A Randomized Controlled Trial. *Healthcare*. 2025;13(22):2914. Available from: <https://doi.org/10.3390/healthcare13222914>
85. Rana A, Bhattacharya P, Ganguly S, Saha S, Naskar S, Ghosh S, et al. Individualized Homeopathic Medicinal Products in the Treatment of Post-COVID-19 Conditions: A Double-Blind, Randomized, Placebo-Controlled, Feasibility Trial. *J Integr Complement Med*. 2025;31(1):64–74. Available from: <https://doi.org/10.1089/jicm.2024.0102>
86. Rasmussen IE, Løk M, Durrer CG, Foged F, Schelde VG, Budde JB, et al. Impact of high-intensity interval training on cardiac structure and function after COVID-19: an investigator-blinded randomized controlled trial. *Journal of Applied Physiology*. 2023;135(2):421–35. Available from: <https://doi.org/10.1152/jappphysiol.00078.2023>
87. Redel A-L, Miry F, Hellemons ME, Oswald LMA, Braunstahl GJ. Effect of lactoferrin treatment on symptoms and physical performance in long COVID patients: a randomised, double-blind, placebo-controlled trial. *ERJ open res*. 2024;10(4). Available from: <https://doi.org/10.1183/23120541.00031-2024>

88. Rodríguez-Moran M, Guerrero-Romero F, Barragan-Zuniga J, Gamboa-Gomez CI, Weyman-Vela Y, Arce-Quinones M, et al. Combined oral supplementation with magnesium plus vitamin D alleviates mild to moderate depressive symptoms related to long-COVID: an open-label randomized, controlled clinical trial. *Magnes Res.* 2024;37(3):49–57. Available from: <https://doi.org/10.1684/mrh.2024.0535>
89. Romanet C, Wormser J, Fels A, Lucas P, Prudat C, Sacco E, et al. Effectiveness of exercise training on the dyspnoea of individuals with long COVID: A randomised controlled multicentre trial. *Annals of Physical and Rehabilitation Medicine.* 2023;66(5):101765. Available from: <https://doi.org/10.1016/j.rehab.2023.101765>
90. Samper-Pardo M, León-Herrera S, Oliván-Blázquez B, Méndez-López F, Domínguez-García M, Sánchez-Recio R. Effectiveness of a telerehabilitation intervention using ReCOVerry APP of long COVID patients: a randomized, 3-month follow-up clinical trial. *Scientific Reports.* 2023;13(1):7943. Available from: <https://doi.org/10.1038/s41598-023-35058-y>
91. Sanchez Mila Z, Rodriguez Sanz D, Martin Nieto A, Jimenez Lobo A, Ramos Hernandez M, Campon Chekroun A, et al. Effects of a respiratory and neurological rehabilitation treatment plan in post Covid-19 affected university students. Randomized clinical study. *Chron.* 2024;21:14799731241255967. Available from: <https://doi.org/10.1177/14799731241255967>
92. Sánchez-Milá Z, Abuín-Porras V, Romero-Morales C, Almazán-Polo J, Velázquez Saornil J. Effectiveness of a respiratory rehabilitation program including an inspiration training device versus traditional respiratory rehabilitation: a randomized controlled trial. *PeerJ.* 2023;11:e16360. Available from: <https://doi.org/10.7717/peerj.16360>
93. Santana K, França E, Sato J, Silva A, Queiroz M, de Farias J, et al. Non-invasive brain stimulation for fatigue in post-acute sequelae of SARS-CoV-2 (PASC). *Brain Stimul.* 2023;16(1):100–7. Available from: <https://doi.org/10.1016/j.brs.2023.01.1672>
94. Sawano M, Bhattacharjee B, Caraballo C, Khara R, Li SX, Herrin J, et al. Nirmatrelvir–ritonavir versus placebo–ritonavir in individuals with long COVID in the USA (PAX LC): a double-blind, randomised, placebo-controlled, phase 2, decentralised trial. *The Lancet Infectious Diseases.* 2025;25(8):936–46. Available from: [https://doi.org/10.1016/S1473-3099\(25\)00073-8](https://doi.org/10.1016/S1473-3099(25)00073-8)
95. Schepens EJA, Blijleven EE, Boek WM, Boesveldt S, Stokroos RJ, Stegeman I, et al. Prednisolone does not improve olfactory function after COVID-19: a randomized, double-blind, placebo-controlled trial. *BMC Medicine.* 2022;20(1):445. Available from: <https://doi.org/10.1186/s12916-022-02625-5>
96. Shamohammadi I, Kazemeyni S, Sadighi M, Hasanzadeh T, Dizavi A. Efficacy of tadalafil on improvement of men with erectile dysfunction caused by COVID-19: A randomized placebo-controlled trial. *Asian J Urol.* 2022;11(1):128–33. Available from: <https://doi.org/10.1016/j.ajur.2022.05.006>
97. Sharma D, Vaish H. Impact of comprehensive rehabilitation on functional capacity, fatigue, and quality of life among long-term COVID-19 survivors in

- resource limited settings - a randomized controlled trial *J Physiother Res.* 2024;14. Available from: <https://doi.org/10.17267/2238-2704rpf.2024.e5840>
98. Tosato M, Calvani R, Picca A, Ciciarello F, Galluzzo V, Coelho-Júnior HJ, et al. Effects of L-Arginine Plus Vitamin C Supplementation on Physical Performance, Endothelial Function, and Persistent Fatigue in Adults with Long COVID: A Single-Blind Randomized Controlled Trial. *Nutrients.* 2022;14(23):4984. Available from: <https://doi.org/10.3390/nu14234984>
  99. Tryfonos A, Pourhamidi K, Jornaker G, Engvall M, Eriksson L, Elhallos S, et al. Functional Limitations and Exercise Intolerance in Patients With Post-COVID Condition: A Randomized Crossover Clinical Trial. *JAMA netw.* 2024;7(4):e244386. Available from: <https://doi.org/10.1001/jamanetworkopen.2024.4386>
  100. Vernon SD, Rond C, Bell J, Butler B, Isolampi S, Otteson A, et al. REGAIN: a randomized controlled clinical trial of oxaloacetate for improving the symptoms of long COVID. *Front neurosci.* 2025;19:1627462. Available from: <https://doi.org/10.3389/fnins.2025.1627462>
  101. Volckaerts T, Ruttens D, Quadflieg K, Burtin C, Cops D, De Soomer K, et al. Improved functional exercise capacity after primary care pulmonary rehabilitation in patients with long COVID (PuRe-COVID): a pragmatic randomised controlled trial. *BMJ Open Respiratory Research.* 2025;12(1):e003653. Available from: <https://doi.org/10.1136/bmjresp-2025-003653>
  102. Yan CH, Jang SS, Lin H-FC, Ma Y, Khanwalkar AR, Thai A, et al. Use of platelet-rich plasma for COVID-19–related olfactory loss: a randomized controlled trial. *International Forum of Allergy & Rhinology.* 2023;13(6):989–97. Available from: <https://doi.org/10.1002/alar.23116>
  103. Yasaci Z, Mustafaoglu R, Ozgur O, Kuveloglu B, Esen Y, Ozmen O, et al. Virtual recovery: efficacy of telerehabilitation on dyspnea, pain, and functional capacity in post-COVID-19 syndrome. *Ir J Med Sci.* 2025. Available from: <https://doi.org/10.1007/s11845-025-03899-3>
  104. Zha S, Liu X, Yao Y, He Y, Wang Y, Zhang Q, et al. Short-term intermittent hypoxia exposure for dyspnea and fatigue in post-acute sequelae of COVID-19: A randomized controlled study. *Respir Med.* 2024;232:107763. Available from: <https://doi.org/10.1016/j.rmed.2024.107763>
  105. Zilberman-Itskovich S, Catalogna M, Sasson E, Elman-Shina K, Hadanny A, Lang E, et al. Hyperbaric oxygen therapy improves neurocognitive functions and symptoms of post-COVID condition: randomized controlled trial. *Scientific Reports.* 2022;12(1):11252. Available from: <https://doi.org/10.1038/s41598-022-15565-0>
  106. McGuinness LA, Higgins JPT. Risk-of-bias VISualization (robvis): An R package and Shiny web app for visualizing risk-of-bias assessments. *Res Synth Methods.* 2021;12(1):55–61. Available from: <https://doi.org/10.1002/jrsm.1411>
  107. Abdelazim MH, Abdelazim AH. Effect of Sodium Gluconate on Decreasing Elevated Nasal Calcium and Improving Olfactory Function Post COVID-19 Infection. *Am J Rhinol Allergy.* 2022;36(6):841–8. Available from: <https://doi.org/10.1177/19458924221120116>
  108. Abdelazim MH, Abdelazim AH, Moneir W. The effect of intra-nasal tetra sodium pyrophosphate on decreasing elevated nasal calcium and improving

- olfactory function post COVID-19: a randomized controlled trial. *Allergy Asthma Clin Immunol.* 2022;18(1):67. Available from: <https://doi.org/10.1186/s13223-022-00711-0>
109. Abdelazim MH, Alsenani F, Alnuhait M, Alshammari AS, Altemani AH, Althagafi EA, et al. Efficacy of forskolin as a promising therapy for chronic olfactory dysfunction post COVID-19. *Eur Arch Otorhinolaryngol.* 2024;281(11):5793–9. Available from: <https://doi.org/10.1007/s00405-024-08802-x>
  110. Abdelazim MH, Mandour Z, Abdelazim AH, Ismaiel WF, Gamal M, Abourehab MAS, et al. Intra Nasal Use of Ethylene Diamine Tetra Acetic Acid for Improving Olfactory Dysfunction Post COVID-19. *Am J Rhinol Allergy.* 2023;37(6):630–7. Available from: <https://doi.org/10.1177/19458924231184055>
  111. Abo El Naga HA, El Zaiat RS, Hamdan AM. The potential therapeutic effect of platelet-rich plasma in the treatment of post-COVID-19 parosmia. *The Egyptian Journal of Otolaryngology.* 2022;38(1):130. Available from: <https://doi.org/10.1186/s43163-022-00320-z>
  112. Abo Elyazed TI, Abd El-Hakim AAE-M, Saleh OI, Sonbol MMF, Eid HA, Moazen E, et al. Diaphragmatic strengthening exercises for patients with post COVID-19 condition after mild-to-moderate acute COVID-19 infection: a randomized controlled study. *J Rehabil Med.* 2024;56:jrm25491. Available from: <https://doi.org/10.2340/jrm.v56.25491>
  113. Ahmad AM, Mohamed Awad Allah SA, Abd Elhaseeb GA, Elsharawy DE, Ahmed HS, Mohamed Abdelwahab MA. Effects of conventional versus virtual reality-simulated treadmill exercise on fatigue, cognitive function, and participant satisfaction in post-COVID-19 subjects. A randomized trial. *J.* 2024;22(4):316–21. Available from: <https://doi.org/10.1016/j.jesf.2024.04.003>
  114. Akhouri D, Bashir T, Kumar S. Management of post-COVID-19 depression among patients of Western Uttar Pradesh of Northern India. *Industrial psychiatry journal.* 2023;32(Suppl 1):S236–S42. Available from: [https://doi.org/10.4103/ipj.ipj\\_234\\_23](https://doi.org/10.4103/ipj.ipj_234_23)
  115. Al-Zamil M, Kulikova NG, Zalozhnev DM, Shnayder NA, Petrova MM, Garganeeva NP, et al. Using the International Index of Erectile Function-15 in Comparative Analysis Between Transcutaneous Electrical Nerve Stimulation of the Pudendal Nerve and Low-Level Laser Therapy in the Treatment of Erectile Dysfunction After COVID-19. *Journal of Clinical Medicine.* 2025;14(22):8193. Available from: <https://doi.org/10.3390/jcm14228193>
  116. Algarni MA, Alharthi MS, Baali FH, Alzarea AI, Alharbi A, Alruqayb WS, et al. Topical Glutamate Diacetate: A Promising Therapy for Post-Coronavirus Disease 2019 Olfactory Dysfunction Through Calcium Modulation. *Am J Rhinol Allergy.* 2025;39(5):371–8. Available from: <https://doi.org/10.1177/19458924251347727>
  117. Alghitany SI, Fouad SA, Nassif AA, Guirguis SA. The effect of laser acupuncture on immunomodulation and dyspnea in post-COVID-19 patients. *Advances in Rehabilitation.* 2023;37(1):33–9. Available from: <https://doi.org/10.5114/arch.2023.125836>

118. Almalki SK, Azzam AM, Alhammad SA, Alabdulwahab S, Alshamrani AA, Alotaibi AN. Outcomes of a Structured Olfactory and Gustatory Rehabilitation Program in Children with Post-COVID-19 Smell and Taste Disturbances. *J Clin Med*. 2025;14(1). Available from: <https://doi.org/10.3390/jcm14010272>
119. Altemani AH, Alanazi MA, Altemani AH, Alharbi A, Alsaahali SM, Alotaib NM, et al. The Efficacy of Sodium Phytate as a Natural Chelating Agent in Reducing Elevated Calcium Levels in Nasal Mucus Among Individuals Experiencing Olfactory Dysfunction Following COVID-19: A Prospective Randomized Double-Controlled Clinical Trial. *Am J Rhinol Allergy*. 2023;38:116 – 22. Available from: <https://doi.org/10.1177/19458924231220545>
120. Amorim NTS, Cavalcanti FCB, Moura ECSCD, Sobral Filho D, Leitão CCDS, Almeida MMD, et al. Does whole-body vibration improve risk of falls, balance, and heart rate variability in post-COVID-19 patients? A randomized clinical trial. *Journal of Bodywork and Movement Therapies*. 2024;39:518–24. Available from: <https://doi.org/10.1016/j.jbmt.2024.03.013>
121. An X, Peng B, Huang X, Jiang H, Xiong Z, Zhang H, et al. Ludangshen oral liquid for treatment of convalescent COVID-19 patients: a randomized, double-blind, placebo-controlled multicenter trial. *Chin Med*. 2022;17(1):42. Available from: <https://doi.org/10.1186/s13020-022-00602-x>
122. Andrews JS, Boonyaratanakornkit JB, Krusinska E, Allen S, Posada JA. Assessment of the Impact of RNase in Patients With Severe Fatigue Related to Post-Acute Sequelae of SARS-CoV-2 Infection (PASC): A Randomized Phase 2 Trial of RSLV-132. *Clin Infect Dis*. 2024;10:10. Available from: <https://doi.org/10.1093/cid/ciae205>
123. Aref ZF, Bazeed S, Hassan MH, Hassan AS, Ghweil AA, Sayed MAA, et al. Possible Role of Ivermectin Mucoadhesive Nanosuspension Nasal Spray in Recovery of Post-COVID-19 Anosmia. *Infect Drug Resist*. 2022;15:5483–94. Available from: <https://doi.org/10.2147/IDR.S381715>
124. Armstrong M, Owen R, Van Niekerk KS, Saynor ZL. Personalised Health Behaviour Support Programme in Adults With Post-COVID Syndrome: A Randomised, Controlled Pilot Feasibility Trial. *Health Expect*. 2024;27(5):e70079. Available from: <https://doi.org/10.1111/hex.70079>
125. Atieh O, Daher J, Durieux JC, Abboud M, Labbato D, Baissary J, et al. Vitamins K2 and D3 Improve Long COVID, Fungal Translocation, and Inflammation: Randomized Controlled Trial. *Nutrients*. 2025;17(2). Available from: <https://doi.org/10.3390/nu17020304>
126. Badran BW, Huffman SM, Dancy M, Austelle CW, Bikson M, Kautz SA, et al. A pilot randomized controlled trial of supervised, at-home, self-administered transcutaneous auricular vagus nerve stimulation (taVNS) to manage long COVID symptoms. *Bioelectronic Medicine*. 2022;8(1):13. Available from: <https://doi.org/10.1186/s42234-022-00094-y>
127. Banihashemi ZS, Azizi-Fini I, Rajabi M, Maghami M, Yadollahi S. Chronic fatigue syndrome post-COVID-19: Triple-blind randomised clinical trial of Astragalus root extract. *BMJ Supportive and Palliative Care*. 2024. Available from: <https://doi.org/10.1136/spcare-2023-004595>
128. Barz A, Berger J, Speicher M, Morsch A, Wanjek M, Rissland J, et al. Effects of a symptom-titrated exercise program on fatigue and quality of life in

- people with post-COVID condition - a randomized controlled trial. *Scientific reports*. 2024;14(1):30511. Available from: <https://doi.org/10.1038/s41598-024-82584-4>
129. Becker JH, Watson E, Zubair N, Carnavali F, Bagiella E, Reich D, et al. Preliminary evaluation of a cognitive rehabilitation intervention for post-COVID-19 cognitive impairment: A pilot randomized controlled trial. *Neuropsychol Rehabil*. 2025:1–12. Available from: <https://doi.org/10.1080/09602011.2025.2552154>
  130. Bedir MAEG, Elemery FAE, Elghafar MTA, Torky M. Comparative study between corticosteroids and colchicine effect on interleukin-6 and Krebs-von-den Lungen-6 in treatment of post covid pulmonary fibrosis. *Egyptian Journal of Chest Diseases and Tuberculosis*. 2024;73(3):225–32. Available from: [https://doi.org/10.4103/ecdt.ecdt\\_12\\_24](https://doi.org/10.4103/ecdt.ecdt_12_24)
  131. Bhandari R. Online Yoga and Ayurveda Intervention as Tertiary Prevention of Psychological Comorbidities in COVID-19 Survivors: A Randomized Controlled Trial. *Annals of Neurosciences*. 2022;29(4):233–44. Available from: <https://doi.org/10.1177/09727531221117623>
  132. Bileviciute-Ljungar I, Apelman A, Braconier L, Osthols S, Norrefalk J-R, Borg K. A First Randomized Eight-Week Multidisciplinary Telerehabilitation Study for the Post-COVID-19 Condition: Improvements in Health- and Pain-Related Parameters. *J Clin Med*. 2025;14(2). Available from: <https://doi.org/10.3390/jcm14020486>
  133. Bileviciute-Ljungar I, Norrefalk JR, Borg K. Improved Functioning and Activity According to the International Classification of Functioning and Disability after Multidisciplinary Telerehabilitation for Post-COVID-19 Condition-A Randomized Control Study. *J Clin Med*. 2024;13(4). Available from: <https://doi.org/10.3390/jcm13040970>
  134. Calvani R, Giampaoli O, Marini F, Del Chierico F, De Rosa M, Conta G, et al. Beetroot juice intake positively influenced gut microbiota and inflammation but failed to improve functional outcomes in adults with long COVID: A pilot randomized controlled trial. *Clin Nutr*. 2024;43(12):344–58. Available from: <https://doi.org/10.1016/j.clnu.2024.11.023>
  135. Cantone E, D'Ascanio L, De Luca P, Roccamatysi D, La La Mantia I, Brenner MJ, et al. Persistent COVID-19 anosmia and olfactory loss post olfactory training: randomized clinical trial comparing central and peripheral-acting therapeutics. *Eur Arch Otorhinolaryngol*. 2024;16:16. Available from: <https://doi.org/10.1007/s00405-024-08548-6>
  136. Cardoso LR, Campos MC, Nery T, Alves ACDB, Speck AE, dos Santos NS, et al. Caffeine against persistent fatigue in long-COVID: a randomized clinical trial. *Fatigue: Biomedicine, Health and Behavior*. 2025;13(3):188–207. Available from: <https://doi.org/10.1080/21641846.2025.2483112>
  137. Çelik Z, Kafa N, Güzel NA, Köktürk N. The effects of physical activity tele-counseling intervention on physical activity, functional performance, and quality of life in post-COVID-19 conditions: a randomized controlled trial. *Expert Review of Respiratory Medicine*. 2024;18(5):321–31. Available from: <https://doi.org/10.1080/17476348.2024.2363862>
  138. Chen Y, Chen G, Zhang C, Tang G, Chan Y, Wang N, et al. Randomized, waitlist-controlled trial of Cordyceps sinensis mycelium culture extract (Cs4) for long COVID patients in Hong Kong. *Acta Materia Medica*.

- 2025;4(2):250–61. Available from: <https://doi.org/10.15212/AMM-2024-0089>
139. Combet E, Haag L, Richardson J, Haig CE, Cunningham Y, Fraser HL, et al. Remotely delivered weight management for people with long COVID and overweight: the randomized wait-list-controlled ReDIRECT trial. *Nat Med.* 2025;31(1):258–66. Available from: <https://doi.org/10.1038/s41591-024-03384-x>
  140. Crucianelli S, Mariano A, Valeriani F, Cocomello N, Gianfranceschi G, Baseggio Conrado A, et al. Effects of sulphur thermal water inhalations in long-COVID syndrome: Spa-centred, double-blinded, randomised case-control pilot study. *Clin Med.* 2024;24(6):100251. Available from: <https://doi.org/10.1016/j.clinme.2024.100251>
  141. Cunha ACR, Silva JC, Garces CP, Sisoneto TM, Nascimento JLR, Amaral AL, et al. Online and Face-to-Face Mat Pilates Training for Long COVID-19 Patients: A Randomized Controlled Trial on Health Outcomes. *Int J Environ Res Public Health.* 2024;21(10). Available from: <https://doi.org/10.3390/ijerph21101385>
  142. Cunha BLM, Policarpo JH, Silva JRD, Porfírio PV, Fraga LRDS, Leitão CCDS, et al. Whole body vibration exercise effects on exercise capacity and muscle strength in long Covid-19 patients: A randomized clinical trial. *Journal of Bodywork and Movement Therapies.* 2025;44:494–500. Available from: <https://doi.org/10.1016/j.jbmt.2025.06.013>
  143. D'Hoore L, Germonpré P, Rinia B, Caeyers L, Stevens N, Balestra C. Effect of normobaric and hyperbaric hyperoxia treatment on symptoms and cognitive capacities in Long COVID patients: a randomised placebo-controlled, prospective, double-blind trial. *Diving and Hyperbaric Medicine.* 2025;55(2):104–13. Available from: <https://doi.org/10.28920/dhm55.2.104-113>
  144. Danielevicz A, Diesel M, dos Santos CES, Sirydakis MEdM, de Melo PUG, Constantini MI, et al. Effects of a 24-week multicomponent training program on functional capacity, persistent symptoms, body composition, and physical activity in patients significantly affected by COVID-19: the COVID-19 and REhabilitation study (CORE-study)—randomized clinical trial. *Frontiers in Sports and Active Living.* 2025;Volume 7 - 2025. Available from: <https://doi.org/10.3389/fspor.2025.1549132>
  145. De Luca P, Camaioni A, Marra P, Salzano G, Carriere G, Ricciardi L, et al. Effect of Ultra-Micronized Palmitoylethanolamide and Luteolin on Olfaction and Memory in Patients with Long COVID: Results of a Longitudinal Study. *Cells.* 2022;11(16):2552. Available from: <https://doi.org/10.3390/cells11162552>
  146. de Moraes Sirydakis ME, Danielevicz A, de Melo PUG, Bregalda J, Constantini MI, Pellicciari G, et al. Improving quality of life, sleep and mental health through multicomponent training versus Brazilian recommendations of physical activity in post-COVID-19 patients: CORE-study—A randomized controlled trial. *Mental Health and Physical Activity.* 2024;27. Available from: <https://doi.org/10.1016/j.mhpa.2024.100615>
  147. Dellavechia de Carvalho C, Bertucci DR, Ribeiro FA, Costa GP, Toro DM, Camacho-Cardenosa M, et al. Effects of Moderate-Intensity Training Under Cyclic Hypoxia on Cardiorespiratory Fitness and Hematological Parameters

- in People Recovered From COVID-19: The AEROBICOVID Study. *Sports Health*. 2023;15(4):558–70. Available from: <https://doi.org/10.1177/19417381221120639>
148. Demir C, Aksoy CC, Gokmen GY, Durmaz D. Effect of telerehabilitation on post-COVID-19 individuals with long-term dyspnea: A randomized controlled study. *Journal of telemedicine and telecare*. 2025;1357633X251333903. Available from: <https://doi.org/10.1177/1357633X251333903>
  149. Derksen C, Rinn R, Gao L, Dahmen A, Cordes C, Kolb C, et al. Longitudinal Evaluation of an Integrated Post–COVID-19/Long COVID Management Program Consisting of Digital Interventions and Personal Support: Randomized Controlled Trial. *J Med Internet Res*. 2023;25:e49342. Available from: <https://doi.org/10.2196/49342>
  150. Di Stadio A, Cantone E, De Luca P, Di Nola C, Massimilla EA, Motta G, et al. Parosmia COVID-19 Related Treated by a Combination of Olfactory Training and Ultramicronized PEA-LUT: A Prospective Randomized Controlled Trial. *Biomedicines*. 2023;11(4):1109. Available from: <https://doi.org/10.3390/biomedicines11041109>
  151. Espana-Cueto S, Loste C, Lladós G, Lopez C, Santos JR, Dulsat G, et al. Plasma exchange therapy for the post COVID-19 condition: a phase II, double-blind, placebo-controlled, randomized trial. *Nat Commun*. 2025;16(1):1929. Available from: <https://doi.org/10.1038/s41467-025-57198-7>
  152. Evman MD, Cetin ZE. Effectiveness of platelet-rich plasma on post-COVID chronic olfactory dysfunction. *Rev Assoc Med Bras (1992)*. 2023;69(11):e20230666. Available from: <https://doi.org/10.1590/1806-9282.20230666>
  153. Fraser HL, Haag L, Brosnahan N, McConnachie A, Richardson J, Haig CE, et al. Cost-effectiveness of the ReDIRECT/counterweight-plus weight management programme to alleviate symptoms of long COVID. *Nat Commun*. 2025;16(1). Available from: <https://doi.org/10.1038/s41467-025-59909-6>
  154. Furtado PLdA, Brasileiro-Santos MdS, Cavalcanti de Mello BL, Araújo AA, Silva MASd, Suassuna JA, et al. The Effect of Telerehabilitation on Physical Fitness and Depression/Anxiety in Post-COVID-19 Patients: A Randomized Controlled Trial. *International Journal of Telerehabilitation*. 2023;15(1). Available from: <https://doi.org/10.5195/ijt.2023.6560>
  155. Gagnon C, Vincent T, Bherer L, Gayda M, Cloutier SO, Nozza A, et al. Oxygen supplementation and cognitive function in long-COVID. *PLoS ONE*. 2024;19(11). Available from: <https://doi.org/10.1371/journal.pone.0312735>
  156. Gellrich J, Czaplewski L, Hähner A, Hummel T. Palmitoylethanolamide and Luteolin for Postinfectious Olfactory Disorders: How Clinically Meaningful Is Its Effect? *ORL*. 2024;86(3-4):118–23. Available from: <https://doi.org/10.1159/000539651>
  157. Gohil D, Shaji M, Baxi G, Palekar TJ. Role of Proprioceptive Neuromuscular Facilitation Exercises in Post-COVID Individuals: A Randomized-Control Trial. *Journal of the Scientific Society*. 2022;49(3). Available from: [https://doi.org/10.4103/jss.jss\\_73\\_22](https://doi.org/10.4103/jss.jss_73_22)

158. Gomes Dos Santos EG, Vieira da Costa K, Cordeiro de Souza IT, Victor Dos Santos Felix J, Furtado Brandao CB, Michelle de Souza Fernandes V, et al. Effects of a cardiopulmonary rehabilitation protocol on functional capacity, dyspnea, fatigue, and body composition in individuals with post-COVID-19 syndrome: A randomized controlled trial. *Physiother Res Int*. 2024;29(2):e2086. Available from: <https://doi.org/10.1002/pri.2086>
159. González-Moreno J, Pozuelo C, Manos D, Gómez-Martínez S, Cantero-García M. A third generation therapies approach in long covid patients: Efficacy of an intervention program with spanish adults. *Current Psychology: A Journal for Diverse Perspectives on Diverse Psychological Issues*. 2024. Available from: <https://doi.org/10.1007/s12144-024-06012-6>
160. Goretzki SC, Bergelt M, Weis L, Hojeii R, Gauß G, Götte M, et al. Individualized online exercise therapy aids recovery in pediatric long-COVID—findings from an exploratory randomized controlled trial. *European Journal of Pediatrics*. 2026;185(1):54. Available from: <https://doi.org/10.1007/s00431-025-06705-5>
161. Hamead K, Ahmed MI, karim ArAa, Moneim RAA, Monem AAA, Mohamad SA. Comparison Between Intranasal Insulin Films Alone and Combined Intranasal Insulin Plus Steroid Films for Post Viral Olfactory Dysfunction. *Indian Journal of Otolaryngology and Head & Neck Surgery*. 2025;77(3):1230–7. Available from: <https://doi.org/10.1007/s12070-024-05296-1>
162. Hamed SA, Ahmed MAA. The effectiveness of cerebrolysin, a multi-modal neurotrophic factor, for treatment of post-covid-19 persistent olfactory, gustatory and trigeminal chemosensory dysfunctions: a randomized clinical trial. *Expert Rev Clin Pharmacol*. 2023;16(12):1261–76. Available from: <https://doi.org/10.1080/17512433.2023.2282715>
163. Harris SRS, Sewell B, Busse-Morris M, Edwards A, Jones F, Leggat F, et al. Cost-Effectiveness of a Personalised Self-Management Intervention for People Living With Long Covid: The LISTEN Randomised Controlled Trial. *Health expectations : an international journal of public participation in health care and health policy*. 2025;28(4):e70357. Available from: <https://doi.org/10.1111/hex.70357>
164. Hawkins J, Hires C, Keenan L, Dunne E. Aromatherapy blend of thyme, orange, clove bud, and frankincense boosts energy levels in post-COVID-19 female patients: A randomized, double-blinded, placebo controlled clinical trial. *Complement Ther Med*. 2022;67:102823. Available from: <https://doi.org/10.1016/j.ctim.2022.102823>
165. Hotz JF, Kellerberger S, Elea Jöchlinger S, Danielova I, Temizsoy H, Ötsch S, et al. Exploring cognitive impairments and the efficacy of phosphatidylcholine and computer-assisted cognitive training in post-acute COVID-19 and post-acute COVID-19 Vaccination Syndrome. *Frontiers in Neurology*. 2024;15. Available from: <https://doi.org/10.3389/fneur.2024.1419134>
166. Hura N, Reddy PD, Shaffer A, Stapleton A. A Randomized Controlled Trial on the Management of Post-COVID-19 Olfactory Dysfunction in a Pediatric Population. *Cureus*. 2025;17(6):e87026. Available from: <https://doi.org/10.7759/cureus.87026>

167. Imam MS, Abdelazim MH, Abdelazim AH, Ismaiel WF, Gamal M, Abourehab MAS, et al. Efficacy of pentasodium diethylenetriamine pentaacetate in ameliorating anosmia post COVID-19. *American Journal of Otolaryngology*. 2023;44(4):103871. Available from: <https://doi.org/https://doi.org/10.1016/j.amjoto.2023.103871>
168. Imam MS, Alghamdi MAA, Albukhari JNA, AlAtawi SMI, Altuwariqi DTM, Mashoon Shen JAH, et al. Intra-nasal Disodium Orthophosphate Is Beneficial in Improving Olfactory Dysfunction Post COVID-19. *Ann Otol Rhinol Laryngol*. 2025;34894251344011. Available from: <https://doi.org/10.1177/00034894251344011>
169. Intakhiao S, Prakobkaew N, Buddhisa S, Boonla O, Teethaisong Y, Koowattanatianchai S, et al. Ameliorative Effects of Triphala Supplementation on Oxidative Stress and Inflammation in Individuals with Post-COVID-19 Condition: A Preliminary Randomized Controlled Trial. *Global Advances in Integrative Medicine and Health*. 2025;14:27536130251385551. Available from: <https://doi.org/10.1177/27536130251385551>
170. Jorge MSG, Nepomuceno P, Schneider RH, Wibelinger LM. Eight weeks of Pilates Method improves physical fitness and sleep quality of individuals with post-COVID-19 syndrome: A randomized clinical trial blinded. *J Bodywork Mov Ther*. 2025;41:238–45. Available from: <https://doi.org/10.1016/j.jbmt.2024.11.037>
171. Keilani M, Steiner M, Sternik J, Schmeckenbecher J, Zwick RH, Wagner B, et al. Feasibility, acceptance and effects of pulsed magnetic field therapy in patients with post-COVID-19 fatigue syndrome : A randomized controlled pilot study. *Wien Klin Wochenschr*. 2025. Available from: <https://doi.org/10.1007/s00508-025-02522-w>
172. Khan AM, Piccirillo J, Kallogjeri D, Piccirillo JF. Efficacy of Combined Visual-Olfactory Training With Patient-Preferred Scents as Treatment for Patients With COVID-19 Resultant Olfactory Loss: A Randomized Clinical Trial. *JAMA otolaryngology-- head & neck surgery*. 2023;149(2):141–9. Available from: <https://doi.org/10.1001/jamaoto.2022.4112>
173. Kroll D, Gloeckl R, Schneeberger T, Jarosch I, Klefenz I, Hitzl W, et al. Effects of Cranial Electrotherapy Stimulation in Patients with Post-COVID-19 Condition on Anxiety Symptoms: A Randomised Controlled Trial. *Respiration*. 2025;1–7. Available from: <https://doi.org/10.1159/000547385>
174. Lechner M, Liu J, Counsell N, Gillespie D, Chandrasekharan D, Ta NH, et al. The COVANOS trial - insight into post-COVID olfactory dysfunction and the role of smell training. *Rhinology*. 2022;60(3):188–99. Available from: <https://doi.org/10.4193/Rhin21.470>
175. Leitner M, Paletta L, Leal-Garcia M, Fellner M, Koini M. A tablet-based intervention study to alleviate cognitive and psychological symptoms in patients with post-Covid-19 condition. *Front Psychol*. 2025;16:1582742. Available from: <https://doi.org/10.3389/fpsyg.2025.1582742>
176. Liotta EA, Parisi GF, Papale M, Pecora G, Manti S, Leonardi S. Assessing the efficacy of L-arginine and vitamin C supplementation in pediatric Long-COVID: a Randomized Controlled Trial. *Pediatric Respiratory Journal*. 2025;03(01). Available from: <https://doi.org/10.56164/PediatrRespirJ.2024.63>

177. Maccarone MC, Contessa P, Passarotto E, Regazzo G, Masiero S. Balance rehabilitation and Long Covid syndrome: effectiveness of thermal water treatment vs. home-based program. *Front rehabil sci.* 2025;6:1588940. Available from: <https://doi.org/10.3389/freesc.2025.1588940>
178. Mahadev A, Hentati F, Miller B, Bao J, Perrin A, Kallogieri D, et al. Efficacy of Gabapentin For Post–COVID-19 Olfactory Dysfunction: The GRACE Randomized Clinical Trial. *JAMA Otolaryngology–Head & Neck Surgery.* 2023;149(12):1111–9. Available from: <https://doi.org/10.1001/jamaoto.2023.2958>
179. Masson V, Nguyen-Thi PL, Gallet P, Jankowski R, Rumeau C, Nguyen DT. Assessment of two olfactory training methods for post-COVID-19 loss of olfaction: Classical and intensive. *Eur Ann Otorhinolaryngol Head Neck Dis.* 2025. Available from: <https://doi.org/10.1016/j.anorl.2025.04.007>
180. Melamed I, Buckley C, Bayko ME, Williams JL, Or-Geva N. Does C1 esterase inhibitor play a role in post COVID-19 neurological symptoms? A randomized, double-blind, placebo-controlled, crossover, proof-of-concept study. *Frontiers in Neurology.* 2025;Volume 16 - 2025. Available from: <https://doi.org/10.3389/fneur.2025.1523814>
181. Mohebbi A, Bagheri SH, Raziabadi E, Shafiei A, Roomiani M, Arab M, et al. Effects of Frequency-Controlled Ear Acupuncture on COVID-19- related Refractory Olfactory Dysfunction: a Randomized Clinical Trial. *Journal of acupuncture and meridian studies.* 2024;17(2):69–75. Available from: <https://doi.org/10.51507/j.jams.2024.17.2.69>
182. Monroy M, Amster M, Eagle J, Zerwas FK, Keltner D, Lopez JE. Awe reduces depressive symptoms and improves well-being in a randomized-controlled clinical trial. *Scientific reports.* 2025;15(1):16453. Available from: <https://doi.org/10.1038/s41598-025-96555-w>
183. Nikrah N, Bahari F, Shiri A. Effectiveness of the acceptance and commitment therapy on resilience and quality of life in patients with post-acute COVID-19 syndrome. *Applied Nursing Research.* 2023;73:151723. Available from: <https://doi.org/10.1016/j.apnr.2023.151723>
184. Ogonowska-Slodownik A, Labecka MK, Maciejewska-Skrendo A, Morgulec-Adamowicz N, Starczewski M, Gajewski J, et al. Effect of water- and land-based exercise on lung function in children with post-COVID-19 condition: secondary results from a randomised controlled trial. *ERJ open research.* 2025;11(3). Available from: <https://doi.org/10.1183/23120541.00838-2024>
185. Oliveira PC, Correia LO, Lopes NMD, Suassuna GR, Doty RL, Pinna FdR, et al. Efficacy of the adjunctive use of photobiomodulation therapy in olfactory disorders in post-COVID-19 patients: A randomized controlled trial. *Rev Bras Otorrinolaringol (Engl Ed).* 2025;91(4):101583. Available from: <https://doi.org/10.1016/j.bjorl.2025.101583>
186. Ovejero D, Ribes A, Villar-Garcia J, Trenchs-Rodriguez M, Lopez D, Nogues X, et al. Balneotherapy for the treatment of post-COVID syndrome: a randomized controlled trial. *BMC Complement Med Ther.* 2025;25(1):37. Available from: <https://doi.org/10.1186/s12906-025-04784-3>
187. Percin A, Ozden AV, Yenisehir S, Pehlivanoglu BE, Yilmaz RC. Effects of Transcutaneous Auricular Vagus Nerve Stimulation on Fatigue in Post-COVID Syndrome: A Randomized, Single-Blind, Sham-Controlled Study.

- International Journal of Clinical Practice. 2025;2025(1):5641307. Available from: <https://doi.org/10.1155/ijcp/5641307>
188. Pfoser-Poschacher V, Keilani M, Steiner M, Schmeckenbecher J, Zwick RH, Crevenna R. Feasibility and acceptance of transdermal auricular vagus nerve stimulation using a TENS device in females suffering from long COVID fatigue. *Wien Klin Wochenschr.* 2025. Available from: <https://doi.org/10.1007/s00508-025-02501-1>
  189. Pooladgar P, Sakhabakhsh M, Soleiman-Meigooni S, Taghva A, Nasiri M, Darazam IA. The effect of donepezil hydrochloride on post-COVID memory impairment: A randomized controlled trial. *Journal of Clinical Neuroscience.* 2023;118:168–74. Available from: <https://doi.org/10.1016/j.jocn.2023.09.005>
  190. Promsrisuk T, Srithawong A, Kongsui R, Sriraksa N, Thongrong S, Kloypan C, et al. Therapeutic Effects of Slow Deep Breathing on Cardiopulmonary Function, Physical Performance, Biochemical Parameters, and Stress in Older Adult Patients with Long COVID in Phayao, Thailand. *Ann geriatr med res.* 2025;29(2):240–53. Available from: <https://doi.org/10.4235/agmr.24.0175>
  191. Ramirez-Velez R, Oteiza J, Legarra-Gorgonon G, Oscoz-Ochandorena S, Garcia-Alonso N, Garcia-Alonso Y, et al. Exercise training in long COVID: the EXER-COVID trial. *Eur Heart J.* 2024. Available from: <https://doi.org/10.1093/eurheartj/ehae721>
  192. Reeves JM, Spencer LM, Tsai LL, Baillie AJ, Han Y, Leung RWM, et al. Effect of a 4-week pulmonary telerehabilitation program for people with respiratory post-acute sequelae of COVID-19—A randomised controlled trial. *European Journal of Physiotherapy.* 2025. Available from: <https://doi.org/10.1080/21679169.2025.2479676>
  193. Riste L, Perrin R, Mulholland T, Hann M, McDonald O, Heald A. Testing the Feasibility of a Self-Help Intervention That Includes Lymphatic Drainage to Reduce Fatigue-Related Symptoms Among Patients with Long COVID in General Practice: Experiences from Our Randomized Controlled Trial (RCT). *Infectious Diseases and Therapy.* 2026;15(2):577–89. Available from: <https://doi.org/10.1007/s40121-025-01287-z>
  194. Rohini P, Saravanan A, Maheshkumar K, ThamaraiSelvi K, Praba PK, Prabhu V. Effects of Bhramari and Sheetal Pranayama on Cardio Respiratory Function in Post-COVID Patients: A Randomised Controlled Study. *Annals of Neurosciences.* 2025. Available from: <https://doi.org/10.1177/09727531241306849>
  195. Russo S, Fiani F, Napoli C. Remote Eye Movement Desensitization and Reprocessing Treatment of Long-COVID- and Post-COVID-Related Traumatic Disorders: An Innovative Approach. *Brain Sciences.* 2024;14(12). Available from: <https://doi.org/10.3390/brainsci14121212>
  196. Saha S, Singh R, Mani I, Chakraborty K, Sarkar P, Saha S, et al. Individualized Homeopathic Medicines in the Treatment of Post-COVID-19 Fatigue in Adults: Single-Blind, Randomized, Placebo-Controlled Trial. *Complement Med Res.* 2024;31(1):1–9. Available from: <https://doi.org/10.1159/000535279>
  197. Sarkar A, Speiser E, Dara S, Ogedegbe C, Chinnery P, Estantbouli M-T, et al. The Feasibility of Omega-3 Supplementation Compared to Placebo in the Management of Long COVID Symptoms Among Healthcare Workers: A

- Randomized Controlled Trial. *Cureus*. 2024;16(12):e76148. Available from: <https://doi.org/10.7759/cureus.76148>
198. Sarmiento A, Adodo R, Hodges G, Webber SC, Sanchez-Ramirez DC. Virtual pulmonary rehabilitation approaches in patients with post COVID syndrome: a pilot study. *BMC pulm*. 2024;24(1):139. Available from: <https://doi.org/10.1186/s12890-024-02965-3>
  199. Schröder D, Stölting A, Müllenmeister C, Behrens GMN, Klawitter S, Klawonn F, et al. Improvement in quality of life and cognitive function in Post-COVID syndrome after online occupational therapy: Results from a randomized controlled pilot study. *PLoS ONE*. 2025;20(5 May). Available from: <https://doi.org/10.1371/journal.pone.0312714>
  200. Serrano TLI, Antonio MA, Giacomini LT, Morcillo AM, Ribeiro JD, Sakano E. Olfactory training for the treatment of COVID-19 related smell loss: a randomised double-blind controlled trial. *Rhinology*. 2025;63(3):325–33. Available from: <https://doi.org/10.4193/Rhin24.081>
  201. Shatri H, Sinulingga DI, Rumende CM, Setiati S, Putranto R, Ginanjar E, et al. Effectiveness of Internet-Based Group Supportive Psychotherapy on Psychic and Somatic Symptoms, Neutrophil-Lymphocyte Ratio, and Heart Rate Variability in Post COVID-19 Syndrome Patients. *Acta Med Indones*. 2023;55(4):411–20.
  202. Sick J, Steinbacher V, Kotnik D, König F, Recking T, Bengsch D, et al. Exercise rehabilitation in post COVID-19 patients: a randomized controlled trial of different training modalities. *European journal of physical and rehabilitation medicine*. 2024. Available from: <https://doi.org/10.23736/S1973-9087.24.08487-9>
  203. Slankamenac J, Ranisavljev M, Todorovic N, Ostojic J, Stajer V, Ostojic SM. Creatine supplementation combined with breathing exercises reduces respiratory discomfort and improves creatine status in patients with long-COVID. *J Postgrad Med*. 2024;70(2):101–4. Available from: [https://doi.org/10.4103/jpgm.jpgm\\_650\\_23](https://doi.org/10.4103/jpgm.jpgm_650_23)
  204. Soldatenko AA, Gumenyk LN. Dynamics of oxidative stress markers and mental status in patients with post-COVID-19 asthenic syndrome: Effects of adjunctive systemic ozone therapy. *Russian Open Medical Journal*. 2025;14(1). Available from: <https://doi.org/10.15275/rusomj.2025.0109>
  205. Soldatenko AA, Gumenyuk LN, Berdieva DM, Ponomarchuk EI. Effectiveness of enriching drug treatment with systemic ozone therapy in patients with post-COVID asthenic syndrome. *Bulletin of Russian State Medical University*. 2024(2024(4)):44–51. Available from: <https://doi.org/10.24075/brsmu.2024.034>
  206. Stavrou VT, Vavougios GD, Astara K, Mysiris DS, Tsirimona G, Papayianni E, et al. The Impact of Different Exercise Modes in Fitness and Cognitive Indicators: Hybrid versus Tele-Exercise in Patients with Long Post-COVID-19 Syndrome. *Brain sci*. 2024;14(7). Available from: <https://doi.org/10.3390/brainsci14070693>
  207. Tanashyan M, Morozova S, Raskurazhev A, Kuznetsova P. A prospective randomized, double-blind placebo-controlled study to evaluate the effectiveness of neuroprotective therapy using functional brain MRI in patients with post-covid chronic fatigue syndrome. *Biomedicine &*

- Pharmacotherapy. 2023;168:115723. Available from: <https://doi.org/https://doi.org/10.1016/j.biopha.2023.115723>
208. Tanhan A, Ozer AY, Timurtas E, Batirel A, Polat MG. Is asynchronous telerehabilitation equal to synchronous telerehabilitation in COVID-19 survivors with classes 4-6? *J Telemed Telecare*. 2025;31(3):347–58. Available from: <https://doi.org/10.1177/1357633X231189761>
  209. Toussaint LL, Bratty AJ. Amygdala and Insula Retraining (AIR) Significantly Reduces Fatigue and Increases Energy in People with Long COVID. *Evid Based Complement Alternat Med*. 2023;2023:7068326. Available from: <https://doi.org/10.1155/2023/7068326>
  210. Tura NC, da Silva Pereira F, Fogaça B, Pang AS, do Amaral LA, Barbosa RI. Efficacy of Synchronous vs. Asynchronous Telerehabilitation for Musculoskeletal Symptoms in Post-Covid-19 Syndrome: A Randomized Clinical Trial. *Int J Telerehabil*. 2025;17(2):6716. Available from: <https://doi.org/10.63144/ijt.2025.6716>
  211. Uswatte G, Taub E, Ball K, Mitchell BS, Blake JA, McKay S, et al. Long COVID brain fog treatment: An early-phase randomized controlled trial of constraint-induced cognitive therapy signals go. *Rehabil Psychol*. 2025. Available from: <https://doi.org/10.1037/rep0000626>
  212. Vandersteen C, Payne M, Becker C, Bernier S, Derreumaux A, Guevara N, et al. Web-application guided bimodal olfactory training for COVID-19 patients: a randomized trial. *Rhinology*. 2025;63(6):706–15. Available from: <https://doi.org/10.4193/Rhin24.273>
  213. Versace V, Orтели P, Dezi S, Ferrazzoli D, Alibardi A, Bonini I, et al. Co-ultramicrotonized palmitoylethanolamide/luteolin normalizes GABA(B)-ergic activity and cortical plasticity in long COVID-19 syndrome. *Clin Neurophysiol*. 2023;145:81–8. Available from: <https://doi.org/10.1016/j.clinph.2022.10.017>
  214. Vestito L, Ponzano M, Mori L, Trompetto C, Bandini F. A randomized controlled trial of anodal transcranial direct current stimulation (A-tDCS) and olfactory training in persistent COVID-19 anosmia. *Brain stimulation*. 2025;18(4):1106–12. Available from: <https://doi.org/10.1016/j.brs.2025.04.023>
  215. Wang Z, Zhu T, Li X, Lai X, Chen M. Tragus Nerve Stimulation Attenuates Postural Orthostatic Tachycardia Syndrome in Post COVID-19 Infection. *Clin Cardiol*. 2025;48(3):e70110. Available from: <https://doi.org/10.1002/clc.70110>
  216. Wu C-Y, Reynolds WC, Abril I, McManus AJ, Brenner C, González-Irizarry G, et al. Effects of nicotinamide riboside on NAD<sup>+</sup> levels, cognition, and symptom recovery in long-COVID: a randomized controlled trial. *EClinicalMedicine*. 2025;89:103633. Available from: <https://doi.org/https://doi.org/10.1016/j.eclinm.2025.103633>
  217. Yeap Z, Sobhan R, Bengtsson SL, Sami S, Clark AB, Vishwakarma R, et al. The APOLLO Trial: A Proof-of-Concept Study for Vitamin A Nasal Drops in COVID-19 Related Post-Infectious Olfactory Dysfunction. *Chemical Senses*. 2026. Available from: <https://doi.org/10.1093/chemse/bjag001>
  218. Zulbaran-Rojas A, Bara RO, Lee M, Bargas-Ochoa M, Phan T, Pacheco M, et al. Transcutaneous electrical nerve stimulation for fibromyalgia-like syndrome in patients with Long-COVID: a pilot randomized clinical trial.

- Scientific reports. 2024;14(1):27224. Available from:  
<https://doi.org/10.1038/s41598-024-78651-5>
219. Zulbaran-Rojas A, Lee M, Bara RO, Flores-Camargo A, Spitz G, Finco MG, et al. Electrical stimulation to regain lower extremity muscle perfusion and endurance in patients with post-acute sequelae of SARS CoV-2: A randomized controlled trial. *Physiol Rep.* 2023;11(5):e15636. Available from:  
<https://doi.org/10.14814/phy2.15636>