



Bilaga 5 Känslighetsanalyser/Sensitivity analyses


Figur 1 Metaanalys med sammanvägd effekt på fysisk livskvalitet, mätt med SF-36 PCS [1-3].




Figur 2 Skogsdiagram av psykisk livskvalitet, mätt med SF-36 MCS [1, 2].




Figur 3 Känslighetsanalys av fatigue [2-7] utan Berry et al. [8]



Figur 4 Känslighetsanalys av hälsorelaterad livskvalitet, mätt med EQ-5D-5L [7, 9, 10], utan Berry et al. [8]



Figur 5 Känslighetsanalys av hälsorelaterad livskvalitet, mätt med EQ VAS [7, 9, 10], utan Berry et al. [8]



Referenser

1. Besnier F, Malo J, Mohammadi H, Clavet S, Klai C, Martin N, et al. Effects of Cardiopulmonary Rehabilitation on Cardiorespiratory Fitness and Clinical Symptom Burden in Long COVID: Results From the COVID-Rehab Randomized Controlled Trial. *Am J Phys Med Rehabil*. 2025;104(2):163–71. Available from: <https://doi.org/10.1097/PHM.0000000000002559>
2. Kerling A, Beyer S, Dirks M, Scharbau M, Hennemann A-K, Dopfer-Jablonka A, et al. Effects of a randomized-controlled and online-supported physical activity intervention on exercise capacity, fatigue and health related quality of life in patients with post-COVID-19 syndrome. *BMC Sports Science, Medicine and Rehabilitation*. 2024;16(1):33. Available from: <https://doi.org/10.1186/s13102-024-00817-5>
3. Longobardi I, Goessler K, de Oliveira Júnior GN, Prado DMLd, Santos JVP, Meletti MM, et al. Effects of a 16-week home-based exercise training programme on health-related quality of life, functional capacity, and persistent symptoms in survivors of severe/critical COVID-19: a randomised controlled trial. *British Journal of Sports Medicine*. 2023;57(20):1295. Available from: <https://doi.org/10.1136/bjsports-2022-106681>
4. Elhamrawy M, Hamied A, Sherbini I, Mokhtar M, Mashaal A, Elkady S, et al. Effect of Tai Chi versus Aerobic Training on Improving Hand Grip Strength, Fatigue, and Functional Performance in Older Adults Post-COVID-19: a randomized controlled trial. *Journal of Population Therapeutics and Clinical Pharmacology*. 2023:190–8. Available from: <https://doi.org/10.47750/jptcp.2023.30.07.024>
5. Jimeno-Almazán A, Franco-López F, Buendía-Romero Á, Martínez-Cava A, Sánchez-Agar JA, Sánchez-Alcaraz Martínez BJ, et al. Rehabilitation for post-COVID-19 condition through a supervised exercise intervention: A randomized controlled trial. *Scandinavian Journal of Medicine & Science in Sports*. 2022;32(12):1791–801. Available from: <https://doi.org/10.1111/sms.14240>
6. Kogel A, Machatschek M, Scharschmidt R, Wollny C, Lordick F, Ghanem M, et al. Physical exercise as a treatment for persisting symptoms post covid infection. *European heart journal*. 2023;44. Available from: <https://doi.org/10.1093/eurheartj/ehad655.2398>
7. Sharma D, Vaish H. Impact of comprehensive rehabilitation on functional capacity, fatigue, and quality of life among long-term COVID-19 survivors in resource limited settings - a randomized controlled trial *J Physiother Res*. 2024;14. Available from: <https://doi.org/10.17267/2238-2704rpf.2024.e5840>
8. Berry C, McKinley G, Bayes HK, Anderson D, Lang CC, Gill A, et al. Resistance Exercise Therapy After COVID-19 Infection: A Randomized Clinical Trial. *JAMA Network Open*. 2025;8(11):e2534304–e. Available from: <https://doi.org/10.1001/jamanetworkopen.2025.34304>

9. Daynes E, Evans RA, Greening NJ, Bishop NC, Yates T, Lozano-Rojas D, et al. Post-Hospitalisation COVID-19 Rehabilitation (PHOSP-R): a randomised controlled trial of exercise-based rehabilitation. *Eur Respir J*. 2025;65(5). Available from: <https://doi.org/10.1183/13993003.02152-2024>
10. McGregor G, Sandhu H, Bruce J, Sheehan B, McWilliams D, Yeung J, et al. Clinical effectiveness of an online supervised group physical and mental health rehabilitation programme for adults with post-covid-19 condition (REGAIN study): multicentre randomised controlled trial. *BMJ*. 2024;384:e076506. Available from: <https://doi.org/10.1136/bmj-2023-076506>