

Bilaga 1. Sökstrategier

Skolbaserade program, externaliserande symtom

PubMed (NLM), November 2009

Sociopathic (TiAb)	AND	Schools (Me, Ti)	AND	Comparative study (PT)
Antisocial (TiAb)		OR School health services (Me)		OR Controlled clinical trial (PT)
Psychopathic (TiAb)		OR School based (TiAb)		OR Meta analysis (PT)
Defiant (TiAb)		OR Classroom based (TiAb)		OR Multicenter study (PT)
Defiance (TiAb)		OR School (Ti)		OR Randomized controlled trial (PT)
Delinquency (TiAb)		OR Classroom/s (Ti)		OR Review (PT)
Delinquent (TiAb)		OR Teacher based (TiAb)		OR Validation studies (PT)
Conduct (TiAb)		OR Teacher/s (Ti)		OR Program development (Me)
Misconduct (TiAb)		OR School intervention (TiAb)		OR Program evaluation (Me)
Oppositional (TiAb)		OR Classroom implementation (TiAb)		OR Controlled clinical trials as topic (Me)
Callous-unemotional (TiAb)		OR Peer mediated (TiAb)		OR Intervention studies (Me)
Bullying (TiAb)		OR Peer mediation (TiAb)		OR Cost benefit analysis (Me)
Violence (Me, TiAb)	AND	Programme (Ti)		OR Follow up studies (Me)
Aggression (Me, TiAb)		OR Program (Ti)		OR Program evaluation (Me)
Criminality (TiAb)		OR Evaluation (Ti)		OR Comparative (TiAb)
Crime (TiAb)		OR Intervention/s (TiAb)		OR Controlled (TiAb)
Pro-social (TiAb)		OR Training (Ti)		OR Random* (TiAb)
Prosocial (TiAb)		OR PRevention (TiAb)		OR Evaluation (TiAb)
Emotional intelligence (TiAb)		OR Preventive (TiAb)		OR Follow up (TiAb)
EQ (Ti)		OR PReventing (Ti)		NOT Cross-sectional studies (Me)
Conduct disorder (Me)		OR Treatment/s (Ti)		OR Retrospective studies (Me)
Child behavior disorders (Me)		OR Promotion (Ti)		OR Universities (Me, Ti)
Juvenile delinquency (Me)		OR Effects (Ti)		OR University (Ti)
Social problems (NoExp)		OR Effectiveness (Ti)		OR College (Ti)
Dangerous behavior (Me)		OR Programming (Ti)		OR Preschool (TiAb)
Social adjustment (Me)		OR Efficacy (Ti)		OR Pre-school (TiAb)
Empathy (Me)		OR Promoting (Ti)		OR Toddlers (Ti)
Substance-related disorders (Me)				OR Child, preschool (Me)
Alcohol (TiAb)				
Drug abuse (TiAb)				
Illicit drugs (TiAb)				
Substance abuse (TiAb)				
Substance use (TiAb)				
Glue sniffing (TiAb)				
Tobacco (TiAb)				
Marijuana (TiAb)				
Social skill/s (TiAb)				
Truancy (TiAb)				
Vandalism (TiAb)				
Truant (TiAb)				

(Sociopathic[title/abstract] OR Antisocial[title/abstract] OR Psychopathic[title/abstract] OR defiant[title/abstract] OR defiance[title/abstract] OR delinquency[title/abstract] OR delinquent[title/abstract] OR conduct[title/abstract] OR misconduct [title/abstract] OR oppositional[title/abstract] OR callous-unemotional[title/abstract] OR bullying[title/abstract] OR Violence[title/abstract] OR aggression[title/abstract] OR criminality[title/abstract] OR crime[title/abstract] OR "pro-social"[title/abstract] OR "prosocial"[title/abstract] OR "emotional intelligence"[title/abstract] OR "eq"[title/abstract] OR "Conduct Disorder"[MeSH Terms] OR "Child Behavior Disorders"[MeSH Terms] OR "Juvenile Delinquency"[MeSH Terms] OR "Social Problems"[Mesh:NoExp] OR "Violence"[Mesh:NoExp] OR "Dangerous Behavior"[MeSH Terms] OR Aggression [MeSH Terms] OR "social adjustment"[Mesh Terms] OR "empathy"[MeSH Terms] OR "Substance-Related Disorders"[MeSH Terms] OR "alcohol"[title/abstract] OR "drug abuse"[title/abstract] OR "illicit drugs"[title/abstract] OR "substance abuse" [title/abstract] OR "substance use"[title/abstract] OR "glue sniffing"[title/abstract] OR "tobacco"[title/abstract] OR "marijuana"[title/abstract] OR "social skill"[title/abstract] OR "social skills"[title/abstract] OR truancy[title/abstract] OR vandalism [title/abstract] OR truant[title/abstract] AND ("schools"[MeSH Terms] OR "School Health Services"[Mesh Terms] OR "school based"[title/abstract] OR "classroom based"[Title/abstract] OR "school"[title] OR "classroom"[title] OR "schools"[title] OR "classrooms"[title] OR "teacher based"[title/abstract] OR "teacher"[title] OR "teachers"[title] OR "school intervention"[title/abstract] OR "classroom implemen- tation"[title/abstract] OR "peer mediated"[title/abstract] OR "peer mediation"[title/ abstract]) AND ("comparative study"[Publication Type] OR "controlled clinical trial" [Publication Type] OR "meta analysis"[Publication Type] OR "multicenter study" [Publication Type] OR "randomized controlled trial"[Publication Type] OR "review" [Publication Type] OR "validation studies"[Publication Type] OR "program develop- ment"[MeSH Terms] OR "program evaluation"[MeSH Terms] OR "controlled clinical trials as topic"[MeSH Terms] OR "intervention studies"[MeSH Terms] OR "cost benefit analysis"[MeSH Terms] OR "follow up studies"[MeSH Terms] OR "Program evaluation"[MeSH Terms] OR "comparative"[title/abstract] OR "controlled"[title/ abstract] OR random*[title/abstract] OR "evaluation"[title/Abstract] OR "follow up" [title/abstract] AND ("programme"[Title] OR "program"[title] OR "evaluation"[Title] OR "intervention"[Title/abstract] OR "interventions"[title/abstract] OR "training"[title] OR "prevention"[title/abstract] OR "preventive"[title/abstract] OR preventing[title] OR "treatment"[title] OR "treatments"[title] OR "promotion"[title] OR "effects"[title] OR "effectiveness"[title] OR programming[title] OR efficacy[title] OR promoting[title]) NOT ("cross-sectional studies"[MeSH Terms] OR "retrospective studies"[MeSH Terms] OR "universities"[MeSH Terms] OR university[title] OR "universities"[title] OR college[title] OR preschool[title/abstract] OR "pre-school"[title/abstract] OR "toddlers"[title] OR "child, preschool"[Mesh Terms])

Skolbaserade Program, Externaliserande Symtom

PsycInfo (EBSCO), November 2009

Sociopathic (TX)	OR	Antisocial behavior (De)	AND	Child (Ti)	AND	Prospective studies (De)
Antisocial (TX)		Criminal behavior (De)		OR Children (Ti)		OR Between groups design (De)
Psychopathic (TX)		Cruelty (De)		OR Adolescent/s (Ti)		OR Cohort analysis (De)
Defiant (TX)		Harassment (De)		OR Youth/s (Ti)		OR Followup studies (De)
Defiance (TX)		Persecution (De)		OR Teenager/s (Ti)		OR Randomized (TX)
Delinquency (TX)		Physical abuse (De)		OR Graders (Ti)		OR Random (TX)
Delinquent (TX)		Recidivism (De)		AND Schools (De)		OR Randomly (TX)
Conduct (TX)		Runaway behavior (De)		OR Elementary schools (De)		OR Controlled (TX)
Misconduct (TX)		Verbal abuse (De)		OR High schools (De)		OR Control/s (TX)
Oppositional (TX)		Aggressive behavior (De)		OR School psychologists (De)		OR Comparison/s (TX)
Callous-unemotional (TX)		Conduct disorder (De)		OR Student personnel services (De)		OR Comparative (TX)
Bullying (TX)		Oppositional defiant disorder (De)		OR School based intervention (De)		OR Follow up (TX)
Violence (De, TX)		Criminal behavior (De)		OR School counseling (De)		OR Followup (TX)
Aggression (TX)		Arson (De)		OR Peer tutoring (De)		OR Program evaluation (De)
Criminality (TX)		Illegal drug distribution (De)		OR Peer counseling (De)		OR Educational program
Crime (De, TX)		Sex offenses (De)		OR Teachers (De)		evaluation (De)
Pro-social (TX)		Theft (De)		OR Classroom behavior		OR Mental health program
Prosocial (TX)		Violent crime (De)		modification (De)		evaluation (De)
Emotional intelligence (TX)		Sexual abuse (De)		OR Classroom management (De)		OR Prevention (De)
EQ (TX)		Rape (De)		OR School based (TX)		OR Crime prevention (De)
Conduct disorder (TX)		Shoplifting (De)		OR Classroom based (TX)		OR Primary mental health
Child behavior disorders (TX)				OR Teacher based (TX)		prevention (De)
Juvenile delinquency (De, TX)				OR School intervention (TX)		OR Suicide prevention (De)
Social problems (TX)				OR School implementation (TX)		OR Early intervention (De)
Dangerous behavior (TX)				OR Classroom/s (Ti)		NOT Retrospective studies (De)
Social adjustment (TX)				OR School/s (Ti)		OR Colleges (De)
Empathy (TX)				OR Teacher/s (Ti)		OR College students (De)
Drug abuse (TX)				AND Programme (Ti)		OR Preschool students (De)
Illicit drugs (TX)				OR Program (Ti)		OR Nursery school students (De)
Substance abuse (TX)				OR Evaluation (Ti)		OR University (Ti)
Substance use (TX)				OR Prevention (TX)		OR Universities (Ti)
Glue sniffing (TX)				OR Preventive (TX)		OR College (Ti)
Social skill/s (TX)				OR Preventing (TX)		OR Preschool (Ti)
Truancy (TX)				OR Promotion (Ti)		OR Pre-school (Ti)
Vandalism (De, TX)				OR Programming (Ti)		OR Toddlers (Ti)
Truant (TX)				OR Promoting (Ti)		
				OR Effectiveness (Ti)		
				OR Meta-analysis (Ti)		
				OR Meta-analytic (Ti)		
				OR Systematic (Ti)		

Limit: All journals

(TX Sociopathic OR TX Antisocial OR TX Psychopathic OR TX defiant OR TX defiance OR TX delinquency OR TX delinquent OR TX conduct OR TX misconduct OR TX oppositional OR TX (callous-unemotional) OR TX bullying OR TX Violence OR TX aggression OR TX criminality OR TX crime OR TX (pro-social) OR TX prosocial OR TX (emotional intelligence) OR TX eq OR TX (Conduct Disorder) OR TX (Child Behavior disorders) OR TX (Juvenile Delinquency) OR TX "Social Problems" OR TX "Dangerous Behavior" OR TX social adjustment OR TX empathy OR TX drug abuse OR TX illicit drugs OR TX substance abuse OR TX substance use OR TX glue sniffing OR TX social skill OR TX social skills OR TX truancy OR TX vandalism OR TX truant OR DE "Anti-social Behavior" OR DE "Criminal Behavior" OR DE "Cruelty" OR DE "Harassment" OR DE "Juvenile Delinquency" OR DE "Persecution" OR DE "Physical Abuse" OR DE "Recidivism" OR DE "Runaway Behavior" OR DE "Verbal Abuse" OR DE "Violence" OR DE "aggressive behavior" OR DE "conduct disorder" OR DE "oppositional defiant disorder" OR DE "criminal behavior" OR DE "Crime" OR DE "Arson" OR DE "Illegal Drug Distribution" OR DE "Sex Offenses" OR DE "Theft" OR DE "Vandalism" OR DE "Violent Crime" OR DE "Sexual Abuse" OR DE "rape" OR DE "shoplifting") AND (TI "child" OR TI "children" OR TI "adolescent" OR TI "adolescents" OR TI "youth" OR TI "youths" OR TI "teenager" OR TI "teenagers" OR TI "graders") AND (DE "prospective studies" OR DE "between groups design" OR DE "cohort analysis" OR DE "followup studies" OR TX "randomized" OR TX "random" OR TX "randomly" OR TX "controlled" OR TX "controls" OR TX "control" OR TX "comparison" OR TX "comparisons" OR TX "comparative" OR TX "follow up" OR TX "followup" OR DE "Program Evaluation" OR DE "Educational Program Evaluation" OR DE "Mental Health Program Evaluation" OR DE "Prevention" OR DE "Crime Prevention" OR DE "Primary Mental Health Prevention" OR DE "Suicide Prevention" OR DE "Early Intervention") AND (DE "Schools" OR DE "Elementary Schools" OR DE "High Schools" OR DE "school psychologists" OR DE "student personnel services" OR DE "school based intervention" OR DE "school counseling" OR DE "peer tutoring" OR DE "peer counseling" OR DE "teachers" OR DE "classroom behavior modification" OR DE "classroom management" OR TX "school based" OR TX "classroom based" OR TX "teacher based" OR TX "school intervention" OR TX "school implementation" OR TI "classroom" OR TI "school" OR TI "schools" OR TI "classrooms" OR TI "teacher" OR TI "teachers") AND (TI programme OR TI program OR TI evaluation OR TX prevention OR TX preventive OR TX preventing OR TI promotion OR TI programming OR TI promoting OR TI effectiveness OR TI meta-analysis OR TI meta-analytic OR TI systematic) NOT (DE "retrospective studies" OR DE "colleges" OR DE "college students" OR DE "preschool students" OR DE "nursery school students" OR TI "university" OR TI "universities" OR TI "college" OR TI "preschool" OR TI "pre-school" OR TI "toddlers")

Skolbaserade program, externaliserande symtom

Cochrane central registry of controlled trials (Wiley), November 2009

Substance-related disorders (Me)	AND	School health services (Me)	AND	Programme (Ti)	AND	Child (Ti, KW)
Aggression (Me)		School based (TiAb)		Program (Ti)		OR Children (Ti)
Sociopathic (TiAb)		Classroom based (TiAb)		Evaluation (Ti)		OR Adolescent/s (Ti, KW)
Antisocial (TiAb)		School (Ti)		Intervention/s (TiAb)		NOT Child, preschool (KW)
Psychopathic (TiAb)		Schools (Ti, KW)		Training (Ti)		OR Preschool (Ti)
Defiant (TiAb)		Classroom/s (Ti)		PRevention (TiAb)		OR Pre-school (Ti)
Defiance (TiAb)		Teacher based (TiAb)		PReventive (TiAb)		OR Toddlers (Ti)
Delinquency (TiAb)		Teacher/s (Ti)		PReventing (TiAb)		
Delinquent (TiAb)		School intervention (TiAb)		Treatment/s (Ti)		
Conduct (TiAb)		Classroom implementation (TiAb)		Promotion (Ti)		
Misconduct (TiAb)		Peer mediated (TiAb)		Effects (Ti)		
Oppositional (TiAb)		Peer mediation (TiAb)		Effectiveness (Ti)		
Callous-unemotional (TiAb)		School environment (TiAb)		Programming (Ti)		
Bullying (TiAb)		Class mates (TiAb)		Efficacy (Ti)		
Violence (KW, TiAb)		Curriculum (Ti)		Promoting (Ti)		
Aggression (Me, TiAb)		Curricular (Ti)				
Criminality (TiAb)		Extra-curricular (Ti)				
Crime (TiAb)		Extracurricular (Ti)				
Pro-social (TiAb)						
Prosocial (TiAb)						
Emotional intelligence (TiAb)						
EQ (Ti)						
Drug abuse (TiAb)						
Illicit drugs (TiAb)						
Substance abuse (TiAb)						
Substance use (TiAb)						
Glue sniffing (TiAb)						
Social skill/s (TiAb)						
Truancy (TiAb)						
Vandalism (TiAb)						
Truant (TiAb)						
Conduct disorder (KW)						
Child behavior disorders (KW)						
Juvenile delinquency (KW)						
Social problems (KW)						
Dangerous behavior (KW)						
Social adjustment (KW)						
Empathy (KW)						

- #1 MeSH descriptor Substance-Related Disorders explode all trees
- #2 MeSH descriptor Aggression explode all trees
- #3 (Sociopathic):ti,ab OR (Antisocial):ti,ab OR (Psychopathic):ti,ab OR (defiant):ti,ab OR (defiance):ti,ab OR (delinquency):ti,ab OR (delinquent):ti,ab OR (conduct):ti,ab OR (misconduct):ti,ab OR (oppositional):ti,ab OR (callousunemotional):ti,ab OR (bullying):ti,ab OR (Violence):ti,ab OR (aggression):ti,ab OR (criminality):ti,ab OR (crime):ti,ab OR (pro-social):ti,ab OR (prosocial):ti,ab OR (emotional intelligence):ti,ab OR (eq):ti OR (drug abuse):ti,ab OR (illicit drugs):ti,ab OR (substance abuse):ti,ab OR (substance use):ti,ab OR (glue sniffing):ti,ab OR (social skill):ti,ab OR (social skills):ti,ab OR (truancy):ti,ab OR (vandalism):ti,ab OR (truant):ti,ab OR (Conduct Disorder):kw OR (Child Behavior Disorders):kw OR (Juvenile Delinquency):kw OR (Social Problems):kw OR (Violence):kw OR (Dangerous Behavior):kw OR (social adjustment):kw OR (empathy):kw
- #4 (#1 OR #2 OR #3)
- #5 (programme):ti OR (program):ti OR (evaluation):ti OR (intervention):ti,ab OR (interventions):ti,ab OR (training):ti OR (prevention):ti,ab OR (preventive):ti,ab OR (preventing):ti OR (treatment):ti OR (treatments):ti OR (promotion):ti OR (effects):ti OR (effectiveness):ti OR (programming):ti OR (efficacy):ti OR (promoting):ti
- #6 MeSH descriptor School Health Services explode all trees
- #7 (school based):ti,ab OR (classroom based):ti,ab OR (school):ti OR (classroom):ti OR (schools):ti,kw OR (classrooms):ti OR (teacher based):ti,ab OR (teacher):ti OR (teachers):ti OR (school intervention):ti,ab OR (classroom implementation):ti,ab OR (peer mediated):ti,ab OR (peer mediation):ti,ab OR (school environment):ti,ab OR (class mates):ti,ab OR (curriculum):ti OR (curricular):ti OR (extra-curricular):ti OR (extracurricular):ti
- #8 (#6 OR #7)
- #9 ((child):ti,kw OR (adolescent):ti,kw OR (adolescents):ti OR (children):ti) NOT ((child, preschool):kw OR (preschool):ti OR (pre-school):ti OR (toddlers):ti)
- #10 (#4 AND #5 AND #8 AND #9)

Skolbaserade program, externaliserande symtom

Education resource information center (EBSCO), Januari 2009

Behavior disorders (De) Behavior problems (De) Antisocial behavior (De) Aggression (De)	AND	Program effectiveness (De) OR Program evaluation (De) OR Intervention (De) AND Teacher (TX) OR School (TX)	OR	Mental health (De) AND School (Ti)
--	-----	--	----	---------------------------------------

Limit: Journal articles

(DE "Behavior Disorders" or DE "Behavior Problems" or DE "Antisocial Behavior" or DE "Aggression") AND (((DE "Program Effectiveness" OR DE "Program Evaluation" OR DE "Intervention") AND (TX "teacher" OR TX "school"))) OR (DE "Mental Health" AND TI "school"))

Skolbaserade program, externaliserande symtom

International bibliography of the social sciences (EBSCO), December 2008

Aggression (KW) Antisocial behaviour (KW) Conduct (Ti)	AND	Programme evaluation (KW) Prevention (KW)	AND	School (TiAb)
--	-----	--	-----	---------------

Limits: Social sciences, Journal articles (peer reviewed)

(KW=aggression OR KW= Antisocial behaviour OR TI=conduct) AND
(KW=programme evaluation OR KW=prevention) AND (TI=school OR AB=school)

Föräldraserade program, externaliserande symptom

PubMed (NLM), November 2009

Sociopathic (TiAb)	AND	Parenting (Me, Ti)	AND	Comparative study (PT)
Antisocial (TiAb)		OR Parents (Me, Ti)		OR Controlled clinical trial (PT)
Psychopathic (TiAb)		OR Parent (Ti)		OR Meta analysis (PT)
Defiant (TiAb)		OR Parent training (TiAb)		OR Multicenter study (PT)
Defiance (TiAb)		AND Programme (Ti)		OR Randomized controlled trial (PT)
Delinquency (TiAb)		OR Program (Ti)		OR Review (PT)
Delinquent (TiAb)		OR Evaluation (Ti)		OR Validation studies (PT)
Conduct (TiAb)		OR Intervention/s (TiAb)		OR Program development (Me)
Misconduct (TiAb)		OR Training (Ti)		OR Program evaluation (Me)
Oppositional (TiAb)		OR PRevention (TiAb)		OR Controlled clinical trials as topic (Me)
Callous-unemotional (TiAb)		OR Preventive (TiAb)		OR Intervention studies (Me)
Bullying (TiAb)		OR PReventing (Ti)		OR Cost benefit analysis (Me)
Violence (NoExp, TiAb)		OR Treatment/s (Ti)		OR Follow up studies (Me)
Aggression (Me, TiAb)		OR Promotion (Ti)		OR Program evaluation (Me)
Criminality (TiAb)		OR Effects (Ti)		OR Comparative (TiAb)
Crime (TiAb)		OR Effectiveness (Ti)		OR Controlled (TiAb)
Pro-social (TiAb)		OR Programming (Ti)		OR Random* (TiAb)
Prosocial (TiAb)		OR Efficacy (Ti)		OR Evaluation (TiAb)
Emotional intelligence (TiAb)		OR Promoting (Ti)		OR Follow up (TiAb)
EQ (Ti)				NOT Cross-sectional studies (Me)
Conduct disorder (Me)				OR Retrospective studies (Me)
Child behavior disorders (Me)				OR Universities (Me, Ti)
Juvenile delinquency (Me)				OR University (Ti)
Social problems (NoExp)				OR College (Ti)
Dangerous behavior (Me)				OR Preschool (TiAb)
Social adjustment (Me)				OR Pre-school (TiAb)
Empathy (Me)				OR Toddlers (Ti)
Substance-related disorders (Me)				OR Child, preschool (Me)
Alcohol (TiAb)				
Drug abuse (TiAb)				
Illicit drugs (TiAb)				
Substance abuse (TiAb)				
Substance use (TiAb)				
Glue sniffing (TiAb)				
Tobacco (TiAb)				
Marijuana (TiAb)				
Social skill/s (TiAb)				
Truancy (TiAb)				
Vandalism (TiAb)				
Truant (TiAb)				

(Sociopathic[title/abstract] OR Antisocial[title/abstract] OR Psychopathic[title/abstract] OR defiant[title/abstract] OR defiance[title/abstract] OR delinquency[title/abstract] OR delinquent[title/abstract] OR conduct[title/abstract] OR misconduct[title/abstract] OR oppositional[title/abstract] OR callous-unemotional[title/abstract] OR bullying[title/abstract] OR Violence[title/abstract] OR aggression[title/abstract] OR criminality[title/abstract] OR crime[title/abstract] OR "pro-social"[title/abstract] OR "prosocial"[title/abstract] OR "emotional intelligence"[title/abstract] OR "eq"[title/abstract] OR "Conduct Disorder"[MeSH Terms] OR "Child Behavior Disorders"[MeSH Terms] OR "Juvenile Delinquency"[MeSH Terms] OR "Social Problems"[Mesh:NoExp] OR "Violence"[Mesh:NoExp] OR "Dangerous Behavior"[MeSH Terms] OR Aggression [MeSH Terms] OR "social adjustment"[Mesh Terms] OR "empathy"[MeSH Terms] OR "Substance-Related Disorders"[MeSH Terms] OR "alcohol"[title/abstract] OR "drug abuse"[title/abstract] OR "illicit drugs"[title/abstract] OR "substance abuse"[title/abstract] OR "substance use"[title/abstract] OR "glue sniffing"[title/abstract] OR "tobacco"[title/abstract] OR "marijuana"[title/abstract] OR "social skill"[title/abstract] OR "social skills"[title/abstract] OR truancy[title/abstract] OR vandalism [title/abstract] OR truant[title/abstract] AND ("parenting"[MeSH Terms] OR "parents"[MeSH Terms] OR parent[title] OR "parent training"[title/abstract] OR parents[title] OR parenting[title]) AND ("comparative study"[Publication Type] OR "controlled clinical trial"[Publication Type] OR "meta analysis"[Publication Type] OR "multicenter study"[Publication Type] OR "randomized controlled trial"[Publication Type] OR "review"[Publication Type] OR "validation studies"[Publication Type] OR "program development"[MeSH Terms] OR "program evaluation"[MeSH Terms] OR "controlled clinical trials as topic"[MeSH Terms] OR "intervention studies"[MeSH Terms] OR "cost benefit analysis"[MeSH Terms] OR "follow up studies"[MeSH Terms] OR "comparative"[title/abstract] OR "controlled"[title/abstract] OR random*[title/abstract] OR "evaluation"[title/abstract] OR "follow up"[title/abstract]) AND ("programme"[Title] OR "program"[title] OR "evaluation"[Title] OR "intervention"[Title/abstract] OR "interventions"[title/abstract] OR "training"[title] OR "prevention"[title/abstract] OR "preventive"[title/abstract] OR preventing[title] OR "treatment"[title] OR "treatments"[title] OR "promotion"[title] OR "effects"[title] OR "effectiveness"[title] OR programming[title] OR efficacy[title] OR promoting[title]) NOT ("cross-sectional studies"[MeSH Terms] OR "retrospective studies"[MeSH Terms] OR "universities"[MeSH Terms] OR university[title] OR "universities"[title] OR college [title] OR preschool[title/abstract] OR "pre-school"[title/abstract] OR "toddlers"[title] OR "child, preschool"[Mesh Terms])

Föräldraserade program, externaliserande symptom

PsycInfo (EBSCO), November 2009

Sociopathic (TX)	OR	Antisocial behavior (De)	AND	Child (Ti)	AND	Prospective studies (De)
Antisocial (TX)		Criminal behavior (De)		OR Children (Ti)		OR Between groups design (De)
Psychopathic (TX)		Cruelty (De)		OR Adolescent/s (Ti)		OR Cohort analysis (De)
Defiant (TX)		Harassment (De)		OR Youth/s (Ti)		OR Followup studies (De)
Defiance (TX)		Persecution (De)		OR Teenager/s (Ti)		OR Randomized (TX)
Delinquency (TX)		Physical abuse (De)		OR Graders (Ti)		OR Random (TX)
Delinquent (TX)		Recidivism (De)		AND Parent training (De, TX)		OR Randomly (TX)
Conduct (TX)		Runaway behavior (De)		OR Parenting skills (De)		OR Controlled (TX)
Misconduct (TX)		Verbal abuse (De)		OR Parents (De)		OR Control/s (TX)
Oppositional (TX)		Aggressive behavior (De)		OR Fathers (De)		OR Comparison/s (TX)
Callous-unemotional (TX)		Conduct disorder (De)		OR Mothers (De)		OR Comparative (TX)
Bullying (TX)		Oppositional defiant disorder (De)		OR Parent/s (Ti)		OR Follow up (TX)
Violence (De, TX)		Criminal behavior (De)		OR Parenting (Ti)		OR Followup (TX)
Aggression (TX)		Arson (De)		AND Programme (Ti)		OR Program evaluation (De)
Criminality (TX)		Illegal drug distribution (De)		OR Program (Ti)		OR Educational program evaluation (De)
Crime (De, TX)		Sex offenses (De)		OR Evaluation (Ti)		OR Mental health program evaluation (De)
Pro-social (TX)		Theft (De)		OR Prevention (TX)		OR Prevention (De)
Prosocial (TX)		Violent crime (De)		OR Preventive (TX)		OR Crime prevention (De)
Emotional intelligence (TX)		Sexual abuse (De)		OR Preventing (TX)		OR Primary mental health prevention (De)
EQ (TX)		Rape (De)		OR Promotion (Ti)		OR Suicide prevention (De)
Conduct disorder (TX)		Shoplifting (De)		OR Programming (Ti)		OR Early intervention (De)
Child behavior disorders (TX)				OR Promoting (Ti)		NOT Retrospective studies (De)
Juvenile delinquency (De, TX)				OR Effectiveness (Ti)		OR Colleges (De)
Social problems (TX)				OR Meta-analysis (Ti)		OR College students (De)
Dangerous behavior (TX)				OR Meta-analytic (Ti)		OR Preschool students (De)
Social adjustment (TX)				OR Systematic (Ti)		OR Nursery school students (De)
Empathy (TX)						OR University (Ti)
Drug abuse (TX)						OR Universities (Ti)
Illicit drugs (TX)						OR College (Ti)
Substance abuse (TX)						OR Preschool (Ti)
Substance use (TX)						OR Pre-school (Ti)
Glue sniffing (TX)						OR Toddlers (Ti)
Social skill/s (TX)						
Truancy (TX)						
Vandalism (De, TX)						
Truant (TX)						

Limit: All journals, English

(TX Sociopathic OR TX Antisocial OR TX Psychopathic OR TX defiant OR TX defiance OR TX delinquency OR TX delinquent OR TX conduct OR TX misconduct OR TX oppositional OR TX (callous-unemotional) OR TX bullying OR TX Violence OR TX aggression OR TX criminality OR TX crime OR TX (pro-social) OR TX prosocial OR TX (emotional intelligence) OR TX eq OR TX (Conduct Disorder) OR TX (Child Behavior) OR TX Disorders OR TX (Juvenile Delinquency) OR TX "Social Problems" OR TX Violence OR TX "Dangerous Behavior" OR TX Aggression OR TX social adjustment OR TX empathy OR TX drug abuse OR TX illicit drugs OR TX substance abuse OR TX substance use OR TX glue sniffing OR TX social skill OR TX social skills OR TX truancy OR TX vandalism OR TX truant OR DE "Antisocial Behavior" OR DE "Criminal Behavior" OR DE "Cruelty" OR DE "Harassment" OR DE "Juvenile Delinquency" OR DE "Persecution" OR DE "Physical Abuse" OR DE "Recidivism" OR DE "Runaway Behavior" OR DE "Verbal Abuse" OR DE "Violence" OR DE "aggressive behavior" OR DE "conduct disorder" OR DE "oppositional defiant disorder" OR DE "criminal behavior" OR DE "Crime" OR DE "Arson" OR DE "Illegal Drug Distribution" OR DE "Sex Offenses" OR DE "Theft" OR DE "Vandalism" OR DE "Violent Crime" OR DE "Sexual Abuse" OR DE "rape" OR DE "shoplifting") AND (TI "child" OR TI "children" OR TI "adolescent" OR TI "adolescents" OR TI "youth" OR TI "youths" OR TI "teenager" OR TI "teenagers" OR TI "graders") AND (DE "prospective studies" OR DE "between groups design" OR DE "cohort analysis" OR DE "followup studies" OR TX "randomized" OR TX "random" OR TX "randomly" OR TX "controlled" OR TX "controls" OR TX "control" OR TX "comparison" OR TX "comparisons" OR TX "comparative" OR TX "follow up" OR TX "followup" OR DE "Program Evaluation" OR DE "Educational Program Evaluation" OR DE "Mental Health Program Evaluation" OR DE "Prevention" OR DE "Crime Prevention" OR DE "Primary Mental Health Prevention" OR DE "Suicide Prevention" OR DE "Early Intervention") AND (DE "parent training" OR DE "parenting skills" OR DE "Parents" OR DE "Fathers" OR DE "Mothers" OR TI "parent" OR TI "parents" OR TX "parent training" OR TI "parenting") AND (TI programme OR TI program OR TI evaluation OR TX prevention OR TX preventive OR TX preventing OR TI promotion OR TI programming OR TI promoting OR TI effectiveness OR TI meta-analysis OR TI meta-analytic OR TI systematic) NOT (DE "retrospective studies" OR DE "colleges" OR DE "college students" OR DE "preschool students" OR DE "nursery school students" OR TI "university" OR TI "universities" OR TI "college" OR TI "preschool" OR TI "pre-school" OR TI "toddlers")

Föräldraserade program, externaliserande symptom

Cochrane central registry of controlled trials (Wiley), November 2009

Substance-related disorders (Me)	AND	Parents (Ti, Me)	AND	Programme (Ti)	AND	Child (Ti, KW)
Aggression (Me)		Parent (Ti)		OR Program (Ti)		OR Children (Ti)
Sociopathic (TiAb)		Parent training (TiAb)		OR Evaluation (Ti)		OR Adolescent/s (Ti, KW)
Antisocial (TiAb)		Parenting (Ti, KW)		OR Intervention/s (TiAb)		NOT Child, preschool (KW)
Psychopathic (TiAb)				OR Training (Ti)		OR Preschool (Ti)
Defiant (TiAb)				OR PRevention (TiAb)		OR Pre-school (Ti)
Defiance (TiAb)				OR PReventive (TiAb)		OR Toddlers (Ti)
Delinquency (TiAb)				OR PReventing (TiAb)		
Delinquent (TiAb)				OR Treatment/s (Ti)		
Conduct (TiAb)				OR Promotion (Ti)		
Misconduct (TiAb)				OR Effects (Ti)		
Oppositional (TiAb)				OR Effectiveness (Ti)		
Callous-unemotional (TiAb)				OR Programming (Ti)		
Bullying (TiAb)				OR Efficacy (Ti)		
Violence (KW, TiAb)				OR Promoting (Ti)		
Aggression (Me, TiAb)						
Criminality (TiAb)						
Crime (TiAb)						
Pro-social (TiAb)						
Prosocial (TiAb)						
Emotional intelligence (TiAb)						
EQ (Ti)						
Drug abuse (TiAb)						
Illicit drugs (TiAb)						
Substance abuse (TiAb)						
Substance use (TiAb)						
Glue sniffing (TiAb)						
Social skill/s (TiAb)						
Truancy (TiAb)						
Vandalism (TiAb)						
Truant (TiAb)						
Conduct disorder (KW)						
Child behavior disorders (KW)						
Juvenile delinquency (KW)						
Social problems (KW)						
Dangerous behavior (KW)						
Social adjustment (KW)						
Empathy (KW)						

- #1 MeSH descriptor Substance-Related Disorders explode all trees
- #2 MeSH descriptor Aggression explode all trees
- #3 (Sociopathic):ti,ab OR (Antisocial):ti,ab OR (Psychopathic):ti,ab OR (defiant):ti,ab OR (defiance):ti,ab OR (delinquency):ti,ab OR (delinquent):ti,ab OR (conduct):ti,ab OR (misconduct):ti,ab OR (oppositional):ti,ab OR (callous-unemotional):ti,ab OR (bullying):ti,ab OR (Violence):ti,ab OR (aggression):ti,ab OR (criminality):ti,ab OR (crime):ti,ab OR (pro-social):ti,ab OR (prosocial):ti,ab OR (emotional intelligence):ti,ab OR (eq):ti OR (drug abuse):ti,ab OR (illicit drugs):ti,ab OR (substance abuse):ti,ab OR (substance use):ti,ab OR (glue sniffing):ti,ab OR (social skill):ti,ab OR (social skills):ti,ab OR (truancy):ti,ab OR (vandalism):ti,ab OR (truant):ti,ab OR (Conduct Disorder):kw OR (Child Behavior Disorders):kw OR (Juvenile Delinquency):kw OR (Social Problems):kw OR (Violence):kw OR (Dangerous Behavior):kw OR (social adjustment):kw OR (empathy):kw
- #4 (#1 OR #2 OR #3)
- #5 (programme):ti OR (program):ti OR (evaluation):ti OR (intervention):ti,ab OR (interventions):ti,ab OR (training):ti OR (prevention):ti,ab OR (preventive):ti,ab OR (preventing):ti OR (treatment):ti OR (treatments):ti OR (promotion):ti OR (effects):ti OR (effectiveness):ti OR (programming):ti OR (efficacy):ti OR (promoting):ti
- #6 MeSH descriptor Parents explode all trees
- #7 (parent):ti OR (parent training):ti,ab OR (parents):ti OR (parenting):ti,kw
- #8 (#6 OR #7)
- #9 ((child):ti,kw OR (adolescent):ti,kw OR (adolescents):ti OR (children):ti) NOT ((child, preschool):kw OR (preschool):ti OR (pre-school):ti OR (toddlers):ti)
- #10 (#4 AND #5 AND #8 AND #9)

Föräldrabaserade program, externaliserande symptom

Education resource information center (EBSCO), Januari 2009

Behavior disorders (De)	AND	Family programs (De)
Behavior problems (De)		
Antisocial behavior (De)		Program effectiveness (De)
Aggression (De)		OR Program evaluation (De)
		OR Intervention (De)
		AND Parents (De)
		OR Employed parents (De)
		OR Fathers (De)
		OR Mothers (De)
		OR Grandparents (De)
		OR Parents as teachers (De)
		OR Parents with disabilities (De)

Limit: Journal articles

(DE "Behavior Disorders" or DE "Behavior Problems" or DE "Antisocial Behavior" or DE "Aggression") AND (DE "Family Programs" or ((DE "Program Effectiveness" OR DE "Program Evaluation" OR DE "Intervention") AND (DE "Parents" OR DE "Employed Parents" OR DE "Fathers" OR DE "Grandparents" OR DE "Mothers" OR DE "Parents as Teachers" OR DE "Parents with Disabilities"))))

Föräldrabaserade program, externaliserande symptom

International bibliography of the social sciences (ebSCO), december 2008

Aggression (KW)	AND	Programme evaluation (KW)	AND	Parent (TiAb)
Antisocial behaviour (KW)		Prevention (KW)		Family (TiAb)
Conduct (Ti)				

Limits: Social sciences, Journal articles (peer reviewed)

(KW=aggression OR KW= Antisocial behaviour OR TI=conduct) AND
(KW=programme evaluation OR KW=prevention) AND (TI=parent OR
AB=parent OR TI=family OR AB=family)

Skolbaserade program, internaliserande symtom

PubMed (NLM), November 2009

Affective symptoms (Me)	AND Schools (Me, Ti)	AND Comparative study (PT)
Depression (Me, TiAb)	OR School health services (Me)	OR Controlled clinical trial (PT)
Self-injurious behavior (Me)	OR School based (TiAb)	OR Meta analysis (PT)
Stress, psychological (Me)	OR Classroom based (TiAb)	OR Multicenter study (PT)
Anxiety (NoExp)	OR School (Ti)	OR Randomized controlled trial (PT)
Well-being (TiAb)	OR Classroom/s (Ti)	OR Review (PT)
Wellbeing (TiAb)	OR Teacher based (TiAb)	OR Validation studies (PT)
Depressive (TiAb)	OR Teacher/s (Ti)	OR Program development (Me)
Moody (TiAb)	OR School intervention (TiAb)	OR Program evaluation (Me)
Eating problem (TiAb)	OR Classroom implementation (TiAb)	OR Controlled clinical trials as topic (Me)
Anorectic behavior (TiAb)	OR Peer mediated (TiAb)	OR Intervention studies (Me)
Bulimic behavior (TiAb)	OR Peer mediation (TiAb)	OR Cost benefit analysis (Me)
Self consciousness (TiAb)	OR School environment (TiAb)	OR Follow up studies (Me)
Self esteem (TiAb)	OR Class mates (TiAb)	OR Program evaluation (Me)
Body image (TiAb)	OR Curriculum (Ti)	OR Comparative (TiAb)
Health complaints (TiAb)	OR Curricular (Ti)	OR Controlled (TiAb)
Stress (TiAb)	OR Extra-curricular (Ti)	OR Random* (TiAb)
Anxious (TiAb)	OR Extracurricular (Ti)	OR Evaluation (TiAb)
Psychosomatic (TiAb)	AND Programme (Ti)	OR Follow up (TiAb)
Cutting (TiAb)	OR Program (Ti)	NOT Cross-sectional studies (Me)
Hurting (TiAb)	OR Evaluation (Ti)	OR Retrospective studies (Me)
Self harm (TiAb)	OR Intervention/s (TiAb)	OR Universities (Me, Ti)
Tiredness (TiAb)	OR Training (Ti)	OR University (Ti)
Sleeping problems (TiAb)	OR PRevention (TiAb)	OR College (Ti)
Insomnia (TiAb)	OR Preventive (TiAb)	OR Preschool (TiAb)
Sleep initiation and maintenance disorders (Me)	OR PReventing (Ti)	OR Pre-school (TiAb)
Sleeplessness (TiAb)	OR Treatment/s (Ti)	OR Toddlers (Ti)
Abdominal pain (Me)	OR Promotion (Ti)	OR Child, preschool (Me)
Headache (Me, TiAb)	OR Effects (Ti)	
Stomach ache (TiAb)	OR Effectiveness (Ti)	
Stomach pain (TiAb)	OR Programming (Ti)	
Belly ache (TiAb)	OR Efficacy (Ti)	
Bellyache (TiAb)	OR Promoting (Ti)	
Internal (TiAb)		
Introvert (TiAb)		
Psychosocial (TiAb)		
Mental (TiAb)		
Psychological (TiAb)		
Self efficacy (TiAb)		
Competence (TiAb)		
Capability (TiAb)		
Confidence (TiAb)		

("affective symptoms"[MeSH Terms] OR "depression"[MeSH Terms] OR "self-injurious behavior"[MeSH Terms] OR "Stress, psychological"[MeSH Terms] OR "Anxiety"[Mesh:NoExp] OR "well-being"[title/abstract] OR "wellbeing"[title/abstract] OR depressive[title/abstract] OR moody[title/abstract] OR "eating problem"[title/abstract] OR "anorectic behavior"[title/abstract] OR "bulimic behavior"[title/abstract] OR "self consciousness"[title/abstract] OR "self esteem"[title/abstract] OR "body image"[title/abstract] OR "health complaints"[title/abstract] OR stress[title/abstract] OR depression[title/abstract] OR anxious[title/abstract] OR psychosomatic[title/abstract] OR cutting[title/abstract] OR hurting[title/abstract] OR "self harm"[title/abstract] OR tiredness[title/abstract] OR "sleeping problems"[title/abstract] OR "insomnia"[title/abstract] OR " Sleep Initiation and Maintenance Disorders"[MeSH Terms] OR "sleeplessness"[title/abstract] OR "abdominal pain"[MeSH Terms] OR headache[MeSH Terms] OR "headache"[Title/abstract] OR "stomach ache"[Title/abstract] OR "stomach pain"[Title/abstract] OR bellyache[title/abstract] OR "belly ache"[title/abstract] OR internal[title/abstract] OR introvert[title/abstract] OR psychosocial[title/abstract] OR mental[title/abstract] OR psychological[title/abstract] OR "self efficacy"[title/abstract] OR competence[title/abstract] OR capability[title/abstract] OR confidence[title/abstract]) AND ("schools"[MeSH Terms] OR "School Health Services"[Mesh Terms] OR "school based"[title/abstract] OR "classroom based"[Title/abstract] OR "school"[title] OR "classroom"[title] OR "schools"[title] OR "classrooms"[title] OR "teacher based"[title/abstract] OR "teacher"[title] OR "teachers"[title] OR "school intervention"[title/abstract] OR "classroom implementation"[title/abstract] OR "peer mediated"[title/abstract] OR "peer mediation"[title/abstract] OR "school environment"[Title/abstract] OR "class mates"[Title/abstract] OR "curriculum"[Title] OR "curricular"[Title] OR "extra-curricular"[Title] OR "extra-curricular"[Title]) AND ("comparative study"[Publication Type] OR "controlled clinical trial"[Publication Type] OR "meta analysis"[Publication Type] OR "multicenter study"[Publication Type] OR "randomized controlled trial"[Publication Type] OR "review"[Publication Type] OR "validation studies"[Publication Type] OR "program development"[MeSH Terms] OR "program evaluation"[MeSH Terms] OR "controlled clinical trials as topic"[MeSH Terms] OR "intervention studies"[MeSH Terms] OR "cost benefit analysis"[MeSH Terms] OR "follow up studies"[MeSH Terms] OR "Program evaluation"[MeSH Terms] OR "comparative"[title/abstract] OR "controlled"[title/abstract] OR random*[title/abstract] OR "evaluation"[title/Abstract] OR "follow up"[title/abstract]) AND ("programme"[Title] OR "program"[title] OR "evaluation"[Title] OR "intervention"[Title/abstract] OR "interventions"[title/abstract] OR "training"[title] OR "prevention"[title/abstract] OR "preventive"[title/abstract] OR preventing[title] OR "treatment"[title] OR "treatments"[title] OR "promotion"[title] OR "effects"[title] OR "effectiveness"[title] OR programming[title] OR efficacy[title] OR promoting[title]) NOT ("cross-sectional studies"[MeSH Terms] OR "retrospective studies"[MeSH Terms] OR "universities"[MeSH Terms] OR university[title] OR "universities"[title] OR college[title] OR preschool[title/abstract] OR "pre-school"[title/abstract] OR "toddlers"[title] OR "child, preschool"[Mesh Terms])

Skolbaserade program, internaliserande symtom

PsycInfo (EBSCO), November 2009

Psychiatric symptoms (De)	OR	Sleeping problems (TX)	AND	Child (Ti)	AND	Prospective studies (De)
Affective disorders (De)		Sleeplessness (TX)		OR Children (Ti)		OR Between groups design (De)
Anxiety (De)		Stomach ache (TX)		OR Adolescent/s (Ti)		OR Cohort analysis (De)
Social anxiety (De)		Stomach pain (TX)		OR Youth/s (Ti)		OR Followup studies (De)
Apathy (De)		Bellyache (TX)		OR Teenager/s (Ti)		OR Randomized (TX)
Depression emotion (De)		Belly ache (TX)		OR Graders (Ti)		OR Random (TX)
Frustration (De)		Internal (TX)		AND Schools (De)		OR Randomly (TX)
Hopelessness (De)		Introvert (TX)		OR Elementary schools (De)		OR Controlled (TX)
Emotional disturbances (De)		Psychosocial (TX)		OR High schools (De)		OR Control/s (TX)
Self injurious behavior (De)		Mental (TX)		OR School psychologists (De)		OR Comparison/s (TX)
Insomnia (De, TX)		Psychological (TX)		OR Student personnel services (De)		OR Comparative (TX)
Headache (De, TX)		Self efficacy (TX)		OR School based intervention (De)		OR Follow up (TX)
Psychological stress (De)		Competence (TX)		OR School counseling (De)		OR Followup (TX)
Social stress (De)		Capability (TX)		OR Peer tutoring (De)		OR Program evaluation (De)
Eating disorders (De)		Confidence (TX)		OR Peer counseling (De)		OR Educational program evaluation (De)
Anorexia nervosa (De)				OR Teachers (De)		OR Mental health program evaluation (De)
Bulimia (De)				OR Classroom behavior modification (De)		OR Prevention (De)
Well-being (TX)				OR Classroom management (De)		OR Crime prevention (De)
Wellbeing (TX)				OR School based (TX)		OR Primary mental health prevention (De)
Depressive (TX)				OR Classroom based (TX)		OR Suicide prevention (De)
Moody (TX)				OR Teacher based (TX)		OR Early intervention (De)
Eating problem (TX)				OR School intervention (TX)		NOT Retrospective studies (De)
Anorectic behavior (TX)				OR School implementation (TX)		OR Colleges (De)
Bulimic behavior (TX)				OR Classroom/s (Ti)		OR College students (De)
Self consciousness (TX)				OR School/s (Ti)		OR Preschool students (De)
Self esteem (TX)				OR Teacher/s (Ti)		OR Nursery school students (De)
Body image (TX)				OR Class mates (TX)		OR University (Ti)
Health complaints (TX)				OR Curriculum (TX)		OR Universities (Ti)
Stress (TX)				OR Curricular (TX)		OR College (Ti)
Depression (TX)				OR Extra-curricular (TX)		OR Preschool (Ti)
Anxious (TX)				OR Extracurricular (TX)		OR Pre-school (Ti)
Psychosomatic (TX)				AND Programme (Ti)		OR Toddlers (Ti)
Cutting (TX)				OR Program (Ti)		
Hurting (TX)				OR Evaluation (Ti)		
Self harm (TX)				OR Prevention (TX)		
Tiredness (TX)				OR Preventive (TX)		
				OR Preventing (TX)		
				OR Promotion (Ti)		
				OR Programming (Ti)		
				OR Promoting (Ti)		
				OR Effectiveness (Ti)		
				OR Meta-analysis (Ti)		
				OR Meta-analytic (Ti)		
				OR Systematic (Ti)		

Limit: All journals

(DE "Psychiatric Symptoms" OR DE "Affective Disorders" OR DE "Anxiety" OR DE "Social Anxiety" OR DE "Apathy" OR DE "Depression Emotion" OR DE "Frustration" OR DE "Hopelessness" OR DE "Emotional Disturbances" OR DE "Self Injurious Behavior" OR DE "Insomnia" OR DE "Headache" OR DE "Psychological Stress" OR DE "Social Stress" OR DE "Eating Disorders" OR DE "Anorexia Nervosa" OR DE "Bulimia" OR TX "well-being" OR TX "wellbeing" OR TX "depressive" OR TX "moody" OR TX "eating problem" OR TX "anorectic behavior" OR TX "bulimic behavior" OR TX "self consciousness" OR TX "self esteem" OR TX "body image" OR TX "health complaints" OR TX "stress" OR TX "depression" OR TX "anxious" OR TX "psychosomatic" OR TX "cutting" OR TX "hurting" OR TX "self harm" OR TX "tiredness" OR TX "sleeping problems" OR TX "insomnia" OR TX "sleeplessness" OR TX "headache" OR TX "stomach ache" OR TX "stomach pain" OR TX "bellyache" OR TX "belly ache" OR TX "internal" OR TX "introvert" OR TX "psychosocial" OR TX "mental" OR TX "psychological" OR TX "self efficacy" OR TX "competence" OR TX "capability" OR TX "confidence") AND (TI "child" OR TI "children" OR TI "adolescent" OR TI "adolescents" OR TI "youth" OR TI "youths" OR TI "teenager" OR TI "teenagers" OR TI "graders") AND (DE "prospective studies" OR DE "between groups design" OR DE "cohort analysis" OR DE "followup studies" OR TX "randomized" OR TX "random" OR TX "randomly" OR TX "controlled" OR TX "controls" OR TX "control" OR TX "comparison" OR TX "comparisons" OR TX "comparative" OR TX "follow up" OR TX "followup" OR DE "Program Evaluation" OR DE "Educational Program Evaluation" OR DE "Mental Health Program Evaluation" OR DE "Prevention" OR DE "Crime Prevention" OR DE "Primary Mental Health Prevention" OR DE "Suicide Prevention" OR DE "Early Intervention") AND (DE "Schools" OR DE "Elementary Schools" OR DE "High Schools" OR DE "school psychologists" OR DE "student personnel services" OR DE "school based intervention" OR DE "school counseling" OR DE "peer tutoring" OR DE "peer counseling" OR DE "teachers" OR DE "classroom behavior modification" OR DE "classroom management" OR TX "school based" OR TX "classroom based" OR TX "teacher based" OR TX "school intervention" OR TX "school implementation" OR TI "classroom" OR TI "school" OR TI "schools" OR TI "classrooms" OR TI "teacher" OR TI "teachers" OR TX "class mates" OR TX "curriculum" OR TX "curricular" OR TX "extra-curricular" OR TX "extracurricular") AND (TI programme OR TI program OR TI evaluation OR TX prevention OR TX preventive OR TX preventing OR TI promotion OR TI programming OR TI promoting OR TI effectiveness OR TI meta-analysis OR TI meta-analytic OR TI systematic) NOT (DE "retrospective studies" OR DE "colleges" OR DE "college students" OR DE "preschool students" OR DE "nursery school students" OR TI "university" OR TI "universities" OR TI "college" OR TI "preschool" OR TI "pre-school" OR TI "toddlers")

Skolbaserade program, internaliserande symtom

Cochrane central registry of controlled trials (Wiley), November 2009

Self-injurious behavior (Me)	OR	Stomach ache (TiAb)	AND	School health services (Me)	AND	Child (Ti, KW)
Abdominal pain (Me)		Stomach pain (TiAb)		OR School based (TiAb)		OR Children (Ti)
Well-being (TiAb)		Bellyache (TiAb)		OR Classroom based (TiAb)		OR Adolescent/s (Ti, KW)
Wellbeing (TiAb)		Belly ache (TiAb)		OR School (Ti)		NOT Child, preschool (KW)
Depressive (TiAb)		Internal (TiAb)		OR Schools (Ti, KW)		OR Preschool (Ti)
Moody (TiAb)		Introvert (TiAb)		OR Classroom/s (Ti)		OR Pre-school (Ti)
Eating problem (TiAb)		Psychosocial (TiAb)		OR Teacher based (TiAb)		OR Toddlers (Ti)
Anorectic behavior (TiAb)		Mental (TiAb)		OR Teacher/s (Ti)		
Bulimic behavior (TiAb)		Psychological (TiAb)		OR School intervention (TiAb)		
Self consciousness (TiAb)		Self efficacy (TiAb)		OR Classroom implementation (TiAb)		
Self esteem (TiAb)		Competence (TiAb)		OR Peer mediated (TiAb)		
Body image (TiAb)		Capability (TiAb)		OR Peer mediation (TiAb)		
Health complaints (TiAb)		Confidence (TiAb)		OR School environment (TiAb)		
Stress (TiAb)		Affective symptoms (KW)		OR Class mates (TiAb)		
Depression (TiAb)		Depression (KW)		OR Curriculum (Ti)		
Anxious (TiAb)		Stress, psychological (KW)		OR Curricular (Ti)		
Psychosomatic (TiAb)		Anxiety (KW)		OR Extra-curricular (Ti)		
Cutting (TiAb)		Sleep initiation and maintenance disorders (KW)		OR Extracurricular (Ti)		
Hurting (TiAb)				AND Programme (Ti)		
Self harm (TiAb)				AND Program (Ti)		
Tiredness (TiAb)				AND Evaluation (Ti)		
Sleeping problems (TiAb)				AND Intervention/s (TiAb)		
Insomnia (TiAb)				AND Training (Ti)		
SLepllessness (TiAb)				AND PRevention (TiAb)		
Headache (TiAb, KW)				AND PReventive (TiAb)		
				AND PReventing (TiAb)		
				AND Treatment/s (Ti)		
				AND Promotion (Ti)		
				AND Effects (Ti)		
				AND Effectiveness (Ti)		
				AND Programming (Ti)		
				AND Efficacy (Ti)		
				AND Promoting (Ti)		

- #1 MeSH descriptor Self-Injurious Behavior explode all trees
- #2 MeSH descriptor Abdominal Pain explode all trees
- #3 (well-being):ti,ab OR (wellbeing):ti,ab OR (depressive):ti,ab OR (moody):ti,ab OR (eating problem):ti,ab OR (anorectic behavior):ti,ab OR (bulimic behavior):ti,ab OR (self consciousness):ti,ab OR (self esteem):ti,ab OR (body image):ti,ab OR (health complaints):ti,ab OR (stress):ti,ab OR (depression):ti,ab OR (anxious):ti,ab OR (psychosomatic):ti,ab OR (cutting):ti,ab OR (hurting):ti,ab OR (self harm):ti,ab OR (tiredness):ti,ab OR (sleeping problems):ti,ab OR (insomnia):ti,ab OR (sleeplessness):ti,ab OR (headache):ti,ab,kw OR (stomach ache):ti,ab OR (stomach pain):ti,ab OR (bellyache):ti,ab OR (belly ache):ti,ab OR (internal):ti,ab OR (introvert):ti,ab OR (psychosocial):ti,ab OR (mental):ti,ab OR (psychological):ti,ab OR (self efficacy):ti,ab OR (competence):ti,ab OR (capability):ti,ab OR (confidence):ti,ab OR (affective symptoms):kw OR (depression):kw OR (Stress, psychological):kw OR (Anxiety):kw OR (Sleep Initiation and Maintenance Disorders):kw
- #4 (#1 OR #2 OR #3)
- #5 (programme):ti OR (program):ti OR (evaluation):ti OR (intervention):ti,ab OR (interventions):ti,ab OR (training):ti OR (prevention):ti,ab OR (preventive):ti,ab OR (preventing):ti OR (treatment):ti OR (treatments):ti OR (promotion):ti OR (effects):ti OR (effectiveness):ti OR (programming):ti OR (efficacy):ti OR (promoting):ti
- #6 MeSH descriptor School Health Services explode all trees
- #7 (school based):ti,ab OR (classroom based):ti,ab OR (school):ti OR (classroom):ti OR (schools):ti,kw OR (classrooms):ti OR (teacher based):ti,ab OR (teacher):ti OR (teachers):ti OR (school intervention):ti,ab OR (classroom implementation):ti,ab OR (peer mediated):ti,ab OR (peer mediation):ti,ab OR (school environment):ti,ab OR (class mates):ti,ab OR (curriculum):ti OR (curricular):ti OR (extra-curricular):ti OR (extracurricular):ti
- #8 (#6 OR #7)
- #9 ((child):ti,kw OR (adolescent):ti,kw OR (adolescents):ti OR (children):ti) NOT ((child, preschool):kw OR (preschool):ti OR (pre-school):ti OR (toddlers):ti)
- #10 (#4 AND #5 AND #8 AND #9)

Skolbaserade program, internaliserande symtom

Education resource information center (EBSCO), Januari 2009

Depression (Psychology) (De)	AND	Program effectiveness (De)	}	OR	Mental health (De) AND School (Ti)
Self destructive behavior (De)		OR Program evaluation (De)			
Suicide (De)		OR Intervention (De)			
		AND Teacher (TX)			
		OR School (TX)			

Limit: Journal articles

(DE "Depression (Psychology)" OR DE "Self Destructive Behavior" OR DE "Suicide") AND (((DE "Program Effectiveness " OR DE "Program Evaluation" OR DE "Intervention") AND (TX "teacher" OR TX "school"))) OR (DE "Mental Health" AND TI "school"))

Skolbaserade program, internaliserande symtom

International bibliography of the social sciences (EBSCO), December 2008

Depression (KW)	AND	Programme evaluation (KW)	}	AND	School (TiAb)
Internalizing (Ti)		Prevention (KW)			

Limits: Social sciences, Journal articles (peer reviewed), 1990+

(KW=depression OR TI=internalizing) AND (KW=programme evaluation OR KW=prevention) AND (TI=school OR AB=school)

Föräldraserade program, internaliserande symtom

PubMed (NLM), November 2009

Affective symptoms (Me)	AND	Family (Me)	NOT	Cross-sectional studies (Me)
Depression (Me, TiAb)		OR Parent/s (Ti)		Retrospective studies (Me)
Self-injurious behavior (Me)		OR Parent training (TiAb)		Universities (Me, Ti)
Stress, psychological (Me)		OR Parenting (Ti)		University (Ti)
Anxiety (NoExp)		OR Parental (Ti)		College (Ti)
Well-being (TiAb)		AND Prevent (Ti)		School/s (Ti)
Wellbeing (TiAb)		OR Prevention (Ti)		Treatment (Ti)
Depressive (TiAb)		OR Preventive (Ti)		Therapy (Ti)
Moody (TiAb)		OR Preventing (Ti)		Neoplasms (Me)
Eating problem (TiAb)		OR Promotion (Ti)		HIV infections (Me)
Anorectic behavior (TiAb)		OR Promoting (Ti)		Diabetes mellitus (Me)
Bulimic behavior (TiAb)		OR Prevention program (TiAb)		
Self consciousness (TiAb)		OR Prevention programme (TiAb)		
Self esteem (TiAb)		OR Primary prevention (TiAb)		
Body image (TiAb)		OR Universal prevention (TiAb)		
Health complaints (TiAb)		OR Parenting program (TiAb)		
Stress (TiAb)		OR Parenting programme (TiAb)		
Anxious (TiAb)		AND Child (NoExp, TiAb)		
Psychosomatic (TiAb)		OR Adolescent (Me, Ti)		
Cutting (TiAb)		OR Children (TiAb)		
Hurting (TiAb)		OR Adolescents (Ti)		
Self harm (TiAb)		OR Young people (Ti)		
Tiredness (TiAb)		OR Teenager/s (Ti)		
Sleeping problems (TiAb)		OR Youth/s (Ti)		
Insomnia (TiAb)		OR Boys (Ti)		
Sleep initiation and maintenance disorders (Me)		OR Girls (Ti)		
Sleeplessness (TiAb)		OR Childhood (Ti)		
Abdominal pain (Me)				
Headache (Me, TiAb)				
Stomach ache (TiAb)				
Stomach pain (TiAb)				
Belly ache (TiAb)				
Bellyache (TiAb)				
Internal (TiAb)				
Introvert (TiAb)				
Mental (TiAb)				
Self efficacy (TiAb)				
Confidence (TiAb)				

("affective symptoms"[MeSH Terms] OR "depression"[MeSH Terms] OR "self-injurious behavior"[MeSH Terms] OR "Stress, psychological"[MeSH Terms] OR "Anxiety"[Mesh:NoExp] OR "abdominal pain"[MeSH Terms] OR "headache"[MeSH Terms] OR "Sleep Initiation and Maintenance Disorders"[MeSH Terms] OR "well-being"[title/abstract] OR "wellbeing"[title/abstract] OR depressive[title/abstract] OR moody[title/abstract] OR "eating problem"[title/abstract] OR "anorectic behavior"[title/abstract] OR "bulimic behavior"[title/abstract] OR "self consciousness"[title/abstract] OR "self esteem"[title/abstract] OR "body image"[title/abstract] OR "health complaints"[title/abstract] OR stress[title/abstract] OR depression[title/abstract] OR anxious[title/abstract] OR psychosomatic[title/abstract] OR cutting[title/abstract] OR hurting[title/abstract] OR "self harm"[title/abstract] OR tiredness[title/abstract] OR "sleeping problems"[title/abstract] OR "insomnia"[title/abstract] OR "sleeplessness"[title/abstract] OR "headache"[Title/abstract] OR "stomach ache"[Title/abstract] OR "stomach pain"[Title/abstract] OR bellyache[title/abstract] OR "belly ache"[title/abstract] OR internal[title/abstract] OR introvert[title/abstract] OR mental[title/abstract] OR "self efficacy"[title/abstract] OR confidence[title/abstract]) AND ("Child"[Mesh:NoExp] OR "adolescent"[MeSH Terms] OR "child"[Title/abstract] OR "children"[Title/abstract] OR "adolescent"[Title] OR "adolescents"[Title] OR "young people"[Title] OR "teenagers"[Title] OR "teenager"[Title] OR "youth"[Title] OR "youths"[Title] OR "boys"[title] OR "girls"[title] OR childhood[title]) AND ("prevent"[title] OR "prevention"[title] OR "preventive"[title] OR preventing[title] OR "promotion"[title] OR promoting[title] OR "prevention program"[title/abstract] OR "prevention programme"[title/abstract] OR "primary prevention"[title/abstract] OR "universal prevention"[title/abstract] OR "Parenting Program"[title/abstract] OR "parenting programme"[title/abstract]) AND ("Family"[MeSH Terms] OR parent[title] OR "parent training"[title/abstract] OR parents[title] OR parenting[title] OR parental[title]) NOT ("cross-sectional studies"[MeSH Terms] OR "retrospective studies"[MeSH Terms] OR "universities"[MeSH Terms] OR university[title] OR "universities"[title] OR college[title] OR "school"[title] OR "schools"[title] OR "treatment"[title] OR "therapy"[title] OR neoplasms[MeSH Terms] OR "HIV infections"[MeSH Terms] OR "Diabetes mellitus"[MeSH Terms])

Föräldraprogram, internaliserande symtom

PsycInfo (EBSCO), November 2009

Psychiatric symptoms (De)	OR	Sleeping problems (TX)	AND	Child (Ti)	AND	Prospective studies (De)
Affective disorders (De)		Sleeplessness (TX)		OR Children (Ti)		OR Between groups design (De)
Anxiety (De)		Stomach ache (TX)		OR Adolescent/s (Ti)		OR Cohort analysis (De)
Social anxiety (De)		Stomach pain (TX)		OR Youth/s (Ti)		OR Followup studies (De)
Apathy (De)		Bellyache (TX)		OR Teenager/s (Ti)		OR Randomized (TX)
Depression emotion (De)		Belly ache (TX)		OR Graders (Ti)		OR Random (TX)
Frustration (De)		Internal (TX)		AND Parent training (De)		OR Randomly (TX)
Hopelessness (De)		Introvert (TX)		OR Parenting skills (De)		OR Controlled (TX)
Emotional disturbances (De)		Psychosocial (TX)		OR Parents (De)		OR Control/s (TX)
Self injurious behavior (De)		Mental (TX)		OR Fathers (De)		OR Comparison/s (TX)
Insomnia (De, TX)		Psychological (TX)		OR Mothers (De)		OR Comparative (TX)
Headache (De, TX)		Self efficacy (TX)		OR Parent/s (Ti)		OR Follow up (TX)
Psychological stress (De)		Competence (TX)		OR Parent training (TX)		OR Followup (TX)
Social stress (De)		Capability (TX)		OR Parenting (Ti)		OR Program evaluation (De)
Eating disorders (De)		Confidence (TX)		AND Programme (Ti)		OR Educational program evaluation (De)
Anorexia nervosa (De)				OR Program (Ti)		OR Mental health program evaluation (De)
Bulimia (De)				OR Evaluation (Ti)		OR Prevention (De)
Well-being (TX)				OR Prevention (TX)		OR Crime prevention (De)
Wellbeing (TX)				OR Preventive (TX)		OR Primary mental health prevention (De)
Depressive (TX)				OR Preventing (TX)		OR Suicide prevention (De)
Moody (TX)				OR Promotion (Ti)		OR Early intervention (De)
Eating problem (TX)				OR Programming (Ti)		NOT Retrospective studies (De)
Anorectic behavior (TX)				OR Promoting (Ti)		OR Colleges (De)
Bulimic behavior (TX)				OR Effectiveness (Ti)		OR College students (De)
Self consciousness (TX)				OR Meta-analysis (Ti)		OR Preschool students (De)
Self esteem (TX)				OR Meta-analytic (Ti)		OR Nursery school students (De)
Body image (TX)				OR Systematic (Ti)		OR University (Ti)
Health complaints (TX)						OR Universities (Ti)
Stress (TX)						OR College (Ti)
Depression (TX)						OR Preschool (Ti)
Anxious (TX)						OR Pre-school (Ti)
Psychosomatic (TX)						OR Toddlers (Ti)
Cutting (TX)						
Hurting (TX)						
Self harm (TX)						
Tiredness (TX)						

Limit: All journals

(DE "Psychiatric Symptoms" OR DE "Affective Disorders" OR DE "Anxiety" OR DE "Social Anxiety" OR DE "Apathy" OR DE "Depression Emotion" OR DE "Frustration" OR DE "Hopelessness" OR DE "Emotional Disturbances" OR DE "Self Injurious Behavior" OR DE "Insomnia" OR DE "Headache" OR DE "Psychological Stress" OR DE "Social Stress" OR DE "Eating Disorders" OR DE "Anorexia Nervosa" OR DE "Bulimia" OR TX "well-being" OR TX "wellbeing" OR TX "depressive" OR TX "moody" OR TX "eating problem" OR TX "anorectic behavior" OR TX "bulimic behavior" OR TX "self consciousness" OR TX "self esteem" OR TX "body image" OR TX "health omplaints" OR TX "stress" OR TX "depression" OR TX "anxious" OR TX "psychosomatic" OR TX "cutting" OR TX "hurting" OR TX "self harm" OR TX "tiredness" OR TX "sleeping problems" OR TX "insomnia" OR TX "sleeplessness" OR TX "headache" OR TX "stomach ache" OR TX "stomach pain" OR TX "bellyache" OR TX "belly ache" OR TX "internal" OR TX "introvert" OR TX "psychosocial" OR TX "mental" OR TX "psychological" OR TX "self efficacy" OR TX "competence" OR TX "capability" OR TX "conficence") AND (TI "child" OR TI "children" OR TI "adolescent" OR TI "adolescents" OR TI "youth" OR TI "youths" OR TI "teenager" OR TI "teenagers" OR TI "graders") AND (DE "prospective studies" OR DE "between groups design" OR DE "cohort analysis" OR DE "followup studies" OR TX "randomized" OR TX "random" OR TX "randomly" OR TX "controlled" OR TX "controls" OR TX "control" OR TX "comparison" OR TX "comparisons" OR TX "comparative" OR TX "follow up" OR TX "followup" OR DE "Program Evaluation" OR DE "Educational Program Evaluation" OR DE "Mental Health Program Evaluation" OR DE "Prevention" OR DE "Crime Prevention" OR DE "Primary Mental Health Prevention" OR DE "Suicide Prevention" OR DE "Early Intervention") AND (DE "parent training" OR DE "parenting skills" OR DE "Parents" OR DE "Fathers" OR DE "Mothers" OR TI "parent" OR TI "parents" OR TX "parent training" OR TI "parenting") AND (TI programme OR TI program OR TI evaluation OR TX prevention OR TX preventive OR TX preventing OR TI promotion OR TI programming OR TI promoting OR TI effectiveness OR TI meta-analysis OR TI meta-analytic OR TI systematic) NOT (DE "retrospective studies" OR DE "colleges" OR DE "college students" OR DE "preschool students" OR DE "nursery school students" OR TI "university" OR TI "universities" OR TI "college" OR TI "preschool" OR TI "pre-school" OR TI "toddlers")

Föräldraprogram, internaliserande symtom

Cochrane central registry of controlled trials (Wiley), November 2009

Self-injurious behavior (Me)	OR	Sleeping problems (TiAb)	AND	Parents (Ti, Me)	AND	Programme (Ti)
Abdominal pain (Me)		Insomnia (TiAb)		OR Parent (Ti)		OR Program (Ti)
Well-being (TiAb)		SLeplessness (TiAb)		OR Parent training (TiAb)		OR Evaluation (Ti)
Wellbeing (TiAb)		Headache (TiAb, KW)		OR Parenting (Ti, KW)		OR Intervention/s (TiAb)
Depressive (TiAb)		Stomach ache (TiAb)		AND Child (Ti, KW)		OR Training (Ti)
Moody (TiAb)		Stomach pain (TiAb)		OR Children (Ti)		OR PRevention (TiAb)
Eating problem (TiAb)		Bellyache (TiAb)		OR Adolescent/s (Ti, KW)		OR PReventive (TiAb)
Anorectic behavior (TiAb)		Belly ache (TiAb)		NOT Child, preschool (KW)		OR PReventing (TiAb)
Bulimic behavior (TiAb)		Internal (TiAb)		OR Preschool (Ti)		OR Treatment/s (Ti)
Self consciousness (TiAb)		Introvert (TiAb)		OR Pre-school (Ti)		OR Promotion (Ti)
Self esteem (TiAb)		Psychosocial (TiAb)		OR Toddlers (Ti)		OR Effects (Ti)
Body image (TiAb)		Mental (TiAb)				OR Effectiveness (Ti)
Health complaints (TiAb)		Psychological (TiAb)				OR Programming (Ti)
Stress (TiAb)		Self efficacy (TiAb)				OR Efficacy (Ti)
Depression (TiAb)		Competence (TiAb)				OR Promoting (Ti)
Anxious (TiAb)		Capability (TiAb)				
Psychosomatic (TiAb)		Confidence (TiAb)				
Cutting (TiAb)		Affective symptoms (KW)				
Hurting (TiAb)		Depression (KW)				
Self harm (TiAb)		Stress, psychological (KW)				
Tiredness (TiAb)		Anxiety (KW)				
		Sleep initiation and maintenance disorders (KW)				

- #1 MeSH descriptor Self-Injurious Behavior explode all trees
- #2 MeSH descriptor Abdominal Pain explode all trees
- #3 (well-being):ti,ab OR (wellbeing):ti,ab OR (depressive):ti,ab OR (moody):
ti,ab OR (eating problem):ti,ab OR (anorectic behavior):ti,ab OR (bulimic
behavior):ti,ab OR (self consciousness):ti,ab OR (self esteem):ti,ab OR (body
image):ti,ab OR (health complaints):ti,ab OR (stress):ti,ab OR (depression):
ti,ab OR (anxious):ti,ab OR (psychosomatic):ti,ab OR (cutting):ti,ab OR
(hurting):ti,ab OR (self harm):ti,ab OR (tiredness):ti,ab OR (sleeping problems):
ti,ab OR (insomnia):ti,ab OR (sleeplessness):ti,ab OR (headache):ti,ab,kw OR
(stomach ache):ti,ab OR (stomach pain):ti,ab OR (bellyache):ti,ab OR (belly
ache):ti,ab OR (internal):ti,ab OR (introvert):ti,ab OR (psychosocial):ti,ab OR
(mental):ti,ab OR (psychological):ti,ab OR (self efficacy):ti,ab OR (competence):
ti,ab OR (capability):ti,ab OR (confidence):ti,ab OR (affective symptoms):kw OR
(depression):kw OR (Stress, psychological):kw OR (Anxiety):kw OR (Sleep
Initiation and Maintenance Disorders):kw
- #4 (#1 OR #2 OR #3)
- #5 (programme):ti OR (program):ti OR (evaluation):ti OR (intervention):ti,ab
OR (interventions):ti,ab OR (training):ti OR (prevention):ti,ab OR (preventive):
ti,ab OR (preventing):ti OR (treatment):ti OR (treatments):ti OR (promotion):
ti OR (effects):ti OR (effectiveness):ti OR (programming):ti OR (efficacy):ti
OR (promoting):ti
- #6 MeSH descriptor Parents explode all trees
- #7 (parent):ti OR (parent training):ti,ab OR (parents):ti OR (parenting):ti,kw
- #8 (#6 OR #7)
- #9 ((child):ti,kw OR (adolescent):ti,kw OR (adolescents):ti OR (children):ti) NOT
((child, preschool):kw OR (preschool):ti OR (pre-school):ti OR (toddlers):ti)
- #10 (#4 AND #5 AND #8 AND #9)

Föräldrabaserade program, internaliserande symptom

Education resource information center (EBSCO), Januari 2009

Depression (psychology) (De) AND Family programs (De)
Self destructive behavior (De)
Suicide (De) Program effectiveness (De)
 OR Program evaluation (De)
 OR Intervention (De)
AND Parents (De)
 OR Employed parents (De)
 OR Fathers (De)
 OR Mothers (De)
 OR Grandparents (De)
 OR Parents as teachers (De)
 OR Parents with disabilities (De)

Limit: Journal articles

(DE "Depression (Psychology)" OR DE "Self Destructive Behavior" OR DE "Suicide")
AND (DE "Family Programs" or ((DE "Program Effectiveness " OR DE "Program
Evaluation" OR DE "Intervention") AND (DE "Parents" OR DE "Employed Parents"
OR DE "Fathers" OR DE "Grandparents" OR DE "Mothers" OR DE "Parents as
Teachers" OR DE "Parents with Disabilities"))))

Föräldrabaserade program, internaliserande symptom

International bibliography of the social sciences (EBSCO), December 2008

Depression (KW) AND Programme evaluation (KW) AND Parent (TiAb)
Internalizing (Di) Prevention (KW) Family (TiAb)

Limits: Social sciences, Journal articles (peer reviewed), 1990+

(KW=depression OR TI=internalizing) AND (KW=programme evaluation OR
KW=prevention) AND (TI=parent OR AB=parent OR TI=family OR AB=family)

Barnbaserade program, externaliserande symtom

PubMed (NLM), November 2009

Sociopathic (TiAb)	AND	Child (NoExp, Ti)	AND	Comparative study (PT)
Antisocial (TiAb)		OR Adolescent (Me, Ti)		OR Controlled clinical trial (PT)
Psychopathic (TiAb)		OR Children (Ti)		OR Meta analysis (PT)
Defiant (TiAb)		OR Adolescents (Ti)		OR Multicenter study (PT)
Defiance (TiAb)		OR Young people (Ti)		OR Randomized controlled trial (PT)
Delinquency (TiAb)		OR Teenager/s (Ti)		OR Review (PT)
Delinquent (TiAb)		OR Youth/s (Ti)		OR Validation studies (PT)
Conduct (TiAb)		OR Boys (Ti)		OR Program development (Me)
Misconduct (TiAb)		OR Girls (Ti)		OR Program evaluation (Me)
Oppositional (TiAb)		OR Childhood (Ti)		OR Controlled clinical trials as topic (Me)
Callous-unemotional (TiAb)	AND	Child guidance (Me)		OR Intervention studies (Me)
Bullying (TiAb)		OR Mental health services (MJR)		OR Cost benefit analysis (Me)
Violence (Me, TiAb)		OR Preventive health services (MJR)		OR Follow up studies (Me)
Aggression (Me, TiAb)		OR Mental disorders/PC (MJR)		OR Program evaluation (Me)
Criminality (TiAb)		OR Child health services (MJR)		OR Comparative (TiAb)
Crime (TiAb)		OR Primary prevention (MJR)		OR Controlled (TiAb)
Pro-social (TiAb)		OR Child targeted (TiAb)		OR Random* (TiAb)
Prosocial (TiAb)		OR Youth targeted (TiAb)		OR Evaluation (TiAb)
Emotional intelligence (TiAb)		OR Adolescent targeted (TiAb)		OR Follow up (TiAb)
EQ (Ti)		OR Curriculum (Ti)		NOT Cross-sectional studies (Me)
Conduct disorder (Me)	AND	Programme (Ti)		OR Retrospective studies (Me)
Child behavior disorders (Me)		OR Program (Ti)		OR Neoplasms (Me)
Juvenile delinquency (Me)		OR Evaluation (Ti)		OR HIV infections (Me)
Social problems (NoExp)		OR PRevention (TiAb)		OR Diabetes mellitus (Me)
Dangerous behavior (Me)		OR Preventive (TiAb)		
Social adjustment (Me)		OR PReventing (Ti)		
Empathy (Me)		OR Promotion (Ti)		
Substance-related disorders (Me)		OR Programming (Ti)		
Drug abuse (TiAb)		OR Promoting (Ti)		
Illicit drugs (TiAb)				
Substance abuse (TiAb)				
Substance use (TiAb)				
Glue sniffing (TiAb)				
Social skill/s (TiAb)				
Truancy (TiAb)				
Vandalism (TiAb)				
Truant (TiAb)				
Social behavior disorders (Me)				

(Sociopathic[title/abstract] OR Antisocial[title/abstract] OR Psychopathic[title/abstract] OR defiant[title/abstract] OR defiance[title/abstract] OR delinquency[title/abstract] OR delinquent[title/abstract] OR conduct[title/abstract] OR misconduct[title/abstract] OR oppositional[title/abstract] OR callous-unemotional[title/abstract] OR bullying[title/abstract] OR Violence[title/abstract] OR aggression[title/abstract] OR criminality[title/abstract] OR crime[title/abstract] OR "pro-social"[title/abstract] OR "prosocial"[title/abstract] OR "emotional intelligence"[title/abstract] OR "eq"[title/abstract] OR "Conduct Disorder"[MeSH Terms] OR "Child Behavior Disorders"[MeSH Terms] OR "Juvenile Delinquency"[MeSH Terms] OR "Social Problems"[Mesh:NoExp] OR "Violence"[Mesh:NoExp] OR "Dangerous Behavior"[MeSH Terms] OR Aggression[MeSH Terms] OR "social adjustment"[Mesh Terms] OR "empathy"[MeSH Terms] OR "Substance-Related Disorders"[MeSH Terms] OR "drug abuse"[title/abstract] OR "illicit drugs"[title/abstract] OR "substance abuse"[title/abstract] OR "substance use"[title/abstract] OR "glue sniffing"[title/abstract] OR "social skill"[title/abstract] OR "social skills"[title/abstract] OR truancy[title/abstract] OR vandalism[title/abstract] OR truant[title/abstract] OR "social behavior disorders"[MeSH Terms]) AND ("comparative study"[Publication Type] OR "controlled clinical trial"[Publication Type] OR "meta analysis"[Publication Type] OR "multicenter study"[Publication Type] OR "randomized controlled trial"[Publication Type] OR "review"[Publication Type] OR "validation studies"[Publication Type] OR "program development"[MeSH Terms] OR "program evaluation"[MeSH Terms] OR "controlled clinical trials as topic"[MeSH Terms] OR "intervention studies"[MeSH Terms] OR "cost benefit analysis"[MeSH Terms] OR "follow up studies"[MeSH Terms] OR "Program evaluation"[MeSH Terms] OR "comparative"[title/abstract] OR "controlled"[title/abstract] OR random*[title/abstract] OR "evaluation"[title/abstract] OR "follow up"[title/abstract]) AND ("programme"[Title] OR "program"[title] OR "evaluation"[Title] OR "prevention"[title/abstract] OR "preventive"[title/abstract] OR preventing[title] OR "promotion"[title] OR programming[title] OR promoting[title]) AND ("Child"[Mesh:NoExp] OR "adolescent"[MeSH Terms] OR "child"[Title] OR "children"[Title] OR "adolescent"[Title] OR "adolescents"[Title] OR "young people"[Title] OR "teenagers"[Title] OR "teenager"[Title] OR "youth"[Title] OR "youths"[Title] OR "boys"[title] OR "girls"[title] OR childhood[title]) AND ("child guidance"[MeSH Terms] OR "mental health services"[MeSH Major Topic] OR "preventive health services"[MeSH Major Topic] OR "Mental disorders/prevention and control"[MeSH Major Topic] OR "child health services"[MeSH Major Topic] OR "primary prevention"[MeSH Major Topic] OR "child targeted"[Title/abstract] OR "youth targeted"[Title/abstract] OR "adolescent targeted"[Title/abstract] OR "curriculum"[title]) NOT ("cross-sectional studies"[MeSH Terms] OR "retrospective studies"[MeSH Terms] OR neoplasms[MeSH Terms] OR "HIV infections"[MeSH Terms] OR "Diabetes mellitus"[MeSH Terms])

Barnbaserade program, externaliserande symtom

PsycInfo (EBSCO), November 2009

Sociopathic (TX)	OR	Antisocial behavior (De)	AND	Child (Ti)	AND	Prospective studies (De)
Antisocial (TX)		Criminal behavior (De)		OR Children (Ti)		OR Between groups design (De)
Psychopathic (TX)		Cruelty (De)		OR Adolescent/s (Ti)		OR Cohort analysis (De)
Defiant (TX)		Harassment (De)		OR Youth/s (Ti)		OR Followup studies (De)
Defiance (TX)		Persecution (De)		OR Teenager/s (Ti)		OR Randomized (TX)
Delinquency (TX)		Physical abuse (De)		OR Graders (Ti)		OR Random (TX)
Delinquent (TX)		Recidivism (De)		AND Programme (Ti)		OR Randomly (TX)
Conduct (TX)		Runaway behavior (De)		OR Program (Ti)		OR Controlled (TX)
Misconduct (TX)		Verbal abuse (De)		OR Evaluation (Ti)		OR Control/s (TX)
Oppositional (TX)		Aggressive behavior (De)		OR Prevention (TX)		OR Comparison/s (TX)
Callous-unemotional (TX)		Conduct disorder (De)		OR Preventive (TX)		OR Comparative (TX)
Bullying (TX)		Oppositional defiant disorder (De)		OR Preventing (TX)		OR Follow up (TX)
Violence (De, TX)		Criminal behavior (De)		OR Promotion (Ti)		OR Followup (TX)
Aggression (TX)		Arson (De)		OR Programming (Ti)		OR Program evaluation (De)
Criminality (TX)		Illegal drug distribution (De)		OR Promoting (Ti)		OR Educational program
Crime (De, TX)		Sex offenses (De)		OR Effectiveness (Ti)		evaluation (De)
Pro-social (TX)		Theft (De)		OR Meta-analysis (Ti)		OR Mental health program
Prosocial (TX)		Violent crime (De)		OR Meta-analytic (Ti)		evaluation (De)
Emotional intelligence (TX)		Sexual abuse (De)		OR Systematic (Ti)		OR Prevention (De)
EQ (TX)		Rape (De)		AND Behavior therapy (De)		OR Crime prevention (De)
Conduct disorder (TX)		Shoplifting (De)		OR Aversion therapy (De)		prevention (De)
Child behavior disorders (TX)				OR Exposure therapy (De)		OR Suicide prevention (De)
Juvenile delinquency (De, TX)				OR Implosive therapy (De)		OR Early intervention (De)
Social problems (TX)				OR Reciprocal inhibition therapy (De)		NOT ADHD (Ti)
Dangerous behavior (TX)				OR Conversion therapy (De)		OR Asperger (Ti)
Social adjustment (TX)				OR Behavior modification (De)		OR ADD (Ti)
Empathy (TX)				OR Assertiveness training (De)		OR Autism (Ti)
Drug abuse (TX)				OR Social skills training (De)		OR Parent (Ti) AND Training (Ti)
Illicit drugs (TX)				OR Human relations training (De)		
Substance abuse (TX)				OR Communication skills training (De)		
Substance use (TX)				OR Child targeted (TX)		
Glue sniffing (TX)				OR Youth targeted (TX)		
Social skill/s (TX)				OR Adolescent targeted (TX)		
Truancy (TX)				OR Curriculum (TX)		
Vandalism (De, TX)						
Truant (TX)						

Limit: All journals

(TX Sociopathic OR TX Antisocial OR TX Psychopathic OR TX defiant OR TX defiance OR TX delinquency OR TX delinquent OR TX conduct OR TX misconduct OR TX oppositional OR TX (callous-unemotional) OR TX bullying OR TX Violence OR TX aggression OR TX criminality OR TX crime OR TX (pro-social) OR TX prosocial OR TX (emotional intelligence) OR TX eq OR TX (Conduct Disorder) OR TX (Child Behavior Disorders) OR TX (Juvenile Delinquency) OR TX "Social Problems" OR TX "Dangerous Behavior" OR TX social adjustment OR TX empathy OR TX drug abuse OR TX illicit drugs OR TX substance abuse OR TX substance use OR TX glue sniffing OR TX social skill OR TX social skills OR TX truancy OR TX vandalism OR TX truant OR DE "Antisocial Behavior" OR DE "Criminal Behavior" OR DE "Cruelty" OR DE "Harassment" OR DE "Juvenile Delinquency" OR DE "Persecution" OR DE "Physical Abuse" OR DE "Recidivism" OR DE "Runaway Behavior" OR DE "Verbal Abuse" OR DE "Violence" OR DE "aggressive behavior" OR DE "conduct disorder" OR DE "oppositional defiant disorder" OR DE "criminal behavior" OR DE "Crime" OR DE "Arson" OR DE "Illegal Drug Distribution" OR DE "Sex Offenses" OR DE "Theft" OR DE "Vandalism" OR DE "Violent Crime" OR DE "Sexual Abuse" OR DE "rape" OR DE "shoplifting") AND (DE "prospective studies" OR DE "between groups design" OR DE "cohort analysis" OR DE "followup studies" OR TX "randomized" OR TX "random" OR TX "randomly" OR TX "controlled" OR TX "controls" OR TX "control" OR TX "comparison" OR TX "comparisons" OR TX "comparative" OR TX "follow up" OR TX "followup" OR DE "Program Evaluation" OR DE "Educational Program Evaluation" OR DE "Mental Health Program Evaluation" OR DE "Prevention" OR DE "Crime Prevention" OR DE "Primary Mental Health Prevention" OR DE "Suicide Prevention" OR DE "Early Intervention") AND (DE "Behavior Therapy" OR DE "Aversion Therapy" OR DE "Exposure Therapy" OR DE "Implosive Therapy" OR DE "Reciprocal Inhibition Therapy" OR DE "Response Cost" OR DE "Systematic Desensitization Therapy" OR DE "Conversion Therapy" OR DE "Behavior Modification" OR DE "assertiveness training" OR DE "social skills training" OR DE "human relations training" OR DE "communication skills training" OR TX "child targeted" OR TX "youth targeted" OR TX "adolescent targeted" OR TX "curriculum") AND (TI "child" OR TI "children" OR TI "adolescent" OR TI "adolescents" OR TI "youth" OR TI "youths" OR TI "teenager" OR TI "teenagers" OR TI "graders") AND (TI programme OR TI program OR TI evaluation OR TX prevention OR TX preventive OR TX preventing OR TI promotion OR TI programming OR TI promoting OR TI effectiveness OR TI meta-analysis OR TI meta-analytic OR TI systematic) NOT (TI ADHD OR TI asperger OR TI ADD OR TI autism OR (TI parent AND TI training))

Barnbaserade program, externaliserande symtom

Cochrane central registry of controlled trials (Wiley), November 2009

Substance-related disorders (Me)	AND	Mental health services (Me)	AND	Child (Ti, KW)
Aggression (Me)		OR Preventive health services (Me)		OR Children (Ti)
Sociopathic (TiAb)		OR Mental disorders/PC (Me)		OR Adolescent/s (Ti, KW)
Antisocial (TiAb)		OR Child health services (Me)		NOT Child, preschool (KW)
Psychopathic (TiAb)		OR Child guidance (Me)		OR Preschool (Ti)
Defiant (TiAb)		OR Primary prevention (Me)		OR Pre-school (Ti)
Defiance (TiAb)		OR Child targeted (TiAb)		OR Toddlers (Ti)
Delinquency (TiAb)		OR Youth targeted (TiAb)		
Delinquent (TiAb)		OR Adolescent targeted (TiAb)		
Conduct (TiAb)		OR Curriculum (Ti)		
Misconduct (TiAb)	AND	Programme (Ti)		
Oppositional (TiAb)		OR Program (Ti)		
Callous-unemotional (TiAb)		OR Evaluation (Ti)		
Bullying (TiAb)		OR Intervention/s (TiAb)		
Violence (Me, TiAb)		OR Training (Ti)		
Aggression (Me, TiAb)		OR PRevention (TiAb)		
Criminality (TiAb)		OR PReventive (TiAb)		
Crime (TiAb)		OR PReventing (TiAb)		
Pro-social (TiAb)		OR Treatment/s (Ti)		
Prosocial (TiAb)		OR Promotion (Ti)		
Emotional intelligence (TiAb)		OR Effects (Ti)		
EQ (Ti)		OR Effectiveness (Ti)		
Drug abuse (TiAb)		OR Programming (Ti)		
Illicit drugs (TiAb)		OR Efficacy (Ti)		
Substance abuse (TiAb)		OR Promoting (Ti)		
Substance use (TiAb)				
Glue sniffing (TiAb)				
Social skill/s (TiAb)				
Truancy (TiAb)				
Vandalism (TiAb)				
Truant (TiAb)				
Conduct disorder (KW)				
Child behavior disorders (KW)				
Juvenile delinquency (KW)				
Social problems (KW)				
Dangerous behavior (KW)				
Social adjustment (KW)				
Empathy (KW)				

- #1 MeSH descriptor Substance-Related Disorders explode all trees
- #2 MeSH descriptor Aggression explode all trees
- #3 (Sociopathic):ti,ab OR (Antisocial):ti,ab OR (Psychopathic):ti,ab OR (defiant):ti,ab OR (defiance):ti,ab OR (delinquency):ti,ab OR (delinquent):ti,ab OR (conduct):ti,ab OR (misconduct):ti,ab OR (oppositional):ti,ab OR (callous-unemotional):ti,ab OR (bullying):ti,ab OR (Violence):ti,ab OR (aggression):ti,ab OR (criminality):ti,ab OR (crime):ti,ab OR (pro-social):ti,ab OR (prosocial):ti,ab OR (emotional intelligence):ti,ab OR (eq):ti OR (drug abuse):ti,ab OR (illicit drugs):ti,ab OR (substance abuse):ti,ab OR (substance use):ti,ab OR (glue sniffing):ti,ab OR (social skill):ti,ab OR (social skills):ti,ab OR (truancy):ti,ab OR (vandalism):ti,ab OR (truant):ti,ab OR (Conduct Disorder):kw OR (Child Behavior Disorders):kw OR (Juvenile Delinquency):kw OR (Social Problems [Mesh:NoExp] OR Violence[Mesh:NoExp] OR Dangerous Behavior):kw OR (social adjustment):kw OR (empathy):kw
- #4 (#1 OR #2 OR #3)
- #5 (programme):ti OR (program):ti OR (evaluation):ti OR (intervention):ti,ab OR (interventions):ti,ab OR (training):ti OR (prevention):ti,ab OR (preventive):ti,ab OR (preventing):ti OR (treatment):ti OR (treatments):ti OR (promotion):ti OR (effects):ti OR (effectiveness):ti OR (programming):ti OR (efficacy):ti OR (promoting):ti
- #6 ((child):ti,kw OR (adolescent):ti,kw OR (adolescents):ti OR (children):ti) NOT ((child, preschool):kw OR (preschool):ti OR (pre-school):ti OR (toddlers):ti)
- #7 MeSH descriptor Mental Health Services explode all trees
- #8 MeSH descriptor Preventive Health Services explode all trees
- #9 MeSH descriptor Mental Disorders explode all trees with qualifier: PC
- #10 MeSH descriptor Child Health Services explode all trees
- #11 MeSH descriptor Child Guidance explode all trees
- #12 MeSH descriptor Primary Prevention, this term only
- #13 (#24 OR #25 OR #26 OR #27 OR #28 OR #29)
- #14 (child targeted):ti,ab OR (youth targeted):ti,ab OR (adolescent targeted):ti,ab OR (curriculum):ti
- #15 (#13 OR #14)
- #16 (#4 AND #5 AND #6 AND #15)

Barnbaserade program, internaliserande symtom

PubMed (NLM), November 2009

Affective symptoms (Me)	AND	Child (NoExp, Ti)	AND	Comparative study (PT)
Depression (Me, TiAb)		OR Adolescent (Me, Ti)		OR Controlled clinical trial (PT)
Self-injurious behavior (Me)		OR Children (Ti)		OR Meta analysis (PT)
Stress, psychological (Me)		OR Adolescents (Ti)		OR Multicenter study (PT)
Anxiety (NoExp)		OR Young people (Ti)		OR Randomized controlled trial (PT)
Well-being (TiAb)		OR Teenager/s (Ti)		OR Review (PT)
Wellbeing (TiAb)		OR Youth/s (Ti)		OR Validation studies (PT)
Depressive (TiAb)		OR Boys (Ti)		OR Program development (Me)
Moody (TiAb)		OR Girls (Ti)		OR Program evaluation (Me)
Eating problem (TiAb)		OR Childhood (Ti)		OR Controlled clinical trials as topic (Me)
Anorectic behavior (TiAb)	AND	Child guidance (Me)		OR Intervention studies (Me)
Bulimic behavior (TiAb)		OR Mental health services (MJR)		OR Cost benefit analysis (Me)
Self consciousness (TiAb)		OR Preventive health services (MJR)		OR Follow up studies (Me)
Self esteem (TiAb)		OR Mental disorders/PC (MJR)		OR Program evaluation (Me)
Body image (TiAb)		OR Child health services (MJR)		OR Comparative (TiAb)
Health complaints (TiAb)		OR Primary prevention (MJR)		OR Controlled (TiAb)
Stress (TiAb)	AND	Programme (Ti)		OR Random* (TiAb)
Anxious (TiAb)		OR Program (Ti)		OR Evaluation (TiAb)
Psychosomatic (TiAb)		OR Evaluation (Ti)		OR Follow up (TiAb)
Cutting (TiAb)		OR PRevention (TiAb)		NOT Cross-sectional studies (Me)
Hurting (TiAb)		OR Preventive (TiAb)		OR Retrospective studies (Me)
Self harm (TiAb)		OR PReventing (Ti)		OR Universities (Me, Ti)
Tiredness (TiAb)		OR Promotion (Ti)		OR University (Ti)
Sleeping problems (TiAb)		OR Programming (Ti)		OR College (Ti)
Insomnia (TiAb)		OR Promoting (Ti)		OR School/s (Ti)
Sleep initiation and maintenance disorders (Me)				OR Treatment (Ti)
Sleeplessness (TiAb)				OR Therapy (Ti)
Abdominal pain (Me)				OR Neoplasms (Me)
Headache (Me, TiAb)				OR HIV infections (Me)
Stomach ache (TiAb)				OR Diabetes mellitus (Me)
Stomach pain (TiAb)				
Belly ache (TiAb)				
Bellyache (TiAb)				
Internal (TiAb)				
Introvert (TiAb)				
Mental (TiAb)				
Self efficacy (TiAb)				
Confidence (TiAb)				

("affective symptoms"[MeSH Terms] OR "depression"[MeSH Terms] OR "self-injurious behavior"[MeSH Terms] OR "Stress, psychological"[MeSH Terms] OR "Anxiety"[Mesh:NoExp] OR "well-being"[title/abstract] OR "wellbeing"[title/abstract] OR depressive[title/abstract] OR moody[title/abstract] OR "eating problem"[title/abstract] OR "anorectic behavior"[title/abstract] OR "bulimic behavior"[title/abstract] OR "self consciousness"[title/abstract] OR "self esteem"[title/abstract] OR "body image"[title/abstract] OR "health complaints"[title/abstract] OR stress[title/abstract] OR depression[title/abstract] OR anxious[title/abstract] OR psychosomatic[title/abstract] OR cutting[title/abstract] OR hurting[title/abstract] OR "self harm"[title/abstract] OR tiredness[title/abstract] OR "sleeping problems"[title/abstract] OR "insomnia"[title/abstract] OR "Sleep Initiation and Maintenance Disorders"[MeSH Terms] OR "sleeplessness"[title/abstract] OR "abdominal pain"[MeSH Terms] OR headache[MeSH Terms] OR "headache"[Title/abstract] OR "stomach ache"[Title/abstract] OR "stomach pain"[Title/abstract] OR bellyache[title/abstract] OR "belly ache"[title/abstract] OR internal[title/abstract] OR introvert[title/abstract] OR psychosocial[title/abstract] OR mental[title/abstract] OR psychological[title/abstract] OR "self efficacy"[title/abstract] OR confidence[title/abstract]) AND ("comparative study"[Publication Type] OR "controlled clinical trial"[Publication Type] OR "meta analysis"[Publication Type] OR "multicenter study"[Publication Type] OR "randomized controlled trial"[Publication Type] OR "review"[Publication Type] OR "validation studies"[Publication Type] OR "program development"[MeSH Terms] OR "program evaluation"[MeSH Terms] OR "controlled clinical trials as topic"[MeSH Terms] OR "intervention studies"[MeSH Terms] OR "cost benefit analysis"[MeSH Terms] OR "follow up studies"[MeSH Terms] OR "Program evaluation"[MeSH Terms] OR "comparative"[title/abstract] OR "controlled"[title/abstract] OR random*[title/abstract] OR "evaluation"[title/abstract] OR "follow up"[title/abstract]) AND ("programme"[Title] OR "program"[title] OR "evaluation"[Title] OR "prevention"[title/abstract] OR "preventive"[title/abstract] OR preventing[title] OR "treatment"[title] OR "treatments"[title] OR "promotion"[title] OR "effects"[title] OR "effectiveness"[title] OR programming[title] OR efficacy[title] OR promoting[title]) AND ("Child"[Mesh:NoExp] OR "adolescent"[MeSH Terms] OR "child"[Title] OR "children"[Title] OR "adolescent"[Title] OR "adolescents"[Title] OR "young people"[Title] OR "teenagers"[Title] OR "teenager"[Title] OR "youth"[Title] OR "youths"[Title] OR "boys"[title] OR "girls"[title] OR childhood[title]) AND ("child guidance"[MeSH Terms] OR "mental health services"[MeSH Major Topic] OR "preventive health services"[MeSH Major Topic] OR "Mental disorders/prevention and control"[MeSH Major Topic] OR "child health services"[MeSH Major Topic] OR "primary prevention"[MeSH Major Topic]) NOT ("cross-sectional studies"[MeSH Terms] OR "retrospective studies"[MeSH Terms] OR "universities"[MeSH Terms] OR university[title] OR "universities"[title] OR college[title] OR "school"[title] OR "schools"[title] OR "treatment"[title] OR "therapy"[title] OR neoplasms[MeSH Terms] OR "HIV infections"[MeSH Terms] OR "Diabetes mellitus"[MeSH Terms])

Barnbaserade program, internaliserande symtom

PsycInfo (EBSCO), November 2009

Psychiatric symptoms (De)	OR	Sleeping problems (TX)	AND	Child (Ti)	AND	Prospective studies (De)
Affective disorders (De)		Sleeplessness (TX)		OR Children (Ti)		OR Between groups design (De)
Anxiety (De)		Stomach ache (TX)		OR Adolescent/s (Ti)		OR Cohort analysis (De)
Social anxiety (De)		Stomach pain (TX)		OR Youth/s (Ti)		OR Followup studies (De)
Apathy (De)		Bellyache (TX)		OR Teenager/s (Ti)		OR Randomized (TX)
Depression emotion (De)		Belly ache (TX)		OR Graders (Ti)		OR Random (TX)
Frustration (De)		Internal (Ti)		AND Programme (Ti)		OR Randomly (TX)
Hopelessness (De)		Introvert (TX)		OR Program (Ti)		OR Controlled (TX)
Emotional disturbances (De)		Psychosocial (TX)		OR Evaluation (Ti)		OR Control/s (TX)
Self injurious behavior (De)		Mental (TX)		OR Prevention (TX)		OR Comparison/s (TX)
Insomnia (De, TX)		Psychological (TX)		OR Preventive (TX)		OR Comparative (TX)
Headache (De, TX)		Self efficacy (TX)		OR Preventing (TX)		OR Follow up (TX)
Psychological stress (De)		Competence (TX)		OR Promotion (Ti)		OR Followup (TX)
Social stress (De)		Capability (TX)		OR Programming (Ti)		OR Program evaluation (De)
Eating disorders (De)		Confidence (TX)		OR Promoting (Ti)		OR Educational program evaluation (De)
Anorexia nervosa (De)				OR Effectiveness (Ti)		OR Mental health program evaluation (De)
Bulimia (De)				OR Meta-analysis (Ti)		OR Prevention (De)
Well-being (TX)				OR Meta-analytic (Ti)		OR Crime prevention (De)
Wellbeing (TX)				OR Systematic (Ti)		OR Primary mental health prevention (De)
Depressive (TX)				AND Behavior therapy (De)		OR Suicide prevention (De)
Moody (TX)				OR Aversion therapy (De)		OR Early intervention (De)
Eating problem (TX)				OR Exposure therapy (De)		NOT Retrospective studies (De)
Anorectic behavior (TX)				OR Implosive therapy (De)		OR Colleges (De)
Bulimic behavior (TX)				OR Reciprocal inhibition therapy (De)		OR College students (De)
Self consciousness (TX)				OR Conversion therapy (De)		OR Preschool students (De)
Self esteem (TX)				OR Behavior modification (De)		OR Nursery school students (De)
Body image (TX)				OR Assertiveness training (De)		OR University (Ti)
Health complaints (TX)				OR Social skills training (De)		OR Universities (Ti)
Stress (TX)				OR Human relations training (De)		OR College (Ti)
Depression (TX)				OR Communication skills training (De)		OR Preschool (Ti)
Anxious (TX)				OR Child targeted (TX)		OR Pre-school (Ti)
Psychosomatic (TX)				OR Youth targeted (TX)		OR Toddlers (Ti)
Cutting (TX)				OR Adolescent targeted (TX)		
Hurting (TX)				OR Curriculum (TX)		
Self harm (TX)						
Tiredness (TX)						

Limit: All journals

(DE "Psychiatric Symptoms" OR DE "Affective Disorders" OR DE "Anxiety" OR DE "Social Anxiety" OR DE "Apathy" OR DE "Depression Emotion" OR DE "Frustration" OR DE "Hopelessness" OR DE "Emotional Disturbances" OR DE "Self Injurious Behavior" OR DE "Insomnia" OR DE "Headache" OR DE "Psychological Stress" OR DE "Social Stress" OR DE "Eating Disorders" OR DE "Anorexia Nervosa" OR DE "Bulimia" OR TX "well-being" OR TX "wellbeing" OR TX "depressive" OR TX "moody" OR TX "eating problem" OR TX "anorectic behavior" OR TX "bulimic behavior" OR TX "self consciousness" OR TX "self esteem" OR TX "body image" OR TX "health complaints" OR TX "stress" OR TX "depression" OR TX "anxious" OR TX "psychosomatic" OR TX "cutting" OR TX "hurting" OR TX "self harm" OR TX "tiredness" OR TX "sleeping problems" OR TX "insomnia" OR TX "sleeplessness" OR TX "headache" OR TX "stomach ache" OR TX "stomach pain" OR TX "bellyache" OR TX "belly ache" OR TX "internal" OR TX "introvert" OR TX "psychosocial" OR TX "mental" OR TX "psychological" OR TX "self efficacy" OR TX "competence" OR TX "capability" OR TX "confidence") AND (TI "child" OR TI "children" OR TI "adolescent" OR TI "adolescents" OR TI "youth" OR TI "youths" OR TI "teenager" OR TI "teenagers" OR TI "graders") AND (DE "prospective studies" OR DE "between groups design" OR DE "cohort analysis" OR DE "followup studies" OR TX "randomized" OR TX "random" OR TX "randomly" OR TX "controlled" OR TX "controls" OR TX "control" OR TX "comparison" OR TX "comparisons" OR TX "comparative" OR TX "follow up" OR TX "followup" OR DE "Program Evaluation" OR DE "Educational Program Evaluation" OR DE "Mental Health Program Evaluation" OR DE "Prevention" OR DE "Crime Prevention" OR DE "Primary Mental Health Prevention" OR DE "Suicide Prevention" OR DE "Early Intervention") AND (DE "Behavior Therapy" OR DE "Aversion Therapy" OR DE "Exposure Therapy" OR DE "Implosive Therapy" OR DE "Reciprocal Inhibition Therapy" OR DE "Response Cost" OR DE "Systematic Desensitization Therapy" OR DE "Conversion Therapy" OR DE "Behavior Modification" OR DE "assertiveness training" OR DE "social skills training" OR DE "human relations training" OR DE "communication skills training" OR TX "child targeted" OR TX "youth targeted" OR TX "adolescent targeted" OR TX "curriculum") AND (TI programme OR TI program OR TI evaluation OR TX prevention OR TX preventive OR TX preventing OR TI promotion OR TI programming OR TI promoting OR TI effectiveness OR TI meta-analysis OR TI meta-analytic OR TI systematic) NOT (DE "retrospective studies" OR DE "colleges" OR DE "college students" OR DE "preschool students" OR DE "nursery school students" OR TI "university" OR TI "universities" OR TI "college" OR TI "preschool" OR TI "pre-school" OR TI "toddlers")

Barnbaserade program, internaliserande symtom

Cochrane central registry of controlled trials (Wiley), November 2009

Self-injurious behavior (Me)	OR	Insomnia (TiAb)	AND	Mental health services (Me)	AND	Child (Ti, KW)
Abdominal pain (Me)		SLepleness (TiAb)		OR Preventive health services (Me)		OR Child, preschool (KW)
Well-being (TiAb)		Headache (TiAb, KW)		OR Mental disorders/PC (Me)		OR Preschool (Ti)
Wellbeing (TiAb)		Stomach ache (TiAb)		OR Child health services (Me)		OR Pre-school (Ti)
Depressive (TiAb)		Stomach pain (TiAb)		OR Child guidance (Me)		OR Toddlers (Ti)
Moody (TiAb)		Bellyache (TiAb)		OR Primary prevention (Me)		OR Children (Ti)
Eating problem (TiAb)		Belly ache (TiAb)		AND Programme (Ti)		NOT Adolescent (Ti, KW)
Anorectic behavior (TiAb)		Internal (TiAb)		OR Program (Ti)		OR Adolescents (Ti)
Bulimic behavior (TiAb)		Introvert (TiAb)		OR Evaluation (Ti)		
Self consciousness (TiAb)		Psychosocial (TiAb)		OR Intervention/s (TiAb)		
Self esteem (TiAb)		Mental (TiAb)		OR Training (Ti)		
Body image (TiAb)		Psychological (TiAb)		OR PRevention (TiAb)		
Health complaints (TiAb)		Self efficacy (TiAb)		OR PReventive (TiAb)		
Stress (TiAb)		Competence (TiAb)		OR PReventing (TiAb)		
Depression (TiAb)		Capability (TiAb)		OR Treatment/s (Ti)		
Anxious (TiAb)		Confidence (TiAb)		OR Promotion (Ti)		
Psychosomatic (TiAb)		Affective symptoms (KW)		OR Effects (Ti)		
Cutting (TiAb)		Depression (KW)		OR Effectiveness (Ti)		
Hurting (TiAb)		Stress, psychological (KW)		OR Programming (Ti)		
Self harm (TiAb)		Anxiety (KW)		OR Efficacy (Ti)		
Tiredness (TiAb)		Sleep initiation and maintenance disorders (KW)		OR Promoting (Ti)		
Sleeping problems (TiAb)						

- #1 MeSH descriptor Self-Injurious Behavior explode all trees
- #2 MeSH descriptor Abdominal Pain explode all trees
- #3 (well-being):ti,ab OR (wellbeing):ti,ab OR (depressive):ti,ab OR (moody):ti,ab OR (eating problem):ti,ab OR (anorectic behavior):ti,ab OR (bulimic behavior):ti,ab OR (self consciousness):ti,ab OR (self esteem):ti,ab OR (body image):ti,ab OR (health complaints):ti,ab OR (stress):ti,ab OR (depression):ti,ab OR (anxious):ti,ab OR (psychosomatic):ti,ab OR (cutting):ti,ab OR (hurting):ti,ab OR (self harm):ti,ab OR (tiredness):ti,ab OR (sleeping problems):ti,ab OR (insomnia):ti,ab OR (sleeplessness):ti,ab OR (headache):ti,ab,kw OR (stomach ache):ti,ab OR (stomach pain):ti,ab OR (bellyache):ti,ab OR (belly ache):ti,ab OR (internal):ti,ab OR (introvert):ti,ab OR (psychosocial):ti,ab OR (mental):ti,ab OR (psychological):ti,ab OR (self efficacy):ti,ab OR (competence):ti,ab OR (capability):ti,ab OR (confidence):ti,ab OR (affective symptoms):kw OR (depression):kw OR (Stress, psychological):kw OR (Anxiety):kw OR (Sleep Initiation and Maintenance Disorders):kw
- #4 (#1 OR #2 OR #3)
- #5 (programme):ti OR (program):ti OR (evaluation):ti OR (intervention):ti,ab OR (interventions):ti,ab OR (training):ti OR (prevention):ti,ab OR (preventive):ti,ab OR (preventing):ti OR (treatment):ti OR (treatments):ti OR (promotion):ti OR (effects):ti OR (effectiveness):ti OR (programming):ti OR (efficacy):ti OR (promoting):ti
- #6 ((child):ti,kw OR (child, preschool):kw OR (preschool):ti OR (pre-school):ti OR (toddlers):ti OR (children):ti) NOT ((adolescent):ti,kw OR (adolescents):ti)
- #7 MeSH descriptor Mental Health Services explode all trees
- #8 MeSH descriptor Preventive Health Services explode all trees
- #9 MeSH descriptor Mental Disorders explode all trees with qualifier: PC
- #10 MeSH descriptor Child Health Services explode all trees
- #11 MeSH descriptor Child Guidance explode all trees
- #12 MeSH descriptor Primary Prevention, this term only
- #13 (#7 OR #8 OR #9 OR #10 OR #11 OR #12)
- #14 (#4 AND #5 AND #6 AND #13)

Preventionsprogram, förskola

PubMed (NLM), November 2009

Impulse control disorders (Me)	AND	Parenting (Me, Ti)	AND	Comparative study (PT)
Mental disorders diagnosed in childhood (Me)		OR Parents/ED (Me)		OR Controlled clinical trial (PT)
Mood disorders (Me)		OR Parent/s (Ti)		OR Meta analysis (PT)
Mental health (Me, TiAb)		OR Family (Ti) AND Prevention (Ti)		OR Multicenter study (PT)
Anxiety (TiAb)		AND Programme (Ti)		OR Randomized controlled trial (PT)
Attention deficit (TiAb)		OR Program (Ti)		OR Review (PT)
ADHD (Ti)		OR Evaluation (Ti)		OR Validation studies (PT)
Conduct disorder (TiAb)		OR Intervention/s (TiAb)		OR Program development (Me)
Behavior disorder/s (TiAb)		OR Training (Ti)		OR Program evaluation (Me)
ODD (Ti)		OR Prevention (TiAb)		OR Controlled clinical trials as topic (Me)
Depressive (TiAb)		OR Preventive (TiAb)		OR Intervention studies (Me)
Depression (TiAb)		OR PReventing (Ti)		OR Cost benefit analysis (Me)
Self harm (TiAb)		OR Treatment/s (Ti)		OR Follow up studies (Me)
Self destructive (TiAb)		OR Promotion (Ti)		OR Programme (TiAb)
Emotional (TiAb)		OR Effects (Ti)		OR Evaluation (TiAb)
Defiance (TiAb)		OR Effectiveness (Ti)		OR Intervention (TiAb)
Defiant (TiAb)		OR Programming (Ti)		
Aggression (Me, TiAb)		OR Efficacy (Ti)		
Behavior problem/s (TiAb)		OR Promoting (Ti)		
Disruptive (TiAb)				
Delinquency (TiAb)				
Antisocial (TiAb)				
Conduct (TiAb)				

("Impulse Control Disorders"[Mesh Terms] OR "Mental Disorders Diagnosed in Childhood"[Mesh Terms] OR "Mood Disorders"[Mesh Terms] OR "mental health"[Mesh Terms] OR "anxiety"[title/abstract] OR "attention deficit"[title/abstract] OR "adhd"[title] OR "conduct disorder"[title/abstract] OR "behavior disorder"[title/abstract] OR "behavior disorders"[title/abstract] OR odd[title] OR depressive[title/abstract] OR depression[title/abstract] OR "self harm"[title/abstract] OR "self destructive"[title/abstract] OR emotional[title/abstract] OR defiance[title/abstract] OR defiant[title/abstract] OR aggression[title/abstract] OR aggression[MeSH Terms] OR "behavior problem"[title/abstract] OR "behavior problems"[title/abstract] OR "disruptive"[title/abstract] OR "delinquency"[title/abstract] OR antisocial[title/abstract] OR conduct[title/abstract] OR "mental health"[title/abstract]) AND ("parenting"[MeSH Terms] OR "parents/education"[MeSH Terms] OR parent[title] OR parents[title] OR parenting[title] OR (family[title] AND prevention[title])) AND ("comparative study"[Publication Type] OR "controlled clinical trial"[Publication Type] OR "meta analysis"[Publication Type] OR "multicenter study"[Publication Type] OR "randomized controlled trial"[Publication Type] OR "review"[Publication Type] OR "validation studies"[Publication Type] OR "program development"[MeSH Terms] OR "program evaluation"[MeSH Terms] OR "controlled clinical trials as topic"[MeSH Terms] OR "intervention studies"[MeSH Terms] OR "cost benefit analysis"[MeSH Terms] OR "follow up studies"[MeSH Terms] OR "programme"[Title/Abstract] OR "evaluation"[Title/Abstract] OR "intervention"[Title/Abstract]) AND ("programme"[Title] OR "program"[title] OR "evaluation"[Title] OR "intervention"[Title/abstract] OR "interventions"[title/abstract] OR "training"[title] OR "prevention"[title/abstract] OR "preventive"[title/abstract] OR preventing[title] OR "treatment"[title] OR "treatments"[title] OR "promotion"[title] OR "effects"[title] OR "effectiveness"[title] OR programming[title] OR efficacy[title] OR promoting[title])

Preventionsprogram, förskola

PsycInfo (EBSCO), November 2009

Explosive disorder (De)	AND	Preschool (Ti)	AND	Prospective studies (De)
Impulse control disorders (De)		OR Pre-school (Ti)		OR Between groups design (De)
Conduct disorder (De, TX)		OR Toddlers (Ti)		OR Cohort analysis (De)
Aggressive behavior (De)		OR Child (Ti)		OR Followup studies (De)
Conflict (De)		OR Children (Ti)		OR Randomized (TX)
Self destructive behavior (De)		OR Preschool students (De)		OR Random (TX)
Attempted suicide (De)		OR Nursery school students (De)		OR Randomly (TX)
Head banging (De)		AND Parent training (De)		OR Controlled (TX)
Self inflicted wounds (De)		OR Family intervention (De)		OR Control/s (TX)
Self injurious behavior (De)		OR Parenting skills (De)		OR Comparison/s (TX)
Self mutilation (De)		OR Parents (De, Ti)		OR Comparative (TX)
Suicide (De)		OR Parent (Ti)		OR Follow up (TX)
Affective disorders (De)		OR Fathers (De)		OR Followup (TX)
Depression emotion (De)		OR Mothers (De)		OR Program evaluation (De)
Attention deficit disorder (De)		OR Parent training (TX)		OR Educational program evaluation (De)
Attention deficit disorder with hyperactivity (De)		OR Parenting (Ti)		OR Mental health program evaluation (De)
Oppositional defiant disorder (De)		AND Programme (Ti)		OR Prevention (De)
Acting out (De)		OR Program (Ti)		OR Crime prevention (De)
Well being (De)		OR Evaluation (Ti)		OR Primary mental health prevention (De)
Attention deficit (TX)		OR Prevention (TX)		OR Suicide prevention (De)
ADHD (TX)		OR Preventive (TX)		OR Early intervention (De)
Behavior disorder/s (TX)		OR Preventing (TX)		NOT Retrospective studies (De)
ODD (Ti)		OR Promotion (Ti)		
Depressive (TX)		OR Programming (Ti)		
Depression (TX)		OR Promoting (Ti)		
Self harm (TX)		OR Effectiveness (Ti)		
Self destructive (TX)		OR Meta-analysis (Ti)		
Emotional (TX)		OR Meta-analytic (Ti)		
Defiance (TX)		OR Systematic (Ti)		
Defiant (TX)				
Aggression (TX)				
Behavior problem/s (TX)				
Disruptive (TX)				
Delinquency (TX)				
Antisocial (TX)				
Conduct (TX)				
Mental health (TX)				

Limit: All journals

(DE "Explosive Disorder" OR DE "Impulse Control Disorders" OR DE "Conduct Disorder" OR DE "Aggressive Behavior" OR DE "Conflict" OR DE "Self Destructive Behavior" OR DE "Attempted Suicide" OR DE "Head Banging" OR DE "Self Inflicted Wounds" OR DE "Self Injurious Behavior" OR DE "Self Mutilation" OR DE "Suicide" OR DE "Affective Disorders" OR DE "Depression Emotion" OR DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR DE "Oppositional Defiant Disorder" OR DE "Acting Out" OR DE "Well Being" OR TX "attention deficit" OR TX "adhd" OR TX "conduct disorder" OR TX "behavior disorder" OR TX "behavior disorders" OR TI "odd" OR TX "depressive" OR TX "depression" OR TX "self harm" OR TX "self destructive" OR TX "emotional" OR TX "defiance" OR TX "defiant" OR TX "aggression" OR TX "behavior problem" OR TX "behavior problems" OR TX "disruptive" OR TX "delinquency" OR TX "antisocial" OR TX "conduct" OR TX "mental health") AND (TI "preschool" OR TI "pre-school" OR TI "toddlers" OR TI "child" OR TI "children" OR DE "preschool students" OR DE "nursery school students") AND (DE "prospective studies" OR DE "between groups design" OR DE "cohort analysis" OR DE "followup studies" OR TX "randomized" OR TX "random" OR TX "randomly" OR TX "controlled" OR TX "controls" OR TX "control" OR TX "comparison" OR TX "comparisons" OR TX "comparative" OR TX "follow up" OR TX "followup" OR DE "Program Evaluation" OR DE "Educational Program Evaluation" OR DE "Mental Health Program Evaluation" OR DE "Prevention" OR DE "Crime Prevention" OR DE "Primary Mental Health Prevention" OR DE "Suicide Prevention" OR DE "Early Intervention") AND (DE "parent training" OR DE "Family Intervention" OR DE "parenting skills" OR DE "Parents" OR DE "Fathers" OR DE "Mothers" OR TI "parent" OR TI "parents" OR TX "parent training" OR TI "parenting") AND (TI programme OR TI program OR TI evaluation OR TX prevention OR TX preventive OR TX preventing OR TI promotion OR TI programming OR TI promoting OR TI effectiveness OR TI meta-analysis OR TI meta-analytic OR TI systematic) NOT (DE "retrospective studies")

Preventionsprogram, förskola

Cochrane central registry of controlled trials (Wiley), November 2009

Impulse control disorders (Me)	AND	Parents (Ti, Me)	AND	Child (Ti, KW)
Mental disorders diagnosed in childhood (Me)		OR Parent (Ti)		OR Child, preschool (KW)
Mood disorders (Me)		OR Parent training (TiAb)		OR Preschool (Ti)
Anxiety (TiAb)		OR Parenting (Ti, KW)		OR Pre-school (Ti)
Attention deficit (TiAb)		AND Programme (Ti)		OR Toddlers (Ti)
ADHD (Ti)		OR Program (Ti)		OR Children (Ti)
Conduct disorder (TiAb)		OR Evaluation (Ti)		NOT Adolescent (Ti, KW)
Behavior disorder/s (TiAb)		OR Intervention/s (TiAb)		OR Adolescents (Ti)
ODD (Ti)		OR Training (Ti)		
Depressive (TiAb)		OR PRevention (TiAb)		
Depression (TiAb)		OR PReventive (TiAb)		
Self-harm (TiAb)		OR PReventing (TiAb)		
Self destructive (TiAb)		OR Treatment/s (Ti)		
Emotional (TiAb)		OR Promotion (Ti)		
Defiance (TiAb)		OR Effects (Ti)		
Defiant (TiAb)		OR Effectiveness (Ti)		
Aggression (TiAb, KW)		OR Programming (Ti)		
Behavior problem/s (TiAb)		OR Efficacy (Ti)		
Disruptive (TiAb)		OR Promoting (Ti)		
Delinquency (TiAb)				
Antisocial (TiAb)				
Conduct (TiAb)				
Mental health (TiAb, KW)				

- #1 MeSH descriptor Impulse Control Disorders explode all trees
- #2 MeSH descriptor Mental Disorders Diagnosed in Childhood explode all trees
- #3 MeSH descriptor Mood Disorders explode all trees
- #4 (anxiety):ti,ab OR (attention deficit):ti,ab OR (adhd):ti OR (conduct disorder):ti,ab OR (behavior disorder):ti,ab OR (behavior disorders):ti,ab OR (odd):ti OR (depressive):ti,ab OR (depression):ti,ab OR (self harm):ti,ab OR (self destructive):ti,ab OR (emotional):ti,ab OR (defiance):ti,ab OR (defiant):ti,ab OR (aggression):ti,ab OR (aggression[MeSH Terms] OR behavior problem):ti,ab OR (behavior problems):ti,ab OR (disruptive):ti,ab OR (delinquency):ti,ab OR (antisocial):ti,ab OR (conduct):ti,ab OR (mental health):ti,ab,kw
- #5 (#1 OR #2 OR #3 OR #4)
- #6 (programme):ti OR (program):ti OR (evaluation):ti OR (intervention):ti,ab OR (interventions):ti,ab OR (training):ti OR (prevention):ti,ab OR (preventive):ti,ab OR (preventing):ti OR (treatment):ti OR (treatments):ti OR (promotion):ti OR (effects):ti OR (effectiveness):ti OR (programming):ti OR (efficacy):ti OR (promoting):ti
- #7 ((child):ti,kw OR (child, preschool):kw OR (preschool):ti OR (pre-school):ti OR (toddlers):ti OR (children):ti) NOT ((adolescent):ti,kw OR (adolescents):ti)
- #8 MeSH descriptor Parents explode all trees
- #9 (parent):ti OR (parent training):ti,ab OR (parents):ti OR (parenting):ti,kw
- #10 (#8 OR #9)
- #11 (#5 AND #6 AND #7 AND #10)

Etik, externaliserande symptom

PubMed (NLM), Juni 2009

Sociopathic (TiAb)	AND	Ethics, medical (MJR)	AND	Programme (Ti)	AND	Child (Me, TiAb)
Antisocial (TiAb)		Philosophy, nursing (MJR)		Program (Ti)		Children (TiAb)
Psychopathic (TiAb)		Informed consent (MJR)		Prevention (TiAb)		Adolescent (Me,TiAb)
Defiant (TiAb)		Quality of life (MJR)		Preventive (TiAb)		Adolescents (TiAb)
Defiance (TiAb)		Ethics (TiAb)		Preventing (Ti)		Teenager/s (TiAb)
Delinquency (TiAb)		Ethical (TiAb)		/PC		Teens (TiAb)
Delinquent (TiAb)		Autonomy (TiAb)				Youth/s (TiAb)
Conduct (TiAb)		Personal autonomy (Me)				
Misconduct (TiAb)		Stigma* (TiAb)				
Oppositional (TiAb)		Personal integrity (TiAb)				
Callous-unemotional (TiAb)		Moral philosophy (TiAb)				
Bullying (TiAb)		Prejudice (Me)				
Violence (NoExp, TiAb)		Spocioeconom* (Ti)				
Aggression (Me, TiAb)		Gender (Ti)				
Criminality (TiAb)						
Crime (TiAb)						
Pro-social (TiAb)						
Prosocial (TiAb)						
Emotional intelligence (TiAb)						
EQ (Ti)						
Conduct disorder (Me)						
Child behavior disorders (Me)						
Juvenile delinquency (Me)						
Social problems (NoExp)						
Dangerous behavior (Me)						
Social adjustment (Me)						
Empathy (Me)						
Substance-related disorders (Me)						
Alcohol (TiAb)						
Drug abuse (TiAb)						
Illicit drugs (TiAb)						
Substance abuse (TiAb)						
Substance use (TiAb)						
Glue sniffing (TiAb)						
Tobacco (TiAb)						
Marijuana (TiAb)						
Social skill/s (TiAb)						
Truancy (TiAb)						
Vandalism (TiAb)						
Truant (TiAb)						

(("ethics, medical"[MeSH Major Topic] OR "philosophy, nursing"[MeSH Major Topic] OR "informed consent"[MeSH Major Topic] OR "quality of life"[MeSH Major Topic] OR "ethics"[Title/Abstract] OR "ethical"[Title/Abstract] OR "autonomy"[title/abstract] OR "personal autonomy"[MeSH Terms] OR stigma*[title/abstract] OR "personal integrity"[title/abstract] OR "moral philosophy"[title/abstract] OR "prejudice"[MeSH Terms] OR socioeconom*[title] OR "gender"[title]) AND ("programme"[Title] OR "program"[title] OR "prevention"[title/abstract] OR "preventive"[title/abstract] OR preventing[title] OR "prevention and control"[Subheading]) AND (Sociopathic[title/abstract] OR Antisocial[title/abstract] OR Psychopathic[title/abstract] OR defiant[title/abstract] OR defiance[title/abstract] OR delinquency[title/abstract] OR delinquent[title/abstract] OR conduct[title/abstract] OR misconduct[title/abstract] OR oppositional [title/abstract] OR callous-unemotional[title/abstract] OR bullying[title/abstract] OR Violence[title/abstract] OR aggression[title/abstract] OR criminality[title/abstract] OR crime[title/abstract] OR "pro-social"[title/abstract] OR "prosocial"[title/abstract] OR "emotional intelligence"[title/abstract] OR "eq"[title] OR "Conduct Disorder"[MeSH Terms] OR "Child Behavior Disorders"[MeSH Terms] OR "Juvenile Delinquency"[MeSH Terms] OR "Social Problems"[Mesh:noexp] OR "Violence"[Mesh:noexp] OR "Dangerous Behavior"[MeSH Terms] OR Aggression[MeSH Terms] OR "social adjustment"[Mesh Terms] OR "empathy"[MeSH Terms] OR "Substance-Related Disorders"[MeSH Terms] OR "alcohol"[title/abstract] OR "drug abuse"[title/abstract] OR "illicit drugs"[title/abstract] OR "substance abuse"[title/abstract] OR "substance use"[title/abstract] OR "glue sniffing"[title/abstract] OR "tobacco"[title/abstract] OR "marijuana"[title/abstract] OR "social skill"[title/abstract] OR "social skills"[title/abstract] OR truancy[title/abstract] OR vandalism[title/abstract] OR truant[title/abstract])) AND ("Child"[MeSH Terms] OR "adolescent"[MeSH Terms] OR "child"[title/abstract] OR "children"[title/abstract] OR "adolescent"[title/abstract] OR "adolescents"[title/abstract] OR "teenager"[title/abstract] OR "teenagers"[title/abstract] OR "teens"[title/abstract] OR "youth"[title/abstract] OR "youths"[title/abstract])

Etik, internaliserande symtom

PubMed (NLM), Juni 2009

Affective symptoms (Me)	AND	Ethics, medical (MJR)	AND	Programme (Ti)	AND	Child (Me, TiAb)
Depression (Me, TiAb)		Philosophy, nursing (MJR)		Program (Ti)		Children (TiAb)
Self-injurious behavior (Me)		Informed consent (MJR)		Prevention (TiAb)		Adolescent (Me,TiAb)
Stress, psychological (Me)		Quality of life (MJR)		Preventive (TiAb)		Adolescents (TiAb)
Anxiety (NoExp)		Ethics (TiAb)		Preventing (Ti)		Teenager/s (TiAb)
Well-being (TiAb)		Ethical (TiAb)		/PC		Teens (TiAb)
Wellbeing (TiAb)		Autonomy (TiAb)				Youth/s (TiAb)
Depressive (TiAb)		Personal autonomy (Me)				
Moody (TiAb)		Stigma* (TiAb)				
Eating problem (TiAb)		Personal integrity (TiAb)				
Anorectic behavior (TiAb)		Moral philosophy (TiAb)				
Bulimic behavior (TiAb)		Prejudice (Me)				
Self consciousness (TiAb)		Spocioeconom* (Ti)				
Self esteem (TiAb)		Gender (Ti)				
Body image (TiAb)						
Health complaints (TiAb)						
Stress (TiAb)						
Anxious (TiAb)						
Psychosomatic (TiAb)						
Cutting (TiAb)						
Hurting (TiAb)						
Self harm (TiAb)						
Tiredness (TiAb)						
Sleeping problems (TiAb)						
Insomnia (TiAb)						
Sleep initiation and maintenance disorders (Me)						
Sleeplessness (TiAb)						
Abdominal pain (Me)						
Headache (Me, TiAb)						
Stomach ache (TiAb)						
Stomach pain (TiAb)						
Belly ache (TiAb)						
Bellyache (TiAb)						
Internal (TiAb)						
Introvert (TiAb)						
Mental (TiAb)						
Self efficacy (TiAb)						
Confidence (TiAb)						

Limit: All journals

(("ethics, medical"[MeSH Major Topic] OR "philosophy, nursing"[MeSH Major Topic] OR "informed consent"[MeSH Major Topic] OR "quality of life"[MeSH Major Topic] OR "ethics"[Title/Abstract] OR "ethical"[Title/Abstract] OR "autonomy"[title/abstract] OR "personal autonomy"[MeSH Terms] OR stigma*[title/abstract] OR "personal integrity"[title/abstract] OR "moral philosophy"[title/abstract] OR "prejudice"[MeSH Terms] OR socioeconom*[title] OR "gender"[title]) AND ("programme"[Title] OR "program"[title] OR "prevention"[title/abstract] OR "preventive"[title/abstract] OR preventing[title] OR "prevention and control"[Subheading]) AND ("affective symptoms"[MeSH Terms] OR "depression"[MeSH Terms] OR "self-injurious behavior"[MeSH Terms] OR "Stress, psychological"[MeSH Terms] OR "Anxiety"[Mesh:NoExp] OR "abdominal pain"[MeSH Terms] OR "headache"[MeSH Terms] OR "Sleep Initiation and Maintenance Disorders"[MeSH Terms] OR "well-being"[title/abstract] OR "wellbeing"[title/abstract] OR depressive[title/abstract] OR moody[title/abstract] OR "eating problem"[title/abstract] OR "anorectic behavior"[title/abstract] OR "bulimic behavior"[title/abstract] OR "self consciousness"[title/abstract] OR "self esteem"[title/abstract] OR "body image"[title/abstract] OR "health complaints"[title/abstract] OR stress[title/abstract] OR depression[title/abstract] OR anxious[title/abstract] OR psychosomatic[title/abstract] OR cutting[title/abstract] OR hurting[title/abstract] OR "self harm"[title/abstract] OR tiredness[title/abstract] OR "sleeping problems"[title/abstract] OR "insomnia"[title/abstract] OR "sleeplessness"[title/abstract] OR "headache"[Title/abstract] OR "stomach ache"[Title/abstract] OR "stomach pain"[Title/abstract] OR bellyache[title/abstract] OR "belly ache"[title/abstract] OR internal[title/abstract] OR introvert[title/abstract] OR mental[title/abstract] OR "self efficacy"[title/abstract] OR confidence[title/abstract])) AND ("Child"[MeSH Terms] OR "adolescent"[MeSH Terms] OR "child"[title/abstract] OR "children"[title/abstract] OR "adolescent"[title/abstract] OR "adolescents"[title/abstract] OR "teenager"[title/abstract] OR "teenagers"[title/abstract] OR "teens"[title/abstract] OR "youth"[title/abstract] OR "youths"[title/abstract])

Negative effects

PubMed (NLM), November 2009

Abdominal pain (Me)	OR	Depression (Me, TiAb)	OR	Psychopathic (TiAb)	}
ADHD (Ti)		Depressive (TiAb)		Psychosocial (TiAb)	
Affective symptoms (Me)		Disruptive (TiAb)		Psychosomatic (TiAb)	
Aggression (Me, TiAb)		Drug abuse (TiAb)		Self consciousness (TiAb)	
Anorectic behavior (TiAb)		Eating problem (TiAb)		Self destructive (TiAb)	
Antisocial (TiAb)		Emotional (TiAb)		Self efficacy (TiAb)	
Anxiety (NoExp, TiAb)		Emotional intelligence (TiAb)		Self esteem (TiAb)	
Anxious (TiAb)		Empathy (Me)		Self harm (TiAb)	
Attention deficit (TiAb)		EQ (Ti)		Self-injurious behavior (Me)	
Behavior disorder/s (TiAb)		Glue sniffing (TiAb)		Sleep initiation and maintenance disorders (Me)	
Behavior problem/s (TiAb)		Headache (Me, TiAb)		Sleeping problems (TiAb)	
Belly ache (TiAb)		Health complaints (TiAb)		Sleeplessness (TiAb)	
Bellyache (TiAb)		Hurting (TiAb)		Social adjustment (Me)	
Body image (TiAb)		Illicit drugs (TiAb)		Social behavior disorders (Me)	
Bulimic behavior (TiAb)		Impulse control disorders (Me)		Social problems (NoExp)	
Bullying (TiAb)		Insomnia (TiAb)		Social skill/s (TiAb)	
Callous-unemotional (TiAb)		Internal (TiAb)		Sociopathic (TiAb)	
Capability (TiAb)		Introvert (TiAb)		Stomach ache (TiAb)	
Child behavior disorders (Me)		Juvenile delinquency (Me)		Stomach pain (TiAb)	
Competence (TiAb)		Mental (TiAb)		Stress (TiAb)	
Conduct (TiAb)		Mental disorders diagnosed in childhood (Me)		Stress, psychological (Me)	
Conduct disorder (Me, TiAb)		Mental health (Me, TiAb)		Substance abuse (TiAb)	
Confidence (TiAb)		Misconduct (TiAb)		Substance use (TiAb)	
Crime (TiAb)		Mood disorders (Me)		Substance-related disorders (Me)	
Criminality (TiAb)		Moody (TiAb)		Tiredness (TiAb)	
Cutting (TiAb)		ODD (Ti)		Truancy (TiAb)	
Dangerous behavior (Me)		Oppositional (TiAb)		Truant (TiAb)	
Defiance (TiAb)		Pro-social (TiAb)		Vandalism (TiAb)	
Defiant (TiAb)		Prosocial (TiAb)		Well-being (TiAb)	
Delinquency (TiAb)		Psychological (TiAb)		Wellbeing (TiAb)	
Delinquent (TiAb)				Violence (NoExp, TiAb)	

Continues on the next page

Continued from previous page

AND	Child (NoExp, TiAb) OR Children (TiAb) OR Adolescent (Me) OR Adolescent/s (Ti) OR Young people (Ti) OR Teenager/s (Ti) OR Youth/s (Ti) OR Boys (Ti) OR Girls (Ti) OR Childhood (Ti) AND Schools (Me) OR School health services (Me) OR School based (TiAb) OR Classroom based (TiAb) OR School/s (Ti) OR Classroom/s (Ti) OR Teacher based (TiAb) OR Teacher/s (Ti) OR School intervention (TiAb) OR Classroom implementation (TiAb) OR Peer mediated (TiAb) OR Peer mediation (TiAb) OR School environment (TiAb) OR Class mates (TiAb) OR Curriculum (Ti) OR Curricular (Ti) OR Extra-curricular (Ti) OR Extracurricular (Ti) OR Child guidance (Me) OR Preventive health services (MJR) OR Child health services (MJR) OR Family (Me) OR Parent/s (Ti) OR Parent training (TiAb) OR Parenting (Ti) OR Peer group (Me) OR Parental (Ti)	AND	Controlled clinical trial (PT) OR Meta analysis (PT) OR Randomized controlled trial (PT) OR Review (PT) OR Program development (Me) OR Program evaluation (Me) OR Controlled clinical trials as topic (Me) OR Intervention studies (Me) OR Cost benefit analysis (Me) OR Controlled (TiAb) OR Random* (TiAb) OR /PC OR Primary prevention (NoExp) AND Program/me (Ti) OR Evaluation (Ti) OR Intervention/s (Ti) OR Training (Ti) OR Prevention (TiAb) OR Preventive (TiAb) OR Preventing (Ti) OR Treatment/s (Ti) OR Promotion (Ti) OR Programming (Ti) OR Promoting (Ti) NOT Cross-sectional studies (Me) OR Retrospective studies (Me) OR Universities (Me, Ti) OR University (Ti) OR College (Ti)	AND	Increased risk (TiAb) Enhanced risk (TiAb) Aggravated risk (TiAb) Aggravated problems (TiAb) Harmful effect/s (TiAb) Worsening of symptom/s (TiAb) Deleterious effect/s (TiAb) Deleterious outcome/s (TiAb) Adverse outcome/s (TiAb) Adverse effect/s (TiAb) Adverse event/s (TiAb) Negative outcome/s (TiAb) Negative effect/s (TiAb) Negative event/s (TiAb) Unwanted effect/s (TiAb) Unwanted event/s (TiAb) Unwanted outcome/s (TiAb) Harm (Ti) Iatrogenic (TiAb) Deviancy training (TiAb) Counterproductive (TiAb) /AE Iatrogenic disease (Me)
-----	---	-----	--	-----	---

("increased risk"[title/abstract] OR "enhanced risk"[title/abstract] OR "aggravated risk"[title/abstract] OR "aggravated problems"[title/abstract] OR "harmful effect"[title/abstract] OR "harmful effects"[title/abstract] OR "worsening of symptom"[title/abstract] OR "worsening of symptoms"[title/abstract] OR "deleterious effects"[title/abstract] OR "deleterious effect"[title/abstract] OR "deleterious outcome"[title/abstract] OR "deleterious outcomes"[title/abstract] OR "adverse outcome"[title/abstract] OR "adverse outcomes"[title/abstract] OR "adverse effect"[title/abstract] OR "adverse effects"[title/abstract] OR "adverse event"[title/abstract] OR "adverse events"[title/abstract] OR "negative outcome"[title/abstract] OR "negative effects"[title/abstract] OR "negative event"[title/abstract] OR "negative events"[title/abstract] OR "unwanted outcome"[title/abstract] OR "unwanted outcomes"[title/abstract] OR "unwanted effect"[title/abstract] OR "unwanted effects"[title/abstract] OR "unwanted event"[title/abstract] OR "unwanted events"[title/abstract] OR "harm"[Title] OR "iatrogenic"[Title/Abstract] OR "deviancy training"[Title/Abstract] OR "counterproductive"[Title/Abstract] OR "adverse effects"[MeSH Subheading] OR "iatrogenic disease"[MeSH Terms]) AND ((Sociopathic[title/abstract] OR Antisocial[title/abstract] OR Psychopathic[title/abstract] OR defiant[title/abstract] OR defiance[title/abstract] OR delinquency[title/abstract] OR delinquent[title/abstract] OR conduct[title/abstract] OR misconduct[title/abstract] OR oppositional[title/abstract] OR callous-unemotional[title/abstract] OR bullying[title/abstract] OR Violence[title/abstract] OR aggression[title/abstract] OR criminality[title/abstract] OR crime[title/abstract] OR "pro-social"[title/abstract] OR "prosocial"[title/abstract] OR "emotional intelligence"[title/abstract] OR "eq"[title] OR "Conduct Disorder"[MeSH Terms] OR "Child Behavior Disorders"[MeSH Terms] OR "Juvenile Delinquency"[MeSH Terms] OR "Social Problems"[Mesh:NoExp] OR "Violence"[Mesh:NoExp] OR "Dangerous Behavior"[MeSH Terms] OR Aggression [MeSH Terms] OR "social adjustment"[Mesh Terms] OR "empathy"[MeSH Terms] OR "Substance-Related Disorders"[MeSH Terms] OR "drug abuse"[title/abstract] OR "illicit drugs"[title/abstract] OR "substance abuse"[title/abstract] OR "substance use"[title/abstract] OR "glue sniffing"[title/abstract] OR "social skill"[title/abstract] OR "social skills"[title/abstract] OR truancy[title/abstract] OR vandalism[title/abstract] OR truant[title/abstract] OR "social behavior disorders"[MeSH Terms]) OR ("Impulse Control Disorders"[Mesh Terms] OR "Mental Disorders Diagnosed in Childhood"[Mesh Terms] OR "Mood Disorders"[Mesh Terms] OR "mental health"[Mesh Terms] OR "anxiety"[title/abstract] OR "attention deficit"[title/abstract] OR "adhd"[title] OR "conduct disorder"[title/abstract] OR "behavior disorder"[title/abstract] OR "behavior disorders"[title/abstract] OR odd[title] OR depressive[title/abstract] OR depression[title/abstract] OR "self harm"[title/abstract] OR "self destructive"[title/abstract] OR emotional[title/abstract] OR defiance[title/abstract] OR defiant[title/abstract] OR aggression[title/abstract] OR aggression[MeSH Terms] OR "behavior problem"[title/abstract] OR "behavior problems"[title/abstract] OR "disruptive"[title/abstract] OR "delinquency"[title/abstract] OR antisocial[title/abstract] OR conduct [title/abstract] OR "mental health"[title/abstract] OR ("affective symptoms"[MeSH Terms] OR "depression"[MeSH Terms] OR "self-injurious behavior"[MeSH Terms] OR "Stress, psychological"[MeSH Terms] OR "Anxiety"[Mesh:NoExp] OR "well-being"[title/abstract] OR "wellbeing"[title/abstract] OR depressive[title/abstract] OR moody[title/abstract] OR "eating problem"[title/abstract] OR "anorectic behavior"[title/abstract] OR "bulimic behavior"[title/abstract] OR "self consciousness"[title/abstract] OR "self esteem"[title/abstract] OR "body image"[title/abstract] OR "health complaints"[title/abstract] OR stress[title/abstract] OR depression[title/abstract] OR

anxious[title/abstract] OR psychosomatic[title/abstract] OR cutting[title/abstract] OR
 hurting[title/abstract] OR "self harm"[title/abstract] OR tiredness[title/abstract] OR
 "sleeping problems"[title/abstract] OR "insomnia"[title/abstract] OR " Sleep Initiation
 and Maintenance Disorders"[MeSH Terms] OR "sleeplessness"[title/abstract] OR
 "abdominal pain"[MeSH Terms] OR headache[MeSH Terms] OR "headache"[Title/
 abstract] OR "stomach ache"[Title/abstract] OR "stomach pain"[Title/abstract] OR
 bellyache[title/abstract] OR "belly ache"[title/abstract] OR internal[title/abstract]
 OR introvert[title/abstract] OR psychosocial[title/abstract] OR mental[title/abstract]
 OR psychological[title/abstract] OR "self efficacy"[title/abstract] OR competence[title/
 abstract] OR capability[title/abstract] OR confidence[title/abstract])) AND ("Child"
 [Mesh:NoExp] OR "adolescent"[MeSH Terms] OR "child"[Title/abstract] OR "children"
 [Title/abstract] OR "adolescent"[Title] OR "adolescents"[Title] OR "young people"
 [Title] OR "teenagers"[Title] OR "teenager"[Title] OR "youth"[Title] OR "youths"
 [Title] OR "boys"[title] OR "girls"[title] OR childhood[title]) AND ("controlled clinical
 trial"[Publication Type] OR "meta analysis"[Publication Type] OR "randomized controlled
 trial"[Publication Type] OR "review"[Publication Type] OR "program development"
 [MeSH Terms] OR "program evaluation"[MeSH Terms] OR "controlled clinical trials as
 topic"[MeSH Terms] OR "intervention studies"[MeSH Terms] OR "cost benefit analysis"
 [MeSH Terms] OR "controlled"[title/abstract] OR random*[title/abstract] OR "prevention
 and control"[MeSH Subheading] OR "Primary Prevention"[Mesh:NoExp]) AND
 ("programme"[Title] OR "program"[title] OR "evaluation"[Title] OR "intervention"
 [Title/abstract] OR "interventions"[title/abstract] OR "training"[title] OR "prevention"
 [title/abstract] OR "preventive"[title/abstract] OR preventing[title] OR "treatment"
 [title] OR "treatments"[title] OR "promotion"[title] OR programming[title] OR pro-
 moting[title]) NOT ("cross-sectional studies"[MeSH Terms] OR "retrospective studies"
 [MeSH Terms] OR "universities"[MeSH Terms] OR university[title] OR "universities"
 [title] OR college[title]) AND ("schools"[MeSH Terms] OR "School Health Services"
 [Mesh Terms] OR "school based"[title/abstract] OR "classroom based"[Title/abstract]
 OR "school"[title] OR "classroom"[title] OR "schools"[title] OR "classrooms"[title] OR
 "teacher based"[title/abstract] OR "teacher"[title] OR "teachers"[title] OR "school
 intervention"[title/abstract] OR "classroom implementation"[title/abstract] OR "peer
 mediated"[title/abstract] OR "peer mediation"[title/abstract] OR "school environment"
 [Title/abstract] OR "class mates"[Title/abstract] OR "curriculum"[Title] OR "curricular"
 [Title] OR "extra-curricular"[Title] OR "extracurricular"[Title] OR "child guidance"
 [MeSH Terms] OR "preventive health services"[MeSH Major Topic] OR "child health
 services"[MeSH Major Topic] OR "Family"[MeSH Terms] OR parent[title] OR "parent
 training"[title/abstract] OR parents[title] OR parenting[title] OR parental[title] OR
 "peer group"[MeSH Terms])

Negative effects

PsycInfo (EBSCO), November 2009

Acting out (De)	OR	Delinquent (TW)	OR	Psychological (TW)	AND
ADHD (TW)		Depression (TW)		Psychological stress (De)	
Affective disorders (De)		Depression emotion (De)		Psychopathic (TW)	
Aggression (TW)		Depressive (TW)		Psychosocial (TW)	
Aggressive behavior (De)		Disruptive (TW)		Psychosomatic (TW)	
Anorectic behavior (TW)		Drug abuse (TW)		Rape (De)	
Anorexia nervosa (De)		Eating disorders (De)		Recidivism (De)	
Antisocial (TW)		Eating problem (TW)		Runaway behavior (De)	
Antisocial behavior (De)		Emotional (TW)		Self consciousness (TW)	
Anxiety (De)		Emotional disturbances (De)		Self destructive (TW)	
Anxious (TW)		Emotional intelligence (TW)		Self destructive behavior (De)	
Apathy (De)		Empathy (TW)		Self efficacy (TW)	
Arson (De)		EQ (TW)		Self esteem (TW)	
Attempted suicide (De)		Explosive disorder (De)		Self harm (TW)	
Attention deficit (TW)		Frustration (De)		Self inflicted wounds (De)	
Attention deficit disorder (De)		Glue sniffing (TW)		Self injurious behavior (De)	
Attention deficit disorder with hyperactivity (De)		Harassment (De)		Self mutilation (De)	
Behavior disorder/s (TW)		Head banging (De)		Sex offenses (De)	
Behavior problem/s (TW)		Headache (De, TW)		Sexual abuse (De)	
Belly ache (TW)		Health complaints (TW)		Shoplifting (De)	
Bellyache (TW)		Hopelessness (De)		Sleeping problems (TW)	
Body image (TW)		Hurting (TW)		Sleeplessness (TW)	
Bulimia (De)		Illegal drug distribution (De)		Social adjustment (TW)	
Bulimic behavior (TW)		Illicit drugs (TW)		Social anxiety (De)	
Bullying (TW)		Impulse control disorders (De)		Social problems (TW)	
Callous-unemotional (TW)		Insomnia (De)		Social skill/s (TW)	
Capability (TW)		Insomnia (TW)		Social stress (De)	
Child behavior disorders (TW)		Internal (TW)		Sociopathic (TW)	
Competence (TW)		Introvert (TW)		Stomach pain (TW)	
Conduct (TW)		Juvenile delinquency (De, TW)		Stress (TW)	
Conduct disorder (De, TW)		Mental (TW)		Substance abuse (TW)	
Confidence (TW)		Mental health (TW)		Substance use (TW)	
Conflict (De)		Misconduct (TW)		Suicide (De)	
Crime (De, TW)		Moody (TW)		Theft (De)	
Criminal behavior (De)		ODD (Ti)		Tiredness (TW)	
Criminality (TW)		Oppositional (TW)		Truancy (TW)	
Cruelty (De)		Oppositional defiant disorder (De)		Truant (TW)	
Cutting (TW)		Persecution (De)		Vandalism (De, TW)	
Dangerous behavior (TW)		Physical abuse (De)		Well being (De, TW)	
Defiance (TW)		Pro-social (TW)		Wellbeing (TW)	
Defiant (TW)		Prosocial (TW)		Verbal abuse (De)	
Delinquency (TW)		Psychiatric symptoms (De)		Violence (De, TW)	
				Violent crime (De)	

Continues on the next page

Continued from previous page

AND	<ul style="list-style-type: none"> Preschool (Ti) OR Pre-school (Ti) OR Toddlers (Ti) OR Child (Ti) OR Children (Ti) OR Preschool students (De) OR Nursery school students (De) OR Adolescent/s (Ti) OR Youth/s (Ti) OR Teenager/s (Ti) OR Graders (Ti) AND Schools (De) OR Elementary schools (De) OR High schools (De) OR School psychologists (De) OR Student personnel services (De) OR School based intervention (De) OR School counseling (De) OR Peer tutoring (De) OR Peer counseling (De) OR Teachers (De) OR Classroom behavior modification (De) OR Classroom management (De) OR School based (TW) OR Classroom based (TW) OR Teacher based (TW) OR School intervention (TW) OR School implementation (TW) OR Classroom/s (Ti) OR School/s (Ti) OR Teacher/s (Ti) OR Class mates (TW) OR Curriculum (TW) OR Curricular (TW) OR Extra-curricular (TW) OR Extracurricular (TW) OR Parent training (De, TW) OR Family intervention (De) OR Parenting skills (De) OR Parents (De) OR Fathers (De) OR Mothers (De) OR Parent/s (Ti) OR Parenting (Ti) 	AND	<ul style="list-style-type: none"> Program/me (Ti) Evaluation (Ti) Prevention (TW) Preventive (TW) Preventing (TW) Promotion (Ti) Programming (Ti) Promoting (Ti) Effectiveness (Ti) Meta-analysis (Ti) Meta-analytic (Ti) Systematic (Ti) 	AND	<ul style="list-style-type: none"> Side effects (Treatment) (De) Side effect/s (TW) Adverse effect/s (TW) Adverse event/s (TW)
-----	---	-----	--	-----	--

Limit: All journals

(DE "Psychiatric Symptoms" OR DE "Anxiety" OR DE "Social Anxiety" OR DE "Apathy" OR DE "Depression Emotion" OR DE "Frustration" OR DE "Hopelessness" OR DE "Emotional Disturbances" OR DE "Self Injurious Behavior" OR DE "Insomnia" OR DE "Headache" OR DE "Psychological Stress" OR DE "Social Stress" OR DE "Eating Disorders" OR DE "Anorexia Nervosa" OR DE "Bulimia" OR TX "well-being" OR TX "wellbeing" OR TX "depressive" OR TX "moody" OR TX "eating problem" OR TX "anorectic behavior" OR TX "bulimic behavior" OR TX "self consciousness" OR TX "self esteem" OR TX "body image" OR TX "health complaints" OR TX "stress" OR TX "depression" OR TX "anxious" OR TX "psychosomatic" OR TX "cutting" OR TX "hurting" OR TX "self harm" OR TX "tiredness" OR TX "sleeping problems" OR TX "insomnia" OR TX "sleppiness" OR TX "headache" OR TX "stomach ache" OR TX "stomach pain" OR TX "bellyache" OR TX "belly ache" OR TX "internal" OR TX "introvert" OR TX "psychosocial" OR TX "mental" OR TX "psychological" OR TX "self efficacy" OR TX "competence" OR TX "capability" OR TX "conficence" OR TX Sociopathic OR TX Antisocial OR TX Psychopathic OR TX defiant OR TX defiance OR TX delinquency OR TX delinquent OR TX conduct OR TX misconduct OR TX oppositional OR TX "callous-unemotional" OR TX bullying OR TX Violence OR TX criminality OR TX crime OR TX "pro-social" OR TX prosocial OR TX "emotional intelligence" OR TX eq OR TX "Child Behavior" OR TX Disorders OR TX "Juvenile Delinquency" OR TX "Social Problems" OR TX "Dangerous Behavior" OR TX Aggression OR TX social adjustment OR TX empathy OR TX drug abuse OR TX illicit drugs OR TX substance abuse OR TX substance use OR TX glue sniffing OR TX social skill OR TX social skills OR TX truancy OR TX vandalism OR TX truant OR DE "Antisocial Behavior" OR DE "Criminal Behavior" OR DE "Cruelty" OR DE "Harassment" OR DE "Juvenile Delinquency" OR DE "Persecution" OR DE "Physical Abuse" OR DE "Recidivism" OR DE "Runaway Behavior" OR DE "Verbal Abuse" OR DE "Violence" OR DE "aggressive behavior" OR DE "oppositional defiant disorder" OR DE "Crime" OR DE "Arson" OR DE "Illegal Drug Distribution" OR DE "Sex Offenses" OR DE "Theft" OR DE "Vandalism" OR DE "Violent Crime" OR DE "Sexual Abuse" OR DE "rape" OR DE "shoplifting" OR DE "Explosive Disorder" OR DE "Impulse Control Disorders" OR DE "Conduct Disorder" OR DE "Aggressive Driving Behavior" OR DE "Animal Aggressive Behavior" OR DE "Attack Behavior" OR DE "Coercion" OR DE "Conflict" OR DE "Self Destructive Behavior" OR DE "Attempted Suicide" OR DE "Head Banging" OR DE "Self Inflicted Wounds" OR DE "Self Mutilation" OR DE "Suicide" OR DE "Affective Disorders" OR DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR DE "Acting Out" OR DE "Well Being" OR TX "attention deficit" OR TX "adhd" OR TX "conduct disorder" OR TX "behavior disorder" OR TX "behavior disorders" OR TI "odd" OR TX "self destructive" OR TX "emotional" OR TX "behavior problem" OR TX "behavior problems" OR TX "disruptive" OR TX "mental health") AND (TI "preschool" OR TI "pre-school" OR TI "toddlers" OR TI "child" OR TI "children" OR DE "preschool students" OR DE "nursery school students" OR TI "adolescent" OR TI "adolescents" OR TI "youth" OR TI "youths" OR TI "teenager" OR TI "teenagers" OR TI "graders") AND (DE "Schools" OR DE "Elementary Schools" OR DE "High Schools" OR DE "school psychologists" OR DE "student personnel services" OR DE "school based intervention" OR DE "school counseling" OR DE "peer tutoring" OR DE "peer counseling" OR DE "teachers" OR DE "classroom behavior modification" OR DE "classroom management" OR TX "school based" OR TX "classroom based" OR TX "teacher based" OR TX "school intervention" OR TX "school implementation" OR TI "classroom" OR TI "school" OR TI "schools" OR TI "classrooms" OR TI "teacher" OR TI "teachers" OR TX "class mates" OR TX

"curriculum" OR TX "curricular" OR TX "extra-curricular" OR TX "extracurricular"
OR DE "parent training" OR DE "Family Intervention" OR DE "parenting skills" OR
DE "Parents" OR DE "Fathers" OR DE "Mothers" OR TI "parent" OR TI "parents" OR
TX "parent training" OR TI "parenting") AND (TI programme OR TI program OR TI
evaluation OR TX prevention OR TX preventive OR TX preventing OR TI promotion
OR TI programming OR TI promoting OR TI effectiveness OR TI meta-analysis OR TI
meta-analytic OR TI systematic) AND (DE "Side Effects (Treatment)" OR TX "side
effect" OR TX "side effects" OR TX "adverse effect" OR TX "adverse effects" OR TX
"adverse event" OR TX "adverse events")

Negative effects

Cochrane central registry of controlled trials (Wiley), November 2009

Abdominal pain (Me)	OR	Delinquent (TiAb)	OR	Psychopathic (TiAb)	}
ADHD (Ti)		Depression (Me, TiAb)		Psychosocial (TiAb)	
Affective symptoms (Me)		Depressive (TiAb)		Psychosomatic (TiAb)	
Aggression (Me, TiAb)		Disruptive (TiAb)		Self consciousness (TiAb)	
Anorectic behavior (TiAb)		Drug abuse (TiAb)		Self destructive (TiAb)	
Antisocial (TiAb)		Eating problem (TiAb)		Self efficacy (TiAb)	
Anxiety (TiAb)		Emotional (TiAb)		Self esteem (TiAb)	
Anxious (TiAb)		Empathy (Me)		Self harm (TiAb)	
Attention deficit (TiAb)		EQ (Ti)		Self-injurious behavior (Me)	
Behavior disorder/s (TiAb)		Glue sniffing (TiAb)		Sleep initiation and maintenance disorders (Me)	
Behavior problem/s (TiAb)		Headache (Me, TiAb)		Sleeping problems (TiAb)	
Belly ache (TiAb)		Health complaints (TiAb)		Sleeplessness (TiAb)	
Bellyache (TiAb)		Hurting (TiAb)		Social adjustment (Me)	
Body image (TiAb)		Illicit drugs (TiAb)		Social behavior disorders (Me)	
Bulimic behavior (TiAb)		Impulse control disorders (Me)		Social problems (NoExp)	
Bullying (TiAb)		Insomnia (TiAb)		Social skill/s (TiAb)	
Callous-unemotional (TiAb)		Internal (TiAb)		Sociopathic (TiAb)	
Capability (TiAb)		Introvert (TiAb)		Stomach ache (TiAb)	
Child behavior disorders (Me)		Juvenile delinquency (Me)		Stomach pain (TiAb)	
Competence (TiAb)		Mental (TiAb)		Stress (TiAb)	
Conduct (TiAb)		Mental disorders diagnosed		Stress, psychological (Me)	
Conduct disorder (Me, TiAb)		in childhood (Me)		Substance abuse (TiAb)	
Confidence (TiAb)		Mental health (Me)		Substance use (TiAb)	
Crime (TiAb)		Misconduct (TiAb)		Substance-related disorders (Me)	
Criminality (TiAb)		Mood disorders (Me)		Tiredness (TiAb)	
Cutting (TiAb)		Moody (TiAb)		Truancy (TiAb)	
Dangerous behavior (Me)		ODD (Ti)		Truant (TiAb)	
Defiance (TiAb)		Oppositional (TiAb)		Vandalism (TiAb)	
Defiant (TiAb)		Pro-social (TiAb)		Well-being (TiAb)	
Delinquency (TiAb)		Prosocial (TiAb)		Wellbeing (TiAb)	
		Psychological (TiAb)		Violence (NoExp, TiAb)	

Continues on the next page

AND	Child (TiAb) OR Children (TiAb) OR Adolescent (Me) OR Adolescent/s (Ti) OR Young people (Ti) OR Teenager/s (Ti) OR Youth/s (Ti) OR Boys (Ti) OR Girls (Ti) OR Childhood (Ti) AND Schools (Me) OR School health services (Me) OR School based (TiAb) OR Classroom based (TiAb) OR School/s (Ti) OR Classroom/s (Ti) OR Teacher based (TiAb) OR Teacher/s (Ti) OR School intervention (TiAb) OR Classroom implementation (TiAb) OR Peer mediated (TiAb) OR Peer mediation (TiAb) OR School environment (TiAb) OR Class mates (TiAb) OR Curriculum (Ti) OR Curricular (Ti) OR Extra-curricular (Ti) OR Extracurricular (Ti) OR Child guidance (Me) OR Preventive health services (Me) OR Child health services (Me) OR Family (Me) OR Parent/s (Ti) OR Parent training (TiAb) OR Parenting (Ti) OR Peer group (Me) OR Parental (Ti)	AND	Program/me (Ti) Evaluation (Ti) Intervention/s (Ti) Training (Ti) Prevention (TiAb) Preventive (TiAb) Preventing (Ti) Treatment/s (Ti) Promotion (Ti) Programming (Ti) Promoting (Ti) Primary prevention (NoExp)	AND	Increased risk (TiAb) Enhanced risk (TiAb) Aggravated risk (TiAb) Aggravated problems (TiAb) Harmful effect/s (TiAb) Worsening of symptom/s (TiAb) Deleterious effect/s (TiAb) Deleterious outcome/s (TiAb) Adverse outcome/s (TiAb) Adverse effect/s (TiAb) Adverse event/s (TiAb) Negative outcome/s (TiAb) Negative effect/s (TiAb) Negative event/s (TiAb) Unwanted effect/s (TiAb) Unwanted event/s (TiAb) Unwanted outcome/s (TiAb) Harm (Ti) Iatrogenic (TiAb) Deviancy training (TiAb) Counterproductive (TiAb) /AE Iatrogenic disease (Me)
-----	--	-----	---	-----	---

- #1 Any MeSH descriptor with qualifier: AE
- #2 MeSH descriptor Iatrogenic Disease explode all trees
- #3 ((increased risk):ti,ab OR (enhanced risk):ti,ab OR (aggravated risk):ti,ab OR (aggravated problems):ti,ab OR (harmful effect):ti,ab OR (harmful effects):ti,ab OR (worsening of symptom):ti,ab OR (worsening of symptoms):ti,ab OR (deleterious effects):ti,ab OR (deleterious effect):ti,ab OR (deleterious outcome):ti,ab OR (deleterious outcomes):ti,ab OR (adverse outcome):ti,ab OR (adverse outcomes):ti,ab OR (adverse effect):ti,ab OR (adverse effects):ti,ab OR (adverse event):ti,ab OR (adverse events):ti,ab OR (negative outcome):ti,ab OR (negative outcomes):ti,ab OR (negative effect):ti,ab OR (negative effects):ti,ab OR (negative event):ti,ab OR (negative events):ti,ab OR (unwanted outcome):ti,ab OR (unwanted outcomes):ti,ab OR (unwanted effect):ti,ab OR (unwanted effects):ti,ab OR (unwanted event):ti,ab OR (unwanted events):ti,ab OR (harm):ti OR (iatrogenic):ti,ab OR (deviancy training):ti,ab OR (counter-productive):ti,ab)
- #4 MeSH descriptor Abdominal Pain explode all trees
- #5 MeSH descriptor Affective Symptoms explode all trees
- #6 MeSH descriptor Aggression explode all trees
- #7 MeSH descriptor Child Behavior Disorders explode all trees
- #8 MeSH descriptor Conduct Disorder explode all trees
- #9 MeSH descriptor Dangerous Behavior explode all trees
- #10 MeSH descriptor Depression explode all trees
- #11 MeSH descriptor Empathy explode all trees
- #12 MeSH descriptor Headache explode all trees
- #13 MeSH descriptor Impulse Control Disorders explode all trees
- #14 MeSH descriptor Juvenile Delinquency explode all trees
- #15 MeSH descriptor Mental Disorders Diagnosed in Childhood explode all trees
- #16 MeSH descriptor Mental Health explode all trees
- #17 MeSH descriptor Mood Disorders explode all trees
- #18 MeSH descriptor Self-Injurious Behavior explode all trees
- #19 MeSH descriptor Sleep Initiation and Maintenance Disorders explode all trees
- #20 MeSH descriptor Social Adjustment explode all trees
- #21 MeSH descriptor Social Behavior Disorders explode all trees
- #22 MeSH descriptor Stress, Psychological explode all trees
- #23 MeSH descriptor Substance-Related Disorders explode all trees
- #24 MeSH descriptor Violence, this term only
- #25 MeSH descriptor Social Problems, this term only
- #26 MeSH descriptor Anxiety, this term only
- #27 ((adhd):ti OR (aggression):ti,ab OR (anorectic behavior):ti,ab OR (Antisocial):ti,ab OR (antisocial):ti,ab OR (anxiety):ti,ab OR (anxious):ti,ab OR (attention deficit):ti,ab OR (behavior disorder):ti,ab OR (behavior disorders):ti,ab OR (behavior problem):ti,ab OR (behavior problems):ti,ab OR (belly ache):ti,ab OR (bellyache):ti,ab OR (body image):ti,ab OR (bulimic behavior):ti,ab OR (bullying):ti,ab OR (callous-unemotional):ti,ab OR (capability):ti,ab OR (competence):ti,ab OR (conduct disorder):ti,ab OR (conduct):ti,ab OR (confidence):ti,ab OR (crime):ti,ab OR (criminality):ti,ab OR (cutting):ti,ab OR (defiance):ti,ab OR (defiant):ti,ab OR (delinquency):ti,ab OR (delinquent):ti,ab OR (depression):ti,ab OR (depressive):ti,ab OR (disruptive):ti,ab OR (drug abuse):ti,ab OR (eating problem):ti,ab OR (emotional):ti,ab OR (eq):ti OR (glue sniffing):ti,ab OR (headache):ti,ab OR (health complaints):ti,ab OR (hurting):

- ti,ab OR (illicit drugs):ti,ab OR (insomnia):ti,ab OR (internal):ti,ab OR (introvert):ti,ab OR (well-being):ti,ab OR (mental):ti,ab OR (misconduct):ti,ab OR (moody):ti,ab OR (odd):ti OR (oppositional):ti,ab OR (pro-social):ti,ab OR (prosocial):ti,ab OR (psychological):ti,ab OR (Psychopathic):ti,ab OR (psycho-social):ti,ab OR (psychosomatic):ti,ab OR (self consciousness):ti,ab OR (self destructive):ti,ab OR (self efficacy):ti,ab OR (self esteem):ti,ab OR (self harm):ti,ab OR (sleeping problems):ti,ab OR (sleeplessness):ti,ab OR (social skill):ti,ab OR (social skills):ti,ab OR (Sociopathic):ti,ab OR (stomach ache):ti,ab OR (stomach pain):ti,ab OR (stress):ti,ab OR (substance abuse):ti,ab OR (substance use):ti,ab OR (tiredness):ti,ab OR (truancy):ti,ab OR (truant):ti,ab OR (vandalism):ti,ab OR (wellbeing):ti,ab OR (Violence):ti,ab)
- #28 MeSH descriptor Primary Prevention, this term only
- #29 ((programme):ti OR (program):ti OR (evaluation):ti OR (intervention):ti,ab OR (interventions):ti,ab OR (training):ti OR (prevention):ti,ab OR (preventive):ti,ab OR (preventing):ti OR (treatment):ti OR (treatments):ti OR (promotion):ti OR (programming):ti OR (promoting):ti)
- #30 MeSH descriptor Adolescent explode all trees
- #31 ((child):ti,ab OR (children):ti,ab OR (adolescent):ti OR (adolescents):ti OR (young people):ti OR (teenagers):ti OR (teenager):ti OR (youth):ti OR (youths):ti OR (boys):ti OR (girls):ti OR (childhood):ti)
- #32 (#1 OR #2 OR #3)
- #33 (#4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11 OR #12 OR #13 OR #14 OR #15 OR #16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22 OR #23 OR #24 OR #25 OR #26 OR #27)
- #34 (#28 OR #29)
- #35 (#30 OR #31)
- #36 (#32 AND #33 AND #34 AND #35)
- #37 MeSH descriptor Schools explode all trees
- #38 MeSH descriptor School Health Services explode all trees
- #39 MeSH descriptor Child Guidance explode all trees
- #40 MeSH descriptor Preventive Health Services explode all trees
- #41 MeSH descriptor Child Health Services explode all trees
- #42 MeSH descriptor Family explode all trees
- #43 MeSH descriptor Peer Group explode all trees
- #44 (school based):ti,ab OR (classroom based):ti,ab OR (school):ti OR (classroom):ti OR (schools):ti OR (classrooms):ti OR (teacher based):ti,ab OR (teacher):ti OR (teachers):ti OR (school intervention):ti,ab OR (classroom implementation):ti,ab OR (peer mediated):ti,ab
- #45 (peer mediation):ti,ab OR (school environment):ti,ab OR (class mates):ti,ab OR (curriculum):ti OR (curricular):ti OR (extra-curricular):ti OR (extracurricular):ti OR (parent):ti OR (parent training):ti,ab OR (parents):ti OR (parenting):ti OR (parental):ti
- #46 (#37 OR #38 OR #39 OR #40 OR #41 OR #42 OR #43 OR #44 OR #45)
- #47 (#36 AND #46)

Hälsoekonomi

PubMed (NLM), November 2009

Abdominal pain (Me)	OR	Depression (Me, TiAb)	OR	Psychopathic (TiAb)	}	AND
ADHD (Ti)		Depressive (TiAb)		Psychosocial (TiAb)		
Affective symptoms (Me)		Disruptive (TiAb)		Psychosomatic (TiAb)		
Aggression (Me, TiAb)		Drug abuse (TiAb)		Self consciousness (TiAb)		
Anorectic behavior (TiAb)		Eating problem (TiAb)		Self destructive (TiAb)		
Antisocial (TiAb)		Emotional (TiAb)		Self efficacy (TiAb)		
Anxiety (NoExp, TiAb)		Emotional intelligence (TiAb)		Self esteem (TiAb)		
Anxious (TiAb)		Empathy (Me)		Self harm (TiAb)		
Attention deficit (TiAb)		EQ (Ti)		Self-injurious behavior (Me)		
Behavior disorder/s (TiAb)		Glue sniffing (TiAb)		Sleep initiation and maintenance disorders (Me)		
		Headache (Me, TiAb)		Sleeping problems (TiAb)		
Belly ache (TiAb)		Health complaints (TiAb)		Sleeplessness (TiAb)		
Bellyache (TiAb)		Hurting (TiAb)		Social adjustment (Me)		
Body image (TiAb)		Illicit drugs (TiAb)		Social behavior disorders (Me)		
Bulimic behavior (TiAb)		Impulse control disorders (Me)		Social problems (NoExp)		
Bullying (TiAb)		Insomnia (TiAb)		Social skill/s (TiAb)		
Callous-unemotional (TiAb)		Internal (TiAb)		Sociopathic (TiAb)		
Capability (TiAb)		Introvert (TiAb)		Stomach ache (TiAb)		
Child behavior disorders (Me)		Juvenile delinquency (Me)		Stomach pain (TiAb)		
Competence (TiAb)		Mental (TiAb)		Stress (TiAb)		
Conduct (TiAb)		Mental disorders diagnosed		Stress, psychological (Me)		
Conduct disorder (Me, TiAb)		in childhood (Me)		Substance abuse (TiAb)		
Confidence (TiAb)		Mental health (Me, TiAb)		Substance use (TiAb)		
Crime (TiAb)		Misconduct (TiAb)		Substance-related disorders (Me)		
Criminality (TiAb)		Mood disorders (Me)		Tiredness (TiAb)		
Cutting (TiAb)		Moody (TiAb)		Truancy (TiAb)		
Dangerous behavior (Me)		ODD (Ti)		Truant (TiAb)		
Defiance (TiAb)		Oppositional (TiAb)		Vandalism (TiAb)		
Defiant (TiAb)		Pro-social (TiAb)		Well-being (TiAb)		
Delinquency (TiAb)		Prosocial (TiAb)		Wellbeing (TiAb)		
Delinquent (TiAb)		Psychological (TiAb)		Violence (NoExp, TiAb)		

Continues on the next page

Continued from previous page

AND	Program/me (Ti) Evaluation (Ti) Intervention/s (Ti) Training (Ti) Prevention (TiAb) Preventive (TiAb) Preventing (Ti) Treatment/s (Ti) Promotion (Ti) Programming (Ti) Promoting (Ti) Effects (Ti) Effectiveness (Ti) Efficacy (Ti)	AND	Schools (Me) School health services (Me) School based (TiAb) Classroom based (TiAb) School/s (Ti) Classroom/s (Ti) Teacher based (TiAb) Teacher/s (Ti) School intervention (TiAb) Classroom implementation (TiAb) Peer mediated (TiAb) Peer mediation (TiAb) School environment (TiAb) Class mates (TiAb) Curriculum (Ti) Curricular (Ti) Extra-curricular (Ti) Extracurricular (Ti) Parents (Me) Parent/s (Ti) Parent training (TiAb) Parenting (Me,Ti)	AND	Costs (TiAb) Cost effective (TiAb) Economic (TiAb) Costs and cost analysis (Me) /EC
-----	--	-----	---	-----	---

((Sociopathic[title/abstract] OR Antisocial[title/abstract] OR Psychopathic[title/abstract] OR defiant[title/abstract] OR defiance[title/abstract] OR delinquency[title/abstract] OR delinquent[title/abstract] OR conduct[title/abstract] OR misconduct[title/abstract] OR oppositional[title/abstract] OR callous-unemotional[title/abstract] OR bullying[title/abstract] OR Violence[title/abstract] OR aggression[title/abstract] OR criminality[title/abstract] OR crime[title/abstract] OR "pro-social"[title/abstract] OR "prosocial"[title/abstract] OR "emotional intelligence"[title/abstract] OR "eq"[title/abstract] OR "Conduct Disorder"[MeSH Terms] OR "Child Behavior Disorders"[MeSH Terms] OR "Juvenile Delinquency"[MeSH Terms] OR "Social Problems"[Mesh:NoExp] OR "Violence"[Mesh:NoExp] OR "Dangerous Behavior"[MeSH Terms] OR Aggression [MeSH Terms] OR "social adjustment"[Mesh Terms] OR "empathy"[MeSH Terms] OR "Substance-Related Disorders"[MeSH Terms] OR "drug abuse"[title/abstract] OR "illicit drugs"[title/abstract] OR "substance abuse"[title/abstract] OR "substance use"[title/abstract] OR "glue sniffing"[title/abstract] OR "social skill"[title/abstract] OR "social skills"[title/abstract] OR truancy[title/abstract] OR vandalism[title/abstract] OR truant[title/abstract] OR "social behavior disorders"[MeSH Terms] OR "affective symptoms"[MeSH Terms] OR "depression"[MeSH Terms] OR "self-injurious behavior"[MeSH Terms] OR "Stress, psychological"[MeSH Terms] OR "Anxiety"[Mesh:NoExp] OR "well-being"[title/abstract] OR "wellbeing"[title/abstract] OR depressive[title/abstract] OR moody[title/abstract] OR "eating problem"[title/abstract] OR "anorectic behavior"[title/abstract] OR "bulimic behavior"[title/abstract] OR "self consciousness"[title/abstract] OR "self esteem"[title/abstract] OR "body image"[title/abstract] OR "health complaints"[title/abstract] OR stress[title/abstract] OR depression[title/abstract] OR anxious[title/abstract] OR psychosomatic[title/abstract] OR cutting[title/abstract] OR hurting[title/abstract] OR "self harm"[title/abstract] OR tiredness[title/abstract] OR "sleeping problems"[title/abstract] OR "insomnia"[title/abstract] OR "Sleep Initiation and Maintenance Disorders"[MeSH Terms] OR "sleeplessness"[title/abstract] OR "abdominal pain"[MeSH Terms] OR headache[MeSH Terms] OR "headache"[Title/abstract] OR "stomach ache"[Title/abstract] OR "stomach pain"[Title/abstract] OR bellyache[title/abstract] OR "belly ache"[title/abstract] OR internal[title/abstract] OR introvert[title/abstract] OR psychosocial[title/abstract] OR mental[title/abstract] OR psychological[title/abstract] OR "self efficacy"[title/abstract] OR competence[title/abstract] OR capability[title/abstract] OR confidence[title/abstract] OR "Impulse Control Disorders"[Mesh Terms] OR "Mental Disorders Diagnosed in Childhood"[Mesh Terms] OR "Mood Disorders"[Mesh Terms] OR "mental health"[Mesh Terms] OR "anxiety"[title/abstract] OR "attention deficit"[title/abstract] OR "adhd"[title/abstract] OR "conduct disorder"[title/abstract] OR "behavior disorder"[title/abstract] OR "behavior disorders"[title/abstract] OR odd[title/abstract] OR "self destructive"[title/abstract] OR emotional[title/abstract] OR "disruptive"[title/abstract] OR "mental health"[title/abstract]) AND ("programme"[Title] OR "program"[title] OR "evaluation"[Title] OR "intervention"[Title/abstract] OR "interventions"[title/abstract] OR "training"[title] OR "prevention"[title/abstract] OR "preventive"[title/abstract] OR preventing[title] OR "treatment"[title] OR "treatments"[title] OR "promotion"[title] OR "effects"[title] OR "effectiveness"[title] OR programming[title] OR efficacy[title] OR promoting[title]) AND ("schools"[MeSH Terms] OR "School Health Services"[Mesh Terms] OR "school based"[title/abstract] OR "classroom based"[Title/abstract] OR "school"[title] OR "classroom"[title] OR "schools"[title] OR "classrooms"[title] OR "teacher based"[title/abstract] OR "teacher"[title] OR "teachers"[title] OR "school intervention"[title/abstract] OR "classroom implementation"[title/abstract] OR "peer mediated"[title/abstract] OR "peer mediation"[title/abstract] OR "school

environment"[Title/abstract] OR "class mates"[Title/abstract] OR "curriculum"[Title] OR "curricular"[Title] OR "extra-curricular"[Title] OR "extracurricular"[Title] OR "parenting"[MeSH Terms] OR "parents"[MeSH Terms] OR parent[title] OR "parent training"[title/abstract] OR parents[title] OR parenting[title]) AND (costs[Title/Abstract] OR cost effective[Title/Abstract] OR economic[Title/Abstract] OR "costs and cost analysis"[MeSH Terms] OR "economics"[MeSH Subheading]))

Hälsoekonomi

PsycInfo (EBSCO), November 2009

Acting out (De)	OR	Delinquent (TW)	OR	Psychological stress (De)	}
ADHD (TW)		Depression (TW)		Psychopathic (TW)	
Affective disorders (De)		Depression emotion (De)		Psychosocial (TW)	
Aggression (TW)		Depressive (TW)		Psychosomatic (TW)	
Aggressive behavior (De)		Disruptive (TW)		Rape (De)	
Anorectic behavior (TW)		Drug abuse (TW)		Recidivism (De)	
Anorexia nervosa (De)		Eating disorders (De)		Runaway behavior (De)	
Antisocial (TW)		Eating problem (TW)		Self consciousness (TW)	
Antisocial behavior (De)		Emotional (TW)		Self destructive (TW)	
Anxiety (De)		Emotional disturbances (De)		Self destructive behavior (De)	
Anxious (TW)		Emotional intelligence (TW)		Self efficacy (TW)	
Apathy (De)		Empathy (TW)		Self esteem (TW)	
Arson (De)		EQ (TW)		Self harm (TW)	
Attempted suicide (De)		Explosive disorder (De)		Self inflicted wounds (De)	
Attention deficit (TW)		Frustration (De)		Self injurious behavior (De)	
Attention deficit disorder (De)		Glue sniffing (TW)		Self mutilation (De)	
Attention deficit disorder with hyperactivity (De)		Harassment (De)		Sex offenses (De)	
Behavior disorder/s (TW)		Head banging (De)		Sexual abuse (De)	
Behavior problem/s (TW)		Headache (De, TW)		Shoplifting (De)	
Belly ache (TW)		Health complaints (TW)		Sleeping problems (TW)	
Bellyache (TW)		Hopelessness (De)		Sleeplessness (TW)	
Body image (TW)		Hurting (TW)		Social adjustment (TW)	
Bulimia (De)		Illegal drug distribution (De)		Social anxiety (De)	
Bulimic behavior (TW)		Illicit drugs (TW)		Social problems (TW)	
Bullying (TW)		Impulse control disorders (De)		Social skill/s (TW)	
Callous-unemotional (TW)		Insomnia (De, TW)		Social stress (De)	
Capability (TW)		Internal (TW)		Sociopathic (TW)	
Child behavior disorders (TW)		Introvert (TW)		Stomach ache (TW)	
Competence (TW)		Juvenile delinquency (De, TW)		Stomach pain (TW)	
Conduct (TW)		Mental (TW)		Stress (TW)	
Conduct disorder (De, TW)		Mental health (TW)		Substance abuse (TW)	
Confidence (TW)		Misconduct (TW)		Substance use (TW)	
Conflict (De)		Moody (TW)		Suicide (De)	
Crime (De, TW)		ODD (Ti)		Theft (De)	
Criminal behavior (De)		Oppositional (TW)		Tiredness (TW)	
Criminality (TW)		Oppositional defiant disorder (De)		Truancy (TW)	
Cruelty (De)		Persecution (De)		Truant (TW)	
Cutting (TW)		Physical abuse (De)		Vandalism (De, TW)	
Dangerous behavior (TW)		Pro-social (TW)		Well being (De, TW)	
Defiance (TW)		Prosocial (TW)		Wellbeing (TW)	
Defiant (TW)		Psychiatric symptoms (De)		Verbal abuse (De)	
Delinquency (TW)		Psychological (TW)		Violence (De, TW)	
				Violent crime (De)	

Continues on the next page

Continued from previous page

AND	<p>Schools (De) Elementary schools (De) High schools (De) School psychologists (De) Student personnel services (De) School based intervention (De) School counseling (De) Peer tutoring (De) Peer counseling (De) Teachers (De) Classroom behavior modification (De) Classroom management (De) School based (TW) Classroom based (TW) Teacher based (TW) School intervention (TW) School implementation (TW) Classroom/s (Ti) School/s (Ti) Teacher/s (Ti) Class mates (TW) Curriculum (TW) Curricular (TW) Extra-curricular (TW) Extracurricular (TW) Parent training (De, TW) Parenting skills (De) Parents (De) Fathers (De) Mothers (De) Parent/s (Ti) Parenting (Ti)</p>	AND	<p>Program/me (Ti) Evaluation (Ti) Prevention (TW) Preventive (TW) Preventing (TW) Promotion (Ti) Programming (Ti) Promoting (Ti) Effectiveness (Ti) Meta-analysis (Ti) Meta-analytic (Ti) Systematic (Ti)</p>	AND	<p>Costs and cost analysis (De) Health care costs (De) Economy (Ab) Cost/s (Ti) Cost effectiveness (Ab)</p>
-----	--	-----	---	-----	---

Limit: All journals

((TX Sociopathic OR TX Antisocial OR TX Psychopathic OR TX defiant OR TX defiance OR TX delinquency OR TX delinquent OR TX conduct OR TX misconduct OR TX oppositional OR TX (callous-unemotional) OR TX bullying OR TX Violence OR TX aggression OR TX criminality OR TX crime OR TX (pro-social) OR TX prosocial OR TX (emotional intelligence) OR TX eq OR TX (Conduct Disorder) OR TX (Child Behavior Disorders) OR TX (Juvenile Delinquency) OR TX "Social Problems" OR TX "Dangerous Behavior" OR TX social adjustment OR TX empathy OR TX drug abuse OR TX illicit drugs OR TX substance abuse OR TX substance use OR TX glue sniffing OR TX social skill OR TX social skills OR TX truancy OR TX vandalism OR TX truant OR DE "Antisocial Behavior" OR DE "Criminal Behavior" OR DE "Cruelty" OR DE "Harassment" OR DE "Juvenile Delinquency" OR DE "Persecution" OR DE "Physical Abuse" OR DE "Recidivism" OR DE "Runaway Behavior" OR DE "Verbal Abuse" OR DE "Violence" OR DE "aggressive behavior" OR DE "conduct disorder" OR DE "oppositional defiant disorder" OR DE "Crime" OR DE "Arson" OR DE "Illegal Drug Distribution" OR DE "Sex Offenses" OR DE "Theft" OR DE "Vandalism" OR DE "Violent Crime" OR DE "Sexual Abuse" OR DE "rape" OR DE "shoplifting" OR DE "Psychiatric Symptoms" OR DE "Affective Disorders" OR DE "Anxiety" OR DE "Social Anxiety" OR DE "Apathy" OR DE "Depression Emotion" OR DE "Frustration" OR DE "Hopelessness" OR DE "Emotional Disturbances" OR DE "Self Injurious Behavior" OR DE "Insomnia" OR DE "Headache" OR DE "Psychological Stress" OR DE "Social Stress" OR DE "Eating Disorders" OR DE "Anorexia Nervosa" OR DE "Bulimia" OR TX "well-being" OR TX "wellbeing" OR TX "depressive" OR TX "moody" OR TX "eating problem" OR TX "anorectic behavior" OR TX "bulimic behavior" OR TX "self consciousness" OR TX "self esteem" OR TX "body image" OR TX "health complaints" OR TX "stress" OR TX "depression" OR TX "anxious" OR TX "psychosomatic" OR TX "cutting" OR TX "hurting" OR TX "self harm" OR TX "tiredness" OR TX "sleeping problems" OR TX "insomnia" OR TX "sleeplessness" OR TX "headache" OR TX "stomach ache" OR TX "stomach pain" OR TX "bellyache" OR TX "belly ache" OR TX "internal" OR TX "introvert" OR TX "psychosocial" OR TX "mental" OR TX "psychological" OR TX "self efficacy" OR TX "competence" OR TX "capability" OR TX "confidence" OR DE "Explosive Disorder" OR DE "Impulse Control Disorders" OR DE "Conflict" OR DE "Self Destructive Behavior" OR DE "Attempted Suicide" OR DE "Head Banging" OR DE "Self Inflicted Wounds" OR DE "Self Mutilation" OR DE "Suicide" OR DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR DE "Acting Out" OR DE "Well Being" OR TX "attention deficit" OR TX "adhd" OR TX "behavior disorder" OR TX "behavior disorders" OR TI "odd" OR TX "self destructive" OR TX "emotional" OR TX "behavior problem" OR TX "behavior problems" OR TX "disruptive" OR TX "mental health")

AND (TI programme OR TI program OR TI evaluation OR TX prevention OR TX preventive OR TX preventing OR TI promotion OR TI programming OR TI promoting OR TI effectiveness OR TI meta-analysis OR TI meta-analytic OR TI systematic) AND (DE "Schools" OR DE "Elementary Schools" OR DE "High Schools" OR DE "school psychologists" OR DE "student personnel services" OR DE "school based intervention" OR DE "school counseling" OR DE "peer tutoring" OR DE "peer counseling" OR DE "teachers" OR DE "classroom behavior modification" OR DE "classroom management" OR TX "school based" OR TX "classroom based" OR TX "teacher based" OR TX "school intervention" OR TX "school implementation" OR TI "classroom" OR TI "school" OR TI "schools" OR TI "classrooms" OR TI "teacher" OR TI "teachers" OR TX "class mates" OR TX "curriculum" OR TX "curricular" OR TX "extra-curricular" OR TX "extracurricular" OR DE "parent training" OR DE "parenting skills" OR DE

"Parents" OR DE "Fathers" OR DE "Mothers" OR TI "parent" OR TI "parents" OR TX "parent training" OR TI "parenting") AND (DE "Costs and Cost Analysis" OR DE "Health Care Costs" OR AB "economy" OR TI "cost" OR TI "costs" OR AB "cost effectiveness"))

Hälsoekonomi

NHS economic evaluations database (Wiley), November 2009

Abdominal pain (Me)	OR	Delinquent (TiAb)	OR	Psychopathic (TiAb)	}	AND	Schools (KW)
ADHD (Ti)		Depression (KW, TiAb)		Psychosocial (TiAb)		School health services (Me)	
Affective symptoms (KW)		Depressive (TiAb)		Psychosomatic (TiAb)	School based (TiAb)		School based (TiAb)
Aggression (Me, TiAb)		Disruptive (TiAb)		Self consciousness (TiAb)	Self destructive (TiAb)		Classroom based (TiAb)
Anorectic behavior (TiAb)		Drug abuse (TiAb)		Self efficacy (TiAb)	Self esteem (TiAb)		School/s (Ti)
Antisocial (TiAb)		Eating problem (TiAb)		Self harm (TiAb)	Self-injurious behavior (Me)		Classroom/s (Ti)
Anxiety (KW, TiAb)		Emotional (TiAb)		Sleep initiation and maintenance disorders (KW)	Sleeping problems (TiAb)		Teacher based (TiAb)
Anxious (TiAb)		Empathy (KW)		Sleeplessness (TiAb)	Social adjustment (KW)		Teacher/s (Ti)
Attention deficit (TiAb)		EQ (Ti)		Social behavior disorders (Me)	Social skill/s (TiAb)		School intervention (TiAb)
Behavior disorder/s (TiAb)		Glue sniffing (TiAb)		Sociopathic (TiAb)	Stomach ache (TiAb)		Classroom implementation (TiAb)
Behavior problem/s (TiAb)		Headache (KW, TiAb)		Stomach pain (TiAb)	Stress (TiAb)		Peer mediated (TiAb)
Belly ache (TiAb)		Health complaints (TiAb)		Stress, psychological (KW)	Substance abuse (TiAb)		Peer mediation (TiAb)
Bellyache (TiAb)		Hurting (TiAb)		Substance use (TiAb)	Substance-related disorders (Me)		School environment (TiAb)
Body image (TiAb)		Illicit drugs (TiAb)		Tiredness (TiAb)			Class mates (TiAb)
Bulimic behavior (TiAb)		Impulse control disorders (Me)		Truancy (TiAb)			Curriculum (Ti)
Bullying (TiAb)		Insomnia (TiAb)		Truant (TiAb)			Curricular (Ti)
Callous-unemotional (TiAb)		Internal (TiAb)		Vandalism (TiAb)			Extra-curricular (Ti)
Capability (TiAb)		Introvert (TiAb)		Well-being (TiAb)			Extracurricular (Ti)
Child behavior disorders (KW)		Juvenile delinquency (KW)		Wellbeing (TiAb)			Parents (Me)
Competence (TiAb)		Mental (TiAb)		Violence (TiAb)			Parent/s (Ti)
Conduct (TiAb)		Mental disorders diagnosed in childhood (Me)					Parent training (TiAb)
Conduct disorder (KW, TiAb)		Mental health (KW, TiAb)					Parenting (Ti)
Confidence (TiAb)		Misconduct (TiAb)					
Crime (TiAb)		Mood disorders (Me)					
Criminality (TiAb)		Moody (TiAb)					
Cutting (TiAb)		ODD (Ti)					
Dangerous behavior (KW)		Oppositional (TiAb)					
Defiance (TiAb)		Pro-social (TiAb)					
Defiant (TiAb)		Prosocial (TiAb)					
Delinquency (TiAb)		Psychological (TiAb)					

- #1 MeSH descriptor Substance-Related Disorders explode all trees
- #2 MeSH descriptor Aggression explode all trees
- #3 MeSH descriptor Self-Injurious Behavior explode all trees
- #4 MeSH descriptor Abdominal Pain explode all trees
- #5 MeSH descriptor Impulse Control Disorders explode all trees
- #6 MeSH descriptor Mental Disorders Diagnosed in Childhood explode all trees
- #7 MeSH descriptor Mood Disorders explode all trees
- #8 MeSH descriptor School Health Services explode all trees
- #9 MeSH descriptor Parents explode all trees
- #10 (Sociopathic):ti,ab OR (Antisocial):ti,ab OR (Psychopathic):ti,ab OR (defiant):
ti,ab OR (defiance):ti,ab OR (delinquency):ti,ab OR (delinquent):ti,ab OR
(conduct):ti,ab OR (misconduct):ti,ab OR (oppositional):ti,ab OR (callous-
unemotional):ti,ab OR (bullying):ti,ab OR (Violence):ti,ab OR (aggression):ti,ab
OR (criminality):ti,ab OR (crime):ti,ab OR (pro-social):ti,ab OR (prosocial):ti,ab
OR (emotional intelligence):ti,ab OR (eq):ti OR (drug abuse):ti,ab OR (illicit
drugs):ti,ab OR (substance abuse):ti,ab OR (substance use):ti,ab OR (glue
sniffing):ti,ab OR (social skill):ti,ab OR (social skills):ti,ab OR (truancy):ti,ab OR
(vandalism):ti,ab OR (truant):ti,ab OR (Conduct Disorder):kw OR (Child
Behavior Disorders):kw OR (Juvenile Delinquency):kw OR (Dangerous
Behavior):kw OR (social adjustment):kw OR (empathy):kw
- #11 (#1 OR #2 OR #10)
- #12 (well-being):ti,ab OR (wellbeing):ti,ab OR (depressive):ti,ab OR (moody):ti,ab
OR (eating problem):ti,ab OR (anorectic behavior):ti,ab OR (bulimic behavior):
ti,ab OR (self consciousness):ti,ab OR (self esteem):ti,ab OR (body image):ti,ab
OR (health complaints):ti,ab OR (stress):ti,ab OR (depression):ti,ab OR
(anxious):ti,ab OR (psychosomatic):ti,ab OR (cutting):ti,ab OR (hurting):ti,ab
OR (self harm):ti,ab OR (tiredness):ti,ab OR (sleeping problems):ti,ab OR
(insomnia):ti,ab OR (sleeplessness):ti,ab OR (headache):ti,ab,kw OR (stomach
ache):ti,ab OR (stomach pain):ti,ab OR (bellyache):ti,ab OR (belly ache):ti,ab
OR (internal):ti,ab OR (introvert):ti,ab OR (psychosocial):ti,ab OR (mental):
ti,ab OR (psychological):ti,ab OR (self efficacy):ti,ab OR (competence):ti,ab OR
(capability):ti,ab OR (confidence):ti,ab OR (affective symptoms):kw OR (depression):kw OR (Stress, psychological):kw OR (Anxiety):kw OR (Sleep Initiation and Maintenance Disorders):kw
- #13 (#3 OR #4 OR #12)
- #14 (anxiety):ti,ab OR (attention deficit):ti,ab OR (adhd):ti OR (conduct disorder):
ti,ab OR (behavior disorder):ti,ab OR (behavior disorders):ti,ab OR (odd):ti OR
(self destructive):ti,ab OR (emotional):ti,ab OR (behavior problem):ti,ab OR
(behavior problems):ti,ab OR (disruptive):ti,ab OR (mental health):ti,ab,kw
- #15 (#5 OR #6 OR #7 OR #14)
- #16 (school based):ti,ab OR (classroom based):ti,ab OR (school):ti OR (classroom):
ti OR (schools):ti,kw OR (classrooms):ti OR (teacher based):ti,ab OR
(teacher):ti OR (teachers):ti OR (school intervention):ti,ab OR (classroom
implementation):ti,ab OR (peer mediated):ti,ab OR (peer mediation):ti,ab OR
(school environment):ti,ab OR (class mates):ti,ab OR (curriculum):ti OR
(curricular):ti OR (extra-curricular):ti OR (extracurricular):ti
- #17 (#8 OR #16)
- #18 (parent):ti OR (parent training):ti,ab OR (parents):ti OR (parenting):ti,kw
- #19 (#9 OR #18)
- #20 ((#11 OR #13 OR #15) AND (#17 OR #19))

Hälsoekonomi

Health economic evaluations database (Wiley), November 2009

Mental health (AF)	AND	Prevention (AF)	AND	Child (AF)
Psychiatric (AF)		Preventing (AF)		Children (AF)
Psychological (AF)		Programme (AF)		

('MENTAL HEALTH' OR 'PSYCHIATRIC' OR 'PSYCHOLOGICAL') AND
('PREVENTION' OR 'PREVENTING' OR 'PROGRAMME') AND ('CHILD'
OR 'CHILDREN')

