STATENS BEREDNING FÖR MEDICINSK OCH SOCIAL UTVÄRDERING

Bilaga till rapport

Tandvården som arena för att identifiera och förebygga medicinska sjukdomar och annan ohälsa / The role of dental care in the identification and prevention of medical conditions and other ill health, rapport 417 (2026)

Appendix 3. Excluded references

Tabel of contents

1. Excluded references – The role of dental care in the identification of medical conditions and other ill health 2
2. Excluded references – The role of dental care in the prevention of medical conditions and other ill health 10

1. Excluded references – The role of dental care in the identification of medical conditions and other ill health

Reference	Main reason for exclusion
Abdelrehim M, Zhou AY-G, Beniwal T, Dhingra R, Gupta A, Singhal S. Syphilis: Understanding the disease and the role of dental professionals. Community Dental Health. 2025:265539X251408219. Available from: https://doi.org/10.1177/0265539X251408219.	Wrong study design
Al-Mashhadani S, Nasser M, Alsalami A, Burns L, Paisi M. Barriers and Facilitators to Dental Care Services Utilization Among Children With Disabilities: A Systematic Review and Thematic Synthesis. Health Expectations. 2024;27(5):e70049. Available from: https://doi.org/10.1111/hex.70049.	Wrong outcomes
Albagieh H, Alshehri AZ, Alduraywishi AS, Aldaws A, AlBalawi SS, Abu Shaqqaf HF, et al. Evaluation of Salivary Diagnostics: Applications, Benefits, Challenges, and Future Prospects in Dental and Systemic Disease Detection. Cureus. 2025;17(1):e77520. Available from: https://doi.org/10.7759/cureus.77520.	Wrong setting
Alhabib MY, Alamri AK, Alshahrani AM, Alhumayn HA, Alyahya AY, Alqudairy MS, et al. Periodontal Disease as a Predictor of Undiagnosed Diabetes or Prediabetes in Dental Patients: A Comprehensive Review. Genetics and Molecular Research. 2025;24(3). Available from: https://doi.org/10.4238/wtcf2z59.	Wrong study design
Almog DM, Illig KA, Carter LC, Friedlander AH, Brooks SL, Grimes RM. Diagnosis of non-dental conditions. Carotid artery calcifications on panoramic radiographs identify patients at risk for stroke. The New York state dental journal. 2004;70(8):20–5.	Wrong study design
Anderson H, Rulli D, Sutton JD, Theis-Mahon N, Arnett MC. A Narrative Review of the Utilization of Motivational Interviewing for Nutritional Counseling in Dentistry. Journal of Dental Hygiene. 2025;99(3):38–50.	Wrong concept
Aniyan KY, Lakshmi KC, Ganesan A. Periodic acid--Schiff staining in oral exfoliative cytology of diabetic patients: The odyssey for noninvasive screening -- A systematic review and meta analysis. Dental Research Journal. 2023;20(6):1–5.	Wrong patient population
Arzani S, Soltani P, Karimi A, Yazdi M, Ayoub A, Khurshid Z, et al. Detection of carotid artery calcifications using artificial intelligence in dental radiographs: a systematic review and meta-analysis. BMC medical imaging. 2025;25(1):174. Available from: https://doi.org/10.1186/s12880-025-01719-9.	Wrong patient population

Reference	Main reason for exclusion
Beaven A, Marshman Z. Barriers and facilitators to accessing oral healthcare for older people in the UK: a scoping review. British Dental Journal. 2024. Available from: https://doi.org/10.1038/s41415-024-7740-x.	Wrong concept
Bhatia SK, Maguire SA, Chadwick BL, Hunter ML, Harris JC, Tempest V, et al. Characteristics of child dental neglect: a systematic review. Journal of Dentistry. 2014;42(3):229–39. Available from: https://dx.doi.org/10.1016/j.jdent.2013.10.010.	Wrong patient population
Borba DL, Hipólito UV, Pereira YCL. Early diagnosis of atherosclerosis with panoramic radiographs: A review. Jornal Vascular Brasileiro. 2016;15(4):302–7. Available from: https://doi.org/10.1590/1677-5449.002316.	Wrong study design
Bradshaw BT, Jones KM, Westerdale-McInnis JM, Gaff HD. Orofacial Manifestations of Lyme Disease: A systematic review. Journal of Dental Hygiene. 2021;95(4):23–31.	Wrong patient population
Christian B, George A, Veginadu P, Villarosa A, Makino Y, Kim WJ, et al. Strategies to integrate oral health into primary care: a systematic review. BMJ Open. 2023;13(7):e070622. Available from: https://dx.doi.org/10.1136/bmjopen-2022-070622.	Wrong concept
Coll Y, Elmahgoub F. Could dentists be the first to diagnose COVID-19 due to oral manifestations? Evidence-Based Dentistry. 2021;22(2):49. Available from: https://doi.org/10.1038/s41432-021-0169-z.	Wrong publication
Coulthard P, Yong S, Adamson L, Warburton A, Worthington HV, Esposito M. Domestic violence screening and intervention programmes for adults with dental or facial injury. Cochrane database of systematic reviews (Online). 2004(2):CD004486.	Duplicate or update availible
Coulthard P, Yong SL, Adamson L, Warburton A, Worthington HV, Esposito M, et al. Domestic violence screening and intervention programmes for adults with dental or facial injury. Cochrane database of systematic reviews (Online). 2010;12:CD004486.	Duplicate or update availible
Dervis E. Oral and maxillofacial radiology. Oral implications of osteoporosis. Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology & Endodontology. 2005;100(3):349–56.	Wrong study design
Friedlander AH, Freymiller EG. Detection of radiation-accelerated atherosclerosis of the carotid artery by panoramic radiography: A new opportunity for dentists. Journal of the American Dental Association. 2003134(10):1361–5. Available from: https://doi.org/10.14219/jada.archive.2003.0052.	Wrong patient population

Reference	Main reason for exclusion
Friedlander AH, Rosenbluth SC, Rubin RT. The adult suicide-prone patient: a review of the medical literature and implications for oral and maxillofacial surgeons. Journal of Oral & Maxillofacial Surgery (02782391). 2012;70(5):1253–60	Wrong study design
Gjurcheski J, Popovic-Monevska D. Understanding the role of general dentists in the process of screening and early diagnosis of oral premalignant and malignant lesions - brief literature review. Macedonian Journal of Medical Sciences. 2012;5(4):462–71. Available from: https://doi.org/10.3889/MJMS.1857-5773.2012.0250	Wrong study design
Glick M. Screening for traditional risk factors for cardiovascular disease: a review for oral health care providers. Journal of the American Dental Association (1939). 2002;133(3):291–300	Wrong study design
Glick M, Greenberg BL. The potential role of dentists in identifying patients' risk of experiencing coronary heart disease events. Journal of the American Dental Association. 2005;136(11):1541–6. Available from: https://doi.org/10.14219/jada.archive.2005.0084	Wrong study design
Goodall CA. Dentofacial injuries and domestic abuse. Evidence-Based Dentistry. 2012;13(3):86. Available from: https://dx.doi.org/10.1038/sj.ebd.6400879	Wrong publication
Guess NW, Fischbach H, Ni AA, Firestone AR. Referral rate for obstructive sleep apnea in a pre-doctoral dental clinic using the STOP-Bang Questionnaire. Journal of dental education. 2022;86(4):456–62. Available from: https://doi.org/10.1002/jdd.12831	Wrong publication
Gupta A, Akiya K, Glickman R, Silver D, Pagan JA. How Patient-Centered Medical Homes Integrate Dental Services Into Primary Care: A Scoping Review. Medical Care Research & Review. 2022;79(4):487–99. Available from: https://dx.doi.org/10.1177/10775587211030376	Wrong intervention
Gupta B, Chaudhari MA, Sohi HK, Panakaje MS, Mathur A, Cervino G, et al. Oral and Maxillofacial Manifestations of Gardner Syndrome: A Literature Analysis. Journal of Craniofacial Surgery. 2026;37(3-4):555–60. Available from: https://doi.org/10.1097/SCS.0000000000011639	Wrong patient population
Gupta R, Chandra Shekar B, Goel P, Hongal S, Ganavadiya R. Role of dentist in genetic counseling: A critical appraisal of the current practices and future requirements in Indian scenario. Dental Research Journal. 2019;16(3):131–8. Available from: https://doi.org/10.4103/1735-3327.255746	Wrong concept

Reference	Main reason for exclusion
Haba KS, Kreuter PK, Qian X, Agócs G, Bányai D, Rózsa NK, et al. Salivary Glucose Testing for Diabetes Mellitus: A Systematic Review and Meta-Analysis of Current Evidence and Methodological Heterogeneity. Journal of Clinical Medicine. 2026;15(5). Available from: https://doi.org/10.3390/jcm15051829	Wrong setting
Hallewell L, Bescos R, Brookes Z, Witton R, Casas-Agustench P. Exploring Barriers and Facilitators to Dietary Assessment and Advice in the Paediatric Population Attending Dental Clinics: A Scoping Review. Community dentistry and oral epidemiology. 2025;53(5):500–13. Available from: https://doi.org/10.1111/cdoe.13046	Wrong intervention
Harnagea H, Couturier Y, Shrivastava R, Girard F, Lamothe L, Bedos CP, et al. Barriers and facilitators in the integration of oral health into primary care: A scoping review. BMJ Open. 2017;7(9). Available from: https://doi.org/10.1136/bmjopen-2017-016078	Wrong intervention
Harnagea H, Lamothe L, Couturier Y, Esfandiari S, Voyer R, Charbonneau A, et al. From theoretical concepts to policies and applied programmes: The landscape of integration of oral health in primary care. BMC Oral Health. 2018;18(1). Available from: https://doi.org/10.1186/s12903-018-0484-8	Wrong intervention
Haviv Y, Benoliel R, Bachar G, Michaeli E. On the edge between medicine and dentistry: review of the dentist's role in the diagnosis and treatment of snoring and sleep apnea. Quintessence International. 2014;45(4):345–53. Available from: https://doi.org/10.3290/j.qi.a31337	Wrong study design
Heggie C, Al-Diwani H, Arundel P, Balmer R. Diagnosis and initial management of children presenting with premature loss of primary teeth associated with a systemic condition: A scoping review and development of clinical aid. International Journal of Paediatric Dentistry. 2024;34(6):871–90. Available from: https://doi.org/10.1111/ipd.13188	Wrong patient population
Hopealaakso TK, Thomas JT, Patila T, Penttala M, Sakellari D, Grigoriadis A, et al. Periodontitis, Metabolic Syndrome and Diabetes: Identifying Patients at Risk for Three Common Diseases Using the aMMP-8 Rapid Test at the Dentist's Office. Diagnostics. 2024;14(24). Available from: https://dx.doi.org/10.3390/diagnostics14242878	Wrong study design
Huang Z, Zhou N, Chattrattrai T, van Selms MKA, de Vries R, Hilgevoord AAJ, et al. Associations between snoring and dental sleep conditions: A systematic review. Journal of Oral Rehabilitation. 2023;50(5):416–28. Available from: https://doi.org/10.1111/joor.13422	Wrong intervention

Reference	Main reason for exclusion
Hung M, Birmingham WC, Tucker M, Schwartz C, Mohajeri A. Integrating Dentistry into Interprofessional Healthcare: A Scoping Review on Advancing Collaborative Practice and Patient Outcomes. Healthcare. 2025;13(21). Available from: https://doi.org/10.3390/healthcare13212780	Wrong concept
Jashni YK, Emari F, Morris M, Allison P. Indicators of integrating oral health care within universal health coverage and general health care in low-, middle-, and high-income countries: a scoping review. BMC Oral Health. 2023;23(1):251. Available from: https://doi.org/10.1186/s12903-023-02906-2	Wrong concept
Kollek M, Seidler J, De Bock F, Reinhardt A, Bergmann A, Petrakakis P, et al. Dental neglect in children: A scoping review on approaches for identification and existing integrated models for prevention and care...24th International Conference on Integrated Care, April 22-24, 2024, Belfast, Ireland. International Journal of Integrated Care (IJIC). 2025:958–9. Available from: https://doi.org/10.5334/ijic.ICIC24516	Wrong concept
Lacasella GV, Bizzoca ME, Ballini A, Borgia V, Prencipe FA, de Tullio F, et al. The dentist's role in documenting and managing traumatic oral injuries: a narrative review of medico-legal implications. Minerva Dental and Oral Science. 2025;74(6):405–12. Available from: https://doi.org/10.23736/S2724-6329.25.05223-4	Wrong concept
Leibovitz S, Haviv Y, Sharav Y, Almoznino G, Aframian D, Zilberman U. Pediatric sleep-disordered breathing: Role of the dentist. Quintessence International. 2017;48(8):639–45. Available from: https://dx.doi.org/10.3290/j.qi.a38554	Wrong study design
Lima IFP, Brand LM, de Figueiredo JAP, Steier L, Lamers ML. Use of autofluorescence and fluorescent probes as a potential diagnostic tool for oral cancer: A systematic review. Photodiagnosis and Photodynamic Therapy. 2021;33. Available from: https://doi.org/10.1016/j.pdpdt.2020.102073	Wrong concept
Lo Giudice A, Malgioglio A, Maniaci A, La Mantia I, Bianchi A, Cocuzza S. Current Evidence on the Role of Pediatric Dentists in the Multidisciplinary Management of Pediatric Obstructive Sleep Apnea. Diagnostics. 2026;16(6). Available from: https://dx.doi.org/10.3390/diagnostics16060843	Wrong study design
López-Jornet P, De la Mano-Espinosa T. The efficacy of direct tissue fluorescence visualization in screening for oral premalignant lesions in general practice: An update. International Journal of Dental Hygiene. 2011;9(2):97–100. Available from: https://doi.org/10.1111/j.1601-5037.2010.00446.x	Wrong study design
Morcilio M, Reibel YG, Theis-Mahon N, Thelen RM, Arnett MC. Oral and General Health Implications of Alcoholism: A review of the literature. Journal of Dental Hygiene. 2025;99(1):41–54	Wrong concept

Reference	Main reason for exclusion
Myers DE. Review of visceral throat and chest disorders causing nonodontogenic orofacial pain. Journal of the American Dental Association. 2022;153(8):769–75. Available from: https://dx.doi.org/10.1016/j.adaj.2022.01.007	Wrong study design
Paisi M, Booth J, Doughty J. What is the evidence on the effectiveness of strategies to integrate oral health into primary care? Evidence-Based Dentistry. 2024;25(1):23–4. Available from: https://dx.doi.org/10.1038/s41432-023-00962-9	Wrong concept
Prasad M, Manjunath C, Murthy AK, Sampath A, Jaiswal S, Mohapatra A. Integration of oral health into primary health care: A systematic review. Journal of Family Medicine & Primary Care. 2019;8(6):1838–45. Available from: https://doi.org/10.4103/jfmpc.jfmpc_286_19	Wrong concept
Presskreischer R, Prado MA, Kuraner SE, Arusilor I-M, Pike K. Eating disorders and oral health: a scoping review. Journal of Eating Disorders. 2023;11(1):55. Available from: https://doi.org/10.1186/s40337-023-00778-z.	Wrong study design
Ramseier CA, Suvan JE. Behaviour change counselling for tobacco use cessation and promotion of healthy lifestyles: a systematic review. Journal of Clinical Periodontology. 2015;42 Suppl 16:S47–58. Available from: https://doi.org/10.1111/jcpe.12351.	Wrong concept
Rethman MP, Carpenter W, Cohen EEW, Epstein J, Evans CA, Flalfz CM, et al. Evidence-based clinical recommendations regarding screening for oral squamous cell carcinomas. Journal of the American Dental Association. 2010;141(5):509–20. Available from: https://doi.org/10.14219/jada.archive.2010.0223.	Wrong study design
Sacknovitz Y, Ghiam M, King Chong C, Overdevest JB. Practical management recommendations for incidental otolaryngologic findings on cone beam computed tomography. General Dentistry. 2024;72(5):70–7.	Wrong concept
Scribante A, Pellegrini M, Ghizzoni M, Pulicari F, Giannì AB, Spadari F. Exploring the Potential Clinical Applications of Salivary Cortisol in the Diagnosis and Management of Cushing's Syndrome, Diabetes, Depression, and Periodontal Disease: A Systematic Review. Open Dentistry Journal. 2024;18. Available from: https://doi.org/10.2174/0118742106346940241212104004.	Wrong context
Singh V, Lehl G. Child abuse and the role of a dentist in its identification, prevention and protection: A literature review. Dental Research Journal. 2020;17(3):167–73.	Wrong study design
Speight PM, Palmer S, Moles DR, Downer MC, Smith DH, Henriksson M, et al. The cost-effectiveness of screening for oral cancer in primary care. Health Technology Assessment. 2006;10(14):1–65. Available from: https://doi.org/10.3310/hta10140.	Wrong context

Reference	Main reason for exclusion
Stanciu CN, Glass M, Muzyka BC, Glass OM. "Meth mouth": An interdisciplinary review of a dental and psychiatric condition. Journal of Addiction Medicine. 2017;11(4):250–5. Available from: https://doi.org/10.1097/ADM.0000000000000316.	Wrong study design
Sultan A, Warreth A, Fleming P, MacCarthy D. Does the dentist have a role in identifying patients with undiagnosed diabetes mellitus? Journal of the Irish Dental Association. 2014;60(6):298–303.	Wrong study design
Taguchi A, Tanaka R, Kakimoto N, Morimoto Y, Arai Y, Hayashi T, et al. Clinical guidelines for the application of panoramic radiographs in screening for osteoporosis. Oral Radiology. 2021;37(2):189–208. Available from: https://doi.org/10.1007/s11282-021-00518-6.	Wrong study design
Tuan Soh TY, Nik Mohd Rosdy NMM, Mohd Yusof MYP, Azhar Hilmy SH, Md Sabri BA. Adoption of a Digital Patient Health Passport as Part of a Primary Healthcare Service Delivery: Systematic Review. Journal of Personalized Medicine. 2022;12(11). Available from: https://doi.org/10.3390/jpm12111814.	Wrong context
Turner JA, Dworkin SF. Screening for psychosocial risk factors in patients with chronic orofacial pain: Recent advances. Journal of the American Dental Association. 2004;135(8):1119–25. Available from: https://doi.org/10.14219/jada.archive.2004.0370.	Wrong study design
Valeriani L, Frigerio F, Piciocchi C, Piana G, Montevecchi M, Donini LM, et al. Oro-dental manifestations of eating disorders: a systematic review. Journal of Eating Disorders. 2024;12(1):87. Available from: https://doi.org/10.1186/s40337-024-01050-8.	Wrong concept
Végh D, Bencze B, Banyai D, Vegh A, Rózsa N, Nagy Dobó C, et al. Preoperative HbA1c and Blood Glucose Measurements in Diabetes Mellitus before Oral Surgery and Implantology Treatments. International Journal of Environmental Research and Public Health. 2023;20(6). Available from: https://doi.org/10.3390/ijerph20064745.	Wrong study design
Veseli E, Mehrabanian M, Ammar N. The potential of artificial intelligence in the early detection of systemic diseases during routine dental care. British dental journal. 2025;239(3):168–74. Available from: https://doi.org/10.1038/s41415-025-8666-7.	Wrong study design
Vogel JO, Freire CH, Munhoz L, Andrade BAB, Tenório JR. Mandibular bone imaging assessment in chronic kidney disease: a systematic review and meta-analysis. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology. 2024;138(4):565–74. Available from: https://doi.org/10.1016/j.oooo.2024.05.007.	Wrong patient population

Reference	Main reason for exclusion
Yeung AWK, Mozos I. The innovative and sustainable use of dental panoramic radiographs for the detection of osteoporosis. International Journal of Environmental Research and Public Health. 2020;17(7). Available from: https://doi.org/10.3390/ijerph17072449.	Wrong study design
Zelig R, Goldstein S, Touger-Decker R, Firestone E, Golden A, Johnson Z, et al. Tooth Loss and Nutritional Status in Older Adults: A Systematic Review and Meta-analysis. JDR Clinical and Translational Research. 2022;7(1):4–15. Available from: https://doi.org/10.1177/2380084420981016.	Wrong concept
Zhang Q, Almanie L, Ouyang Y, Cheng Z, Zhang H. From routine periodontal therapy to Alzheimer's disease early detection: A scoping review. Journal of Alzheimer's Disease Reports. 2026;10. Available from: https://doi.org/10.1177/25424823261421629.	Wrong concept

2. Excluded references – The role of dental care in the prevention of medical conditions and other ill health

Reference	Main reason for exklusion
Alsulami MA, Oraybi ATS, Alharbi AA, Alqasimi SN, Alnakle RH, Shareef OM, et al. Oral and Systemic Health in Older Adults: The Imperative Role of Nurses and Dentists in Integrated Smoking Cessation Programs. Journal of Ecohumanism. 2024;3(8):12494–501. Available from: https://doi.org/10.62754/joe.v3i8.5862.	Wrong study design
Alzahrani KBA, Alqattan AH, Alharbi KH, Alhassoon AH, Alrehaili SM, Alkuraiea SA, et al. The Role of Interdisciplinary Healthcare Teams in Mitigating Malnutrition Among Vulnerable Populations: Review of Collaborative Strategies Among Dietitians, Pharmacists, Dentists, and Social Workers. Journal of Ecohumanism. 2024;3(8):12560–8. Available from: https://doi.org/10.62754/joe.v3i8.5929.	Wrong study design
Amaral AL, da Costa Andrade PA, Lwaleed BA, Andrade SA. Impacts of smoking on oral health-what is the role of the dental team in smoking cessation? Evidence-based dentistry. 2023;24(4):186–7. Available from: https://doi.org/10.1038/s41432-023-00930-3.	Wrong study design
Ashcroft A, Harris RV, Dailey Y. One-to-one dietary interventions undertaken in a dental setting for a change in dietary behaviour and the prevention of dental caries and erosion. Cochrane Database of Systematic Reviews. 2007(2). Available from: https://doi.org/10.1002/14651858.CD006540.	Update available
Axelsson S, Helgason AR, Lund KE, Adolfsson J. Disseminating evidence from health technology assessment: The case of tobacco prevention. International Journal of Technology Assessment in Health Care. 2006;22(4):500–5. Available from: https://doi.org/10.1017/S0266462306051439.	Wrong study design
Bracksley-O'Grady SA, Dickson-Swift VA, Anderson KS, Gussy MG. Health promotion training in dental and oral health degrees: a scoping review. Journal of dental education. 2015;79(5):584–91.	Wrong outcomes
Brothwell DJ. Should the use of smoking cessation products be promoted by dental offices? An evidence-based report. Journal (Canadian Dental Association). 2001;67(3):149–55.	Wrong study design
Carr AB, Ebbert JO. Interventions for tobacco cessation in the dental setting. Cochrane database of systematic reviews (Online). 2006(1):CD005084.	Update available

Reference	Main reason for exklusion
Carr AB, Ebbert JO. Interventions for tobacco cessation in the dental setting. A systematic review. Community Dental Health. 2007;24(2):70–4.	Update available
Cavalcante Montenegro N, Portela de Oliveira MT, Sampaio Pereira FG, Lima Bastos P, Salles Ottoboni G, Guimaraes de Figueiredo VM, et al. Cognitive-Behavioral Therapy in Sleep Dentistry: Literature Review. Journal of Health Sciences (2447-8938). 2020;22(1):39–42. Available from: https://doi.org/10.17921/2447-8938.2020v22n1p39-42.	Wrong study design
Dooley D, Moultrie NM, Sites E, Crawford PB. Primary care interventions to reduce childhood obesity and sugar-sweetened beverage consumption: Food for thought for oral health professionals. Journal of Public Health Dentistry. 2017;77 Suppl 1:S104–S27. Available from: https://doi.org/10.1111/jphd.12229.	Wrong setting
Dos Santos CS, da Rosa SV, Moyses SJ, Rached RN, Baldani MH, Werneck RI, et al. Psychometric Properties of Food Frequency Questionnaires Used in Dentistry: A Systematic Review. Caries Research. 2023;57(2):95–105. Available from: https://doi.org/10.1159/000529886.	Wrong outcomes
Drouillard C, García Navarro A. Breaking the silence: the role of forensic dentistry in the identification and prevention of violence against women: a systematic review. Frontiers in Global Women's Health. 2026:1–12. Available from: https://doi.org/10.3389/fgwh.2026.1745030.	Wrong intervention
Franki J, Hayes MJ, Taylor JA. The provision of dietary advice by dental practitioners: A review of the literature. Community Dental Health. 2014;31(1):9–14. Available from: https://doi.org/10.1922/CDH_3297Hayes06.	Wrong outcomes
Gajendra S, McIntosh S, Ghosh S. Effects of tobacco product use on oral health and the role of oral healthcare providers in cessation: A narrative review. Tobacco Induced Diseases. 2023;21. Available from: https://doi.org/10.18332/tid/157203.	Wrong study design
Huang Z, Zhou N, Lobbezoo F, Almeida FR, Cistulli PA, Dieltjens M, et al. Dental sleep-related conditions and the role of oral healthcare providers: A scoping review. Sleep Medicine Reviews. 2023;67. Available from: https://doi.org/10.1016/j.smrv.2022.101721.	Wrong intervention
Hung M, Birmingham WC, Tucker M, Schwartz C, Mohajeri A. Integrating Dentistry into Interprofessional Healthcare: A Scoping Review on Advancing Collaborative Practice and Patient Outcomes. Healthcare (2227-9032). 2025;13(21):2780. Available from: https://doi.org/10.3390/healthcare13212780.	Wrong intervention

Reference	Main reason for exklusion
John J. Tobacco cessation counselling interventions delivered by dental professionals may be effective in helping tobacco users to quit: Are tobacco cessation interventions effective when offered in the dental office or community setting? Evidence-Based Dentistry. 2006;7(2):40–1. Available from: https://doi.org/10.1038/sj.ebd.6400400.	Wrong study design
Kenny A, Dickson-Swift V, Carlin A, Nelson D, Gussy M, Gayathri HDV, et al. Oral Health Interventions to Improve Access in Rural Areas of High-Income Countries: A Mixed Methods Systematic Review. Community dentistry and oral epidemiology. 2026;54(3):273–84. Available from: https://doi.org/10.1111/cdoe.70058.	Wrong intervention
Large JF, Madigan C, Graham H, Biddle GJH, Sanders J, Daley AJ. Public and dental teams' views about weight management interventions in dental health settings: Systematic review and meta-analysis. Obesity Reviews. 2024;25(6). Available from: https://doi.org/10.1111/obr.13726.	Wrong intervention
Lipsky MS, Wolfe G, Radilla BA, Hung M. Human Papillomavirus: A Narrative Review for Dental Providers in Prevention and Care. International Journal of Environmental Research and Public Health. 2025;22(3). Available from: https://doi.org/10.3390/ijerph22030439.	Wrong study design
Loewen JM, Relich EE. Electronic Nicotine Delivery Systems: Current trends and patient education opportunities for dental hygienists. Journal of dental hygiene : JDH. 2019;93(1):43–51.	Wrong study design
Lundahl B, Moleni T, Burke BL, Butters R, Tollefson D, Butler C, et al. Motivational interviewing in medical care settings: A systematic review and meta-analysis of randomized controlled trials. Patient Education and Counseling. 2013;93(2):157–68. Available from: https://doi.org/10.1016/j.pec.2013.07.012.	Wrong outcomes
Maillet JP, Tax CL, Neish NR, Denny AL. Evaluation of outcomes for tobacco cessation counseling in the Dalhousie University dental hygiene curriculum. Journal of dental education. 2010;74(3):311–7.	Wrong study design
Makino S, Woodside J, Sallam A, McCorry N, Harvey M, Heilmann A, et al. Consideration of Oral Health Within Guidelines and Policy Documents Focused on Nutritional Status and Dietary Intake for Older Adults in Care Homes in the UK: A Scoping Review. Gerodontology. 2026;43(2):137–58. Available from: https://doi.org/10.1111/ger.70032.	Wrong intervention

Reference	Main reason for exklusion
Mariño R, Ravisankar G, Zaror C. Quality appraisal of economic evaluations done on oral health preventive programs-A systematic review. Journal of public health dentistry. 2020;80(3):194–207. Available from: https://doi.org/10.1111/jphd.12368.	Wrong outcomes
Morcilio M, Reibel YG, Theis-Mahon N, Thelen RM, Arnett MC. Oral and General Health Implications of Alcoholism: A review of the literature. Journal of dental hygiene : JDH. 2025;99(1):41–54.	Wrong intervention
Omaña-Cepeda C, Jané-Salas E, Estrugo-Devesa A, Chimenos-Küstner E, López-López J. Effectiveness of dentist's intervention in smoking cessation: A review. Journal of Clinical and Experimental Dentistry. 2016;8(1):e78–e83. Available from: https://doi.org/10.4317/jced.52693.	Wrong study design
Palacios C, Joshipura KJ, Willett WC. Nutrition and health: Guidelines for dental practitioners. Oral Diseases. 2009;15(6):369–81. Available from: https://doi.org/10.1111/j.1601-0825.2009.01571.x.	Wrong study design
Ramprasad A, Naik A, Makansi N. Implementation of Motivational Interviewing Training in Dental Education and Research-A Scoping Review. Journal of dental education. 2025;89(12):1666–80. Available from: https://doi.org/10.1002/jdd.13909.	Wrong intervention
Ramseier CA. An integrated behavioral change model for smoking cessation in periodontal care: The four-stage behavioral support staircase. Periodontology 2000. 2026. Available from: https://doi.org/10.1111/prd.70040.	Wrong study design
Ramseier CA, Woelber JP, Kitzmann J, Detzen L, Carra MC, Bouchard P. Impact of risk factor control interventions for smoking cessation and promotion of healthy lifestyles in patients with periodontitis: A systematic review. Journal of Clinical Periodontology. 2020;47 Suppl 22:90–106. Available from: https://doi.org/10.1111/jcpe.13240.	Wrong patient population
Register SJ, Harrington KF, Agne AA, Cherrington AL. Effectiveness of Non-Primary Care-Based Smoking Cessation Interventions for Adults with Diabetes: A Systematic Literature Review. Current Diabetes Reports. 2016;16(9). Available from: https://doi.org/10.1007/s11892-016-0777-8.	Wrong patient population
Selwitz RH, Pihlstrom BL. How to lower risk of developing diabetes and its complications: recommendations for the patient. Journal of the American Dental Association (1939). 2003;134 Spec No:54S–8S.	Wrong study design
Stewart S, Hanning R. Building osteoporosis prevention into dental practice. Journal (Canadian Dental Association). 2012;78:c29.	Wrong intervention

Reference	Main reason for exklusion
Watt RG. Motivational interviewing may be effective in dental setting. Evidence-Based Dentistry. 2010;11(1):13. Available from: https://doi.org/10.1038/sj.ebd.6400702.	Wrong study design