

from the ATHENA study using HPV as the first-line screening test. <i>Gynecologic Oncology</i> , 2015; 136 (2): 189-97.	
Wright TC. Using HPV testing to improve cervical cancer screening: cotesting versus HPV primary screening. <i>Acta cytologica</i> , 2016; 6023-.	Fel indextest
Wu Q, Zhao X, Fu Y, Wang X, Zhang X, Tian X, et al. A cross-sectional study on HPV testing with type 16/18 genotyping for cervical cancer screening in 11,064 Chinese women. <i>Cancer Medicine</i> , 2017; 6 (5): 1091-101.	Fel utfall
Xu L, Verdoodt F, Wentzensen N, Bergeron C, Arbyn M. Triage of ASC-H: A meta-analysis of the accuracy of high-risk HPV testing and other markers to detect cervical precancer. <i>Cancer Cytopathology</i> , 2016; 124 (4): 261-72.	Fel indextest
Yang L, Zhu Y, Bai Y, Zhang X, Ren C. The clinical application of HPV E6/E7 mRNA testing in triaging women with atypical squamous cells of undetermined significance or low-grade squamous intra-epithelial lesion Pap smear: A meta-analysis. <i>Journal of Cancer Research & Therapeutics</i> , 2017; 13 (4): 613-20.	Fel indextest
Yeh PT, Kennedy CE, de Vuyst H, Narasimhan M. Self-sampling for human papillomavirus (HPV) testing: a systematic review and meta-analysis. <i>BMJ Global Health</i> , 2019; 4 (3): e001351.	Fel population
Yu L, Jiang M, Qu P, Wu Z, Sun P, Xi M, et al. Clinical evaluation of human papillomavirus 16/18 oncoprotein test for cervical cancer screening and HPV positive women triage. <i>International Journal of Cancer</i> , 2018; 143 (4): 813-22.	Fel jämförande test
Zhang J, Zhao Y, Dai Y, Dang L, Ma L, Yang C, et al. Effectiveness of High-risk Human Papillomavirus Testing for Cervical Cancer Screening in China: a Multicenter, Open-Label, Randomized Clinical Trial. <i>JAMA oncology</i> , 2021.	Fel population
Zhang R, Ge X, You K, Guo Y, Guo H, Wang Y, et al. p16/Ki67 dual staining improves the detection specificity of high-grade cervical lesions. <i>Journal of Obstetrics & Gynaecology Research</i> , 2018; 44 (11): 2077-84.	Fel population
Zhang SK, Guo Z, Wang P, Kang LN, Jia MM, Wu ZN, et al. The Potential Benefits of HPV E6/E7 mRNA Test in Cervical Cancer Screening in China. <i>Frontiers in Oncology</i> , 2020; 10533253.	Fel population
Zhao X, Wu Q, Wang X, Fu Y, Zhang X, Tian X, et al. The performance of human papillomavirus DNA detection with type 16/18 genotyping by hybrid capture in primary test of cervical cancer screening: a cross-sectional study in 10,669 Chinese women. <i>Clinical Microbiology & Infection</i> , 2018; 24 (12): 1322-27.	Fel jämförande test