



Bilaga till rapport

1 (32)

Screening för livmoderhalscancer med
självpровtagning för HPV, rapport 338,
(2021)

Bilaga 2 Exkluderade studier och studier med hög risk för snedvridning

Innehållsförteckning

Självpровtagning (frågeställning 1,2 och 3).....	2
Exkluderade studier på grund av relevans.....	2
Exkluderade studier på grund av hög risk för bias.....	17
Primär screeninganalys: Cytologi vs HPV (Frågeställning 4)	18

Självprovtagning (frågeställning 1,2 och 3)

Exkluderade studier på grund av relevans

Denna del består av artiklar som ansågs relevanta i abstraktgallringen, men som vid fulltextgranskning inte besvarade frågeställningen och uppfyllde inklusionskriterierna. För frågeställningarna 1 till 3 kan en studie ha olika skäl till exklusion beroende på frågeställning, dock är bara en av skälen angiven i listan.

Studie	Exklusionsorsak
Aarnio R, Isacson I, Sanner K, Gustavsson I, Gyllensten U, Olovsson M. Comparison of vaginal self-sampling and cervical sampling by medical professionals for the detection of HPV and CIN2+: a randomized study. <i>International Journal of Cancer</i> , 2021; 2626.	Fel population
Aarnio R, Ostensson E, Olovsson M, Gustavsson I, Gyllensten U. Cost-effectiveness analysis of repeated self-sampling for HPV testing in primary cervical screening: a randomized study. <i>BMC Cancer</i> , 2020; 20 (1): 645.	Fel studiedesign
Adamson PC, Huchko MJ, Moss AM, Kinkel HF, Medina-Marino A. Acceptability and Accuracy of Cervical Cancer Screening Using a Self-Collected Tampon for HPV Messenger-RNA Testing among HIV-Infected Women in South Africa. <i>PLoS ONE [Electronic Resource]</i> , 2015; 10 (9): e0137299.	Fel population
Adler DH, Almudevar A, Gray GE, Allan B, Williamson AL. High level of agreement between clinician-collected and self-collected samples for HPV detection among South African adolescents. <i>Journal of Pediatric & Adolescent Gynecology</i> , 2012; 25 (4): 280-1.	Fel studiedesign
Adler DH, Laher F, Lazarus E, Grzesik K, Gray GE, Allan B, et al. A Viable and Simple Self-Sampling Method for Human Papillomavirus Detection among South African Adolescents. <i>Journal Of Immunological Techniques In Infectious Diseases</i> , 2013; 2 (3): 18.	Fel population
Aiko KY, Yoko M, Saito OM, Ryoko A, Yasuyo M, Mikiko AS, et al. Accuracy of self-collected human papillomavirus samples from Japanese women with abnormal cervical cytology. <i>J Obstet Gynaecol Res</i> , 2017; 43 (4): 710-17.	Fel utfall
Aitken CA, van Agt HME, Siebers AG, van Kemenade FJ, Niesters HGM, Melchers WJG, et al. Introduction of primary screening using high-risk HPV DNA detection in the Dutch cervical cancer screening programme: a population-based cohort study. <i>BMC Medicine</i> , 2019; 17 (1): 228.	Fel population
Allende G, Surriabre P, Ovando N, Calle P, Torrico A, Villarroel J, et al. Evaluation of the effectiveness of high-risk human papilloma self-sampling test for cervical cancer screening in Bolivia. <i>BMC Infectious Diseases</i> , 2020; 20 (1): 259.	Fel indextest
Arbyn M, de Sanjose S, Weiderpass E. HPV-based cervical cancer screening, including self-sampling, versus screening with cytology in Argentina. <i>The Lancet Global Health</i> , 2019; 7 (6): e688-e89.	Fel indextest
Arbyn M, Verdoodt F, Snijders PJ, Verhoef VM, Suonio E, Dillner L, et al. Accuracy of human papillomavirus testing on self-collected versus clinician-collected samples: a meta-analysis. <i>Lancet Oncology</i> , 2014; 15 (2): 172-83.	Fel utfall

Arrossi S, Paolino M, Laudi R, Gago J, Campanera A, Marin O, et al. Programmatic human papillomavirus testing in cervical cancer prevention in the Jujuy Demonstration Project in Argentina: a population-based, before-and-after retrospective cohort study. <i>The Lancet Global Health</i> , 2019; 7 (6): e772-e83.	Fel studiedesign
Arrossi S, Thouyaret L, Herrero R, Campanera A, Magdaleno A, Cuberli M, et al. Effect of self-collection of HPV DNA offered by community health workers at home visits on uptake of screening for cervical cancer (the EMA study): a population-based cluster-randomised trial. <i>The Lancet Global Health</i> , 2015; 3 (2): e85-94.	Fel indextest
Batmunkh T, Dalmau MT, Munkhsaikhan ME, Khorolsuren T, Namjil N, Surenjav U, et al. A single dose of quadrivalent human papillomavirus (HPV) vaccine is immunogenic and reduces HPV detection rates in young women in Mongolia, six years after vaccination. <i>Vaccine</i> , 2020; 38 (27): 4316-24.	Fel indextest
Belinson JL, Du H, Yang B, Wu R, Belinson SE, Qu X, et al. Improved sensitivity of vaginal self-collection and high-risk human papillomavirus testing. <i>Int J Cancer</i> , 2012; 130 (8): 1855-60.	Fel utfall
Berggrund M, Gustavsson I, Aarnio R, Hedlund-Lindberg J, Sanner K, Wikstrom I, et al. HPV viral load in self-collected vaginal fluid samples as predictor for presence of cervical intraepithelial neoplasia. <i>Virology Journal</i> , 2019; 16 (1): 146.	Fel jämförande test
Berner A, Hassel SB, Tebeu PM, Untiet S, Kengne-Fosso G, Navarra I, et al. Human papillomavirus self-sampling in Cameroon: women's uncertainties over the reliability of the method are barriers to acceptance. <i>Journal of Lower Genital Tract Disease</i> , 2013; 17 (3): 235-41.	Fel indextest
Bertucci M, Dambroise C, Satger L, Boule N. Self-collection for HPV testing: a new strategy to improve cervical screening coverage? <i>Revue Francophone des Laboratoires</i> , 2018; 2018 (503): 50-57.	Fel studiedesign
Bhatla N, Puri K, Kriplani A, Iyer VK, Mathur SR, Mani K, et al. Adjunctive testing for cervical cancer screening in low resource settings. <i>Australian & New Zealand Journal of Obstetrics & Gynaecology</i> , 2012; 52 (2): 133-9.	Fel indextest
Boggan JC, Walmer DK, Henderson G, Chakhtoura N, McCarthy SH, Beauvais HJ, et al. Vaginal Self-Sampling for Human Papillomavirus Infection as a Primary Cervical Cancer Screening Tool in a Haitian Population. <i>Sexually Transmitted Diseases</i> , 2015; 42 (11): 655-9.	Fel indextest
Broberg G, Gyrd-Hansen D, Miao Jonasson J, Ryd ML, Holtenman M, Milsom I, et al. Increasing participation in cervical cancer screening: offering a HPV self-test to long-term non-attendees as part of RACOMIP, a Swedish randomized controlled trial. <i>Int J Cancer</i> , 2014; 134 (9): 2223-30.	Fel population
Broberg G, Jonasson J, Ellis J, Anjemark B, Glantz A, Söderberg L, et al. Increasing participation in cervical cancer screening: telephone call to long time abstaining women in Sweden. Results from RACOMIP, a randomized controlled trial. <i>Acta obstetrica ET gynecologica scandinavica</i> , 2012; 9172-.	Fel population
Broberg G, Jonasson JM, Ellis J, Gyrd-Hansen D, Anjemark B, Glantz A, et al. Increasing participation in cervical cancer screening: telephone contact with long-term non-attendees in Sweden. Results from RACOMIP, a randomized controlled trial. <i>International Journal of Cancer</i> , 2013; 133 (1): 164-71.	Fel population

Brogly SB, Perkins RB, Zepf D, Longtine J, Yang S. Human papillomavirus vaccination and cervical cytology in young minority women. <i>Sexually Transmitted Diseases</i> , 2014; 41 (8): 511-4.	Fel studiedesign
Bui TC, Scheurer ME, Pham VT, Tran LT, Hor LB, Vidrine DJ, et al. Intravaginal practices and genital human papillomavirus infection among female sex workers in Cambodia. <i>Journal of Medical Virology</i> , 2018; 90 (11): 1765-74.	Fel indextest
Bunkarn O, Kusol K. The Relationship between Perceived Self-Efficacy and Cervical Cancer Screening among Village Health Volunteers in Suratthani Province, Thailand. <i>Asian Pacific Journal of Cancer Prevention: Apjcp</i> , 2021; 22 (1): 179-83.	Fel indextest
Carrasquillo O, Kobetz- Kerman EN, Alonzo Y. A randomized trial of self-sampling for human papilloma virus among minority immigrant women in need of cervical cancer screening: findings from the South Florida center for reducing cancer disparities. <i>Journal of general internal medicine</i> , 2015; 30S90.	Fel population
Castle P. Participation in cervical screening by selfcollection, pap, or a choice of either in Brazil. <i>Cancer prevention research (Philadelphia, Pa.)</i> , 2019; 12 (3): 159-69.	Fel population
Castle PE, Qiao YL, Zhao FH, Chen W, Valdez M, Zhang X, et al. Clinical determinants of a positive visual inspection after treatment with acetic acid for cervical cancer screening. <i>BJOG: An International Journal of Obstetrics & Gynaecology</i> , 2014; 121 (6): 739-46.	Fel indextest
Castle PE, Silva VRS, Consolaro MEL, Kienen N, Bittencourt L, Pelloso SM, et al. Participation in Cervical Screening by Self-collection, Pap, or a Choice of Either in Brazil. <i>Cancer Prevention Research</i> , 2019; 12 (3): 159-70.	Fel indextest
Cerigo H, Coutlee F, Franco EL, Brassard P. Dry self-sampling versus provider-sampling of cervicovaginal specimens for human papillomavirus detection in the Inuit population of Nunavik, Quebec. <i>Journal of Medical Screening</i> , 2012; 19 (1): 42-8.	Fel population
Chaichan S, Sawanyawisuth K, Limpawattana P, Watcharenwong P, Chindaprasit J, Chotmongkol V, et al. Roles of self-sampling for human papillomavirus in developing countries. <i>Journal of the Medical Association of Thailand</i> , 2020; 103 (1): 68-72.	Fel studiedesign
Chang CC, Huang RL, Liao YP, Su PH, Hsu YW, Wang HC, et al. Concordance analysis of methylation biomarkers detection in self-collected and physician-collected samples in cervical neoplasm. <i>BMC Cancer</i> , 2015; 15418.	Fel population
Chao YS, Clark M, Ford C. Canadian Agency for Drugs and Technologies in Health. <i>CADTH Rapid Response Reports</i> , 2018; 419.	Fel studiedesign
Chao YS, McCormack S. Canadian Agency for Drugs and Technologies in Health. <i>CADTH Rapid Response Reports</i> , 2019; 0530.	Fel indextest
Chen Q, Du H, Zhang R, Zhao JH, Hu QC, Wang C, et al. Evaluation of novel assays for the detection of human papilloma virus in self-collected samples for cervical cancer screening. <i>Genet Mol Res</i> , 2016; 15 (2).	Fel referenstest
Chen W, Jeronimo J, Zhao FH, Qiao YL, Valdez M, Zhang X, et al. The concordance of HPV DNA detection by Hybrid Capture 2 and careHPV on clinician- and self-collected specimens. <i>Journal of Clinical Virology</i> , 2014; 61 (4): 553-7.	Fel indextest
Cremer M, Maza M, Alfaro K, Morales Velado M, Felix J, Castle PE, et al. Scale-Up of an Human Papillomavirus Testing Implementation Program in El Salvador. <i>Journal of Lower Genital Tract Disease</i> , 2017; 21 (1): 26-32.	Fel indextest

Cuschieri K, Kavanagh K, Sinka K, Robertson C, Cubie H, Moore C, et al. Effect of HPV assay choice on perceived prevalence in a population-based sample. <i>Diagnostic Molecular Pathology</i> , 2013; 22 (2): 85-90.	Fel jämförande test
Darlin L, Borgfeldt C, Forslund O, Henic E, Hortlund M, Dillner J, et al. Comparison of use of vaginal HPV self-sampling and offering flexible appointments as strategies to reach long-term non-attending women in organized cervical screening. <i>J Clin Virol</i> , 2013; 58 (1): 155-60.	Fel population
de Melo Kuil L, Lorenzi AT, Stein MD, Resende JCP, Antoniazzi M, Longatto-Filho A, et al. The Role of Self-Collection by Vaginal Lavage for the Detection of HPV and High-Grade Intraepithelial Neoplasia. <i>Acta Cytologica</i> , 2017; 61 (6): 425-33.	Fel indextest
Del Mistro A, Frayle H, Ferro A, Fantin G, Altobelli E, Giorgi Rossi P. Efficacy of self-sampling in promoting participation to cervical cancer screening also in subsequent round. <i>Preventive Medicine Reports</i> , 2017; 5166-68.	Fel population
Delere Y, Renschmidt C, Leuschner J, Schuster M, Fesenfeld M, Schneider A, et al. Human Papillomavirus prevalence and probable first effects of vaccination in 20 to 25 year-old women in Germany: a population-based cross-sectional study via home-based self-sampling. <i>BMC Infectious Diseases</i> , 2014; 1487.	Fel jämförande test
Delere Y, Schuster M, Vartazarowa E, Hansel T, Hagemann I, Borchardt S, et al. Cervicovaginal self-sampling is a reliable method for determination of prevalence of human papillomavirus genotypes in women aged 20 to 30 years. <i>Journal of Clinical Microbiology</i> , 2011; 49 (10): 3519-22.	Fel indextest
Dillner J, Nygard M, Munk C, Hortlund M, Hansen BT, Lagheden C, et al. Decline of HPV infections in Scandinavian cervical screening populations after introduction of HPV vaccination programs. <i>Vaccine</i> , 2018; 36 (26): 3820-29.	Fel utfall
Du H, Duan X, Liu Y, Shi B, Zhang W, Wang C, et al. An evaluation of solid versus liquid transport media for high-risk HPV detection and cervical cancer screening on self-collected specimens. <i>Infectious Agents and Cancer</i> , 2020; 15 (1).	Fel population
Du H, Yi J, Wu R, Belinson SE, Qu X, Yang B, et al. A new PCR-based mass spectrometry system for high-risk HPV, part II: clinical trial. <i>American Journal of Clinical Pathology</i> , 2011; 136 (6): 920-3.	Fel utfall
Duan X. A comparative study of high-risk HPV detected by self-picking and cervix sampling methods. <i>International journal of gynaecology and obstetrics</i> , 2018; 143423-.	Fel studiedesign
Dutton T, Marjoram J, Burgess S, Montgomery L, Vail A, Callan N, et al. Uptake and acceptability of human papillomavirus self-sampling in rural and remote aboriginal communities: evaluation of a nurse-led community engagement model. <i>BMC Health Services Research</i> , 2020; 20 (1): 398.	Fel jämförande test
Ebisch RM, de Kuyper-de Ridder GM, Bosgraaf RP, Massuger LF, Int'Hout J, Verhoef VM, et al. The clinical value of HPV genotyping in triage of women with high-risk-HPV-positive self-samples. <i>International Journal of Cancer</i> , 2016; 139 (3): 691-9.	Fel jämförande test
Ebisch RM, van der Horst J, Hermesen M, Rijstenberg LL, Vedder JE, Bulten J, et al. Evaluation of p16/Ki-67 dual-stained cytology as triage test for high-risk human papillomavirus-positive women. <i>Modern Pathology</i> , 2017; 30 (7): 1021-31.	Fel population
Ebisch RMF, Ketelaars PJW, van der Sanden WMH, Schmeink CE, Lenselink CH, Siebers AG, et al. Screening for persistent high-risk HPV infections may be a	Fel jämförande test

valuable screening method for young women; A retrospective cohort study. PLoS ONE [Electronic Resource], 2018; 13 (10): e0206219.	
Edblad-Svensson A, Silfverdal L, Collberg P, Tunon K. High-Risk Types of Human Papilloma Virus DNA Testing in Women with False Negative Cytology. Acta Cytologica, 2018; 62 (5): 411-17.	Fel population
Elfstrom KM, Sundstrom K, Andersson S, Bzhalava Z, Carlsten Thor A, Gzoul Z, et al. Increasing participation in cervical screening by targeting long-term nonattenders: Randomized health services study. International Journal of Cancer, 2019; 145 (11): 3033-39.	Fel population
El-Zein M, Bouten S, Louvanto K, Gilbert L, Gotlieb WH, Hemmings R, et al. Predictive Value of Hpv testing in self-collected and clinician-collected samples compared with cytology in detecting high-grade cervical lesions. Cancer Epidemiology Biomarkers and Prevention, 2019; 28 (7): 1134-40.	Fel population
Enerly E, Bonde J, Schee K, Pedersen H, Lonnberg S, Nygard M. Self-Sampling for Human Papillomavirus Testing among Non-Attenders Increases Attendance to the Norwegian Cervical Cancer Screening Programme. PLoS One, 2016; 11 (4): e0151978.	Fel population
Ernstson A, Asciutto KC, Stureson J, Noren J, Forslund O, Borgfeldt C. Detection of HPV mRNA in Self-collected Vaginal Samples Among Women at 69-70 Years of Age. Anticancer Research, 2019; 39 (1): 381-86.	Fel population
Esber A, Norris A, Jumbe E, Kandodo J, Nampandeni P, Reese PC, et al. Feasibility, validity and acceptability of self-collected samples for human papillomavirus (HPV) testing in rural Malawi. Malawi Medical Journal, 2018; 30 (2): 61-66.	Fel studiedesign
Gage JC, Partridge EE, Rausa A, Gravitt PE, Wacholder S, Schiffman M, et al. Comparative performance of human papillomavirus DNA testing using novel sample collection methods. Journal of Clinical Microbiology, 2011; 49 (12): 4185-9.	Fel population
Garland SM, Cornall AM, Brotherton JML, Wark JD, Malloy MJ, Tabrizi SN, et al. Final analysis of a study assessing genital human papillomavirus genoprevalence in young Australian women, following eight years of a national vaccination program. Vaccine, 2018; 36 (23): 3221-30.	Fel jämförande test
Giorgi Rossi P, Fortunato C, Barbarino P, Boveri S, Caroli S, Del Mistro A, et al. Self-sampling to increase participation in cervical cancer screening: an RCT comparing home mailing, distribution in pharmacies, and recall letter. Br J Cancer, 2015; 112 (4): 667-75.	Fel population
Giorgi Rossi P, Marsili LM, Camilloni L, Iossa A, Lattanzi A, Sani C, et al. The effect of self-sampled HPV testing on participation to cervical cancer screening in Italy: a randomised controlled trial (ISRCTN96071600). Br J Cancer, 2011; 104 (2): 248-54.	Fel population
Gizaw M, Ruddies F, Addissie A, Worku A, Abebe T, Teka B, et al. Community-based uptake of self-sampling for HPV DNA-based testing for cervical cancer screening in Ethiopia: preliminary findings of a cluster randomized trial. Cancer epidemiology biomarkers and prevention, 2020; 29 (6).	Fel studiedesign
Gizaw M, Teka B, Ruddies F, Abebe T, Kaufmann AM, Worku A, et al. Uptake of Cervical Cancer Screening in Ethiopia by Self-Sampling HPV DNA Compared to Visual Inspection with Acetic Acid: A Cluster Randomized Trial. Cancer Prevention Research, 2019; 12 (9): 609-16.	Fel studiedesign

Gok M, Heideman DA, van Kemenade FJ, Berkhof J, Rozendaal L, Spruyt JW, et al. HPV testing on self collected cervicovaginal lavage specimens as screening method for women who do not attend cervical screening: cohort study. <i>BMJ</i> , 2010; 340:c1040.	Fel population
Gok M, Heideman DA, van Kemenade FJ, de Vries AL, Berkhof J, Rozendaal L, et al. Offering self-sampling for human papillomavirus testing to non-attendees of the cervical screening programme: Characteristics of the responders. <i>European Journal of Cancer</i> , 2012; 48 (12): 1799-808.	Fel population
Gok M, van Kemenade FJ, Heideman DA, Berkhof J, Rozendaal L, Spruyt JW, et al. Experience with high-risk human papillomavirus testing on vaginal brush-based self-samples of non-attendees of the cervical screening program. <i>Int J Cancer</i> , 2012; 130 (5): 1128-35.	Fel utfall
Grandahl M, Tyden T, Westerling R, Neveus T, Rosenblad A, Hedin E, et al. To Consent or Decline HPV Vaccination: A Pilot Study at the Start of the National School-Based Vaccination Program in Sweden. <i>Journal of School Health</i> , 2017; 87 (1): 62-70.	Fel studiedesign
Gravitt PE, Paul P, Katki HA, Vendantham H, Ramakrishna G, Sudula M, et al. Effectiveness of VIA, Pap, and HPV DNA testing in a cervical cancer screening program in a peri-urban community in Andhra Pradesh, India. <i>PLoS ONE [Electronic Resource]</i> , 2010; 5 (10): e13711.	Fel indextest
Gustavsson I, Sanner K, Lindell M, Strand A, Olovsson M, Wikström I, et al. Type-specific detection of high-risk human papillomavirus (HPV) in self-sampled cervicovaginal cells applied to FTA elute cartridge. <i>Journal of Clinical Virology</i> , 2011; 51 (4): 251-54.	Fel population
Gyllensten U, Sanner K, Gustavsson I, Lindell M, Wikstrom I, Wilander E. Short-time repeat high-risk HPV testing by self-sampling for screening of cervical cancer. <i>British Journal of Cancer</i> , 2011; 105 (5): 694-7.	Fel jämförande test
Gök M, Heideman DAM, Van Kemenade FJ, Berkhof J, Rozendaal L, Spruyt JWM, et al. HPV testing on self collected cervicovaginal lavage specimens as screening method for women who do not attend cervical screening: Cohort study. <i>BMJ (Online)</i> , 2010; 340 (7752): 905.	Fel indextest
Haguenoer K, Sengchanh S, Gaudy-Graffin C, Boyard J, Fontenay R, Marret H, et al. Vaginal self-sampling is a cost-effective way to increase participation in a cervical cancer screening programme: a randomised trial. <i>Br J Cancer</i> , 2014; 111 (11): 2187-96.	Fel studiedesign
Haile EL, Cindy S, Ina B, Belay G, Jean-Pierre VG, Sharon R, et al. HPV testing on vaginal/cervical nurse-assisted self-samples versus clinician-taken specimens and the HPV prevalence, in Adama Town, Ethiopia. <i>Medicine</i> , 2019; 98 (35): e16970.	Fel indextest
Hamzah H, Aziz A, Lim BK, Woo YL, Omar SZ. Evaluation of human papillomavirus (HPV) infection among women in UMMC - comparison between Thin Prep and Fournier's self sampling. <i>Journal of Health and Translational Medicine</i> , 2013; 1692.	Fel jämförande test
Hesselink AT, Berkhof J, van der Salm ML, van Splunter AP, Geelen TH, van Kemenade FJ, et al. Clinical validation of the HPV-risk assay, a novel real-time PCR assay for detection of high-risk human papillomavirus DNA by targeting the E7 region. <i>J Clin Microbiol</i> , 2014; 52 (3): 890-6.	Fel studiedesign
Hesselink AT, Heideman DA, Steenbergen RD, Gok M, van Kemenade FJ, Wilting SM, et al. Methylation marker analysis of self-sampled cervico-vaginal	Fel indextest

lavage specimens to triage high-risk HPV-positive women for colposcopy. <i>International Journal of Cancer</i> , 2014; 135 (4): 880-6.	
Hillemanns P, Friese K, Dannecker C, Klug S, Seifert U, Iftner T, et al. Prevention of Cervical Cancer: Guideline of the DGGG and the DKG (S3 Level, AWMF Register Number 015/027OL, December 2017) - Part 2 on Triage, Treatment and Follow-up. <i>Geburtshilfe und Frauenheilkunde</i> , 2019; 79 (2): 160-76.	Fel studiedesign
Huchko MJ, Ibrahim S, Blat C, Cohen CR, Smith JS, Hiatt RA, et al. Cervical cancer screening through human papillomavirus testing in community health campaigns versus health facilities in rural western Kenya. <i>International Journal of Gynaecology & Obstetrics</i> , 2018; 141 (1): 63-69.	Fel indextest
Ilangovan K, Kobetz E, Koru-Sengul T, Marcus EN, Rodriguez B, Alonzo Y, et al. Acceptability and Feasibility of Human Papilloma Virus Self-Sampling for Cervical Cancer Screening. <i>Journal of Women's Health</i> , 2016; 25 (9): 944-51.	Fel population
Ivanus U, Jerman T, Fokter AR, Takac I, Prevodnik VK, Marcec M, et al. Randomised trial of HPV self-sampling among non-attenders in the Slovenian cervical screening programme ZORA: comparing three different screening approaches. <i>Radiology & Oncology</i> , 2018; 52 (4): 399-412.	Fel population
Jalili F, O'Conaill C, Templeton K, Lotocki R, Fischer G, Manning L, et al. Assessing the impact of mailing self-sampling kits for human papillomavirus testing to unscreened non-responder women in Manitoba. <i>Current Oncology</i> , 2019; 26 (3): 167-72.	Fel population
Jaworek H, Koudelakova V, Drabek J, Vrbkova J, Zborilova B, Oborna I, et al. A Head-to-Head Analytical Comparison of Cobas 4800 HPV, PapilloCheck HPV Screening, and LMNX Genotyping Kit HPV GP for Detection of Human Papillomavirus DNA in Cervical and Cervicovaginal Swabs. <i>Journal of Molecular Diagnostics</i> , 2018; 20 (6): 849-58.	Fel studiedesign
Jeannot E, Viviano M, de Pree C, Amadane M, Kabengele E, Vassilakos P, et al. Prevalence of Vaccine Type Infections in Vaccinated and Non-Vaccinated Young Women: HPV-IMPACT, a Self-Sampling Study. <i>International Journal of Environmental Research & Public Health</i> [Electronic Resource], 2018; 15 (7): 09.	Fel indextest
Jentschke M, Lange V, Soergel P, Hillemanns P. Enzyme-linked immunosorbent assay for p16(INK4a) - a new triage test for the detection of cervical intraepithelial neoplasia? <i>Acta Obstet Gynecol Scand</i> , 2013; 92 (2): 160-4.	Fel indextest
Jentschke M, Soergel P, Hillemanns P. Evaluation of a multiplex real time PCR assay for the detection of human papillomavirus infections on self-collected cervicovaginal lavage samples. <i>J Virol Methods</i> , 2013; 193 (1): 131-4.	Fel indextest
Jeronimo J, Bansil P, Lim J, Peck R, Paul P, Amador JJ, et al. A multicountry evaluation of careHPV testing, visual inspection with acetic acid, and papanicolaou testing for the detection of cervical cancer. <i>Int J Gynecol Cancer</i> , 2014; 24 (3): 576-85.	Fel indextest
Johnson DC, Bhatta MP, Smith JS, Kempf MC, Broker TR, Vermund SH, et al. Assessment of high-risk human papillomavirus infections using clinician- and self-collected cervical sampling methods in rural women from far western Nepal. <i>PLoS ONE</i> [Electronic Resource], 2014; 9 (6): e101255.	Fel indextest
Kamath Mulki A, Withers M. Human Papilloma Virus self-sampling performance in low- and middle-income countries. <i>BMC Women's Health</i> , 2021; 21 (1): 12.	Fel studiedesign

Kang LN, Jeronimo J, Qiao YL, Zhao FH, Chen W, Valdez M, et al. Optimal positive cutoff points for careHPV testing of clinician- and self-collected specimens in primary cervical cancer screening: an analysis from rural China. <i>Journal of Clinical Microbiology</i> , 2014; 52 (6): 1954-61.	Fel indextest
Kellen E, Benoy I, Vanden Broeck D, Martens P, Bogers JP, Haelens A, et al. A randomized, controlled trial of two strategies of offering the home-based HPV self-sampling test to non- participants in the Flemish cervical cancer screening program. <i>Int J Cancer</i> , 2018; 143 (4): 861-68.	Fel population
Kim MH, Jung HJ, Park SI, Kim BJ. Self-obtained vaginal samples for HPV DNA testing to detect HPV-related cervical disease. <i>International Journal of Gynaecology & Obstetrics</i> , 2020; 2323.	Fel utfall
Kitchener H, Gittins M, Cruickshank M, Moseley C, Fletcher S, Albrow R, et al. A cluster randomized trial of strategies to increase uptake amongst young women invited for their first cervical screen: The STRATEGIC trial. <i>J Med Screen</i> , 2018; 25 (2): 88-98.	Fel population
Kjaer SK, Nygard M, Dillner J, Brooke Marshall J, Radley D, Li M, et al. A 12-Year Follow-up on the Long-Term Effectiveness of the Quadrivalent Human Papillomavirus Vaccine in 4 Nordic Countries. <i>Clin Infect Dis</i> , 2018; 66 (3): 339-45.	Fel indextest
Kuriakose S, Sabeena S, Binesh D, Abdulmajeed J, Ravishankar N, Ramachandran A, et al. Diagnostic accuracy of self-collected vaginal samples for HPV DNA detection in women from South India. <i>International Journal of Gynaecology & Obstetrics</i> , 2020; 149 (2): 219-24.	Fel population
Labani S, Asthana S. Age-specific performance of careHPV versus Papanicolaou and visual inspection of cervix with acetic acid testing in a primary cervical cancer screening. <i>Journal of Epidemiology & Community Health</i> , 2016; 70 (1): 72-7.	Fel population
Lam JUH, Elfstrom KM, Ejegod DM, Pedersen H, Rygaard C, Rebolj M, et al. High-grade cervical intraepithelial neoplasia in human papillomavirus self-sampling of screening non-attenders. <i>British Journal of Cancer</i> , 2018; 118 (1): 138-44.	Fel population
Latiff LA, Rahman SA, Wee WY, Dashti S, Andi Asri AA, Unit NH, et al. Assessment of the reliability of a novel self-sampling device for performing cervical sampling in Malaysia. <i>Asian Pacific Journal of Cancer Prevention: Apjcp</i> , 2015; 16 (2): 559-64.	Fel indextest
Lazcano-Ponce E, Lorincz AT, Cruz-Valdez A, Salmerón J, Uribe P, Velasco-Mondragón E, et al. Self-collection of vaginal specimens for human papillomavirus testing in cervical cancer prevention (MARCH): a community-based randomised controlled trial. <i>The Lancet</i> , 2011; 378 (9806): 1868-73.	Fel indextest
Lazcano-Ponce E, Lorincz AT, Torres L, Salmeron J, Cruz A, Rojas R, et al. Specimen self-collection and HPV DNA screening in a pilot study of 100,242 women. <i>International Journal of Cancer</i> , 2014; 135 (1): 109-16.	Fel studiedesign
Lei J, Ploner A, Lehtinen M, Sparen P, Dillner J, Elfstrom KM. Impact of HPV vaccination on cervical screening performance: a population-based cohort study. <i>Br J Cancer</i> , 2020; 123 (1): 155-60.	Fel indextest
Lilliecreutz C, Karlsson H, Holm ACS. Participation in interventions and recommended follow-up for non-attendees in cervical cancer screening -taking the women's own preferred test method into account—A Swedish randomised controlled trial. <i>PLoS ONE</i> , 2020; 15 (7).	Fel population

Lim LM, Chan G, Yan B, Pa Pa Thu AW, Arunachalam I, Ng J, et al. Self-sampling HPV DNA test for cervical cancer screening in Singapore. <i>Journal of lower genital tract disease</i> , 2020; 24S5-.	Fel studiedesign
Lindström AK, Hermansson RS, Gustavsson I, Lindberg JH, Gyllensten U, Olovsson M. Cervical dysplasia in elderly women performing repeated self-sampling for HPV testing. <i>PLoS ONE</i> , 2018; 13 (12).	Fel studiedesign
Longatto-Filho A, Naud P, Derchain SF, Roteli-Martins C, Tatti S, Hammes LS, et al. Performance characteristics of Pap test, VIA, VILI, HR-HPV testing, cervicography, and colposcopy in diagnosis of significant cervical pathology. <i>Virchows Arch</i> , 2012; 460 (6): 577-85.	Fel utfall
Loopik DL, Koenjer LM, Siebers AG, Melchers WJG, Bekkers RLM. Benefit and burden in the Dutch cytology-based vs high-risk human papillomavirus-based cervical cancer screening program. <i>American Journal of Obstetrics & Gynecology</i> , 2021; 224 (2): 200.e1-00.e9.	Fel studiedesign
Loopik DL, Melchers WJG, Vedder JEM, van den Brule AJC, Massuger LFAG, Bekkers RLM, et al. Reflex cytology for triage of high-risk human papillomavirus positive self-sampled material in cervical cancer screening: a prospective cohort study. <i>BJOG: An International Journal of Obstetrics and Gynaecology</i> , 2020; 127 (13): 1656-63.	Fel studiedesign
Lorenzi AT, Fregnani JH, Possati-Resende JC, Neto CS, Villa LL, Longatto-Filho A. Self-collection for high-risk HPV detection in Brazilian women using the careHPV TM test. <i>Gynecologic Oncology</i> , 2013; 131 (1): 131-4.	Fel indextest
Luttmer R, Berkhof J, Dijkstra MG, van Kemenade FJ, Snijders PJF, Heideman DAM, et al. Comparing triage algorithms using HPV DNA genotyping, HPV E7 mRNA detection and cytology in high-risk HPV DNA-positive women. <i>Journal of clinical virology</i> , 2015; 6759-66.	Fel indextest
Luttmer R, De Strooper LM, Dijkstra MG, Berkhof J, Snijders PJ, Steenbergen RD, et al. FAM19A4 methylation analysis in self-samples compared with cervical scrapes for detecting cervical (pre)cancer in HPV-positive women. <i>British Journal of Cancer</i> , 2016; 115 (5): 579-87.	Fel indextest
Luttmer R, De Strooper LM, Steenbergen RD, Berkhof J, Snijders PJ, Heideman DA, et al. Management of high-risk HPV-positive women for detection of cervical (pre)cancer. <i>Expert Review of Molecular Diagnostics</i> , 2016; 16 (9): 961-74.	Fel studiedesign
Magdi R, Elshafeey F, Elshebiny M, Kamel M, Abuelnaga Y, Ghonim M, et al. A systematic review and meta-analysis of diagnostic accuracy of HPV tests for the screening of cervical cancer in low-resource settings. <i>International Journal of Gynaecology & Obstetrics</i> , 2020; 3030.	Fel population
Mangold BR. Self-Collected Samples in Cervical Cancer Screening: Results of HPV and Pap Self-Collected Samples Compared to Physician-Obtained Specimens. <i>Acta Cytologica</i> , 2019; 63 (5): 379-84.	Fel studiedesign
McLarty JW, Williams DL, Loyd S, Hagensee ME. Cervical Human Papillomavirus Testing With Two Home Self-Collection Methods Compared With a Standard Clinically Collected Sampling Method. <i>Sexually Transmitted Diseases</i> , 2019; 46 (10): 670-75.	Fel studiedesign
Montealegre JR, Mullen PD, M LJ-W, Vargas Mendez MM, Scheurer ME. Feasibility of Cervical Cancer Screening Utilizing Self-sample Human Papillomavirus Testing Among Mexican Immigrant Women in Harris County,	Fel studiedesign

Texas: A Pilot Study. <i>Journal of Immigrant & Minority Health</i> , 2015; 17 (3): 704-12.	
Moses E, Pedersen HN, Mitchell SM, Sekikubo M, Mwesigwa D, Singer J, et al. Uptake of community-based, self-collected HPV testing vs. visual inspection with acetic acid for cervical cancer screening in Kampala, Uganda: preliminary results of a randomised controlled trial. <i>Trop Med Int Health</i> , 2015; 20 (10): 1355-67.	Fel jämförande test
Nelson EJ, Maynard BR, Loux T, Fatla J, Gordon R, Arnold LD. The acceptability of self-sampled screening for HPV DNA: a systematic review and meta-analysis. <i>Sexually Transmitted Infections</i> , 2017; 93 (1): 56-61.	Fel studiedesign
Nieves L, Enerson CL, Belinson S, Brainard J, Chiesa-Vottero A, Nagore N, et al. Primary cervical cancer screening and triage using an mRNA human papillomavirus assay and visual inspection. <i>Int J Gynecol Cancer</i> , 2013; 23 (3): 513-8.	Fel indextest
Nodjickoumbaye ZA, Adawaye C, Mboumba Bouassa RS, Sadjoli D, Belec L. A systematic review of self-sampling for HPV testing in Africa. <i>International Journal of Gynaecology & Obstetrics</i> , 2020; 149 (2): 123-29.	Fel studiedesign
Nodjickoumbaye ZA, Sadjoli D, Bouassa RSM, Pere H, Veyer D, Adawaye C, et al. Accuracy of cervical cancer screening using a self-collected vial for HPV DNA testing among adult women in sub-Saharan Africa. <i>Sexually transmitted infections</i> , 2019; 95A346-A47.	Fel studiedesign
Nutthachote P, Oranratanaphan S, Termrungruanglert W, Triratanachai S, Chaiwongkot A, Baedyananda F, et al. Comparison of detection rate of high risk HPV infection between self-collected HPV testing and clinician-collected HPV testing in cervical cancer screening. <i>Taiwanese Journal of Obstetrics & Gynecology</i> , 2019; 58 (4): 477-81.	Fel indextest
Obiri-Yeboah D, Adu-Sarkodie Y, Djigma F, Hayfron-Benjamin A, Abdul L, Simporé J, et al. Self-collected vaginal sampling for the detection of genital human papillomavirus (HPV) using careHPV among Ghanaian women. <i>BMC Women's Health</i> , 2017; 17 (1): 86.	Fel indextest
Ostensson E, Hellstrom AC, Hellman K, Gustavsson I, Gyllenstein U, Wilander E, et al. Projected cost-effectiveness of repeat high-risk human papillomavirus testing using self-collected vaginal samples in the Swedish cervical cancer screening program. <i>Acta Obstetrica et Gynecologica Scandinavica</i> , 2013; 92 (7): 830-40.	Fel jämförande test
Othman NH, Zaki FH, Hussain NH, Yusoff WZ, Ismail P. SelfSampling Versus Physicians' Sampling for Cervical Cancer Screening Agreement of Cytological Diagnoses. <i>Asian Pacific Journal of Cancer Prevention: Apjcp</i> , 2016; 17 (7): 3489-94.	Fel jämförande test
Paolino M, Gago J, Pera AL, Cinto O, Thouyaret L, Arrossi S. Adherence to triage among women with HPV-positive self-collection: a study in a middle-low income population in Argentina. <i>Ecanermedicalscience</i> , 2020; 141138.	Fel jämförande test
Peeters E, Cornet K, Cammu H, Verhoeven V, Devroey D, Arbyn M. Efficacy of strategies to increase participation in cervical cancer screening: GPs offering self-sampling kits for HPV testing versus recommendations to have a pap smear taken - A randomised controlled trial. <i>Papillomavirus Research</i> , 2020; 9100194.	Fel jämförande test
Piana L, Leandri FX, Le Retraite L, Heid P, Tamalet C, Sancho Garnier H. HPV-Hr detection by home self sampling in women not compliant with pap test for	Fel studiedesign

cervical cancer screening. Results of a pilot programme in Bouches-du-Rhône. <i>Bulletin du cancer</i> , 2011; 98 (7): 723-31.	
Pimple SA, Mishra GA, Deodhar KK. Evidence based appropriate triage strategies for implementing high risk HPV as primary technology in cervical cancer screening. <i>Minerva Ginecologica</i> , 2020; 72 (2): 96-105.	Fel studiedesign
Poli UR, Muwonge R, Bhoopal T, Lucas E, Basu P. Feasibility, Acceptability, and Efficacy of a Community Health Worker-Driven Approach to Screen Hard-to-Reach Periurban Women Using Self-Sampled HPV Detection Test in India. <i>JCO Global Oncology</i> , 2020; 6658-66.	Fel population
Polman NJ, Snijders PJF, Kenter GG, Berkhof J, Meijer C. HPV-based cervical screening: Rationale, expectations and future perspectives of the new Dutch screening programme. <i>Preventive Medicine</i> , 2019; 119108-17.	Fel studiedesign
Qiao YL, Jeronimo J, Zhao FH, Schweizer J, Chen W, Valdez M, et al. Lower cost strategies for triage of human papillomavirus DNA-positive women. <i>International Journal of Cancer</i> , 2014; 134 (12): 2891-901.	Fel indextest
Quincy BL, Turbow DJ, Dabinett LN, Dillingham R, Monroe S. Diagnostic accuracy of self-collected human papillomavirus specimens as a primary screen for cervical cancer. <i>Journal of Obstetrics & Gynaecology</i> , 2012; 32 (8): 795-9.	Fel indextest
Quincy BL, Turbow DJ, Dabinett LN. Acceptability of self-collected human papillomavirus specimens as a primary screen for cervical cancer. <i>Journal of Obstetrics & Gynaecology</i> , 2012; 32 (1): 87-91.	Fel population
Racey CS, Gesink DC, Burchell AN, Trivers S, Wong T, Rebbapragada A. Randomized Intervention of Self-Collected Sampling for Human Papillomavirus Testing in Under-Screened Rural Women: Uptake of Screening and Acceptability. <i>Journal of Women's Health</i> , 2016; 25 (5): 489-97.	Fel population
Rodrigues LL, Pilotto JH, Lima LR, Gaydos CA, Hardick J, Morgado MG, et al. Self-collected versus clinician-collected samples for HSV-2 and HSV-2/HPV screening in HIV-infected and -uninfected women in the Tapajos region, Amazon, Brazil. <i>International Journal of STD & AIDS</i> , 2019; 30 (11): 1055-62.	Fel population
Rozemeijer K, de Kok IM, Naber SK, van Kemenade FJ, Penning C, van Rosmalen J, et al. Offering Self-Sampling to Non-Attendees of Organized Primary HPV Screening: When Do Harms Outweigh the Benefits? <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 2015; 24 (5): 773-82.	Fel studiedesign
Sancho-Garnier H, Tamalet C, Halfon P, Leandri FX, Le Retraite L, Djoufelkit K, et al. HPV self-sampling or the Pap-smear: a randomized study among cervical screening nonattenders from lower socioeconomic groups in France. <i>Int J Cancer</i> , 2013; 133 (11): 2681-7.	Fel population
Scarinci IC, Li Y, Tucker L, Campos NG, Kim JJ, Peral S, et al. Given a choice between self-sampling at home for HPV testing and standard of care screening at the clinic, what do African American women choose? Findings from a group randomized controlled trial. <i>Preventive Medicine</i> , 2021; 142106358.	Fel population
Seay J, Carrasquillo O, Trevil D, Gonzalez M, Brickman A, Amofah A, et al. Implementing Two Randomized Pragmatic Trials of HPV Self-sampling among Underserved Women: Challenges and Lessons Learned. <i>Progress in Community Health Partnerships</i> , 2020; 14 (1): 55-62.	Fel studiedesign
Sewali B, Okuyemi KS, Askhir A, Belinson J, Vogel RI, Joseph A, et al. Cervical cancer screening with clinic-based Pap test versus home HPV test among Somali immigrant women in Minnesota: a pilot randomized controlled trial. <i>Cancer Medicine</i> , 2015; 4 (4): 620-31.	Fel population

Sewali BP, Askhir A, Belinson J, Vogel RI, Okuyemi KS, Joseph A, et al. Clinic-based pap test versus HPV home test among somali immigrant women in Minnesota: a randomized controlled trial. <i>Cancer epidemiology biomarkers and prevention</i> . Conference: 7th AACR conference on the science of health disparities in racial/ethnic minorities and the medically underserved san antonio, TX united states. Conference start: 20141109 conference end: 20141112. Conference publication: (var.pagings), 2015; 24 (10).	Fel studiedesign
Shin HY, Lee B, Hwang SH, Lee DO, Sung NY, Park JY, et al. Evaluation of satisfaction with three different cervical cancer screening modalities: clinician-collected Pap test vs. HPV test by self-sampling vs. HPV test by urine sampling. <i>Journal of Gynecologic Oncology</i> , 2019; 30 (5): e76.	Fel population
Shokar NK, Doan A, Calderon-Mora J, Lakshmanaswamy R, Ramadevi S, Shokar GS, et al. The Prevalence of Genital Human Papillomavirus Subtypes in a Cohort of Hispanic Women Presenting for Cervical Cancer Screening Along the US-Mexico Border. <i>Cancer Control</i> , 2020; 27 (1): 1073274820951780.	Fel studiedesign
Singla AA, Komesaroff P. Self-collected Pap smears may provide an acceptable and effective method of cervical cancer screening. <i>Health Science Reports</i> , 2018; 1 (5): e33.	Fel indextest
Smith M, Hammond I, Saville M. Lessons from the renewal of the National Cervical Screening Program in Australia. <i>Public Health Research & Practice</i> , 2019; 29 (2): 31.	Fel studiedesign
Smith MA, Hall MT, Saville M, Brotherton JML, Simms KT, Lew JB, et al. Could HPV Testing on Self-collected Samples Be Routinely Used in an Organized Cervical Screening Program? A Modeled Analysis. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 2021; 30 (2): 268-77.	Fel studiedesign
Snoek BC, Verlaat W, Babion I, Novianti PW, van de Wiel MA, Wilting SM, et al. Genome-wide microRNA analysis of HPV-positive self-samples yields novel triage markers for early detection of cervical cancer. <i>International Journal of Cancer</i> , 2019; 144 (2): 372-79.	Fel population
Song F, Du H, Wang C, Huang X, Qu X, Wei L, et al. The effectiveness of human papillomavirus load, reflected by cycle threshold values, for the triage of HPV-positive self-samples in cervical cancer screening. <i>Journal of Medical Screening</i> , 2020;969141320943634.	Fel utfall
Song F, Du H, Wang C, Huang X, Wu R, Belinson JL, et al. The effectiveness of HPV16 and HPV18 genotyping and cytology with different thresholds for the triage of human papillomavirus-based screening on self-collected samples. <i>PLoS ONE</i> , 2020; 15 (6).	Fel utfall
Song F, Yan P, Wu R. Re: Reflex cytology for triage of high-risk human papillomavirus positive self-sampled material in cervical cancer screening: a prospective cohort study. <i>BJOG: An International Journal of Obstetrics and Gynaecology</i> , 2020; 127 (13): 1713-14.	Fel studiedesign
Stanczuk GA, Baxter GJ, Currie H, Forson W, Lawrence JR, Cuschieri K, et al. Defining Optimal Triage Strategies for hrHPV Screen-Positive Women-An Evaluation of HPV 16/18 Genotyping, Cytology, and p16/Ki-67 Cytoimmunochemistry. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 2017; 26 (11): 1629-35.	Fel jämförande test
Sultana F, English DR, Simpson JA, Drennan KT, Mullins R, Brotherton JM, et al. Home-based HPV self-sampling improves participation by never-screened and	Fel population

under-screened women: Results from a large randomized trial (iPap) in Australia. <i>Int J Cancer</i> , 2016; 139 (2): 281-90.	
Szarewski A, Cadman L, Mesher D, Austin J, Ashdown-Barr L, Edwards R, et al. HPV self-sampling as an alternative strategy in non-attenders for cervical screening - a randomised controlled trial. <i>Br J Cancer</i> , 2011; 104 (6): 915-20.	Fel population
Taku O, Meiring TL, Gustavsson I, Phohlo K, Garcia-Jardon M, Mbulawa ZZA, et al. Acceptability of self- collection for human papillomavirus detection in the Eastern Cape, South Africa. <i>PLoS ONE [Electronic Resource]</i> , 2020; 15 (11): e0241781.	Fel indextest
Tamalet C, Richet H, Carcopino X, Henry M, Leretraite L, Heid P, et al. Testing for human papillomavirus and measurement of viral load of HPV 16 and 18 in self-collected vaginal swabs of women who do not undergo cervical cytological screening in Southern France. <i>Journal of Medical Virology</i> , 2010; 82 (8): 1431-7.	Fel population
Taylor S, Wang C, Wright TC, Denny L, Kuhn L. A comparison of human papillomavirus testing of clinician-collected and self-collected samples during follow-up after screen-and-treat. <i>Int J Cancer</i> , 2011; 129 (4): 879-86.	Fel indextest
Thay S, Goldstein A, Goldstein LS, Govind V, Lim K, Seang C. Prospective cohort study examining cervical cancer screening methods in HIV-positive and HIV-negative Cambodian Women: a comparison of human papilloma virus testing, visualization with acetic acid and digital colposcopy. <i>BMJ Open</i> , 2019; 9 (2): e026887.	Fel indextest
Toliman P, Badman SG, Gabuzzi J, Silim S, Forereme L, Kumbia A, et al. Field Evaluation of Xpert HPV Point-of-Care Test for Detection of Human Papillomavirus Infection by Use of Self-Collected Vaginal and Clinician-Collected Cervical Specimens. <i>Journal of Clinical Microbiology</i> , 2016; 54 (7): 1734-37.	Fel jämförande test
Toliman PJ, Kaldor JM, Badman SG, Gabuzzi J, Silim S, Kumbia A, et al. Performance of clinical screening algorithms comprising point-of-care HPV-DNA testing using self-collected vaginal specimens, and visual inspection of the cervix with acetic acid, for the detection of underlying high-grade squamous intraepithelial lesions in Papua New Guinea. <i>Papillomavirus Research</i> , 2018; 670-76.	Fel indextest
Toliman PJ, Phillips S, de Jong S, O'Neill T, Tan G, Brotherton JML, et al. Evaluation of p16/Ki-67 dual-stain cytology performed on self-collected vaginal and clinician-collected cervical specimens for the detection of cervical pre-cancer. <i>Clinical Microbiology & Infection</i> , 2020; 26 (6): 748-52.	Fel indextest
Tranberg M, Bech BH, Blaakær J, Jensen JS, Svanholm H, Andersen B. Hpv self-sampling in cervical cancer screening: The effect of different invitation strategies in various socioeconomic groups – a randomized controlled trial. <i>Clinical Epidemiology</i> , 2018; 101027-36.	Fel population
Tranberg M, Bech BH, Blaakaer J, Jensen JS, Svanholm H, Andersen B. Preventing cervical cancer using HPV self-sampling: direct mailing of test-kits increases screening participation more than timely opt-in procedures - a randomized controlled trial. <i>BMC Cancer</i> , 2018; 18 (1): 273.	Fel population
Untiet S, Vassilakos P, McCarey C, Tebeu PM, Kengne-Fosso G, Menoud PA, et al. HPV self-sampling as primary screening test in sub-Saharan Africa: implication for a triaging strategy. <i>International Journal of Cancer</i> , 2014; 135 (8): 1911-7.	Fel utfall

Valdez M, Jeronimo J, Bansil P, Qiao YL, Zhao FH, Chen W, et al. Effectiveness of novel, lower cost molecular human papillomavirus-based tests for cervical cancer screening in rural china. <i>International Journal of Cancer</i> , 2016; 138 (6): 1453-61.	Fel indextest
Vassilakos P, Poncet A, Catarino R, Viviano M, Petignat P, Combescure C. Cost-effectiveness evaluation of HPV self-testing offered to non-attendees in cervical cancer screening in Switzerland. <i>Gynecologic Oncology</i> , 2019; 153 (1): 92-99.	Fel studiedesign
Verdoodt F, Jentschke M, Hillemanns P, Racey CS, Snijders PJ, Arbyn M. Reaching women who do not participate in the regular cervical cancer screening programme by offering self-sampling kits: a systematic review and meta-analysis of randomised trials. <i>European Journal of Cancer</i> , 2015; 51 (16): 2375-85.	Fel population
Virtanen A, Nieminen P, Luostarinen T, Anttila A. Self-sample HPV tests as an intervention for nonattendees of cervical cancer screening in Finland: a randomized trial. <i>Cancer Epidemiol Biomarkers Prev</i> , 2011; 20 (9): 1960-9.	Fel indextest
Viviano M, Catarino R, Jeannot E, Boulvain M, Malinverno MU, Vassilakos P, et al. Self-sampling to improve cervical cancer screening coverage in Switzerland: a randomised controlled trial. <i>British Journal of Cancer</i> , 2017; 116 (11): 1382-88.	Fel population
Wang M, Hu S, Zhao S, Zhang W, Pan Q, Zhang X, et al. Accuracy of triage strategies for human papillomavirus DNA-positive women in low-resource settings: A cross-sectional study in China. <i>Chinese Journal of Cancer Research</i> , 2017; 29 (6): 496-509.	Fel indextest
Wang R, Lee K, Gaydos CA, Anderson J, Keller J, Coleman J. Performance and acceptability of self-collected human papillomavirus testing among women living with HIV. <i>International Journal of Infectious Diseases</i> , 2020; 99:452-57.	Fel studiedesign
Wang R, Lee K, Gaydos CA, Anderson JR, Keller J, Coleman JS. Performance of Primary Self-Collected Human Papillomavirus Testing Among Women Living With Human Immunodeficiency Virus in the United States. <i>Obstetrics & Gynecology</i> , 2021; 137 (2): 342-44.	Fel population
Wang S-M, Hu S-Y, Chen F, Chen W, Zhao F-H, Zhang Y-Q, et al. Clinical Evaluation of Human Papillomavirus Detection by careHPVTMTTest on Physician-Samples and Self-Samples using The Indicating FTA Elute® Card. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014; 15 (17): 7085-90.	Fel indextest
Wang Z, Wang T, Yang J, Wang W, Zhang L, Su X, et al. Diagnostic Yield and Performance of a Large Population-Based Cervical Cancer Screening Program in High-Risk Rural China. <i>Journal of Cancer</i> , 2020; 11 (13): 4000-06.	Fel indextest
Wikstrom I, Lindell M, Sanner K, Wilander E. Self-sampling and HPV testing or ordinary Pap-smear in women not regularly attending screening: a randomised study. <i>Br J Cancer</i> , 2011; 105 (3): 337-9.	Fel indextest
Williams DL, Hagensee M, Gao R, Barnhill D, Fonham ETH. The accuracy and validity of HPV testing through self-collection with tampons for cervical cancer screening. <i>Translational Cancer Research</i> , 2016; 5S993-S99.	Fel population
Winer RL, Lin J, Tiro JA, Miglioretti DL, Beatty T, Gao H, et al. Effect of Mailed Human Papillomavirus Test Kits vs Usual Care Reminders on Cervical Cancer Screening Uptake, Precancer Detection, and Treatment: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2019; 2 (11): e1914729.	Fel jämförande test

Winer RL, Tiro JA, Miglioretti DL, Thayer C, Beatty T, Lin J, et al. Rationale and design of the HOME trial: A pragmatic randomized controlled trial of home-based human papillomavirus (HPV) self-sampling for increasing cervical cancer screening uptake and effectiveness in a U.S. healthcare system. <i>Contemporary Clinical Trials</i> , 2018; 6477-87.	Fel jämförande test
Wong EL, Chan PK, Chor JS, Cheung AW, Huang F, Wong SY. Evaluation of the Impact of Human Papillomavirus DNA Self-sampling on the Uptake of Cervical Cancer Screening. <i>Cancer Nursing</i> , 2016; 39 (1): E1-E11.	Fel jämförande test
Wong ELY, Cheung AWL, Huang F, Chor JSY. Can Human Papillomavirus DNA Self-sampling be an Acceptable and Reliable Option for Cervical Cancer Screening in Female Sex Workers? <i>Cancer Nursing</i> , 2018; 41 (1): 45-52.	Fel population
Wu R, Du H, Belinson SE, Pretorius RG, Zou J, Yang B, et al. Secondary screening after primary self-sampling for human papillomavirus from SHENCCAST II. <i>Journal of Lower Genital Tract Disease</i> , 2012; 16 (4): 416-20.	Fel studiedesign
Yeh PT, Kennedy CE, de Vuyst H, Narasimhan M. Self-sampling for human papillomavirus (HPV) testing: a systematic review and meta-analysis. <i>BMJ Global Health</i> , 2019; 4 (3): e001351.	Fel studiedesign
Yoshida T, Sano T, Takada N, Kanuma T, Inoue H, Itoh T, et al. Comparison of self-collected and clinician-collected materials for cervical cytology and human papillomavirus genotyping: Analysis by linear array assay. <i>Acta Cytologica</i> , 2010; 55 (1): 106-12.	Fel indextest
Zhang L, Xu XQ, Hu SY, Chen F, Zhang X, Pan QJ, et al. Durability of clinical performance afforded by self-collected HPV testing: A 15-year cohort study in China. <i>Gynecologic Oncology</i> , 2018; 151 (2): 221-28.	Fel indextest
Zhang S, Kang L, Liu B, Cui J, Chen F, Liu X, et al. [Evaluation of screening performance of HPV DNA test on specimens from different sites of the female genital tract]. <i>Zhonghua Zhong Liu Za Zhi</i> , 2014; 36 (5): 389-93.	Fel indextest
Zhang W, Du H, Huang X, Wang C, Duan X, Liu Y, et al. Evaluation of an isothermal amplification HPV detection assay for primary cervical cancer screening. <i>Infectious Agents & Cancer [Electronic Resource]</i> , 2020; 1565.	Fel studiedesign
Zhao FH, Jeronimo J, Qiao YL, Schweizer J, Chen W, Valdez M, et al. An evaluation of novel, lower-cost molecular screening tests for human papillomavirus in rural China. <i>Cancer Prev Res (Phila)</i> , 2013; 6 (9): 938-48.	Fel jämförande test
Zhao FH, Lewkowitz AK, Chen F, Lin MJ, Hu SY, Zhang X, et al. Pooled analysis of a self-sampling HPV DNA Test as a cervical cancer primary screening method. <i>Journal of the National Cancer Institute</i> , 2012; 104 (3): 178-88.	Fel studiedesign
Zhao XL, Xu XQ, Duan XZ, Rezhake R, Hu SY, Wang Y, et al. Comparative performance evaluation of different HPV tests and triaging strategies using self-samples and feasibility assessment of thermal ablation in 'colposcopy and treat' approach: A population-based study in rural China. <i>International Journal of Cancer</i> , 2020; 147 (5): 1275-85.	Fel jämförande test

Exkluderade studier på grund av hög risk för bias

Denna del består av artiklar som ansågs relevanta i abstraktgallringen och vid fulltextgranskning, men bedömdes ha hög risk för bias vid kvalitetsgranskningen

Studie

Carrasquillo O, Seay J, Amofah A, Pierre L, Alonzo Y, McCann S, et al. HPV Self-Sampling for Cervical Cancer Screening Among Ethnic Minority Women in South Florida: a Randomized Trial. *J Gen Intern Med*. 2018;33(7):1077-83.

Esber A, Norris A, Jumbe E, Kandodo J, Nampandeni P, Reese PC, et al. Feasibility, validity and acceptability of self-collected samples for human papillomavirus (HPV) testing in rural Malawi. *Malawi Med J*. 2018;30(2):61-6. Available from: <https://doi.org/https://dx.doi.org/10.4314/mmj.v30i2.2>.

Gustavsson I, Aarnio R, Berggrund M, Hedlund-Lindberg J, Sanner K, Wikstrom I, et al. Randomised study of HPV prevalence and detection of CIN2+ in vaginal self-sampling compared to cervical specimens collected by medical personnel. *Int J Cancer*. 2019;144(1):89-97.

Gustavsson I, Aarnio R, Berggrund M, Hedlund-Lindberg J, Strand AS, Sanner K, et al. Randomised study shows that repeated self-sampling and HPV test has more than two-fold higher detection rate of women with CIN2+ histology than Pap smear cytology. *Br J Cancer*. 2018;118(6):896-904.

Modibbo F, Iregbu KC, Okuma J, Leeman A, Kasius A, de Koning M, et al. Randomized trial evaluating self-sampling for HPV DNA based tests for cervical cancer screening in Nigeria. *Infect Agent Cancer*. 2017; 12:11. Available from: <https://doi.org/10.1186/s13027-017-0123-z>.

Porras C, Hildesheim A, Gonzalez P, Schiffman M, Rodriguez AC, Wacholder S, et al. Performance of self-collected cervical samples in screening for future precancer using human papillomavirus DNA testing. *J Natl Cancer Inst*. 2015;107(1):400. Available from: <https://doi.org/10.1093/jnci/dju400>.

Qin Y, Zhang H, Marlowe N, Fei M, Yu J, Lei X, et al. Evaluation of human papillomavirus detection by Abbott m2000 system on samples collected by FTA Elute TM Card in a Chinese HIV-1 positive population. *J Clin Virol*. 2016; 85:80-5. Available from: <https://doi.org/https://dx.doi.org/10.1016/j.jcv.2016.11.002>.

Surriabre P, Allende G, Prado M, Caceres L, Bellot D, Torrico A, et al. Self-sampling for human papillomavirus DNA detection: a preliminary study of compliance and feasibility in BOLIVIA. *BMC Womens Health*. 2017;17(1):135.

Zehbe I, Jackson R, Wood B, Weaver B, Escott N, Severini A, et al. Community-randomised controlled trial embedded in the Anishinaabek Cervical Cancer Screening Study: human papillomavirus self-sampling versus Papanicolaou cytology. *BMJ Open*. 2016;6(10):e011754. Available from: <https://doi.org/10.1136/bmjopen-2016-011754>.

Primär screeninganalys: Cytologi vs HPV (Frågeställning 4)

Denna del består av artiklar som ansågs relevanta i abstraktgallringen, men som vid fulltextgranskning inte besvarade frågeställningen och uppfyllde inklusionskriterierna. En studie kan ha olika skäl till exklusion, dock är bara en av skälen angiven i listan.

Exkluderade studier på grund av relevans

Studie	Exklusionsorsak
Acuti Martellucci C, Nomura S, Yoneoka D, Ueda P, Brotherton J, Canfell K, et al. Human papillomavirus vaccine effectiveness within a cervical cancer screening programme: cohort study. <i>BJOG: An International Journal of Obstetrics & Gynaecology</i> , 2021; 128 (3): 532-39.	Fel indextest
Adcock R, Cuzick J, Hunt WC, McDonald RM, Wheeler CM. Role of HPV genotype, multiple infections, and viral load on the risk of high-grade cervical neoplasia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019; 28 (11): 1816-24.	Fel indextest
Agorastos T, Chatzistamatiou K, Katsamagkas T, Koliopoulos G, Daponte A, Constantinidis T, et al. Primary screening for cervical cancer based on high-risk human papillomavirus (HPV) detection and HPV 16 and HPV 18 genotyping, in comparison to cytology. <i>PLoS ONE</i> , 2015; 10 (3).	Fel jämförande test
Ahmadi M, Jalilian FA, Dokhani N, Golparian M, Moradi Y. Evaluation of the prevalence of human papillomavirus in asymptomatic patients at the women's clinic in hamadan and comparing the 2 methods of pap smear and PCR in detecting the virus. <i>International Journal of Women's Health and Reproduction Sciences</i> , 2020; 8 (2): 232-35.	Fel referensstandard
Ali MAM, Bedair RN, Abd El Atti RM. Cervical high-risk human papillomavirus infection among women residing in the Gulf Cooperation Council countries: Prevalence, type-specific distribution, and correlation with cervical cytology. <i>Cancer Cytopathology</i> , 2019; 127 (9): 567-77.	Fel jämförande test
Almonte M, Murillo R, Sanchez GI, Gonzalez P, Ferrera A, Picconi MA, et al. Multicentric study of cervical cancer screening with human papillomavirus testing and assessment of triage methods in Latin America: the ESTAMPA screening study protocol. <i>BMJ Open</i> , 2020; 10 (5): e035796.	Fel population
Altobelli E, Scarselli G, Lattanzi A, Fortunato C, Profeta VF. A comparison between Pap and HPV screening tests and screening methods. <i>Molecular & Clinical Oncology</i> , 2016; 5 (2): 348-54.	Fel population
Andrews J. Combining HPV genotypes and cytology results to predict risk and guide management in cervical cancer screening. <i>European Journal of Obstetrics Gynecology and Reproductive Biology</i> , 2019; 234e77.	Fel studiedesign
Andrews J. Reducing unnecessary colposcopy by risk discrimination. HPV genotyping & NILM & low-grade cytology: Systematic review. <i>Journal of Lower Genital Tract Disease</i> , 2018; 22 (2): S21.	Fel studiedesign
Andrews J. Reducing unnecessary colposcopy by risk discrimination. HPV genotyping with nilm or low-grade cytology in screening paradigms: Systematic review. <i>Cytopathology</i> , 2018; 2919.	Fel studiedesign
Aoyama-Kikawa S, Fujita H, Hanley SJB, Kasamo M, Kikuchi K, Torigoe T, et al. Comparison of human papillomavirus genotyping and cytology triage,	Fel indextest

COMPACT Study: Design, methods and baseline results in 14 642 women. <i>Cancer Science</i> , 2018; 109 (6): 2003-12.	
Ara R, Khatun S, Pervin S, Jahan M, Shahera U, Ferdous J, et al. Role of molecular biomarker human papilloma virus (HPV) E6 oncoprotein in cervical cancer screening. <i>Gynecologic Oncology</i> , 2020; 158 (3): 590-96.	Fel population
Arbyn M, Ronco G, Anttila A, Meijer CJ, Poljak M, Ogilvie G, et al. Evidence regarding human papillomavirus testing in secondary prevention of cervical cancer. <i>Vaccine</i> , 2012; 30 Suppl 5F88-99.	Fel population
Arbyn M, Smith SB, Temin S, Sultana F, Castle P, Collaboration on S-S, et al. Detecting cervical precancer and reaching underscreened women by using HPV testing on self samples: updated meta-analyses. <i>BMJ</i> , 2018; 363k4823.	Fel population
Arbyn M, Xu L, Verdoodt F, Cuzick J, Szarewski A, Belinson JL, et al. Genotyping for Human Papillomavirus Types 16 and 18 in Women With Minor Cervical Lesions: A Systematic Review and Meta-analysis. <i>Annals of Internal Medicine</i> , 2017; 166 (2): 118-27.	Fel population
Asthana S, Labani S. Adjunct screening of cervical or vaginal samples using careHPV testing with Pap and aided visual inspection for detecting high-grade cervical intraepithelial neoplasia. <i>Cancer Epidemiology</i> , 2015; 39 (1): 104-8.	Fel population
Atkinson AE, Mandujano CAM, Bejarano S, Kennedy LS, Tsongalis GJ. Screening for Human Papillomavirus in a Low- and Middle-Income Country. <i>Journal of Global Oncology</i> , 2019; 5JGO1800233.	Fel indextest
Aydogan Kirmizi D, Baser E, Demir Caltekin M, Onat T, Sahin S, Yalvac ES. Concordance of HPV, conventional smear, colposcopy, and conization results in cervical dysplasia. <i>Diagnostic Cytopathology</i> , 2021; 49 (1): 132-39.	Fel population
Barodawala SM, Chadha K, Kavishwar V, Murthy A, Shetye S. Cervical cancer screening by molecular Pap-transformation of gynecologic cytology. <i>Diagnostic Cytopathology</i> , 2019; 47 (5): 374-81.	Fel population
Bedell SL, Goldstein LS, Goldstein AR, Goldstein AT. Cervical Cancer Screening: Past, Present, and Future. <i>Sexual Medicine Reviews</i> , 2020; 8 (1): 28-37.	Fel studiedesign
Belinson J, Qiao YL, Pretorius R, Zhang WH, Elson P, Li L, et al. Shanxi Province Cervical Cancer Screening Study: a cross-sectional comparative trial of multiple techniques to detect cervical neoplasia. <i>Gynecol Oncol</i> , 2001; 83 (2): 439-44.	Fel population
Bhattacharya A, Sen S, Mandal P, Sharma Saha S, Sarkar S, Pathak OP, et al. Prevalence and age-wise distribution of Human Papillomavirus type 16/18 infections among hospital screened women of a peri-urban area in West Bengal: Impact of socio-demographic factors. <i>Cancer Epidemiology</i> , 2018; 5431-37.	Fel referensstandard
Bigras G, de Marval F. The probability for a Pap test to be abnormal is directly proportional to HPV viral load: results from a Swiss study comparing HPV testing and liquid-based cytology to detect cervical cancer precursors in 13 842 women. <i>British Journal of Cancer</i> , 2005; 93 (5): 575-81.	Fel population
Bouchard-Fortier G, Hajifathalian K, McKnight MD, Zacharias DG, Gonzalez-Gonzalez LA. Co-testing for detection of high-grade cervical intraepithelial neoplasia and cancer compared with cytology alone: a meta-analysis of randomized controlled trials. <i>J Public Health (Oxf)</i> , 2014; 36 (1): 46-55.	Fel studiedesign
Campos-Romero A, Anderson KS, Longatto-Filho A, Luna-Ruiz Esparza MA, Moran-Portela DJ, Castro-Menendez JA, et al. The burden of 14 hr-HPV	Fel population

genotypes in women attending routine cervical cancer screening in 20 states of Mexico: a cross-sectional study. <i>Scientific Reports</i> , 2019; 9 (1): 10094.	
Canfell K, Saville M, Caruana M, Gebiski V, Darlington-Brown J, Brotherton J, et al. Protocol for Compass: a randomised controlled trial of primary HPV testing versus cytology screening for cervical cancer in HPV-unvaccinated and vaccinated women aged 25-69 years living in Australia. <i>BMJ open</i> , 2018; 8 (1): e016700.	Fel studiedesign
Castanon A. Technological advances: Have they improved standards? Review of outcomes from the Welsh cervical screening programme. <i>Journal of Medical Screening</i> , 2020;969141320918270.	Fel studiedesign
Castle PE, Pierz AJ, Adcock R, Aslam S, Basu PS, Belinson JL, et al. A pooled analysis to compare the clinical characteristics of human papillomavirus-positive and -negative cervical precancers. <i>Cancer Prev Res (Phila)</i> , 2020; 13 (10): 829-40.	Fel population
Castle PE, Pierz AJ, Adcock R, Aslam S, Basu PS, Belinson JL, et al. A pooled analysis to compare the clinical characteristics of human papillomavirus-positive and -negative cervical precancers. <i>Cancer Prevention Research</i> , 2020; 13 (10): 829-40.	Fel population
Catteau X, Simon P, Noël JC. Evaluation of the oncogenic human papillomavirus DNA test with liquid-based cytology in primary cervical cancer screening and the importance of the ASC/SIL ratio: A Belgian study. <i>ISRN Obstetrics and Gynecology</i> , 2014; 2014 (1).	Fel indextest
Chan KKL, Liu SS, Wei N, Ngu SF, Chu MMY, Tse KY, et al. Primary HPV testing with cytology versus cytology alone in cervical screening-A prospective randomized controlled trial with two rounds of screening in a Chinese population. <i>International Journal of Cancer</i> , 2020; 147 (4): 1152-62.	Fel population
Chan KKL. Primary HPV testing with cytology versus cytology alone in cervical screening—A prospective randomized controlled trial with two rounds of screening in a Chinese population. <i>International journal of cancer</i> , 2020; 147 (4): 1152-62.	Fel population
Chan WS, Chan TL, Au CH, Leung CP, To MY, Ng MK, et al. An economical Nanopore sequencing assay for human papillomavirus (HPV) genotyping. <i>Diagnostic Pathology</i> , 2020; 15 (1): 45.	Fel referensstandard
Chao YS, McCormack S. HPV Self-Sampling for Primary Cervical Cancer Screening: A Review of Diagnostic Test Accuracy and Clinical Evidence – An Update. 2019.	Fel studiedesign
Chatzistamatiou K, Moysiadis T, Angelis E, Kaufmann A, Skenderi A, Jansen-Duerr P, et al. Diagnostic accuracy of high-risk HPV DNA genotyping for primary cervical cancer screening and triage of HPV-positive women, compared to cytology: preliminary results of the PIPAVIR study. <i>Archives of Gynecology & Obstetrics</i> , 2017; 295 (5): 1247-57.	Fel population
Chatzistamatiou K, Moysiadis T, Moschaki V, Panteleris N, Agorastos T. Comparison of cytology, HPV DNA testing and HPV 16/18 genotyping alone or combined targeting to the more balanced methodology for cervical cancer screening. <i>Gynecologic Oncology</i> , 2016; 142 (1): 120-27.	Fel population
Chiappetta C, Lendaro E, Cacciotti J, Zaralli R, Puggioni C, Migliore G, et al. Primary HPV test screening in cervical cancer: a two-year experience of a single screening center in Latina (Italy). <i>European Journal of Gynaecological Oncology</i> , 2015; 36 (5): 569-73.	Fel indextest

Clarke MA, Darragh TM, Nelson E, Unger ER, Zuna R, Cremer M, et al. Reporting and Assessing the Quality of Diagnostic Accuracy Studies for Cervical Cancer Screening and Management. <i>Journal of Lower Genital Tract Disease</i> , 2020; 24 (2): 157-66.	Fel studiedesign
Coldman AJ, van Niekerk D, Krajden M, Smith LW, Cook D, Gondara L, et al. Disease detection at the 48-month exit round of the HPV FOCAL cervical cancer screening trial in women per-protocol eligible for routine screening. <i>International Journal of Cancer</i> , 2020; 146 (7): 1810-18.	Fel population
Cox B, Fitzgerald P, Austin RM, Sneyd MJ. The impact of primary HPV screening on the incidence of cervical cancer in New Zealand. <i>Journal of the American Society of Cytopathology JASC</i> , 2019; 8 (5): 258-64.	Fel utfall
Cuzick J, Adcock R, Carozzi F, Gillio-Tos A, De Marco L, Del Mistro A, et al. Combined use of cytology, p16 immunostaining and genotyping for triage of women positive for high-risk human papillomavirus at primary screening. <i>International journal of cancer</i> , 2020.	Fel jämförande test
Cuzick J, Clavel C, Petry KU, Meijer CJ, Hoyer H, Ratnam S, et al. Overview of the European and North American studies on HPV testing in primary cervical cancer screening. <i>Int J Cancer</i> , 2006; 119 (5): 1095-101.	Fel population
Cuzick J, Szarewski A, Mesher D, Cadman L, Austin J, Perryman K, et al. Long-term follow-up of cervical abnormalities among women screened by HPV testing and cytology-Results from the Hammersmith study. <i>International Journal of Cancer</i> , 2008; 122 (10): 2294-300.	Fel population
Dai Y, Wang L, Li D. Effectiveness of novel folate receptor-mediated staining solution detection (FRD) for cervical cancer screening. <i>Medicine</i> , 2018; 97 (34): e11868.	Fel population
de Rycke Y, Tubach F, Lafourcade A, Guillo S, Dalichampt M, Dahlab A, et al. Cervical cancer screening coverage, management of squamous intraepithelial lesions and related costs in France. <i>PLoS ONE [Electronic Resource]</i> , 2020; 15 (2): e0228660.	Fel utfall
Del Mistro A, Adcock R, Carozzi F, Gillio-Tos A, De Marco L, Girlando S, et al. Human papilloma virus genotyping for the cross-sectional and longitudinal probability of developing cervical intraepithelial neoplasia grade 2 or more. <i>International Journal of Cancer</i> , 2018; 143 (2): 333-42.	Fel population
Derbie A, Mekonnen D, Woldeamanuel Y, Van Ostade X, Abebe T. HPV E6/E7 mRNA test for the detection of high grade cervical intraepithelial neoplasia (CIN2+): a systematic review. <i>Infectious Agents & Cancer [Electronic Resource]</i> , 2020; 159.	Fel indextest
Dong B, Chen L, Lin W, Su Y, Mao X, Pan D, et al. Cost-effectiveness and accuracy of cervical cancer screening with a high-risk HPV genotyping assay vs a nongenotyping assay in China: an observational cohort study. <i>Cancer Cell International</i> , 2020; 20421.	Fel population
Dong L, Zhang L, Hu SY, Feng RM, Zhao XL, Zhang Q, et al. Risk stratification of HPV 16 DNA methylation combined with E6 oncoprotein in cervical cancer screening: a 10-year prospective cohort study. <i>Clinical Epigenetics</i> , 2020; 12 (1): 62.	Fel population
Ferreccio C, Barriga MI, Lagos M, Ibanez C, Poggi H, Gonzalez F, et al. Screening trial of human papillomavirus for early detection of cervical cancer in Santiago, Chile. <i>Int J Cancer</i> , 2013; 132 (4): 916-23.	Fel population

Fogelberg S, Clements MS, Pedersen K, Sy S, Sparen P, Kim JJ, et al. Cost-effectiveness of cervical cancer screening with primary HPV testing for unvaccinated women in Sweden. PLoS ONE [Electronic Resource], 2020; 15 (9): e0239611.	Fel studiedesign
Force USPST, Curry SJ, Krist AH, Owens DK, Barry MJ, Cughey AB, et al. Screening for Cervical Cancer: US Preventive Services Task Force Recommendation Statement. JAMA, 2018; 320 (7): 674-86.	Fel studiedesign
Forslund O, Antonsson A, Edlund K, van den Brule AJC, Hansson B-Gr, Meijer CJLM, et al. Population-based type-specific prevalence of high-risk human papillomavirus infection in middle-aged Swedish Women. Journal of Medical Virology, 2002; 66 (4): 535-41.	Fel population
Foxx AM, Zhu Y, Mitchel E, Nikpay S, Khabele D, Griffin MR. Cervical Cancer Screening and Follow-Up Procedures in Women Age <21 Years Following New Screening Guidelines. Journal of Adolescent Health, 2018; 62 (2): 170-75.	Fel population
Fuller MY, Mody RR, Luna E, Arnylagos D, Schwartz MR, Mody DR, et al. Performance of Roche cobas high-risk human papillomavirus (hrHPV) testing in the two most common liquid-based Papanicolaou test platforms. Journal of the American Society of Cytopathology JASC, 2018; 7 (3): 142-48.	Fel population
Ge Y, Christensen P, Luna E, Arnylagos D, Xu J, Schwartz MR, et al. Aptima Human Papillomavirus E6/E7 mRNA Test Results Strongly Associated With Risk for High-Grade Cervical Lesions in Follow-Up Biopsies. Journal of Lower Genital Tract Disease, 2018; 22 (3): 195-200.	Fel jämförande test
Gilham C, Sargent A, Kitchener HC, Peto J. HPV testing compared with routine cytology in cervical screening: long-term follow-up of ARTISTIC RCT. Health Technology Assessment (Winchester, England), 2019; 23 (28): 1-44.	Fel indextest
Gonthier C, Desportes C, Pretet JL, Azaïs H, Uzan C, Mergui JL, et al. HPV testing in the screening and follow-up of patients with cervical high-grade squamous intraepithelial lesions. Gynecologie Obstetrique Fertilité et Senologie, 2019; 47 (10): 747-52.	Fel studiedesign
Goodrich SK, Pretorius RG, Du H, Wu R, Belinson JL. Triage of women with negative cytology and positive high-risk HPV: an analysis of data from the SHENCAST II/III studies. Journal of Lower Genital Tract Disease, 2014; 18 (2): 122-7.	Fel population
Hall MT, Smith MA, Lew JB, O'Hallahan J, Fentiman G, Neal H, et al. The combined impact of implementing HPV immunisation and primary HPV screening in New Zealand: Transitional and long-term benefits, costs and resource utilisation implications. Gynecologic Oncology, 2019; 152 (3): 472-79.	Fel studiedesign
Hamashima C, Hearasawa T, Katayama T, Sasaaki S, Hosono S, Hoshi K. Systematic review of overdiagnosis in cervical cancer screening: How should we define overdiagnosis in cervical cancer screening? BMJ Evidence-Based Medicine, 2018; 23A43-A44.	Fel studiedesign
Hashiguchi M, Nakao Y, Honda A, Kawaguchi A, Hanashima K, Nishiyama S, et al. What Has Changed Since the Introduction of Human Papillomavirus Testing with the Cytology-Based Cervical Cancer Screening System in Japan A Social Experiment. Acta Cytologica, 2019; 63 (5): 385-90.	Fel population
Health I, Quality A. Health technology assessment of human papillomavirus testing as the primary screening method for prevention of cervical cancer. 2017;389.	Fel studiedesign

HPV Testing Bests Pap for Cervical Screening. <i>Cancer discovery</i> , 2018; 8 (9): OF6.	Fel studiedesign
Hui BB, Reulein CP, Guy RJ, Donovan B, Hocking JS, Law MG, et al. Impact of replacing cytology with human papillomavirus testing for cervical cancer screening on the prevalence of <i>Trichomonas vaginalis</i> : a modelling study. <i>Sexually Transmitted Infections</i> , 2018; 94 (3): 216-21.	Fel utfall
Huijsmans CJ, Geurts-Giele WR, Leeijen C, Hazenberg HL, van Beek J, de Wild C, et al. HPV Prevalence in the Dutch cervical cancer screening population (DuSC study): HPV testing using automated HC2, cobas and Aptima workflows. <i>BMC Cancer</i> , 2016; 16 (1): 922.	Fel utfall
Hurtado-Salgado E, Ortiz-Panozo E, Salmeron J, Saavedra-Lara N, Kuri-Morales P, Pesqueira-Villegas E, et al. Use of HPV testing in cervical cancer screening services in Mexico, 2008-2018: a nationwide database study. <i>Salud Publica de Mexico</i> , 2018; 60 (6): 722-33.	Fel studiedesign
Ibanez R, Autonell J, Sarda M, Crespo N, Pique P, Pascual A, et al. Protecting the underscreened women in developed countries: the value of HPV test. <i>BMC Cancer</i> , 2014; 14:574.	Fel population
Inturrisi F, Lissenberg-Witte BI, Veldhuijzen NJ, Bogaards JA, Ronco G, Meijer C, et al. Estimating the direct effect of human papillomavirus vaccination on the lifetime risk of screen-detected cervical precancer. <i>International Journal of Cancer</i> , 2021; 148 (2): 320-28.	Fel jämförande test
Isidean SD, Wang Y, Mayrand MH, Ratnam S, Coutlée F, Franco EL, et al. Assessing the time dependence of prognostic values of cytology and human papillomavirus testing in cervical cancer screening. <i>International Journal of Cancer</i> , 2019; 144 (10): 2408-18.	Fel population
Jansen EEL, Ivanus U, Jerman T, de Koning HJ, de Kok I. The optimal HPV-screening protocol in Eastern-Europe: The example of Slovenia. <i>Gynecologic Oncology</i> , 2021; 160 (1): 118-27.	Fel studiedesign
Jin J, Yue CY. Analysis of the efficacy of liquid-based cytology combined with HPV genotypes in screening cervical lesions in women of different ages. <i>Journal of Laboratory Medicine</i> , 2020; 44 (3): 151-56.	Fel indextest
Kang M, Ha SY, Cho HY, Chung DH, Kim NR, An J, et al. Comparison of papanicolaou smear and human papillomavirus (HPV) test as cervical screening tools: can we rely on HPV test alone as a screening method? An 11-year retrospective experience at a single institution. <i>Journal of Pathology & Translational Medicine</i> , 2020; 54 (1): 112-18.	Fel population
Kang Y, Sun P, Mao X, Dong B, Ruan G, Chen L. PCR-reverse dot blot human papillomavirus genotyping as a primary screening test for cervical cancer in a hospital-based cohort. <i>Journal of Gynecologic Oncology</i> , 2019; 30 (3): e29.	Fel utfall
Karen K.L. Chan SSL, Na Wei, Siew F. Ngu, Mandy M.Y. Chu1, Ka Y. Tse, Lesley S.K. Lau,, Ngan ANYCaHYS. Primary HPV testing with cytology versus cytology alone in cervical screening—A prospective randomized controlled trial with two rounds of screening in a Chinese population. <i>International journal of cancer</i> , 2020; 147 (4): 1152-62.	Fel population
Kares S, Veijalainen O, Kholova I, Tirkkonen M, Vuento R, Huhtala H, et al. HIGH-RISK HPV testing as the primary screening method in an organized regional screening program for cervical cancer: the value of HPV16 and HPV18 genotyping? <i>APMIS</i> , 2019; 127 (11): 710-16.	Fel jämförande test

Karimi-Zarchi M, Hajimaghsoudi N, Tabatabai A, Moghimi M, Shayestehpour M, Doosti M. Prevalence of high-risk human papillomavirus types among women screened for cervical cancer in yazd, iran, and comparison of cytology, histology, and colposcopy results. Jundishapur Journal of Microbiology, 2020; 13 (9): 1-6.	Fel population
Katanga J, Kjaer SK, Manongi R, Wu CS, Iftner T, Waldstrom M, et al. Performance of careHPV, hybrid capture 2 and visual inspection with acetic acid for detection of high-grade cervical lesion in Tanzania: A cross-sectional study. PLoS ONE [Electronic Resource], 2019; 14 (6): e0218559.	Fel studiedesign
Kim JJ, Burger EA, Regan C, Sy S. Screening for cervical cancer in primary care a decision analysis for the us preventive services task force. JAMA - Journal of the American Medical Association, 2018; 320 (7): 706-14.	Fel population
Kim MS, Lee EH, Park MI, Lee JS, Kim K, Roh MS, et al. Utility of Human Papillomavirus Testing for Cervical Cancer Screening in Korea. International Journal of Environmental Research & Public Health [Electronic Resource], 2020; 17 (5): 06.	Fel population
Kir G, Seneldir H, Cosan Sarbay B. The clinical performance of computer-assisted liquid-based cytology, primary hrHPV screening, and cotesting at a Turkish Tertiary Care Hospital. Diagnostic Cytopathology, 2018; 46 (1): 3-8.	Fel population
Kjaer SK, Breugelmans G, Munk C, Junge J, Watson M, Iftner T. Population-based prevalence, type- and age-specific distribution of HPV in women before introduction of an HPV-vaccination program in Denmark. Int J Cancer, 2008; 123 (8): 1864-70.	Fel population
Koh WJ, Abu-Rustum NR, Bean S, Bradley K, Campos SM, Cho KR, et al. Cervical Cancer, Version 3.2019, NCCN Clinical Practice Guidelines in Oncology. Journal of the National Comprehensive Cancer Network, 2019; 17 (1): 64-84.	Fel indextest
Koliopoulos G, Nyaga VN, Santesso N, Bryant A, Martin-Hirsch PP, Mustafa RA, et al. Cytology versus HPV testing for cervical cancer screening in the general population. Cochrane Database of Systematic Reviews, 2017; 8CD008587.	Fel population
Kurokawa T, Onuma T, Shinagawa A, Chino Y, Kobayashi M, Yoshida Y. The ideal strategy for cervical cancer screening in Japan: Result from the Fukui Cervical Cancer Screening Study. Cytopathology, 2018; 29 (4): 361-67.	Fel population
Kurokawa T, Shinagawa A, Chino Y, Kobayashi M, Yoshida Y. Identification of ideal strategy of cervical cancer screening in Japan based on Fukui cervical cancer screening study. Journal of clinical oncology, 2017; 35 (15).	Fel studiedesign
Kurokawa T, Yoshida Y, Iwanari O, Oishi T, Kasai T, Hamada M, et al. Implementation of primary HPV testing in Japan. Molecular & Clinical Oncology, 2020; 13 (4): 22.	Fel utfall
L. de Thurah JB, J.U.H. Lam , M. Rebolj. Concordant testing results between various Human Papillomavirus assays in primary cervical cancer screening: systematic review. Clinical Microbiology And Infection : The Official Publication Of The European Society Of Clinical Microbiology And Infectious Diseases, 2017.	Fel jämförande test
Latsuzbaia A, Helette G, Fischer M, Arbyn M, Weyers S, Vielh P, et al. Introduction of liquid-based cytology and human papillomavirus testing in cervical cancer screening in Luxembourg. Diagnostic Cytopathology, 2017; 45 (5): 384-90.	Fel indextest

Lei J, Ploner A, Lehtinen M, Sparen P, Dillner J, Elfstrom KM. Impact of HPV vaccination on cervical screening performance: a population-based cohort study. <i>British Journal of Cancer</i> , 2020; 123 (1): 155-60.	Fel indextest
Leinonen M, Nieminen P, Kotaniemi-Talonen L, Malila N, Tarkkanen J, Laurila P, et al. Age-specific evaluation of primary human papillomavirus screening vs conventional cytology in a randomized setting. <i>J Natl Cancer Inst</i> , 2009; 101 (23): 1612-23.	Fel jämförande test
Leinonen MK, Nieminen P, Lonnberg S, Malila N, Hakama M, Pokhrel A, et al. Detection rates of precancerous and cancerous cervical lesions within one screening round of primary human papillomavirus DNA testing: prospective randomised trial in Finland. <i>BMJ</i> , 2012; 345e7789.	Fel jämförande test
Levi JE, Martins TR, Longatto-Filho A, Cohen DD, Cury L, Fuza LM, et al. High-Risk HPV Testing in Primary Screening for Cervical Cancer in the Public Health System, Sao Paulo, Brazil. <i>Cancer Prevention Research</i> , 2019; 12 (8): 539-46.	Fel indextest
Lew JB, Simms KT, Smith MA, Hall M, Kang YJ, Xu XM, et al. Primary HPV testing versus cytology-based cervical screening in women in Australia vaccinated for HPV and unvaccinated: effectiveness and economic assessment for the National Cervical Screening Program. <i>The lancet. Public Health</i> , 2017; 2 (2): e96-e107.	Fel population
Li T, Li Y, Yang GX, Shi P, Sun XY, Yang Y, et al. Diagnostic value of combination of HPV testing and cytology as compared to isolated cytology in screening cervical cancer: A meta-analysis. <i>Journal of Cancer Research & Therapeutics</i> , 2016; 12 (1): 283-9.	Fel population
Luo H, Du H, Belinson JL, Wu R. Evaluation of alternately combining HPV viral load and 16/18 genotyping in secondary screening algorithms. <i>PLoS ONE [Electronic Resource]</i> , 2019; 14 (7): e0220200.	Fel population
Lönnberg S, Anttila A, Luostarinen T, Nieminen P. Age-specific effectiveness of the Finnish cervical cancer screening programme. <i>Cancer Epidemiol Biomarkers Prev</i> , 2012; 21 (8): 1354-61.	Fel population
Lönnberg S, Nieminen P, Luostarinen T, Anttila A. Mortality audit of the Finnish cervical cancer screening program. <i>Int J Cancer</i> , 2013; 132 (9): 2134-40.	Fel population
Ma Y, Di J, Bi H, Zhao Q, Qin T, Xu W, et al. Comparison of the detection rate of cervical lesion with TruScreen, LBC test and HPV test: A Real-world study based on population screening of cervical cancer in rural areas of China. <i>PLoS ONE [Electronic Resource]</i> , 2020; 15 (7): e0233986.	Fel utfall
Macedo AC, Bavaresco D, Gonçalves JCN, Grande AJ, Ronconi E, Rosa MI. Accuracy of mrna HPV tests for triage of minor cytological cervical lesions: A systematic review. <i>International Journal of Gynecology and Obstetrics</i> , 2018; 143426.	Fel studiedesign
Macedo ACL, Bavaresco DV, Goncalves JCN, Grande AJ, da Rosa MI. Accuracy of Messenger RNA Human Papillomavirus Tests for Diagnostic Triage of Minor Cytological Cervical Lesions: A Systematic Review and Meta-Analysis. <i>Sexually Transmitted Diseases</i> , 2019; 46 (5): 297-303.	Fel studiedesign
Macedo ACL, Bavaresco DV, Gonçalves JCN, Grande AJ, da Rosa MI. ACCURACY OF mRNA HPV TESTS FOR DIAGNOSTIC TRIAGE OF MINOR CYTOLOGICAL CERVICAL LESIONS: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>Sexually transmitted diseases</i> , 2018.	Fel studiedesign

Magdi R, Elshafeey F, Elshebiny M, Kamel M, Abuelnaga Y, Ghonim M, et al. A systematic review and meta-analysis of diagnostic accuracy of HPV tests for the screening of cervical cancer in low-resource settings. <i>International Journal of Gynecology and Obstetrics</i> , 2021; 152 (1): 12-18.	Fel indextest
Malinowski DP. Systematic literature review of adjunctive testing strategies to resolve HPV positive and cervical cytology atypical cases for management to colposcopy referral. <i>Cytopathology</i> , 2018; 2920.	Fel indextest
Malinowski DP. Systematic literature review on the effectiveness of liquid-based cytology in cervical cancer screening programs. <i>Cytopathology</i> , 2018; 2934-35.	Fel indextest
Marie-Hélène Mayrand MD, Eliane Duarte-Franco, M.D., Isabel Rodrigues, M.D., Stephen D. Walter, Ph.D., James Hanley PD, Alex Ferenczy, M.D., Sam Ratnam, Ph.D., François Coutlée, M.D., and Eduardo L. Franco DPH, for the Canadian Cervical Cancer Screening Trial Study Group. <Mayrand_2007.pdf>. 2007.	Fel population
Martins TR, Longatto-Filho A, Cohen D, Viscondi JYK, Fuza LM, Cury L, et al. Influence of Prior Knowledge of Human Papillomavirus Status on the Performance of Cytology Screening. <i>American Journal of Clinical Pathology</i> , 2018; 149 (4): 316-23.	Fel utfall
Maura G, Chaignot C, Weill A, Alla F, Heard I. Cervical cancer screening and subsequent procedures in women under the age of 25 years between 2007 and 2013 in France: a nationwide French healthcare database study. <i>European Journal of Cancer Prevention</i> , 2018; 27 (5): 479-85.	Fel utfall
Melnikow J, Henderson JT, Burda BU, Senger CA, Durbin S, Soulsby MA. Screening for Cervical Cancer With High-Risk Human Papillomavirus Testing: A Systematic Evidence Review for the U.S. Preventive Services Task Force. 2018.	Fel studiedesign
Melnikow J, Henderson JT, Burda BU, Senger CA, Durbin S, Weyrich MS. Screening for cervical cancer with high-risk human papillomavirus testing updated evidence report and systematic review for the us preventive services task force. <i>JAMA - Journal of the American Medical Association</i> , 2018; 320 (7): 687-705.	Fel studiedesign
Morgan K, Azzani M, Khaing SL, Wong YL, Su TT. Acceptability of Women Self-Sampling versus Clinician-Collected Samples for HPV DNA Testing: A Systematic Review. <i>Journal of Lower Genital Tract Disease</i> , 2019; 23 (3): 193-99.	Fel studiedesign
Morisada T, Saika K, Saito E, Kono K, Saito H, Aoki D. Population-based cohort study assessing the efficacy of cervical cytology (Pap smear) and human papillomavirus (HPV) testing as modalities for cervical cancer screening. <i>Japanese Journal of Clinical Oncology</i> , 2018; 48 (5): 495-98.	Fel population
Morisada T, Teramoto K, Takano H, Sakamoto I, Nishio H, Iwata T, et al. CITRUS, cervical cancer screening trial by randomization of HPV testing intervention for upcoming screening: design, methods and baseline data of 18,471 women. <i>Cancer epidemiology</i> , 2017; 50 (Pt A): 60-67.	Fel population
Mousavi A, Farbod Y, Pouryasyn A, Izadi Mood N. Diagnostic Value of Cytology Testing, High-risk HPV DNA Typing and Aptima HPV Assay Based on Cervical Biopsy for Cervical Cancer and Neoplasia Diagnosis. <i>Sadra Medical Sciences Journal</i> , 2020; 8 (3): 221-32.	Fel population
Muangto T, Chanthasenanont A, Lertvutivivat S, Nanthakomon T, Pongroj paw D, Bhamarapratana K, et al. Experience of Combined Liquid Based Cervical	Fel jämförande test

Cytology and High-Risk HPV mRNA for Cervical Cancer Screening in Thammasat University Hospital. <i>Asian Pacific Journal of Cancer Prevention: Apjcp</i> , 2016; 17 (9): 4409-13.	
Murphy J, Kennedy EB, Dunn S, McLachlin CM, Kee Fung MF, Gzik D, et al. HPV Testing in Primary Cervical Screening: A Systematic Review and Meta-Analysis. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2012; 34 (5): 443-52.	Fel studiedesign
Naucler P, Ryd W, Tornberg S, Strand A, Wadell G, Elfgren K, et al. Efficacy of HPV DNA testing with cytology triage and/or repeat HPV DNA testing in primary cervical cancer screening. <i>J Natl Cancer Inst</i> , 2009; 101 (2): 88-99.	Fel population
Ogilvie GS, Krajden M, van Niekerk DJ, Martin RE, Ehlen TG, Ceballos K, et al. Primary cervical cancer screening with HPV testing compared with liquid-based cytology: results of round 1 of a randomised controlled trial -- the HPV FOCAL Study. <i>Br J Cancer</i> , 2012; 107 (12): 1917-24.	Fel population
Ouh YT, Min KJ, Cho HW, Ki M, Oh JK, Shin SY, et al. Prevalence of human papillomavirus genotypes and precancerous cervical lesions in a screening population in the Republic of Korea, 2014-2016. <i>Journal of Gynecologic Oncology</i> , 2018; 29 (1): e14.	Fel utfall
Pan D, Dong B, Gao H, Mao X, Xue H, Sun P. The Triage Effectiveness of an Extended High-Risk Human Papillomavirus Genotyping Assay for Women with Cytology Showing Atypical Squamous Cells of Undetermined Significance in China. <i>Risk Management & Healthcare Policy</i> , 2020; 131747-56.	Fel population
Pankaj S, Kumari A, Kumari S, Choudhary V, Kumari J, Kumari A, et al. Evaluation of Sensitivity and Specificity of Pap Smear, LBC and HPV in Screening of Cervical Cancer. <i>Indian Journal of Gynecologic Oncology</i> , 2018; 16 (3).	Fel indextest
Pankaj S, Nazneen S, Kumari S, Kumari A, Kumari A, Kumari J, et al. Comparison of conventional Pap smear and liquid-based cytology: A study of cervical cancer screening at a tertiary care center in Bihar. <i>Indian Journal of Cancer</i> , 2018; 55 (1): 80-83.	Fel indextest
Partanen VM, Dillner J, Trope A, Agustsson AI, Pankakoski M, Heinavaara S, et al. Comparison of cytology and human papillomavirus-based primary testing in cervical screening programs in the Nordic countries. <i>Journal of Medical Screening</i> , 2021;969141321992404.	Fel utfall
Passamonti B, Gustinucci D, Giorgi Rossi P, Cesarini E, Bulletti S, Carlan A, et al. Cervical human papilloma virus (HPV) DNA primary screening test: Results of a population-based screening programme in central Italy. <i>Journal of Medical Screening</i> , 2017; 24 (3): 153-62.	Fel population
Pedersen K, Fogelberg S, Thamsborg LH, Clements M, Nygard M, Kristiansen IS, et al. An overview of cervical cancer epidemiology and prevention in Scandinavia. <i>Acta Obstetrica et Gynecologica Scandinavica</i> , 2018; 97 (7): 795-807.	Fel studiedesign
Pedersen K, Sorbye SW, Kristiansen IS, Burger EA. Using novel biomarkers to triage young adult women with minor cervical lesions: a cost-effectiveness analysis. <i>BJOG: An International Journal of Obstetrics & Gynaecology</i> , 2017; 124 (3): 474-84.	Fel indextest
Peeters E, Wentzensen N, Bergeron C, Arbyn M. Meta-analysis of the accuracy of p16 or p16/Ki-67 immunocytochemistry versus HPV testing for the detection of CIN2+/CIN3+ in triage of women with minor abnormal cytology. <i>Cancer Cytopathology</i> , 2019; 127 (3): 169-80.	Fel indextest

Pesic A, Krings A, Hempel M, Preyer R, Chatzistamatiou K, Agorastos T, et al. CIN2+ detection of the HPV DNA Array genotyping assay in comparison with the Cobas 4800 HPV test and cytology. <i>Virology Journal</i> , 2019; 16 (1): 92.	Fel population
Phoolcharoen N, Kantathavorn N, Sricharunrat T, Saeloo S, Krongthong W. A population-based study of cervical cytology findings and human papillomavirus infection in a suburban area of Thailand. <i>Gynecologic Oncology Reports</i> , 2017; 2173-77.	Fel population
Pileggi C, Flotta D, Bianco A, Nobile CG, Pavia M. Is HPV DNA testing specificity comparable to that of cytological testing in primary cervical cancer screening? Results of a meta-analysis of randomized controlled trials. <i>International Journal of Cancer</i> , 2014; 135 (1): 166-77.	Fel studiedesign
Pontus Naucner MD, Ph.D., Walter Ryd, M.D., Sven Törnberg, M.D., Ph.D., Anders Strand MD, Ph.D., Göran Wadell, M.D., Ph.D., Kristina Elfgren MD, Ph.D., Thomas Rådborg, M.D., Björn Strander, M.D., Bo Johansson PD, Ola Forslund, Ph.D., Bengt-Göran Hansson, Ph.D., Eva Rylander MD, Ph.D., and Joakim Dillner, M.D., Ph.D. <Naucner_2007_Human papillomavirus and Papanicolaou tests.pdf>. 2007.	Fel population
Puerto D, Reyes V, Lozano C, Buitrago L, Garcia D, Murillo RH, et al. Detection and Genotyping of HPV DNA in a Group of Unvaccinated Young Women from Colombia: Baseline Measures Prior to Future Monitoring Program. <i>Cancer Prevention Research</i> , 2018; 11 (9): 581-92.	Fel population
Qi W, Lv Q, Ma L, Tian W. Clinical Application of Folate Receptor-Mediated Staining Solution Detection in Cervical Cancer Screening. <i>Annals of Clinical & Laboratory Science</i> , 2020; 50 (1): 73-78.	Fel population
Ramos Rivera G, Khader SN, Lajara S, Schlesinger K, Goldstein DY, Naeem RC, et al. The ATHENA HPV study underrepresents "other" high-risk HPV genotypes when compared with a diverse New York City population. <i>Cytopathology</i> , 2017; 28 (5): 413-18.	Fel utfall
Rebolj M, Rimmer J, Denton K, Tidy J, Mathews C, Ellis K, et al. Primary cervical screening with high risk human papillomavirus testing: observational study. <i>BMJ</i> , 2019; 364l240.	Fel indextest
Rengaswamy Sankaranarayanan MD, Bhagwan M. Nene, M.D., F.R.C.P., Surendra S. Shastri, M.D., Kasturi Jayant MS, Richard Muwonge, Ph.D., Atul M. Budukh, Ph.D., Sanjay Hingmire, B.Sc., Sylla G. Malvi MS, Ph.D., Ranjit Thorat, B.Sc., Ashok Kothari, M.D., Roshan Chinoy, M.D., Rohini Kelkar, M.D., Shubhada Kane MD, Sangeetha Desai, M.D., Vijay R. Keskar, M.S., Ragheendra Rajeshwarkar, M.D., Nandkumar Panse BC, and Ketayun A. Dinshaw, M.D., F.R.C.R. <Sankaranarayanan_2009.pdf>. 2009.	Fel population
Rijkaart DC, Berkhof J, Rozendaal L, van Kemenade FJ, Bulkman NWJ, Heideman DAM, et al. Human papillomavirus testing for the detection of high-grade cervical intraepithelial neoplasia and cancer: final results of the POBASCAM randomised controlled trial. <i>The Lancet Oncology</i> , 2012; 13 (1): 78-88.	Fel population
Rijkaart DC, Berkhof J, van Kemenade FJ, Rozendaal L, Verheijen RH, Bulk S, et al. Comparison of HPV and cytology triage algorithms for women with borderline or mild dyskaryosis in population-based cervical screening (VUSA-screen study). <i>International Journal of Cancer</i> , 2014; 18 (22): 1-196.	Fel indextest
Rodriguez AC, Avila C, Herrero R, Hildesheim A, Sherman ME, Burk RD, et al. Cervical cancer incidence after screening with HPV, cytology, and visual	Fel indextest

methods: 18-Year follow-up of the Guanacaste cohort. <i>International Journal of Cancer</i> , 2017; 140 (8): 1926-34.	
Ronco G, Dillner J, Elfström KM, Tunesi S, Snijders PJF, Arbyn M, et al. Efficacy of HPV-based screening for prevention of invasive cervical cancer: follow-up of four European randomised controlled trials. <i>The Lancet</i> , 2014; 383 (9916): 524-32.	Fel studiedesign
Ronco G, Giorgi-Rossi P, Carozzi F, Confortini M, Dalla Palma P, Del Mistro A, et al. Results at recruitment from a randomized controlled trial comparing human papillomavirus testing alone with conventional cytology as the primary cervical cancer screening test. <i>J Natl Cancer Inst</i> , 2008; 100 (7): 492-501.	Fel indextest
Ronco G, Giorgi-Rossi P, Carozzi F, Confortini M, Palma PD, Del Mistro A, et al. Efficacy of human papillomavirus testing for the detection of invasive cervical cancers and cervical intraepithelial neoplasia: a randomised controlled trial. <i>The Lancet Oncology</i> , 2010; 11 (3): 249-57.	Fel indextest
Rosa MI, Macedo AC, Silva BR, Bavaresco D, Saggioratto MC, Grande AJ, et al. Accuracy of mRNA HPV tests for diagnostic of precursor lesions and cervical cancer: A systematic rev. <i>International Journal of Gynecology and Obstetrics</i> , 2018; 143878.	Fel studiedesign
Ruan G, Song Y, Dong B, Mao X, Lin F, Kang Y, et al. Cervical cancer screening using the Cervista high-risk human papillomavirus test: opportunistic screening of a hospital-based population in Fujian province, China. <i>Cancer management and research</i> , 2018; 103227-35.	Fel population
Sangrajrang S, Laowahutanont P, Wongsena M, Muwonge R, Karalak A, Imsamran W, et al. Comparative accuracy of Pap smear and HPV screening in Ubon Ratchathani in Thailand. <i>Papillomavirus Research</i> , 2017; 330-35.	Fel population
Sasagawa T, Maehama T, Ideta K, Irie T. Population-based study for human papillomavirus (HPV) infection in young women in Japan: A multicenter study by the Japanese human papillomavirus disease education research survey group (J-HERS). <i>Journal of Medical Virology</i> , 2016; 88 (2): 324-35.	Fel referensstandard
Sasaki Y, Iwanari O, Arakawa I, Moriya T, Mikami Y, Iihara K, et al. Cervical Cancer Screening With Human Papillomavirus DNA and Cytology in Japan. <i>International Journal of Gynecological Cancer</i> , 2017; 27 (3): 523-29.	Fel jämförande test
Sasieni P, Adams J, Cuzick J. Benefit of cervical screening at different ages: evidence from the UK audit of screening histories. <i>Br J Cancer</i> , 2003; 89 (1): 88-93.	Fel studiedesign
Schiffman M, Hyun N, Raine-Bennett TR, Katki H, Fetterman B, Gage JC, et al. A cohort study of cervical screening using partial HPV typing and cytology triage. <i>International Journal of Cancer</i> , 2016; 139 (11): 2606-15.	Fel population
Silver M, Andrews J, Gage J, Gold M, Khan M, Massad LS, et al. Pooled risk estimates of CIN2+ and CIN3+ by strata of cytology, HPV16/18, and colposcopy impression. <i>Journal of Lower Genital Tract Disease</i> , 2018; 22 (2): S3.	Fel studiedesign
Siriaunkgul S, Settakorn J, Sukpan K, Srisomboon J, Suprasert P, Kasatpibal N, et al. Population-based cervical cancer screening using high-risk HPV DNA test and liquid-based cytology in northern Thailand. <i>Asian Pacific Journal of Cancer Prevention: Apjcp</i> , 2014; 15 (16): 6837-42.	Fel population
Skjeldestad FE, Mehta V, Sings HL, Ovreness T, Turpin J, Su L, et al. Seroprevalence and genital DNA prevalence of HPV types 6, 11, 16 and 18 in a	Fel jämförande test

cohort of young Norwegian women: study design and cohort characteristics. <i>Acta Obstet Gynecol Scand</i> , 2008; 87 (1): 81-8.	
Skroumpelos A, Agorastos T, Constantinidis T, Chatzistamatiou K, Kyriopoulos J. Economic evaluation of HPV DNA test as primary screening method for cervical cancer: A health policy discussion in Greece. <i>PLoS ONE [Electronic Resource]</i> , 2019; 14 (12): e0226335.	Fel studiedesign
Song F, Du H, Xiao A, Wang C, Huang X, Liu Z, et al. Evaluating the performance of three different cervical cancer screening modalities in a large prospective population-based cohort. <i>Journal of Infection and Public Health</i> , 2020; 13 (11): 1780-86.	Fel utfall
Song F, Du H, Xiao A, Wang C, Huang X, Yan P, et al. Evaluating the Performance of p16 ^{INK4a} Immunocytochemistry in Cervical Cancer Screening. <i>Cancer management and research</i> , 2020; 129067-75.	Fel population
Song T, Seong SJ, Lee SK, Kim BR, Ju W, Kim KH, et al. Screening capacity and cost-effectiveness of the human papillomavirus test versus cervicography as an adjunctive test to Pap cytology to detect high-grade cervical dysplasia. <i>European Journal of Obstetrics, Gynecology, & Reproductive Biology</i> , 2019; 234112-16.	Fel population
Song T, Seong SJ, Lee SK, Kim BR, Ju W, Kim KH, et al. Searching for an ideal cervical cancer screening model to reduce false-negative errors in a country with high prevalence of cervical cancer. <i>Journal of Obstetrics & Gynaecology</i> , 2020; 40 (2): 240-46.	Fel utfall
Sroczyński G, Esteban E, Widschwendter A, Oberaigner W, Hintringer K, Endel G, et al. Cost-effectiveness of different cervical cancer primary screening using cytology, HPV or P16/KI-67 testing alone or in combinations for the Austrian health care context. <i>Value in Health</i> , 2016; 19 (7): A694.	Fel studiedesign
Sroczyński G, Gogollari A, Naslazi E, Pashayan N, Widschwendter M, Siebert U. CERVICAL CANCER SCREENING IN EUROPE - A SYSTEMATIC REVIEW ON COST EFFECTIVENESS STUDIES WITH SPECIFIC INTEREST ON RISK-ADAPTED STRATEGIES. <i>Value in Health</i> , 2018; 21S257.	Fel studiedesign
Sroczyński G, Hillemanns P, Siebert U. PCN43 NEW CERVICAL CANCER SCREENING POLICY IN GERMANY - WHAT IS THE IMPACT ON THE BENEFIT-HARM BALANCE? <i>Value in Health</i> , 2019; 22S443.	Fel studiedesign
Stoler MH, Wright TC, Jr., Parvu V, Vaughan L, Yanson K, Eckert K, et al. The Onclarity Human Papillomavirus Trial: Design, methods, and baseline results. <i>Gynecologic Oncology</i> , 2018; 149 (3): 498-505.	Fel indextest
Sundstrom K, Lamin H, Dillner J. Validation of the cobas 6800 human papillomavirus test in primary cervical screening. <i>PLoS ONE [Electronic Resource]</i> , 2021; 16 (2): e0247291.	Fel population
Takamatsu R, Nabandith V, Pholsena V, Mounthisone P, Nakasone K, Ohtake K, et al. Cervical cytology and human papillomavirus among asymptomatic healthy volunteers in Vientiane, Lao PDR. <i>BMC Cancer</i> , 2017; 17 (1): 872.	Fel population
Tao X, Zhang H, Wang L, Pan Q, Ji S, Zhou X, et al. Atypical squamous cells of undetermined significance cervical cytology in the Chinese population: Age-stratified reporting rates, high-risk HPV testing, and immediate histologic correlation results. <i>Cancer Cytopathology</i> , 2020.	Fel population
Tao X, Zhang H, Zhang H, Xiao J, Li J, Zhou X, et al. Follow-up with histopathology and HPV testing on LSIL cytology in China's largest academic woman's hospital. <i>Cancer Cytopathology</i> , 2019; 127 (4): 258-66.	Fel population

Tay SK, Lin LE, Goh RC. Detection Rate of High-Grade Cervical Neoplasia and Cost-Effectiveness of High-Risk Human Papillomavirus Genotyping with Reflex Liquid-based Cytology in Cervical Cancer Screening. <i>Annals of the Academy of Medicine, Singapore</i> , 2017; 46 (7): 267-73.	Fel population
Tctr. Comparison of spatula-cotton swab and spatula-cytobrush for liquid based cytology for cervical cancer screening : a Randomized Controlled Trial. http://www.who.int/trialsearch/Trial2.aspx?TrialID=TCTR20200115001 , 2018.	Fel population
Thamsborg LH, Napolitano G, Larsen LG, Lynge E. Impact of HPV vaccination on outcome of cervical cytology screening in Denmark-A register-based cohort study. <i>International Journal of Cancer</i> , 2018; 143 (7): 1662-70.	Fel indextest
Thomsen LT, Kjaer SK, Munk C, Frederiksen K, Ornskov D, Waldstrom M. Clinical Performance of Human Papillomavirus (HPV) Testing versus Cytology for Cervical Cancer Screening: Results of a Large Danish Implementation Study. <i>Clinical Epidemiology</i> , 2020; 12203-13.	Fel population
Torres-Ibarra L, Lorincz AT, Wheeler CM, Cuzick J, Hernandez-Lopez R, Spiegelman D, et al. Adjunctive testing by cytology, p16/Ki-67 dual-stained cytology or HPV16/18 E6 oncoprotein for the management of HPV16/18 screen-positive women. <i>International Journal of Cancer</i> , 2020; 3030.	Fel population
Tracht J, Wrenn A, Eltoum IE. Primary HPV testing verification: A retrospective ad-hoc analysis of screening algorithms on women doubly tested for cytology and HPV. <i>Diagnostic Cytopathology</i> , 2017; 45 (7): 580-86.	Fel population
Tracht JM, Davis AD, Fasciano DN, Eltoum IA. Discrepant HPV/cytology cotesting results: Are there differences between cytology-negative versus HPV-negative cervical intraepithelial neoplasia? <i>Cancer Cytopathology</i> , 2017; 125 (10): 795-805.	Fel population
Tshomo U, Franceschi S, Tshokei T, Tobgay T, Baussano I, Tenet V, et al. Evaluation of cytology versus human papillomavirus-based cervical cancer screening algorithms in Bhutan. <i>Oncotarget</i> , 2017; 8 (42): 72438-46.	Fel population
Tuncer HA, Tuncer SF. The effect of age On cervical cancer screening in women aged 20-29. <i>Acta Clinica Croatica</i> , 2020; 59 (2): 277-84.	Fel indextest
Wang S, He X, Meng F, Pan Q, Zhang L, Zeng J. Application of the Cobas 4800 System for the Detection of High-Risk Human Papillomavirus in 5650 Asymptomatic Women. <i>BioMed Research International</i> , 2020; 20201635324.	Fel jämförande test
Westre B, Giske A, Guttormsen H, Sørbye SW, Skjeldestad F. Quality control of cervical cytology using a 3-type HPV mRNA test increases screening program sensitivity of cervical intraepithelial neoplasia grade 2+ in young Norwegian women—A cohort study. <i>PLoS ONE</i> , 2019; 14 (11).	Fel population
What is the accuracy of tests used for primary screening for cervical intraepithelial neoplasia grade 3+ (CIN3+)? 2020.	Fel studiedesign
Wright TC, Parvu V, Stoler MH, Kodsí S, Eckert K, Yanson K, et al. HPV infections and cytologic abnormalities in vaccinated women 21-34years of age: results from the baseline phase of the Onclarity trial. <i>Gynecologic oncology</i> , 2019; 153 (2): 259-65.	Fel indextest
Wright TC, Stoler MH, Behrens CM, Apple R, Derion T, Wright TL. The ATHENA human papillomavirus study: design, methods, and baseline results. <i>American Journal of Obstetrics and Gynecology</i> , 2012; 206 (1): 46.e1-46.e11.	Fel indextest
Wright TC, Stoler MH, Behrens CM, Sharma A, Zhang G, Wright TL. Primary cervical cancer screening with human papillomavirus: end of study results	Fel population

from the ATHENA study using HPV as the first-line screening test. <i>Gynecologic Oncology</i> , 2015; 136 (2): 189-97.	
Wright TC. Using HPV testing to improve cervical cancer screening: cotesting versus HPV primary screening. <i>Acta cytologica</i> , 2016; 6023-.	Fel indextest
Wu Q, Zhao X, Fu Y, Wang X, Zhang X, Tian X, et al. A cross-sectional study on HPV testing with type 16/18 genotyping for cervical cancer screening in 11,064 Chinese women. <i>Cancer Medicine</i> , 2017; 6 (5): 1091-101.	Fel utfall
Xu L, Verdoodt F, Wentzensen N, Bergeron C, Arbyn M. Triage of ASC-H: A meta-analysis of the accuracy of high-risk HPV testing and other markers to detect cervical precancer. <i>Cancer Cytopathology</i> , 2016; 124 (4): 261-72.	Fel indextest
Yang L, Zhu Y, Bai Y, Zhang X, Ren C. The clinical application of HPV E6/E7 mRNA testing in triaging women with atypical squamous cells of undetermined significance or low-grade squamous intra-epithelial lesion Pap smear: A meta-analysis. <i>Journal of Cancer Research & Therapeutics</i> , 2017; 13 (4): 613-20.	Fel indextest
Yeh PT, Kennedy CE, de Vuyst H, Narasimhan M. Self-sampling for human papillomavirus (HPV) testing: a systematic review and meta-analysis. <i>BMJ Global Health</i> , 2019; 4 (3): e001351.	Fel population
Yu L, Jiang M, Qu P, Wu Z, Sun P, Xi M, et al. Clinical evaluation of human papillomavirus 16/18 oncoprotein test for cervical cancer screening and HPV positive women triage. <i>International Journal of Cancer</i> , 2018; 143 (4): 813-22.	Fel jämförande test
Zhang J, Zhao Y, Dai Y, Dang L, Ma L, Yang C, et al. Effectiveness of High-risk Human Papillomavirus Testing for Cervical Cancer Screening in China: a Multicenter, Open-Label, Randomized Clinical Trial. <i>JAMA oncology</i> , 2021.	Fel population
Zhang R, Ge X, You K, Guo Y, Guo H, Wang Y, et al. p16/Ki67 dual staining improves the detection specificity of high-grade cervical lesions. <i>Journal of Obstetrics & Gynaecology Research</i> , 2018; 44 (11): 2077-84.	Fel population
Zhang SK, Guo Z, Wang P, Kang LN, Jia MM, Wu ZN, et al. The Potential Benefits of HPV E6/E7 mRNA Test in Cervical Cancer Screening in China. <i>Frontiers in Oncology</i> , 2020; 10533253.	Fel population
Zhao X, Wu Q, Wang X, Fu Y, Zhang X, Tian X, et al. The performance of human papillomavirus DNA detection with type 16/18 genotyping by hybrid capture in primary test of cervical cancer screening: a cross-sectional study in 10,669 Chinese women. <i>Clinical Microbiology & Infection</i> , 2018; 24 (12): 1322-27.	Fel jämförande test