



Appendix 2

1 (20)

Läkemedelsbehandling av polycystiskt ovarialsyndrom-
hälsa och livskvalitet på kort och lång sikt
Pharmacological treatment of polycystic ovary syndrome
- health and quality of life in the short and long term,
report 394 (2025)

Appendix 2 Search strategies

Table of contents

1 Drug therapy	2
2 GLP-1-analogues.....	11
3 GLP-1-analogues – protocols	18

1 Drug therapy

If all or a substantive part of the search strategies below are reused in another publication, please cite this report!

CINAHL via EBSCO 2 October 2024

Title: Polycystic Ovary Syndrome – Drug therapy

Search terms	Items found
Population: Polycystic Ovary Syndrome	
1. (MH "Polycystic Ovary Syndrome")	5,034
2. TI (sclerocyst* OR "sclero cyst*" OR hyperandrogen* OR "hyper androgen*") OR TI (polycyst* OR "poly cyst*") OR TI ((micropolycyst* W1 ovar*) or ("micro polycyst*" W2 ovar*)) OR TI (pco* or "stein-leventhal" or leventhal) OR TI ((elevat* OR excess*) W1 androgen*) OR TI hirsutis* OR TI (anovulati* or oligoovulat* or amenorrh* or oligomenorrh*)	7,051
3. AB (sclerocyst* OR "sclero cyst*" OR hyperandrogen* OR "hyper androgen*") OR AB (polycyst* OR "poly cyst*") OR AB ((micropolycyst* W1 ovar*) or ("micro polycyst*" W2 ovar*)) OR AB (pco* or "stein-leventhal" or leventhal) OR AB ((elevat* OR excess*) W1 androgen*) OR AB hirsutis* OR AB (anovulati* or oligoovulat* or amenorrh* or oligomenorrh*)	8,537
4. SU (sclerocyst* OR "sclero cyst*" OR hyperandrogen* OR "hyper androgen*") OR SU (polycyst* OR "poly cyst*") OR SU ((micropolycyst* W1 ovar*) or ("micro polycyst*" W2 ovar*)) OR SU (pco* or "stein-leventhal" or leventhal) OR SU ((elevat* OR excess*) W1 androgen*) OR SU hirsutis* OR SU (anovulati* or oligoovulat* or amenorrh* or oligomenorrh*)	6,580
5. 1 or 2 or 3 or 4	14,007
Intervention: Androgen antagonists	
6. (MH "Androgen Antagonists+") OR (MH "Spironolactone+") OR (MH "Finasteride") OR (MH "Bicalutamide")	5,134
7. TI (antiandrogen* or (anti W1 androgen*) or "androgen antagon*" or niftolid* or chimax or cytamid* or eulexin* or euflex or drogenil* or fluken or flulem or flumid* or "fluta 1A Pharma" or "fluta cell" or flutacell or "fluta GRY" or FlutaGRY or flutamid* or flutamin* or flutandrona or flutaplex or flutexin* or fugerel or grisetin* or "Novo Flutamid*" or NovoFlutamid* or oncosal or "PMS Flutamid*" or prostacur* or prostica or prostogenat* or "SCH 13521" or SCH13521 or testotard* or apimid* or "Apo Flutamid*" or ApoFlutamid* or "cyproterone acetat*" or cyproteroneacetat* or androcure* or spiroolacton* or spironolacton* or spironolaktone* or veroshpiron* or verospiron* or spiractin* or spirobeta or spirogamma or spiroilang or "spirono isis" or spironon* or spirospar* or aldacton* or verospiron* or "aldactone A" or aqueduct* or duraspiron* or "espirolactona alter" or "espirolactona mundogen" or flumach or frumikal* or jenaspiron* or "Novo Spiroton*" or NovoSpiroton* or practon* or "SC 9420" or SC9420 or "Spiro L.U.T." or "Spiro Von Ct" or finasterid* or "Chibro Proscar" or propecia or propeshia or "MK 906" or MK906 or proscar or eucoprost or bicalutamid* or casodex or cosudex or "ICI 176334" or "SHB 209 AE" or Diane or Zyrone) OR AB (antiandrogen* or (anti W1 androgen*) or "androgen antagon*" or niftolid* or chimax or cytamid* or eulexin* or euflex or drogenil* or fluken or flulem or flumid* or "fluta 1A Pharma" or "fluta cell" or flutacell or "fluta GRY" or FlutaGRY or flutamid* or flutamin* or flutandrona or flutaplex or flutexin* or fugerel or grisetin* or "Novo Flutamid*" or NovoFlutamid* or oncosal or "PMS Flutamid*" or prostacur* or prostica or prostogenat* or "SCH 13521" or SCH13521 or testotard* or apimid* or "Apo Flutamid*" or ApoFlutamid* or "cyproterone acetat*" or cyproteroneacetat* or androcure* or spiroolacton* or spironolacton* or spironolaktone* or veroshpiron* or verospiron* or spiractin* or spirobeta or spirogamma or spiroilang or "spirono isis" or spironon* or spirospar* or aldacton* or verospiron* or "aldactone A" or aqueduct* or duraspiron* or "espirolactona alter" or "espirolactona mundogen" or flumach or frumikal* or jenaspiron* or "Novo Spiroton*" or NovoSpiroton* or practon* or "SC 9420" or SC9420 or "Spiro L.U.T." or "Spiro Von Ct" or finasterid* or "Chibro Proscar" or propecia or propeshia or "MK 906" or MK906 or proscar or eucoprost or bicalutamid* or casodex or cosudex or "ICI 176334" or "SHB 209 AE" or Diane or Zyrone) OR SU (antiandrogen* or (anti W1 androgen*) or "androgen antagon*" or niftolid* or chimax or cytamid* or eulexin* or	6,943

euflex or drogenil* or fluken or flulem or flumid* or "fluta 1A Pharma" or "fluta cell" or flutacell or "fluta GRY" or FlutaGRY or flutamid* or flutamin* or flutandrona or flutaplex or flutexin* or fugerel or grisetin* or "Novo Flutamid*" or NovoFlutamid* or oncosal or "PMS Flutamid*" or prostacur* or prostica or prostogenat* or "SCH 13521" or SCH13521 or testotard* or apimid* or "Apo Flutamid*" or ApoFlutamid* or "cyproterone acetat*" or cyproteroneacetat* or androcur* or spiro lacton* or spironolacton* or spironolaktun* or veroshpiron* or verospiron* or spiractin* or spirobeta or spirogamma or spiro lang or "spirono isis" or spironon* or spiro spar* or aldacton* or verospiron* or "aldactone A" or aqueduct* or duraspiron* or "espirolactona alter" or "espirolactona mundogen" or flumach or frumikal* or jenaspiron* or "Novo Spiroton*" or NovoSpiroton* or practon* or "SC 9420" or SC9420 or "Spiro L.U.T." or "Spiro Von Ct" or finasterid* or "Chibro Proscar" or propecia or propesia or "MK 906" or MK906 or proscar or eucoprost or bicalutamid* or casodex or cosudex or "ICI 176334" or "SHB 209 AE" or Diane or Zyrone)		
8.	6 or 7	6,944
Intervention: Metformin		
9.	(MH "Metformin")	6,655
10.	TI (metformin* or dimethylbiguanidin* or dimethylguanylguanidin* or glucophag*)) OR AB (metformin* or dimethylbiguanidin* or dimethylguanylguanidin* or glucophag*)) OR SU (metformin* or dimethylbiguanidin* or dimethylguanylguanidin* or glucophag*))	9,907
11.	9 or 10	9,907
Intervention: Combined oral contraceptives		
12.	(MH "Contraceptives, Oral+") OR (MH "Estrogens+")	24,754
13.	TI ((oral*) W3 (contracept* or "anti concept*" or anticoncept*)) OR TI (OCP or COCP or Aerodiol or Delestrogen or "Estradiol Anhydrous" or "Estradiol Valerate" or "Estradiol Valeriante" or Esterol or Estinyl or Estrace or Estraderm TTS or Hemihydrate or Lynoral or Microfollin or Oestradiol or Ovocyclin or "Progynon C" or "Progynon Depot" or Progynova or Vivelle) OR AB ((oral*) W3 (contracept* or "anti concept*" or anticoncept*)) OR AB (OCP or COCP or Aerodiol or Delestrogen or "Estradiol Anhydrous" or "Estradiol Valerate" or "Estradiol Valeriante" or Esterol or Estinyl or Estrace or Estraderm TTS or Hemihydrate or Lynoral or Microfollin or Oestradiol or Ovocyclin or "Progynon C" or "Progynon Depot" or Progynova or Vivelle) OR SU ((oral*) W3 (contracept* or "anti concept*" or anticoncept*)) OR SU (OCP or COCP or Aerodiol or Delestrogen or "Estradiol Anhydrous" or "Estradiol Valerate" or "Estradiol Valeriante" or Esterol or Estinyl or Estrace or Estraderm TTS or Hemihydrate or Lynoral or Microfollin or Oestradiol or Ovocyclin or "Progynon C" or "Progynon Depot" or Progynova or Vivelle)	6,504
14.	12 or 13	27,463
Combined sets:		
15.	5 and (8 or 11 or 14)	1,454
Final result		
16.	15 Limiters - Language: Danish, English, Norwegian, Swedish	1,424

The final search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract; **AU** = Author; **DE** = Term from the thesaurus; **KW** (Available in Academic Search Premiere / SocINDEX / PsycInfo) = Author keyword; **MH** = Exact Subject Heading from CINAHL Subject Headings; **MM** = Major Concept; **SU** = Searches for a part of or an entire subject heading; **TI** = Title; **TX** = All Text. Performs a keyword search of all the database's searchable fields; **ZC** = Methodology Index; * = Truncation; " " = Citation Marks; searches for an exact phrase; # = replaces one or no letters; ? = replaces one letter; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them

Cochrane Library via Wiley 2 October 2024 (Cochrane CENTRAL)

Title: Polycystic Ovary Syndrome – Drug therapy

Search terms		Items found
Population: Polycystic Ovary Syndrome		
1.	MeSH descriptor: [Polycystic Ovary Syndrome] explode all trees	2181
2.	((((sclerocyst* or sclero NEXT cyst* or hyperandrogen* or hyper NEXT androgen* or polycyst* or poly NEXT cyst* or micropolycyst* or micro NEXT polycyst*) NEAR/2 ovar*)):ti,ab,kw OR (PCO* or "Stein-Leventhal" or Leventhal):ti,ab,kw OR (((elevat* or excess*) NEAR/1 androgen*)):ti,ab,kw OR (hirsutis*):ti,ab,kw	9407
3.	1 or 2	9407
Intervention: Androgen antagonists		
4.	MeSH descriptor: [Androgen Antagonists] explode all trees	1623
5.	MeSH descriptor: [Flutamide] explode all trees	388
6.	MeSH descriptor: [Cyproterone Acetate] explode all trees	342
7.	MeSH descriptor: [Spironolactone] explode all trees	1265
8.	MeSH descriptor: [Finasteride] explode all trees	440
9.	(antiandrogen* or (anti NEXT/1 androgen*) or (androgen NEXT/1 antagon*)):ti,ab,kw OR (niftolid* or chimax or cytamid* or eulexin* or euflex or drogenil* or fluken or flulem or flumid* or "fluta 1A Pharma" or "fluta cell" or flutacell or "fluta GRY" or FlutaGRY or flutamid* or flutamin* or flutandrona or flutaplex or flutexin* or fugerel or grisetin* or NovoFlutamid* or oncosal or prostacur* or prostica or prostogenat* or "SCH 13521" or SCH13521 or testotard* or apimid* or ApoFlutamid*):ti,ab,kw OR (cyproterone NEXT/1 acetat*) or (cyproteroneacetat* or androcur*):ti,ab,kw OR (spiro lacton* or spironolacton* or spironolaktone* or veroshpiron* or verospiron* or spiractin* or spirobeta or spirogamma or spiro lang or "spirono isis" or spironon* or spiro spar* or aldacton* or verospiron* or "aldactone A" or aquareduct* or duraspiron* or "espirolactona alter" or "espirolactona mundogen" or flumach or frumikal* or jenaspiron* or Novo NEXT/1 Spiroton* or NovoSpiroton* or practon* or "SC 9420" or SC9420 or "Spro L.U.T." or "Spro Von Ct"):ti,ab,kw OR (finasterid* or "Chibro Proscar" or propecia or propeshia or "MK 906" or MK906 or proscar or eucoprost or bicalutamid* or casodex or cosudex or "ICI 176334" or "SHB 209 AE" or Diane or Zyrona):ti,ab,kw (Word variations have been searched)	6563
10.	4 or 5 or 6 or 7 or 8 or 9	6618
Intervention: Metformin		
11.	MeSH descriptor: [Metformin] explode all trees	5505
12.	((metformin* or dimethylbiguanidin* or dimethylguanylguanidin* or glucophag*)):ti,ab,kw	14116
13.	11 or 12	14116
Intervention: Combined oral contraceptives		
14.	MeSH descriptor: [Contraceptives, Oral] explode all trees	2342
15.	MeSH descriptor: [Ethinyl Estradiol] explode all trees	1825
16.	MeSH descriptor: [Estrogens] explode all trees	2378
17.	MeSH descriptor: [Estradiol] explode all trees	5513
18.	((oral* NEXT/3 contracept*)):ti,ab,kw OR (oral* NEXT/3 ((anti NEXT/1 concept*) or anticoncept*)):ti,ab,kw OR (OCP or COCP):ti,ab,kw OR ((Aerodiol or Delestrogen or "Estradiol Anhydrous" or "Estradiol Valerate" or "Estradiol Valeriante" or Esterol or Estinyl or Estrace or Estraderm TTS or Hemihydrate or Lynoral or Microfollin or Oestradiol or Ovocyclin or Progynon C or Progynon Depot or Progynova or Vivelle)):ti,ab,kw	16821
19.	14 or 15 or 16 or 17 or 18	18850
Combined sets		
20.	9 or 12 or 17	38384
Final result		
21.	3 AND 18	2641
		Central/2612

The final search result, usually found at the end of the documentation, forms the list of abstracts.

:**au** = Author; **MeSH** = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy; **this term only** = Does not include terms found below this term in the MeSH hierarchy; **:ti** = Title; **:ab** = Abstract; **:kw** = Keyword; ***** = Truncation; **" "** = Citation Marks; searches for an exact phrase; **CDSR** = Cochrane Database of Systematic Review; **Cochrane Protocols** = Protocols of systematic reviews registered in Cochrane Library; **CENTRAL** = Cochrane Central Register of Controlled Trials, "trials"; **?** = replaces one letter; **NEAR/n** = Requests terms that are within 'n' words of each other in either direction; **NEXT/n** = Requests terms that are within 'n' words of each other in the order specified

Embase via Elsevier 2 October 2024

Title: Polycystic Ovary Syndrome – Drug therapy

Search terms	Items found
Population: XX	
1. 'ovary polycystic disease'/exp	40,787
2. (((sclerocyst* OR 'sclero cyst*' OR hyperandrogen* OR 'hyper androgen*' OR polycyst* OR 'poly cyst*' OR micropolycyst* OR 'micro polycyst*') NEAR/2 ovar*):ti,ab,kw) OR pco*:ti,ab,kw OR 'stein-leventhal':ti,ab,kw OR leventhal:ti,ab,kw OR (((elevat* OR excess*) NEAR/1 androgen*):ti,ab,kw) OR hirsutis*:ti,ab,kw	83,388
3. #1 OR #2	91,747
Intervention: Anti androgens/Metformin/Combined oral contraceptives	
4. 'antiandrogen'/exp	85,610
5. antiandrogen*:ti,ab,kw OR ((anti NEXT/1 androgen*):ti,ab,kw) OR 'androgen antagonist':ti,ab,kw	13,904
6. 'finasteride'/exp	9,471
7. niftolid*:ti,ab,kw OR chimax:ti,ab,kw OR cytamid*:ti,ab,kw OR eulexin*:ti,ab,kw OR euflex:ti,ab,kw OR drogenil*:ti,ab,kw OR fluken:ti,ab,kw OR flulem:ti,ab,kw OR flumid*:ti,ab,kw OR 'fluta 1a pharma':ti,ab,kw OR 'fluta cell':ti,ab,kw OR flutacell:ti,ab,kw OR 'fluta gry':ti,ab,kw OR flutagry:ti,ab,kw OR flutamid*:ti,ab,kw OR flutamin*:ti,ab,kw OR flutandrona:ti,ab,kw OR flutaplex:ti,ab,kw OR flutexin*:ti,ab,kw OR fugerel:ti,ab,kw OR grisetin*:ti,ab,kw OR 'novo flutamid*':ti,ab,kw OR novoflutamid*:ti,ab,kw OR oncosal:ti,ab,kw OR 'pms flutamid*':ti,ab,kw OR prostacur*:ti,ab,kw OR prostica:ti,ab,kw OR prostogenat*:ti,ab,kw OR 'sch 13521':ti,ab,kw OR sch13521:ti,ab,kw OR testotard*:ti,ab,kw OR apimid*:ti,ab,kw OR 'apo flutamid*':ti,ab,kw OR apoflutamid*:ti,ab,kw OR 'cyproterone acetat*':ti,ab,kw OR cyproteroneacetat*:ti,ab,kw OR androcur*:ti,ab,kw OR spiroclonol*:ti,ab,kw OR spironolacton*:ti,ab,kw OR spironolakon*:ti,ab,kw OR veroshpiron*:ti,ab,kw OR spiractin*:ti,ab,kw OR spirobeta:ti,ab,kw OR spirogamma:ti,ab,kw OR spirolang:ti,ab,kw OR 'spirono isis':ti,ab,kw OR spironon*:ti,ab,kw OR spirospar*:ti,ab,kw OR aldacton*:ti,ab,kw OR verospiron*:ti,ab,kw OR 'aldactone a':ti,ab,kw OR aquareduct*:ti,ab,kw OR duraspiron*:ti,ab,kw OR 'espirolactona alter':ti,ab,kw OR 'espirolactona mundogen':ti,ab,kw OR flumach:ti,ab,kw OR frumikal*:ti,ab,kw OR jenaspiron*:ti,ab,kw OR 'novo spiroton*':ti,ab,kw OR novospiroton*:ti,ab,kw OR practon*:ti,ab,kw OR 'sc 9420':ti,ab,kw OR sc9420:ti,ab,kw OR 'spiro l.u.t.':ti,ab,kw OR 'spiro von ct':ti,ab,kw OR finasterid*:ti,ab,kw OR 'chibro proscar':ti,ab,kw OR propecia:ti,ab,kw OR propeshia:ti,ab,kw OR 'mk 906':ti,ab,kw OR mk906:ti,ab,kw OR proscar:ti,ab,kw OR eucoprost:ti,ab,kw OR bicalutamid*:ti,ab,kw OR casodex:ti,ab,kw OR cosudex:ti,ab,kw OR 'ici 176334':ti,ab,kw OR 'shb 209 ae':ti,ab,kw OR diane*:ti,ab,kw OR zyrona:ti,ab,kw	27,626
8. 'metformin'/exp	94,549
9. metformin*:ti,ab,kw OR dimethylbiguanidin*:ti,ab,kw OR dimethylguanylguanidin*:ti,ab,kw OR glucophag*:ti,ab,kw	52,098
10. 'oral contraceptive agent'/exp	79,318
11. 'ethinylestradiol'/exp	21,871
12. ((oral* NEAR/3 (contracept* OR 'anti concept*' OR anticoncept*)):ti,ab,kw) OR ocp:ti,ab,kw OR cocp:ti,ab,kw	40,902

13.	((('17 beta' OR 17beta OR '17β' OR ethinyl OR ethynyl) NEXT/1 (estradiol OR oestradiol)):ti,ab,kw) OR '17β-estradiol':ti,ab,kw OR '17β-oestradiol':ti,ab,kw OR ethinyl\$estradiol:ti,ab,kw	33,806
14.	aerodiol:ti,ab,kw OR delestrogen:ti,ab,kw OR 'estradiol anhydrous':ti,ab,kw OR 'estradiol valerate':ti,ab,kw OR 'estradiol valeriate':ti,ab,kw OR esterol:ti,ab,kw OR estinyl:ti,ab,kw OR estrace:ti,ab,kw OR 'estraderm tts':ti,ab,kw OR hemihydrate:ti,ab,kw OR lynoral:ti,ab,kw OR microfollin:ti,ab,kw OR oestradiol:ti,ab,kw OR ovocyclin:ti,ab,kw OR 'progynon c':ti,ab,kw OR 'progynon depot':ti,ab,kw OR progynova:ti,ab,kw OR vivelle:ti,ab,kw	18,774
15.	#4 OR #5 OR #6 OR 7 OR #8 OR #9 OR #10 OR #11 OR #12 OR #13 OR #14	329,218
Study types: randomised controlled trials¹		
16.	('randomized controlled trial'/de OR 'controlled clinical trial'/de OR random*:ti,ab,tt OR 'randomization'/de OR 'intermethod comparison'/de OR placebo:ti,ab,tt OR compare:ti,tt OR compared:ti,tt OR comparison:ti,tt OR ((evaluated:ab OR evaluate:ab OR evaluating:ab OR assessed:ab OR assess:ab) AND (compare:ab OR compared:ab OR comparing:ab OR comparison:ab)) OR ((open NEXT/1 label):ti,ab,tt) OR (((double OR single OR doubly OR singly) NEXT/1 (blind OR blinded OR blindly)):ti,ab,tt) OR 'double blind procedure'/de OR ((parallel NEXT/1 group*):ti,ab,tt) OR crossover:ti,ab,tt OR 'cross over':ti,ab,tt OR (((assign* OR match OR matched OR allocation) NEAR/6 (alternate OR group OR groups OR intervention OR interventions OR patient OR patients OR subject OR subjects OR participant OR participants)):ti,ab,tt) OR assigned:ti,ab,tt OR allocated:ti,ab,tt OR ((controlled NEAR/8 (study OR design OR trial)):ti,ab,tt) OR volunteer:ti,ab,tt OR volunteers:ti,ab,tt OR 'human experiment'/de OR trial:ti,tt) NOT (((random* NEXT/1 sampl* NEAR/8 ('cross section*' OR questionnaire* OR survey OR surveys OR database OR databases)):ti,ab,tt) NOT ('comparative study'/de OR 'controlled study'/de OR 'randomised controlled':ti,ab,tt OR 'randomized controlled':ti,ab,tt OR 'randomly assigned':ti,ab,tt) OR ('cross-sectional study' NOT ('randomized controlled trial'/de OR 'controlled clinical study'/de OR 'controlled study'/de OR 'randomised controlled':ti,ab,tt OR 'randomized controlled':ti,ab,tt OR 'control group':ti,ab,tt OR 'control groups':ti,ab,tt)) OR ('case control*':ti,ab,tt AND random*:ti,ab,tt NOT ('randomised controlled':ti,ab,tt OR 'randomized controlled':ti,ab,tt)) OR ('systematic review':ti,tt NOT (trial:ti,tt OR study:ti,tt)) OR (nonrandom*:ti,ab,tt NOT random*:ti,ab,tt) OR 'random field*':ti,ab,tt OR (('random cluster' NEAR/4 sampl*):ti,ab,tt) OR (review:ab AND review:it NOT trial:ti,tt) OR ('we searched':ab AND (review:ti,tt OR review:it)) OR 'update review':ab OR ((databases NEAR/5 searched):ab) OR ((rat:ti,tt OR rats:ti,tt OR mouse:ti,tt OR mice:ti,tt OR swine:ti,tt OR porcine:ti,tt OR murine:ti,tt OR sheep:ti,tt OR lambs:ti,tt OR pigs:ti,tt OR piglets:ti,tt OR rabbit:ti,tt OR rabbits:ti,tt OR cat:ti,tt OR cats:ti,tt OR dog:ti,tt OR dogs:ti,tt OR cattle:ti,tt OR bovine:ti,tt OR monkey:ti,tt OR monkeys:ti,tt OR trout:ti,tt OR marmoset*:ti,tt) AND 'animal experiment'/de) OR ('animal experiment'/de NOT ('human experiment'/de OR 'human'/de)))	5,965,031
Limits: human studies		
17.	'animal'/exp or 'animal experiment'/exp	34,527,848
18.	'human'/exp OR 'human experiment'/exp	28,148,641
19.	18 NOT 19	6,381,230
20.	([article]/lim OR [article in press]/lim OR [conference paper]/lim OR [conference review]/lim OR [erratum]/lim OR [letter]/lim OR [note]/lim OR [review]/lim OR [short survey]/lim)	
Combined sets		
21.	#4 AND #15	10,912
22.	#21 NOT #19	10,161
23.	#20 AND #22	6,531
Final result		
24.	#16 AND #21 AND ([danish]/lim OR [english]/lim OR [norwegian]/lim OR [swedish]/lim)	2,368

¹ Glanville J, Foxlee R, Wisniewski S, Noel-Storr A, Edwards M, Dooley G. Translating the Cochrane EMBASE RCT filter from the Ovid interface to Embase.com: a case study. Health Info Libr J. 2019 Sep;36(3):264-277. doi: 10.1111/hir.12269. Epub 2019 Jul 22. Erratum in: Health Info Libr J. 2020 Dec;37(4):351.

25.	(#20 AND #21) NOT #24 AND ([danish]/lim OR [english]/lim OR [norwegian]/lim OR [swedish]/lim)	5,825
-----	--	--------------

The final search result, usually found at the end of the documentation, forms the list of abstracts.

/de = Term from the EMTREE controlled vocabulary; **/exp** = Includes terms found below this term in the EMTREE hierarchy; **/mj** = Major Topic; **:ab** = Abstract; **:au** = Author; **:kw** = Author keyword ; **:ti** = Article Title; **:ti,ab** = Title or abstract; ***** = Truncation; **' '** = Citation Marks; searches for an exact phrase; **NEAR/n** = Requests terms that are within 'n' words of each other in either direction; **NEXT/n** = Requests terms that are within 'n' words of each other in the order specified; **\$** = replaces one or no letters; **?** = replaces one letter

Medline via OvidSP 2 October 2024

Title: Polycystic Ovary Syndrome – Drug therapy

Search terms	Items found
Population: XX	
1. exp Polycystic Ovary Syndrome/	19247
2. (((sclerocyst* or sclero cyst* or hyperandrogen* or "hyper androgen*" or polycyst* or "poly cyst*" or micropolycyst* or "micro polycyst*") adj2 ovar*) or PCO* or "Stein-Leventhal" or Leventhal or ((elevat* or excess*) adj1 androgen*) or hirsutis*).ab,kf,ti.	51691
3. 1 or 2	53878
Intervention: Anti-androgens	
4. exp Androgen Antagonists/	19387
5. (antiandrogen* or (anti adj androgen*) or "androgen antagon*").ab,kf,ti.	9873
6. Flutamide/	2764
7. (niftolid* or chimax or cytamid* or eulexin* or euflex or drogenil* or fluken or flulem or flumid* or "fluta 1A Pharma" or "fluta cell" or flutacell or "fluta GRY" or FlutaGRY or flutamid* or flutamin* or flutandrona or flutaplex or flutexin* or fugerel or grisetin* or "Novo Flutamid*" or NovoFlutamid* or oncosal or "PMS Flutamid*" or prostacur* or prostica or prostogenat* or "SCH 13521" or SCH13521 or testotard* or apimid* or "Apo Flutamid*" or ApoFlutamid*).ab,kf,ti.	3278
8. Cyproterone Acetate/	1814
9. ("cyproterone acetat*" or cyproteroneacetat* or androcur*).ab,kf,ti.	2704
10. Spironolactone/	7332
11. (spiro lacton* or spironolacton* or spironolakton* or veroshpiron* or verospiron* or spiractin* or spirobeta or spirogamma or spiro lang or "spirono isis" or spironon* or spiro spar* or aldacton* or verospiron* or "aldactone A" or aquareduct* or duraspiron* or "espironolactona alter" or "espironolactona mundogen" or flumach or frumikal* or jenaspiron* or "Novo Spiroton*" or NovoSpiroton* or practon* or "SC 9420" or SC9420 or "Spiro L.U.T." or "Spiro Von Ct").ab,kf,ti.	7915
12. Finasteride/	2496
13. (finasterid* or "Chibro Proscar" or propecia or propeshia or "MK 906" or MK906 or proscar or eucoprost).ab,kf,ti.	3251
14. (bicalutamid* or casodex or cosudex or "ICI 176334").ab,kf,ti.	1890
15. ("SHB 209 AE" or Diane or Zyrona).ab,kf,ti.	413
16. 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15	39266
Intervention: Metformin	
17. exp Metformin/	19151
18. (metformin* or dimethylbiguanidin* or dimethylguanylguanidin* or glucophag*).ab,kf,ti.	30773
19. 17 or 18	32687
Intervention: Combined oral contraceptives	
20. exp Contraceptives, Oral/	52663
21. exp Ethinyl Estradiol/	11164

22.	exp Estrogens/ad, ae, tu, to [Administration & Dosage, Adverse Effects, Therapeutic Use, Toxicity]	39853
23.	estradiol/	87202
24.	((oral* adj3 (contracept* or "anti concept*" or anticoncept*)) or OCP or COCP).ab,kf,ti.	33247
25.	((("17 beta or 17beta" or "17β" or ethinyl or ethynyl) adj1 (estradiol or oestradiol)) or "17β-estradiol" or "17β-oestradiol" or ethinyl?estradiol).ab,kf,ti.	32800
26.	(Aerodiol or Delestrogen or "Estradiol Anhydrous" or "Estradiol Valerate" or "Estradiol Valeriate" or Esterol or Estinyl or Estrace or Estraderm TTS or Hemihydrate or Lynoral or Microfollin or Oestradiol or Ovocyclin or Progynon C or Progynon Depot or Progynova or Vivelle).ab,kf,ti.	16399
27.	20 or 21 or 22 or 23 or 24 or 25 or 26	181938
Study types: randomised controlled trials²		
28.	randomized controlled trial.pt. OR controlled clinical trial.pt. OR clinical trial, phase iii.pt. OR ((randomized or randomised).ab.) OR placebo.ab. OR clinical trials as topic.sh. OR randomly.ab. OR trial.ti. OR (("Phase 3" or "phase3" or "phase III" or P3 or "PIII").ti,ab,kw.) NOT (exp animals/ not humans.sh.)	3628150
Limits: human studies		
29.	exp animals/ not humans.sh	5253024
Combined sets		
30.	3 and (16 or 19 or 27)	6092
31.	28 and 30	2147
32.	30 not 29	3952
Final result		
33.	(32 not 31) limit to (danish or english or norwegian or swedish)	3499
34.	Limit 31 to (danish or english or norwegian or swedish)	2030

The final search result, usually found at the end of the documentation, forms the list of abstracts.

.ab. = Abstract; **.ab,ti.** = Abstract or title; **.af.** = All fields; **.bt.** = Book title; **exp** = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy; **.fs.** = Floating sub-heading, does not include terms found below this term in the MeSH hierarchy; **.kf.** = Author keyword; **.sh.** = Term from the Medline controlled vocabulary; **.ti.** = Title; **.xs.** = Floating sub-heading, includes terms found below this term in the MeSH hierarchy; **/** = Term from the Medline controlled vocabulary, but does not include terms found below this term in the MeSH hierarchy; ***** = Focus (if found in front of a MeSH-term); *** or \$** = Truncation (if found at the end of a free text term); **.mp.** = Text, heading word, subject area node, title; **" "** = Citation Marks; searches for an exact phrase; **adjn** = Positional operator that lets you retrieve records that contain your terms (in any order) within a specified number (n) of words of each other; **?** = replaces one or no letters; **#** = replaces one letter

PsycInfo via EBSCO 2 October 2024

Title: Polycystic Ovary Syndrome – Drug therapy

² Cochrane Highly Sensitive Search Strategy for identifying randomized trials in MEDLINE: sensitivity- and precision-maximizing version (2008 revision); Ovid format. The Cochrane Collaboration; 2008. Available from: <https://training.cochrane.org/handbook/current/chapter-04-technical-supplement-searching-and-selecting-studies#section-3-6-1>. with modifications: the following terms are added: clinical trial, phase iii.pt. ; randomised.ab. ; ("Phase 3" or "phase3" or "phase III" or P3 or "PIII").ti,ab,kw.

Search terms	Items found
Population: Polycystic Ovary Syndrome	
1. TI ((sclerocyst* OR "sclero cyst*" OR hyperandrogen* OR "hyper androgen*") OR TI (polycyst* OR "poly cyst*") OR TI ((micropolycyst* W1 ovar*) or ("micro polycyst*" W2 ovar*)) OR TI (pco* or "stein-leventhal" or leventhal) OR TI ((elevat* OR excess*) W1 androgen*) OR TI hirsutis* OR TI (anovulati* or oligoovulat* or amenorrhe* or oligomenorrhe*)) OR AB ((sclerocyst* OR "sclero cyst*" OR hyperandrogen* OR "hyper androgen*") OR AB (polycyst* OR "poly cyst*") OR AB ((micropolycyst* W1 ovar*) or ("micro polycyst*" W2 ovar*)) OR AB (pco* or "stein-leventhal" or leventhal) OR AB ((elevat* OR excess*) W1 androgen*) OR AB hirsutis* OR AB (anovulati* or oligoovulat* or amenorrhe* or oligomenorrhe*)) OR SU ((sclerocyst* OR "sclero cyst*" OR hyperandrogen* OR "hyper androgen*") OR SU (polycyst* OR "poly cyst*") OR TI ((micropolycyst* W1 ovar*) or ("micro polycyst*" W2 ovar*)) OR TI (pco* or "stein-leventhal" or leventhal) OR TI ((elevat* OR excess*) W1 androgen*) OR SU hirsutis* OR SU (anovulati* or oligoovulat* or amenorrhe* or oligomenorrhe*)) OR KW ((sclerocyst* OR "sclero cyst*" OR hyperandrogen* OR "hyper androgen*") OR KW (polycyst* OR "poly cyst*") OR KW ((micropolycyst* W1 ovar*) or ("micro polycyst*" W2 ovar*)) OR KW (pco* or "stein-leventhal" or leventhal) OR KW ((elevat* OR excess*) W1 androgen*) OR KW hirsutis* OR KW (anovulati* or oligoovulat* or amenorrhe* or oligomenorrhe*))	2,249
Intervention: Androgen antagonists	
2. ((DE "Antiandrogens") OR (DE "Oral Contraceptives")) OR (DE "Estrogens" OR DE "Estradiol" OR DE "Estrone")	10,891
3. TI ((antiandrogen* or (anti W1 androgen*) or "androgen antagon*" or niftolid* or chimax or cytamid* or eulexin* or euflex or drogenil* or fluken or flulem or flumid* or "fluta 1A Pharma" or "fluta cell" or flutacell or "fluta GRY" or FlutaGRY or flutamid* or flutamin* or flutandrona or flutaplex or flutexin* or fugerel or grisetin* or "Novo Flutamid*" or NovoFlutamid* or oncosal or "PMS Flutamid*" or prostacur* or prostica or prostogenat* or "SCH 13521" or SCH13521 or testotard* or apimid* or "Apo Flutamid*" or ApoFlutamid* or "cyproterone acetat*" or cyproteroneacetat* or androcur* or spiroolacton* or spironolacton* or spironolaktun* or veroshpiron* or verospiron* or spiractin* or spirobeta or spirogamma or spiroilang or "spirono isis" or spironon* or spirospar* or aldacton* or verospiron* or "aldactone A" or aqueduct* or duraspiron* or "espiroolactona alter" or "espiroolactona mundogen" or flumach or frumikal* or jenaspiron* or "Novo Spiroton*" or NovoSpiroton* or practon* or "SC 9420" or SC9420 or "Spiro L.U.T." or "Spiro Von Ct" or finasterid* or "Chibro Proscar" or propecia or propeshia or "MK 906" or MK906 or proscar or eucoprost or bicalutamid* or casodex or cosudex or "ICI 176334" or "SHB 209 AE" or Diane or Zyrona)) OR AB ((antiandrogen* or (anti W1 androgen*) or "androgen antagon*" or niftolid* or chimax or cytamid* or eulexin* or euflex or drogenil* or fluken or flulem or flumid* or "fluta 1A Pharma" or "fluta cell" or flutacell or "fluta GRY" or FlutaGRY or flutamid* or flutamin* or flutandrona or flutaplex or flutexin* or fugerel or grisetin* or "Novo Flutamid*" or NovoFlutamid* or oncosal or "PMS Flutamid*" or prostacur* or prostica or prostogenat* or "SCH 13521" or SCH13521 or testotard* or apimid* or "Apo Flutamid*" or ApoFlutamid* or "cyproterone acetat*" or cyproteroneacetat* or androcur* or spiroolacton* or spironolacton* or spironolaktun* or veroshpiron* or verospiron* or spiractin* or spirobeta or spirogamma or spiroilang or "spirono isis" or spironon* or spirospar* or aldacton* or verospiron* or "aldactone A" or aqueduct* or duraspiron* or "espiroolactona alter" or "espiroolactona mundogen" or flumach or frumikal* or jenaspiron* or "Novo Spiroton*" or NovoSpiroton* or practon* or "SC 9420" or SC9420 or "Spiro L.U.T." or "Spiro Von Ct" or finasterid* or "Chibro Proscar" or propecia or propeshia or "MK 906" or MK906 or proscar or eucoprost or bicalutamid* or casodex or cosudex or "ICI 176334" or "SHB 209 AE" or Diane or Zyrona)) OR SU ((antiandrogen* or (anti W1 androgen*) or "androgen antagon*" or niftolid* or chimax or cytamid* or eulexin* or euflex or drogenil* or fluken or flulem or flumid* or "fluta 1A Pharma" or "fluta cell" or flutacell or "fluta GRY" or FlutaGRY or flutamid* or flutamin* or flutandrona or flutaplex or flutexin* or fugerel or grisetin* or "Novo Flutamid*" or NovoFlutamid* or oncosal or "PMS Flutamid*" or prostacur* or prostica or prostogenat* or "SCH 13521" or SCH13521 or testotard* or apimid* or "Apo Flutamid*" or ApoFlutamid* or "cyproterone acetat*" or cyproteroneacetat* or androcur* or spiroolacton* or spironolacton* or spironolaktun* or veroshpiron* or verospiron* or spiractin* or spirobeta or spirogamma or spiroilang or	1,899

	"spirono isis" or spironon* or spirospar* or aldacton* or verospiron* or "aldactone A" or aqueduct* or duraspiron* or "espirolactona alter" or "espirolactona mundogen" or flumach or frumikal* or jenaspiron* or "Novo Spiroton*" or NovoSpiroton* or praction* or "SC 9420" or SC9420 or "Spiro L.U.T." or "Spiro Von Ct" or finasterid* or "Chibro Proscar" or propecia or propeshia or "MK 906" or MK906 or proscar or eucoprost or bicalutamid* or casodex or cosudex or "ICI 176334" or "SHB 209 AE" or Diane or Zyrona)) OR KW ((antiandrogen* or (anti W1 androgen*) or "androgen antagon*" or niftolid* or chimax or cytamid* or eulexin* or euflex or drogenil* or fluken or flulem or flumid* or "fluta 1A Pharma" or "fluta cell" or flutacell or "fluta GRY" or FlutaGRY or flutamid* or flutamin* or flutandrona or flutaplex or flutexin* or fugerel or grisetin* or "Novo Flutamid*" or NovoFlutamid* or oncosal or "PMS Flutamid*" or prostacur* or prostica or prostogenat* or "SCH 13521" or SCH13521 or testotard* or apimid* or "Apo Flutamid*" or ApoFlutamid* or "cyproterone acetat*" or cyproteroneacetat* or androcur* or spiroacton* or spironolacton* or spironolakton* or veroshpiron* or verospiron* or spiractin* or spirobeta or spirogamma or spirolang or "spirono isis" or spironon* or spirospar* or aldacton* or verospiron* or "aldactone A" or aqueduct* or duraspiron* or "espirolactona alter" or "espirolactona mundogen" or flumach or frumikal* or jenaspiron* or "Novo Spiroton*" or NovoSpiroton* or praction* or "SC 9420" or SC9420 or "Spiro L.U.T." or "Spiro Von Ct" or finasterid* or "Chibro Proscar" or propecia or propeshia or "MK 906" or MK906 or proscar or eucoprost or bicalutamid* or casodex or cosudex or "ICI 176334" or "SHB 209 AE" or Diane or Zyrona))	
4.	TI ((metformin* or dimethylbiguanidin* or dimethylguanylguanidin* or glucophag*)) OR AB ((metformin* or dimethylbiguanidin* or dimethylguanylguanidin* or glucophag*)) OR SU ((metformin* or dimethylbiguanidin* or dimethylguanylguanidin* or glucophag*)) OR KW ((metformin* or dimethylbiguanidin* or dimethylguanylguanidin* or glucophag*))	699
5.	TI (((oral*) W3 (contracept* or "anti concept*" or anticoncept*))) OR TI (OCP or COCP or Aerodiol or Delestrogen or "Estradiol Anhydrous" or "Estradiol Valerate" or "Estradiol Valeriante" or Esterol or Estinyl or Estrace or Estraderm TTS or Hemihydrate or Lynoral or Microfollin or Oestradiol or Ovocyclin or "Progynon C" or "Progynon Depot" or Progynova or Vivelle) OR AB (((oral*) W3 (contracept* or "anti concept*" or anticoncept*))) OR AB (OCP or COCP or Aerodiol or Delestrogen or "Estradiol Anhydrous" or "Estradiol Valerate" or "Estradiol Valeriante" or Esterol or Estinyl or Estrace or Estraderm TTS or Hemihydrate or Lynoral or Microfollin or Oestradiol or Ovocyclin or "Progynon C" or "Progynon Depot" or Progynova or Vivelle) OR SU (((oral*) W3 (contracept* or "anti concept*" or anticoncept*))) OR SU (OCP or COCP or Aerodiol or Delestrogen or "Estradiol Anhydrous" or "Estradiol Valerate" or "Estradiol Valeriante" or Esterol or Estinyl or Estrace or Estraderm TTS or Hemihydrate or Lynoral or Microfollin or Oestradiol or Ovocyclin or "Progynon C" or "Progynon Depot" or Progynova or Vivelle) OR KW (((oral*) W3 (contracept* or "anti concept*" or anticoncept*))) OR KW (OCP or COCP or Aerodiol or Delestrogen or "Estradiol Anhydrous" or "Estradiol Valerate" or "Estradiol Valeriante" or Esterol or Estinyl or Estrace or Estraderm TTS or Hemihydrate or Lynoral or Microfollin or Oestradiol or Ovocyclin or "Progynon C" or "Progynon Depot" or Progynova or Vivelle)	2,776
6.	2 or 3 or 4 or 5	14,317
Combined sets:		
7.	1 and 5	122
Final result		
8.	7 Limiters - Language: Danish, English, Norwegian, Swedish	117

The final search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract; **AU** = Author; **DE** = Term from the thesaurus; **KW** (Available in Academic Search Premiere / SocINDEX / PsycInfo) = Author keyword; **MH** = Exact Subject Heading from CINAHL Subject Headings; **MM** = Major Concept; **SU** = Searches for a part of or an entire subject heading; **TI** = Title; **TX** = All Text. Performs a keyword search of all the database's searchable fields; **ZC** = Methodology Index; * = Truncation; " " = Citation Marks; searches for an exact phrase; # = replaces one or no letters; ? = replaces one letter; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them

2 GLP-1-analogues

If all or a substantive part of the search strategies below are reused in another publication, please cite this report!

Cochrane Library via Wiley 20 September 2024 (CDSR, Cochrane Protocols & CENTRAL)

Title: PCOS – GLP 1 RA

Search terms		Items found
Population: PCOS		
9.	MeSH descriptor: [Polycystic Ovary Syndrome] explode all trees	2171
10.	MeSH descriptor: [Hirsutism] explode all trees	237
11.	MeSH descriptor: [Anovulation] explode all trees	188
12.	MeSH descriptor: [Amenorrhea] explode all trees	411
13.	MeSH descriptor: [Oligomenorrhea] explode all trees	59
14.	((((sclerocyst* or sclero NEXT cyst* or hyperandrogen* or hyper NEXT androgen* or polycyst* or poly NEXT cyst* or micropolycyst* or micro NEXT polycyst*) NEAR/2 ovar*)):ti,ab,kw OR (PCO* or "Stein-Leventhal" or Leventhal):ti,ab,kw OR (((elevat* or excess*) NEAR/1 androgen*)):ti,ab,kw OR (hirsutis*):ti,ab,kw OR (anovulati* or oligoovulat* or amenorrhe* or oligomenorrhe*):ti,ab,kw	12221
15.	1 or 2 or 3 or 4 or 5 or 6	12221
Intervention: GLP 1 RA		
16.	MeSH descriptor: [Glucagon-Like Peptides] this term only	423
17.	MeSH descriptor: [Glucagon-Like Peptide 1] explode all trees	2447
18.	MeSH descriptor: [Glucagon-Like Peptide Receptors] this term only	0
19.	MeSH descriptor: [Glucagon-Like Peptide-1 Receptor] explode all trees	431
20.	MeSH descriptor: [Glucagon-Like Peptide-1 Receptor Agonists] explode all trees	22
21.	MeSH descriptor: [Incretins] explode all trees	344
22.	MeSH descriptor: [Exenatide] explode all trees	707
23.	MeSH descriptor: [Liraglutide] explode all trees	1025
24.	((glp* or (glucagon NEXT/3 peptide) or "glucagonlike peptide" or incretin*)):ti,ab,kw OR (naliglutide or syncria or tanzeum or albiglutide or albugon or eperzan or "gsk 716155" or "gsk 716155a" or "gsk-716155" or "gsk-716155a" or "gsk716155" or "gsk716155a" or bydureon or byetta or exenasphere or exenatide or "exendin 4" or "ac 002993" or "ac 2993" or "ac 2993a" or ac002993 or ac2993 or ac2993a or "aer 601" or aer601 or "da 3091" or da3091 or "dance 601" or dance601 or "dlp 414" or dlp414 or "ft 228" or "ft228" or "itca 650" or itca650 or "ly 2148568" or ly2148568 or "ormd 0901" or ormd0901 or "pt 302" or pt302 or beinaglutide or saxenda or victoza or liraglutide or "4p 004" or 4p004 or "nn 2211" or nn2211 or "nnc 90 1170" or "nnc 90-1170" or "nnc90 1170" or "nnc90-1170" or "rd 12014" or rd12014 or adlyxine or lixumia or lyxumia or "zp 10" or zp10 or lixisenatide or "aqve 10010" or aqve10010 or "ave 0010" or ave0010 or ozempic or rybelsus or wegovy or semaglutide or "nn 6535" or "nn 9535" or "nn 9536" or "nn 9924" or "nn 9931" or "nn 9932" or nn6535 or nn9535 or nn9536 or nn9924 or nn9931 or nn9932 or "nnc 0113 0217" or nnc01130217 or "og 217 sc" or "og 217sc" or og217sc or albenatide or cafraglutide or "cjc 1131" or cotadutide or danuglipron or ecnoglutide or efocipegtrutide or efpeglenatide or elsiglutide or froniglutide or "gulgafafusp alfa" or lotiglipton or "ly 307161" or mazdutide or orforglipron or pegapamodutide or pegloxenatide or pegsebrenatide or pemvidutide or retatrutide or survodutide or taspoglutide or tirzepatide or utreglutide or visepegenatide or vurolenatide):ti,ab,kw (Word variations have been searched)	10853
25.	8 or 9 or 10 or 11 or 12 or 13 or 14 or 15	10853
Final result		
26.	7 AND 16	142 CDSR/0 Cochrane Protocols/0

The final search result, usually found at the end of the documentation, forms the list of abstracts.

:au = Author; **MeSH** = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy; **this term only** = Does not include terms found below this term in the MeSH hierarchy; **:ti** = Title; **:ab** = Abstract; **:kw** = Keyword; * = Truncation; " " = Citation Marks; searches for an exact phrase; **CDSR** = Cochrane Database of Systematic Review; **Cochrane Protocols** = Protocols of systematic reviews registered in Cochrane Library; **CENTRAL** = Cochrane Central Register of Controlled Trials, "trials"; ? = replaces one letter; **NEAR/n** = Requests terms that are within 'n' words of each other in either direction; **NEXT/n** = Requests terms that are within 'n' words of each other in the order specified

Embase via Elsevier 20 September 2024

Title: PCOS – GLP-1-analogues

Search terms	Items found
Population: PCOS	
27. 'ovary polycystic disease'/exp	40,671
28. 'hirsutism'/exp	13,986
29. 'anovulation'/exp	6,790
30. 'amenorrhea'/exp	25,748
31. 'oligoovulation'/exp	23
32. 'oligomenorrhea'/exp	4,453
33. (((sclerocyst* OR 'sclero cyst*' OR hyperandrogen* OR 'hyper androgen*' OR polycyst* OR 'poly cyst*' OR micropolycyst* OR 'micro polycyst*') NEAR/2 ovar*):ti,ab,kw) OR pco*:ti,ab,kw OR 'stein-leventhal':ti,ab,kw OR leventhal:ti,ab,kw OR (((elevat* OR excess*) NEAR/1 androgen*):ti,ab,kw) OR hirsutis*:ti,ab,kw	83,185
34. anovulati*:ti,ab,kw OR oligoovulat*:ti,ab,kw OR amenorrhe*:ti,ab,kw OR oligomenorrhe*:ti,ab,kw	24,386
35. 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8	131,661
Intervention: GLP 1 RA	
36. 'glucagon like peptide 1 receptor'/de	6,301
37. 'glucagon like peptide receptor agonist'/de	198
38. 'glucagon like peptide 1 receptor agonist'/exp	55,477
39. 'glucagon like peptide 1'/de	26,726
40. 'glucagon like peptide 1 [7-36] amide'/de	599
41. 'glucagon like peptide 1 derivative'/de	1,450
42. 'incretin'/de	8,153
43. 'exendin 4'/exp OR 'liraglutide'/exp OR 'lixisenatide'/exp OR 'dulaglutide'/exp OR 'semaglutide'/exp OR 'albiglutide'/exp OR 'beinaglutide'/exp	27,094
44. glp*:ti,ab,kw OR (glucagon NEXT/2 peptide):ti,ab,kw OR 'glucagonlike peptide':ti,ab,kw OR incretin*:ti,ab,kw	48,924
45. naliglutide:ti,ab,kw OR syncria:ti,ab,kw OR tanzeum:ti,ab,kw OR albiglutide:ti,ab,kw OR albugon:ti,ab,kw OR 'albumin glp 1':ti,ab,kw OR 'albumin glucagon like peptide 1':ti,ab,kw OR eperzan:ti,ab,kw OR 'glp 1 albumin':ti,ab,kw OR 'glucagon like peptide 1 albumin':ti,ab,kw OR 'gsk 716155':ti,ab,kw OR 'gsk 716155a':ti,ab,kw OR 'gsk-716155':ti,ab,kw OR 'gsk-716155a':ti,ab,kw OR 'gsk716155':ti,ab,kw OR 'gsk716155a':ti,ab,kw	456
46. bydureon:ti,ab,kw OR byetta:ti,ab,kw OR exenasphe:ti,ab,kw OR exenatide:ti,ab,kw OR 'exendin 4':ti,ab,kw OR 'ac 002993':ti,ab,kw OR 'ac 2993':ti,ab,kw OR 'ac 2993a':ti,ab,kw OR ac002993:ti,ab,kw OR ac2993:ti,ab,kw OR ac2993a:ti,ab,kw OR 'aer 601':ti,ab,kw OR aer601:ti,ab,kw OR 'da 3091':ti,ab,kw OR da3091:ti,ab,kw OR 'dance 601':ti,ab,kw OR dance601:ti,ab,kw OR 'dlp 414':ti,ab,kw OR dlp414:ti,ab,kw OR 'ft 228':ti,ab,kw OR 'ft228':ti,ab,kw OR 'itca 650':ti,ab,kw OR itca650:ti,ab,kw OR 'ly 2148568':ti,ab,kw OR ly2148568:ti,ab,kw OR 'ormd 0901':ti,ab,kw OR ormd0901:ti,ab,kw OR 'pt 302':ti,ab,kw OR pt302:ti,ab,kw	7,554
47. 'beinaglutide':ti,ab,kw	15
48. saxenda:ti,ab,kw OR victoza:ti,ab,kw OR liraglutide:ti,ab,kw OR '4p 004':ti,ab,kw OR 4p004:ti,ab,kw OR 'nn 2211':ti,ab,kw OR nn2211:ti,ab,kw OR 'nnc 90 1170':ti,ab,kw OR 'nnc 90-1170':ti,ab,kw OR 'nnc90 1170':ti,ab,kw OR 'nnc90-1170':ti,ab,kw OR 'rd 12014':ti,ab,kw OR rd12014:ti,ab,kw	8,242
49. adlyxine:ti,ab,kw OR lixumiya:ti,ab,kw OR lyxumia:ti,ab,kw OR 'zp 10':ti,ab,kw OR zp10:ti,ab,kw OR lixisenatide:ti,ab,kw OR 'aqve 10010':ti,ab,kw OR aqve10010:ti,ab,kw OR 'ave 0010':ti,ab,kw OR ave0010:ti,ab,kw	1,058
50. ozempic:ti,ab,kw OR rybelsus:ti,ab,kw OR wegovy:ti,ab,kw OR semaglutide:ti,ab,kw OR 'nn 6535':ti,ab,kw OR 'nn 9535':ti,ab,kw OR 'nn 9536':ti,ab,kw OR 'nn 9924':ti,ab,kw OR 'nn 9931':ti,ab,kw OR 'nn 9932':ti,ab,kw OR nn6535:ti,ab,kw OR nn9535:ti,ab,kw OR nn9536:ti,ab,kw OR nn9924:ti,ab,kw OR nn9931:ti,ab,kw OR nn9932:ti,ab,kw OR 'nnc	3,700

	0113 0217':ti,ab,kw OR nnc01130217:ti,ab,kw OR 'og 217 sc':ti,ab,kw OR 'og 217sc':ti,ab,kw OR og217sc:ti,ab,kw	
51.	albenatide:ti,ab,kw OR cafraglutide:ti,ab,kw OR 'cjc 1131':ti,ab,kw OR cotadutide:ti,ab,kw OR danuglipron:ti,ab,kw OR ecnoglutide:ti,ab,kw OR efocipegtrutide:ti,ab,kw OR efpeglenatide:ti,ab,kw OR elsiglutide:ti,ab,kw OR froniglutide:ti,ab,kw OR 'gulgafafusp alfa':ti,ab,kw OR lotiglipron:ti,ab,kw OR 'ly 307161':ti,ab,kw OR mazdutide:ti,ab,kw OR orforglipron:ti,ab,kw OR pegapamodutide:ti,ab,kw OR pegloxenatide:ti,ab,kw OR pegsebrenatide:ti,ab,kw OR pemvidutide:ti,ab,kw OR retatrutide:ti,ab,kw OR survodutide:ti,ab,kw OR taspoglutide:ti,ab,kw OR tirzepatide:ti,ab,kw OR utreglutide:ti,ab,kw OR visepegenatide:ti,ab,kw OR vurolenatide:ti,ab,kw	1,366
52.	10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25	72,742
Limits: language, human studies		
53.	[[danish]/lim OR [english]/lim OR [norwegian]/lim OR [swedish]/lim)	
Combined sets		
54.	9 AND 26	822
Final result		
55.	27 AND 28	803

The final search result, usually found at the end of the documentation, forms the list of abstracts.

/de = Term from the EMTREE controlled vocabulary; **/exp** = Includes terms found below this term in the EMTREE hierarchy; **/mj** = Major Topic; **:ab** = Abstract; **:au** = Author; **:kw** = Author keyword ; **:ti** = Article Title; **:ti,ab** = Title or abstract; ***** = Truncation; **' '** = Citation Marks; searches for an exact phrase; **NEAR/n** = Requests terms that are within 'n' words of each other in either direction; **NEXT/n** = Requests terms that are within 'n' words of each other in the order specified; **\$** = replaces one or no letters; **?** = replaces one letter

Medline via OvidSP 20 September 2024

Title: PCOS – GLP-1-analogues

Search terms	Items found
Population: PCOS	
56. Polycystic Ovary Syndrome/	19204
57. Anovulation/	2320
58. amenorrhea/ or oligomenorrhea/	10673
59. Hirsutism/	4271
60. (((sclerocyst* or sclero cyst* or hyperandrogen* or "hyper androgen*" or polycyst* or "poly cyst*" or micropolycyst* or "micro polycyst*") adj2 ovar*) or PCO* or "Stein-Leventhal" or Leventhal or ((elevat* or excess*) adj1 androgen*) or hirsutis*).ab,kf,ti.	53757
61. (anovulati* or oligoovulat* or amenorrhe* or oligomenorrhe*).ab,kf,ti.	17479
62. 1 or 2 or 3 or 4 or 5 or 6	75476
Intervention: Glucagon like peptide 1 receptor agonists	
63. glucagon-like peptides/ or exp glucagon-like peptide 1/	13660
64. Glucagon-Like Peptide-1 Receptor Agonists/	349
65. glucagon-like peptide receptors/ or exp glucagon-like peptide-1 receptor/	5614
66. exp Incretins/	18870
67. Exenatide/	3002
68. Liraglutide/	2760
69. (glp* or (glucagon* adj3 peptide) or "glucagonlike peptide" or incretin*).ab,kf,ti.	31911
70. (naliglutide or syncria or tanzeum or albiglutide or albugon or eperzan or "gsk 716155" or "gsk 716155a" or "gsk-716155" or "gsk-716155a" or "gsk716155" or "gsk716155a").ab,kf,ti.	254
71. (bydureon or byetta or exenasphere or exenatide or "exendin 4" or "ac 002993" or "ac 2993" or "ac 2993a" or ac002993 or ac2993 or ac2993a or "aer 601" or aer601 or "da 3091" or da3091 or "dance 601" or dance601 or "dlp 414" or dlp414 or "ft 228" or "ft228" or "itca 650" or itca650 or "ly 2148568" or ly2148568 or "ormd 0901" or ormd0901 or "pt 302" or pt302).ab,kf,ti.	4335
72. beinaglutide.ab,kf,ti.	14
73. (saxenda or victoza or liraglutide or "4p 004" or 4p004 or "nn 2211" or nn2211 or "nnc 90 1170" or "nnc 90-1170" or "nnc90 1170" or "nnc90-1170" or "rd 12014" or rd12014).ab,kf,ti.	4378
74. (adlyxine or lixumia or lyxumia or "zp 10" or zp10 or lixisenatide or "aqve 10010" or aqve10010 or "ave 0010" or ave0010).ab,kf,ti.	613
75. (ozempic or rybelsus or wegovy or semaglutide or "nn 6535" or "nn 9535" or "nn 9536" or "nn 9924" or "nn 9931" or "nn 9932" or nn6535 or nn9535 or nn9536 or nn9924 or nn9931 or nn9932 or "nnc 0113 0217" or nnc01130217 or "og 217 sc" or "og 217sc" or og217sc).ab,kf,ti.	2128
76. (albenatide or cafraglutide or "cjc 1131" or cotadutide or danuglipron or ecnoglutide or efocipegtrutide or efpeglenatide or elsiglutide or froniglutide or "gulgafafusp alfa" or lotiglipron or "ly 307161" or mazdutide or orforglipron or pegapamodutide or pegloxenatide or pegsebrenatide or pemvidutide or retatrutide or survodutide or taspoglutide or tirzepatide or utreglutide or visepegenatide or vuolenatide or dulaglutide).ab,kf,ti.	1571
77. 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21	39667
Limits: language	
78. (danish or english or norwegian or swedish)	
Combined sets	
79. 7 AND 22	253
Final result	
80. 22 AND 25	249

The final search result, usually found at the end of the documentation, forms the list of abstracts.

.ab. = Abstract; **.ab,ti.** = Abstract or title; **.af.** = All fields; **.bt.** = Book title; **exp** = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy; **.fs.** = Floating sub-heading, does not include terms found below this term in the MeSH hierarchy; **.kf.** = Author keyword; **.sh.** = Term from the Medline controlled vocabulary; **.ti.** = Title; **.xs.** = Floating sub-heading, includes terms found below this term in the MeSH hierarchy; **/** = Term from the Medline controlled vocabulary, but does not include terms found below this term in the MeSH hierarchy; ***** = Focus (if found in front of a MeSH-term); *** or \$** = Truncation (if found at the end of a free text term); **.mp.** = Text, heading word, subject area node, title; **" "** = Citation Marks; searches for an exact phrase; **adjn** = Positional operator that lets you retrieve records that contain your terms (in any order) within a specified number (n) of words of each other; **?** = replaces one or no letters; **#** = replaces one letter

Scopus via Elsevier (citation search) 24 September 2019

Title: PCOS – GLP-1-analogues

Search terms	Items found
Cited articles	
1.	<i>EID(2-s2.0-84867920546) OR PMID(16260822) OR DOI("10.1371/journal.pone.0037411")</i>
Citing articles	
2.	#1 View cited by

The final search result, usually found at the end of the documentation, forms the list of abstracts.

TITLE-ABS-KEY = Title or abstract or keywords; **ALL** = All fields; **DOI** = Digital Object Identifier; **EID** = Document identifier in Scopus; **PMID** = PubMed Identifier; **PRE/n** = "precedes by". The first term in the search must precede the second by a specified number of terms (n).; **W/n** = "Within". The terms in the search must be within a specified number of terms (n) in any order.; * = Truncation; " " = Citation Marks; searches for a phrase; ? = replaces one letter; **LIMIT-TO (SRCTYPE, "j"** = Limit to source type journal; **LIMIT-TO (DOCTYPE, "ar"** = Limit to document type article; **LIMIT-TO (DOCTYPE, "re"** = Limit to document type review

Articles used in backwards- and forwards citation searching

1. Andersson E, Enander J, Andrén P, Hedman E, Ljótsson B, Hursti T, et al. Internet-based cognitive behaviour therapy for obsessive-compulsive disorder: A randomized controlled trial. *Psychological Medicine*. 2012;42(10):2193-203. Available from: <https://doi.org/10.1017/S0033291712000244>.
2. Andersson G, Bergström J, Holländare F, Carlbring P, Kaldo V, Ekselius L. Internet-based self-help for depression: Randomised controlled trial. *British Journal of Psychiatry*. 2005;187(NOV.):456-61. Available from: <https://doi.org/10.1192/bjp.187.5.456>.
3. Andersson G, Carlbring P, Furmark T. Therapist experience and knowledge acquisition in internet-delivered CBT for social anxiety disorder: A randomized controlled trial. *PLoS ONE*. 2012;7(5). Available from: <https://doi.org/10.1371/journal.pone.0037411>.

3 GLP-1-analogues – protocols

Clinicaltrials.gov via NLM 21 March 2025

Title: PCOS – GLP-1-analogues (ongoing studies)

Search terms		Items found
Population: PCOS		
1.	polycyst* OR "poly cystic" OR PCOS	1,136
Intervention: GLP 1 RA		
2.	(glp* OR "glucagon-like" OR "glucagonlike peptide" OR incretin* OR naliglutide OR syncria OR tanzeum OR albiglutide OR albugon OR eperzan OR "gsk 716155" OR "gsk 716155a" OR "gsk-716155" OR "gsk-716155a" OR "gsk716155" OR "gsk716155a" OR bydureon OR byetta OR exenasphere OR exenatide OR "exendin 4" OR "ac 002993" OR "ac 2993" OR "ac 2993a" OR ac002993 OR ac2993 OR ac2993a OR "aer 601" OR aer601 OR "da 3091" OR da3091 OR "dance 601" OR dance601 OR "dlp 414" OR dlp414 OR "ft 228" OR "ft228" OR "itca 650" OR itca650 OR "ly 2148568" OR ly2148568 OR "ORmd 0901" OR ORmd0901 OR "pt 302" OR pt302 OR beinaglutide OR saxenda OR victoza OR liraglutide OR "4p 004" OR 4p004 OR "nn 2211" OR nn2211 OR "nnc 90 1170" OR "nnc 90-1170" OR "nnc90 1170" OR "nnc90-1170" OR "rd 12014" OR rd12014 OR adlyxine OR lixumiya OR lyxumia OR "zp 10" OR zp10 OR lixisenatide OR "aqve 10010" OR aqve10010 OR "ave 0010" OR ave0010 OR ozempic OR rybelsus OR wegovy OR semaglutide OR "nn 6535" OR "nn 9535" OR "nn 9536" OR "nn 9924" OR "nn 9931" OR "nn 9932" OR nn6535 OR nn9535 OR nn9536 OR nn9924 OR nn9931 OR nn9932 OR "nnc 0113 0217" OR nnc01130217 OR "og 217 sc" OR "og 217sc" OR og217sc OR albenatide OR cafraglutide OR "cjc 1131" OR cotadutide OR danuglipron OR ecnoglutide OR efocipegtrutide OR efpeglenatide OR elsiglutide OR froniglutide OR "gulgafafusp alfa" OR lotiglipron OR "ly 307161" OR mazdutide OR orforglipron OR pegapamodutide OR pegloxenatide OR pegsebenatide OR pemvidutide OR retatrutide OR survodutide OR taspoglutide OR tirzepatide OR utreglutide OR visepegenatide OR vurolenatide)	3,686
Population AND Intervention		
3.	Polycystic Ovary Syndrome, PCOS Other terms: Polycystic Ovarian Syndrome OR PCOS Semaglutide OR Ozempic® OR GLP-1 OR Glucagon OR Glucagon-Like Peptide-1 OR Wegovy® OR gsk716155 OR gsk 716155 OR Bydureon OR Byetta OR exenatide OR Exendin 9-39 OR ac002993 OR ac2993 OR ITCA 650 OR Beinaglutide OR Saxenda OR Victoza OR liraglutide OR 4P-004 OR NNC 90-1170 OR Lixisenatide OR Ozempic OR Rybelsus OR wegovy OR Cotadutide OR Danuglipron OR Ecnoglutide OR efocipegtrutide OR Efpeglenatide OR Elsiglutide OR Froniglutide OR Orforglipron OR Pemvidutide OR Retatrutide OR Survodutide OR taspoglutide OR Tirzepatide OR Vurolenatide 50/50 mg OR Vurolenatide 50mg/PBO OR Vurolenatide 100mg/PBO OR Vurolenatide 100mg/PBO	29
Final result		
4.	1 AND 2	53
5.	3	29

The final search result, usually found at the end of the documentation, forms the list of abstracts.

:au = Author; MeSH = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy; **this term only** = Does not include terms found below this term in the MeSH hierarchy; :ti = Title; :ab = Abstract; :kw = Keyword; * = Truncation; " " = Citation Marks; searches for an exact phrase; CDSR = Cochrane Database of Systematic Review; **Cochrane Protocols** = Protocols of systematic reviews registered in Cochrane Library; **CENTRAL** = Cochrane Central Register of Controlled Trials, "trials"; ? = replaces one letter; **NEAR/n** = Requests terms that are within 'n' words of each other in either direction; **NEXT/n** = Requests terms that are within 'n' words of each other in the order specified

Cochrane Library via Wiley 25 March (CENTRAL)

Title: PCOS – GLP 1 RA (ongoing studies)

Search terms		Items found
Population: PCOS		
1.	((sclerocyst* or sclero NEXT cyst* or hyperandrogen* or hyper NEXT androgen* or polycyst* or poly NEXT cyst* or micropolycyst* or micro NEXT polycyst*) NEAR/2 ovar*):ti,ab,kw OR ((PCO* or "Stein-Leventhal" or Leventhal)):ti,ab,kw OR (((elevat* or excess*) NEAR/1 androgen*)):ti,ab,kw OR ((hirsutis*)):ti,ab,kw OR ((anovulati* or oligoovulat* or amenorrhe* or oligomenorrhe*)):ti,ab,kw	12311
Intervention: GLP 1 RA		
2.	((glp* or (glucagon NEXT/3 peptide) or "glucagonlike peptide" or incretin*)):ti,ab,kw OR ((naliglutide or syncria or tanzeum or albiglutide or albugon or eperzan or "gsk 716155" or "gsk 716155a" or "gsk-716155" or "gsk-716155a" or "gsk716155" or "gsk716155a" or bydureon or byetta or exenasphe or exenatide or "exendin 4" or "ac 002993" or "ac 2993" or "ac 2993a" or ac002993 or ac2993 or ac2993a or "aer 601" or aer601 or "da 3091" or da3091 or "dance 601" or dance601 or "dlp 414" or dlp414 or "ft 228" or "ft228" or "itca 650" or itca650 or "ly 2148568" or ly2148568 or "ormd 0901" or ormd0901 or "pt 302" or pt302 or beinaglutide or saxenda or victoza or liraglutide or "4p 004" or 4p004 or "nn 2211" or nn2211 or "nnc 90 1170" or "nnc 90-1170" or "nnc90 1170" or "nnc90-1170" or "rd 12014" or rd12014 or adlyxine or lixumiya or lyxumia or "zp 10" or zp10 or lixisenatide or "aqve 10010" or aqve10010 or "ave 0010" or ave0010 or ozempic or rybelsus or wegovy or semaglutide or "nn 6535" or "nn 9535" or "nn 9536" or "nn 9924" or "nn 9931" or "nn 9932" or nn6535 or nn9535 or nn9536 or nn9924 or nn9931 or nn9932 or "nnc 0113 0217" or nnc01130217 or "og 217 sc" or "og 217sc" or og217sc or albenatide or cafraglutide or "cjc 1131" or cotadutide or danuglipron or ecnoglutide or efocipeptrutide or efpeglenatide or elsiglutide or froniglutide or "gulgafafusp alfa" or lotiglipron or "ly 307161" or mazdutide or orforglipron or pegapamodutide or pegloxenatide or pegsebrenatide or pemvidutide or retatrutide or survodutide or taspoglutide or tirzepatide or utreglutide or visepegenatide or vurolenatide)):ti,ab,kw	11075
Combined sets		
3.	1 AND 2	146
Final result		
4.	1 AND 2	CDSR/0 Cochrane Protocols/0 CENTRAL/ 146

The final search result, usually found at the end of the documentation, forms the list of abstracts.

:au = Author; **MeSH** = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy; **this term only** = Does not include terms found below this term in the MeSH hierarchy; **:ti** = Title; **:ab** = Abstract; **:kw** = Keyword; ***** = Truncation; **" "** = Citation Marks; searches for an exact phrase; **CDSR** = Cochrane Database of Systematic Review; **Cochrane Protocols** = Protocols of systematic reviews registered in Cochrane Library; **CENTRAL** = Cochrane Central Register of Controlled Trials, "trials"; **?** = replaces one letter; **NEAR/n** = Requests terms that are within 'n' words of each other in either direction; **NEXT/n** = Requests terms that are within 'n' words of each other in the order specified

WHO ICTRP via WHO 25 March 2025

Title: PCOS – GLP-1-analogues (ongoing studies)

Search terms		Items found
Population: PCOS		
5.	pcos or "polycystic ovary" or "polycystic ovarian" or "polycystic ovarial"	690
Intervention: GLP 1 RA		
6.	(glp* OR "glucagon-like" OR "glucagonlike peptide" OR incretin* OR naliglutide OR syncria OR tanzeum OR albiglutide OR albugon OR eperzan OR "gsk 716155" OR "gsk 716155a" OR "gsk-716155" OR "gsk-716155a" OR "gsk716155" OR "gsk716155a" OR bydureon OR byetta OR exenasphe OR exenatide OR "exendin 4" OR "ac 002993" OR "ac 2993" OR "ac 2993a" OR ac002993 OR ac2993 OR ac2993a OR "aer 601" OR aer601 OR "da 3091" OR da3091 OR "dance 601" OR dance601 OR "dlp 414" OR dlp414 OR "ft 228" OR "ft228" OR "itca 650" OR itca650 OR "ly 2148568" OR ly2148568 OR "ORmd 0901" OR ORmd0901 OR "pt 302" OR pt302 OR beinaglutide OR saxenda OR victoza OR liraglutide OR "4p 004" OR 4p004 OR "nn 2211" OR nn2211 OR "nnc 90 1170" OR "nnc 90-1170" OR "nnc90 1170" OR "nnc90-1170" OR "rd 12014" OR rd12014 OR adlyxine OR lixumiya OR lyxumia OR "zp 10" OR zp10 OR lixisenatide OR "aqve 10010" OR aqve10010 OR "ave 0010" OR ave0010 OR ozempic OR rybelsus OR wegovy OR semaglutide OR "nn 6535" OR "nn 9535" OR "nn 9536" OR "nn 9924" OR "nn 9931" OR "nn 9932" OR nn6535 OR nn9535 OR nn9536 OR nn9924 OR nn9931 OR nn9932 OR "nnc 0113 0217" OR nnc01130217 OR "og 217 sc" OR "og 217sc" OR og217sc OR albenatide OR cafraglutide OR "cjc 1131" OR cotadutide OR danuglipron OR ecnoglutide OR efocipegtrutide OR efpeglenatide OR elsiglutide OR froniglutide OR "gulgafafusp alfa" OR lotiglipron OR "ly 307161" OR mazdutide OR orforglipron OR pegapamodutide OR pegloxenatide OR pegsebrenatide OR pemvidutide OR retatrutide OR survodutide OR taspoglutide OR tirzepatide OR utreglutide OR visepegenatide OR vuolenatide)	1
Final result		
7.	1 AND 2	1

The final search result, usually found at the end of the documentation, forms the list of abstracts.

/de = Term from the EMTREE controlled vocabulary; **/exp** = Includes terms found below this term in the EMTREE hierarchy; **/mj** = Major Topic; **:ab** = Abstract; **:au** = Author; **/sd** = Since date; **:kw** = Author keyword; **:ti** = Article Title; **:ti,ab** = Title or abstract; ***** = Truncation; **' '** = Citation Marks; searches for an exact phrase; **NEAR/n** = Requests terms that are within 'n' words of each other in either direction; **NEXT/n** = Requests terms that are within 'n' words of each other in the order specified; **\$** = replaces one or no letters; **?** = replaces one letter