

## Bilaga 3 Exkluderade studier och studier med hög risk för snedvridning

Missbruk och beroende av alkohol och narkotika

Kunskapsläget för utredningar och insatser inom socialtjänsten Rapport nr 296/2019

## Appendix 3 Excluded studies and studies with high risk of bias

**Table of contents** 

**Excluded studies** 

page 2-44

## **Excluded studies**

This part consists of articles considered relevant in terms of abstract, but the full-text articles were considered to be irrelevant to the research question and other inclusion criteria, after assessment.

## **Excluded studies**

Reference	Main reason for exclusion
Aas IHM. Collecting information for rating Global Assessment of Functioning (GAF): Sources of information and methods for information collection. Current Psychiatry Reviews 2014;10:330-347.	Outside of specified PICO
Abagiu AO. BEST PRACTICE FOR RETAINING PATIENTS IN SUBSTITUTION THERAPY. Therapeutics, Pharmacology & Clinical Toxicology 2010;14:165-175.	Outside of specified Intervention
Abdul-Quader AS, Feelemyer J, Modi S, Stein ES, Briceno A, Semaan S, et al. Effectiveness of structural-level needle/syringe programs to reduce HCV and HIV infection among people who inject drugs: A systematic review. AIDS and Behavior 2013;17:2878-2892.	Outside of specified PICO
Abraha I, Cusi C. Alcohol and drug misuse: A Cochrane handbook. Cochrane handbook 2012;0.	Not a systematic review
Adams S, Leultefeld CG, Peden AR. Substance abuse treatment for women offenders: A research review. Journal of Addictions Nursing 2008;19:61-75.	Outside of specified PICO
Adams-Guppy JR, Guppy A. A systematic review of interventions for homeless alcohol-abusing adults. Drugs: Education, Prevention & Policy 2016;23:15-30.	Outside of specified PICO
Addolorato G, Mirijello A, Barrio P, Gual A. Treatment of alcohol use disorders in patients with alcoholic liver disease. Journal of Hepatology 2016;65:618-630.	Not a systematic review
Aertgeerts B, Buntinx F, Kester A. The value of the CAGE in screening for alcohol abuse and alcohol dependence in general clinical populations: a diagnostic meta-analysis. Journal of Clinical Epidemiology 2004;57:30.	Outside of specified PICO
Agosti V, Nunes EV, O'Shea D. Do manualized psychosocial interventions help reduce relapse among alcohol-dependent adults treated with naltrexone or placebo? A meta-analysis. The American Journal on Addictions 2012;21:501-507.	Duplicate
Ahuja AS, Crome I, Williams R. Engaging young people who misuse substances in treatment. Curr Opin Psychiatry 2013;26:335-42.	Outside of specified PICO
Akram Y, Copello A, Moore D. Family-based interventions for substance misuse: a systematic review of systematic reviewsprotocol. Syst Rev 2014;3:90.	Not a systematic review
Alam-mehrjerdi Z, Mokri A, Dolan K. Methamphetamine use and treatment in Iran: A systematic review from the most populated Persian Gulf country. Asian Journal of Psychiatry 2015;16:17-25.	Outside of specified PICO
Alcohol use disorders: diagnosis and clinical management of alcohol- related physical (Structured abstract). Health Technology Assessment Database 2010.	Outside of specified PICO

Álvarez-Bueno C, Rodríguez-Martín B, García-Ortiz L, Gómez-Marcos MÁ, Outside of specified PICO Martínez-Vizcaíno V. Effectiveness of brief interventions in primary health care settings to decrease alcohol consumption by adult non-dependent drinkers: A systematic review of systematic reviews. Preventive Medicine: An International Journal Devoted to Practice and Theory 2015;76:S33-S38.

Amato L, Davoli M, Ferri M, Gowing L, Perucci CA. Effectiveness of interventions on opiate withdrawal treatment: An overview of systematic reviews. Drug and Alcohol Dependence 2004;73:219-226.

Not a systematic review

Amato L, Davoli M, Vecchi S, Ali R, Farrell M, Faggiano F, et al. Cochrane systematic reviews in the field of addiction: What's there and what should be. Drug and Alcohol Dependence 2011;113:96-103.

Not a systematic review

Amato L, Minozzi S, Davoli M, Vecchi S. Psychosocial and pharmacological Outside of specified PICO treatments versus pharmacological treatments for opioid detoxification. Cochrane Database Syst Rev 2011:Cd005031.

Amodeo M, Lundgren L, Cohen A, Rose D, Chassler D, Beltrame C, et al. Barriers to implementing evidence-based practices in addiction treatment programs: Comparing staff reports on Motivational Interviewing, Adolescent Community Reinforcement Approach, Assertive Community Treatment, and Cognitive-behavioral Therapy. Evaluation and Program Planning 2011;34:382-389.

Not a systematic review

Anderson P, Laurant M, Kaner E, Wensing M, Grol R. Engaging General Practitioners in the Management of Hazardous and Harmful Alcohol Consumption: Results of a Meta-Analysis. Journal of Studies on Alcohol 2004;65:191-199.

Outside of specified PICO

Andersson G. Smartphone applications can help in treatment for alcoholism. Evidence Based Mental Health 2015;18:27-27.

Not a systematic review

Andréasson S, Öjehagen A, Berglund M, Thelander S, Jonsson E, Berglund Not a systematic review M, et al. Psychosocial treatment for alcohol dependence. Treating alcohol and drug abuse: An evidence based review. 2003;0:43-188.

Angus C, Latimer N, Preston L, Li J, Purshouse R. What are the implications Outside of specified PICO for policy makers? A systematic review of the cost-effectiveness of screening and brief interventions for alcohol misuse in primary care. Frontiers in Psychiatry 2014;5.

Antonio MCK, Chung-Do JJ. Systematic review of interventions focusing on indigenous adolescent mental health and substance use. American Indian and Alaska Native Mental Health Research 2015;22:36-56.

Outside of specified PICO

Apodaca TR, Miller WR. A meta-analysis of the effectiveness of bibliotherapy for alcohol problems. Journal of Clinical Psychology 2003;59:289-304.

**Outside of specified PICO** 

Appiah-Brempong E, Okyere P, Owusu-Addo E, Cross R. Motivational Interviewing Interventions and Alcohol Abuse Among College Students: A Systematic Review. American Journal of Health Promotion 2014;29:e32-e42.	Outside of specified PICO
Austin AM, Macgowan MJ, Wagner EF. Effective Family-Based Interventions for Adolescents With Substance Use Problems: A Systematic Review. Research on Social Work Practice 2005;15:67-83.	Outside of specified PICO
Austin AM, Macgowan MJ, Wagner EF. Effective Family-Based Interventions for Adolescents With Substance Use Problems: A Systematic Review. Research on Social Work Practice 2005;15:67-83.	Duplicate
Babowitch JD, Antshel KM. Adolescent treatment outcomes for comorbid depression and substance misuse: A systematic review and synthesis of the literature. Journal of Affective Disorders 2016;201:25-33.	Outside of specified PICO
Baillie AJ, Stapinski L, Crome E, Morley K, Sannibale C, Haber P, et al. Some new directions for research on psychological interventions for comorbid anxiety and substance use disorders. Drug and Alcohol Review 2010;29:518-524.	Not a systematic review
Baird C. Treating women with children: What does the evidence say? Journal of Addictions Nursing 2008;19:83-85.	Not a systematic review
Baird C. Treating women with children: What does the evidence say? Journal of Addictions Nursing 2008;19:83-85.	duplicate
Baker A, Lee NK. A review of psychosocial interventions for amphetamine use. Drug and Alcohol Review 2003;22:323-335.	Outside of specified PICO
Baker A, Velleman R. Helping non-specialist professionals to detect and assist with co-existing mental health and drug and alcohol problems.  Mental Health and Substance Use: dual diagnosis 2009;2:173-181.	Outside of specified PICO
Baker A, Velleman R. Helping non-specialist professionals to detect and assist with co-existing mental health and drug and alcohol problems.  Mental Health and Substance Use: dual diagnosis 2009;2:173-181.	duplicate
Baker AL, Hides L, Lubman DI. Treatment of cannabis use among people with psychotic or depressive disorder: A systematic review. The Journal of Clinical Psychiatry 2010;71:247-254.	Outside of specified PICO
Baker AL, Hiles SA, Thornton LK, Hides L, Lubman DI. A systematic review of psychological interventions for excessive alcohol consumption among people with psychotic disorders. Acta Psychiatr Scand 2012;126:243-55.	Outside of specified PICO
Baker AL, Thornton LK, Hides L, Dunlop A. Treatment of cannabis use among people with psychotic disorders: a critical review of randomised controlled trials. Curr Pharm Des 2012;18:4923-37.	Outside of specified PICO
Baker AL, Thornton LK, Hiles S, Hides L, Lubman DI. Psychological interventions for alcohol misuse among people with co-occurring depression or anxiety disorders: A systematic review. Journal of Affective Disorders 2012;139:217-229.	Outside of specified PICO

Ballesteros J, González-Pinto A, Querejeta I, Ariño J. RESEARCH REPORT Brief interventions for hazardous drinkers delivered in primary care are equally effective in men and women. Addiction 2004;99:103-108.

Outside of specified PICO

Barbosa C, Godfrey C, Parrott S. Methodological Assessment of Economic Outside of specified PICO Evaluations of Alcohol Treatment: What Is Missing? Alcohol & Alcoholism 2010;45:53-63.

Barker MJ, Greenwood KM, Jackson M, Crowe SF. Persistence of cognitive Outside of specified PICO effects after withdrawal from long-term benzodiazepine use: A meta-analysis. Archives of Clinical Neuropsychology 2004;19:437-454.

Barnett E, Sussman S, Smith C, Rohrbach LA, Spruijt-Metz D. Motivational Outside of specified PICO interviewing for adolescent substance use: A review of the literature.

Addictive Behaviors 2012;37:1325-1334.

Barnett NP, Read JP. Mandatory alcohol intervention for alcohol-abusing Outside of specified PICO college students: A systematic review. Journal of Substance Abuse Treatment 2005;29:147-158.

Barrio P, Gual A. Patient-centered care interventions for the management Outside of specified PICO of alcohol use disorders: a systematic review of randomized controlled trials. Patient Preference & Adherence 2016;10:1823-1845.

Bassuk EL, DeCandia CJ, Tsertsvadze A, Richard MK. The effectiveness of Outside of specified PICO housing interventions and housing and service interventions on ending family homelessness: A systematic review. American Journal of Orthopsychiatry 2014;84:457-474.

Bassuk EL, DeCandia CJ, Tsertsvadze A, Richard MK. The effectiveness of duplicate housing interventions and housing and service interventions on ending family homelessness: A systematic review. American Journal of Orthopsychiatry 2014;84:457-474.

Bassuk EL, Hanson J, Greene RN, Richard M, Laudet A. 'Peer-delivered Duplicate recovery support services for addictions in the united states: A systematic review': Erratum. Journal of Substance Abuse Treatment 2016;66:60-60.

Batastini AB, King CM, Morgan RD, McDaniel B. Telepsychological services Outside of specified PICO with criminal justice and substance abuse clients: A systematic review and meta-analysis. Psychological Services 2016;13:20-30.

Bauld L, Templeton L, Silver K, McKell J, Novak C, Hay G. Pathways back to Not a systematic review work for problem alcohol users. Policy Studies 2013;34:360-376.

Bauld L, Templeton L, Silver K, McKell J, Novak C, Hay G. Pathways back to Duplicate work for problem alcohol users. Policy Studies 2013;34:360-376.

Beaudoin I, Bouchard S. Efficiency of the "housing first" approach for people who are homeless and living with mental illness or with disorders associated to psychoactive substances (Structured abstract). Health Technology Assessment Database 2014.

Outside specified languages

Becker SJ, Curry JF. Outpatient interventions for adolescent substance abuse: A quality of evidence review. Journal of Consulting and Clinical Psychology 2008;76:531-543.	Outside of specified PICO
Becker SJ, Curry JF. Outpatient interventions for adolescent substance abuse: A quality of evidence review. Journal of Consulting and Clinical Psychology 2008;76:531-543.	Outside of specified PICO
Becker WC, Fiellin DA. Provider satisfaction with office-based treatment of opioid dependence: A systematic review. Substance Abuse 2005;26:15-22.	Outside of specified PICO
Beerens HC, Zwakhalen SMG, Verbeek H, Ruwaard D, Hamers JPH. Factors associated with quality of life of people with dementia in long-term care facilities: A systematic review. International Journal of Nursing Studies 2013;50:1259-1270.	Outside of specified PICO
Bekkering GE, Mariën D, Parylo O, Hannes K. The effectiveness of self- help groups for adolescent substance misuse: A systematic review. Journal of Child & Adolescent Substance Abuse 2016;25:229-244.	Outside of specified PICO
Bender K, Springer DW, Kim JS. Treatment Effectiveness With Dually Diagnosed Adolescents: A Systematic Review. Brief Treatment and Crisis Intervention 2006;6:177-205.	Outside of specified PICO
Bender K, Tripodi SJ, Sarteschi C, Vaughn MG. A meta-analysis of interventions to reduce adolescent cannabis use. Research on Social Work Practice 2011;21:153-164.	Outside of specified PICO
Berglund M, Thelander S, Jonsson E. Treating alcohol and drug abuse: An evidence based review. 2003;0.	Not a systematic review
Berglund M, Thelander S, Salaspuro M, Franck J, Andréasson S, Öjehagen A. Treatment of Alcohol Abuse: An Evidence-Based Review. Alcoholism: Clinical and Experimental Research 2003;27:1645-1656.	Not a systematic review
Berglund M. A better widget? Three lessons for improving addiction treatment from a meta-analytical study. Addiction 2005;100:742-750.	Outside of specified PICO
Berks J, McCormick R. Screening for alcohol misuse in elderly primary care patients: A systematic literature review. International Psychogeriatrics 2008;20:1090-1103.	Outside of specified PICO
Berner MM, Kriston L, Bentele M, Härter M. The Alcohol Use Disorders Identification Test for detecting at-risk drinking: A systematic review and meta-analysis. Journal of Studies on Alcohol and Drugs 2007;68:461-473.	Outside of specified PICO
Berry G. Adolescent substance use screening instruments: A review of the literature. 2014;75.	Outside of specified PICO
Bertholet N, Daeppen J-B, Wietlisbach V, Fleming M, Burnand B. Reduction of Alcohol Consumption by Brief Alcohol Intervention in Primary Care: Systematic Review and Meta-analysis. Archives of Internal Medicine 2005;165:986-995.	Outside of specified PICO
Bewick BM, Trusler K, Barkham M, Hill AJ, Cahill J, Mulhern B. The effectiveness of web-based interventions designed to decrease alcohol consumptionA systematic review. Preventive Medicine: An International Journal Devoted to Practice and Theory 2008;47:17-26.	Outside of specified PICO

Bickel WK, Moody L, Quisenberry A. Computerized working-memory training as a candidate adjunctive treatment for addiction. Alcohol Research: Current Reviews 2014;36:123-126.	Not a systematic review
Blanchard J, Hunter SB, Osilla KC, Stewart W, Walters J, Pacula RL. A Systematic Review of the Prevention and Treatment of Prescription Drug Misuse. Military Medicine 2016;181:410-423.	Outside of specified PICO
Blankers M, Salemink E, Wiers RW, Mucic D, Hilty DM, Mucic D, et al. Cognitive behavioural therapy and cognitive bias modification in internet-based interventions for mood, anxiety and substance use disorders. e-Mental health. 2016;0:193-215.	Not a systematic review
Blonigen DM, Finney JW, Wilbourne PL, Moos RH, Nathan PE, Gorman JM, et al. Psychosocial treatments for substance use disorders. A guide to treatments that work, 4th ed. 2015;0:731-761.	Not a systematic review
Blonigen DM, Finney JW, Wilbourne PL, Moos RH, Nathan PE, Gorman JM, et al. Psychosocial treatments for substance use disorders. A guide to treatments that work, 4th ed. 2015;0:731-761.	duplicate
Bogenschutz MP. 12-step approaches for the dually diagnosed: Mechanisms of change. Alcoholism: Clinical and Experimental Research 2007;31:64S-66S.	Outside of specified PICO
Bogner J, Corrigan JD. Interventions for substance misuse following TBI: A systematic review. Brain Impairment 2013;14:77-91.	Outside of specified PICO
Boumparis N, Karyotaki E, Schaub MP, Cuijpers P, Riper H. Internet interventions for adult illicit substance users: a meta-analysis. Addiction 2017.	Outside of specified PICO
Brackins T, Brahm NC, Kissack JC. Treatments for Methamphetamine Abuse: A Literature Review for the Clinician. Journal of Pharmacy Practice 2011;24:541-550.	Outside of specified PICO
Bradford N. Interventions for drug-using offenders with co-occurring mental illness. Issues in Mental Health Nursing 2016;37:66-67.	Not a systematic review
Bray JW, Cowell AJ, Hinde JM. A systematic review and meta-analysis of health care utilization outcomes in alcohol screening and brief intervention trials. Medical Care 2011;49:287-294.	Outside of specified PICO
Bray JW, Del Boca FK, McRee BG, Hayashi SW, Babor TF. Screening, Brief Intervention and Referral to Treatment (SBIRT): Rationale, program overview and cross-site evaluation. Addiction 2017;112:3-11.	Outside of specified PICO
Breslin FC, Zack M, McMain S. An information-processing analysis of mindfulness: Implications for relapse prevention in the treatment of substance abuse. Clinical Psychology: Science and Practice 2002;9:275-299.	Not a systematic review
Brewer DD, Catalano RF, Haggerty KP, Gainey RR, Fleming CB. A Meta- Analysis of Predictors of Continued Drug Use during and after Treatment	Published before year 2000

Brief intervention helps to lower excessive drinking. Pulse 2008;68:10-10. Not a systematic review

for Opiate Addiction. Addiction 1998;93:73-92.

Broadstock M, Brinson D, Weston A. The effectiveness of compulsory, residential treatment of chronic alcohol or drug addiction in non-offenders (Structured abstract). Health Technology Assessment Database 2008.	Not a systematic review
Brooks R. The Swedish State Health Technology Board (SBU) report on treatment of alcohol and drug misuse: an economist's view. Alcohol Alcohol 2002;37:419-20.	Not a systematic review
Brorson HH, Arnevik EA, Rand-Hendriksen K, Duckert F. Drop-out from addiction treatment: A systematic review of risk factors. Clinical Psychology Review 2013;33:1010-1024.	Outside of specified PICO
Brown RT. Drug treatment court: Participants, processes, and substance abuse treatment completion. 2010;71:1648-1648.	Outside of specified PICO
Bryden A, Roberts B, Petticrew M, McKee M. A systematic review of the influence of community level social factors on alcohol use. Health & Place 2013;21:70-85.	Outside of specified PICO
Burke BA. Motivational interviewing: A meta-analysis of controlled clinical trials. 2004;64:4605-4605.	Outside of specified PICO
Burns E, Gray R, Smith LA. Brief screening questionnaires to identify problem drinking during pregnancy: A systematic review. Addiction 2010;105:601-614.	Outside of specified PICO
Butler M, Kane RL, McAlpine D, Kathol RG, Fu SS, Hagedorn H, et al. Integration of mental health/substance abuse and primary care. Evid Rep Technol Assess (Full Rep) 2008:1-362.	Outside of specified PICO
Bywood PT, Lunnay B, Roche AM. Strategies for facilitating change in alcohol and other drugs (AOD) professional practice: A systematic review of the effectiveness of reminders and feedback. Drug and Alcohol Review 2008;27:548-558.	Outside of specified PICO
Cadigan JM, Haeny AM, Martens MP, Weaver CC, Takamatsu SK, Arterberry BJ. Personalized Drinking Feedback: A Meta-Analysis of In-Person Versus Computer-Delivered Interventions. Journal of Consulting & Clinical Psychology 2015;83:430-437.	Outside of specified PICO
Cadth. Fall prevention in adults with mental health and substance use needs: a review of the clinical evidence and guidelines (Structured abstract). Health Technology Assessment Database 2012.	Outside of specified PICO
Carey KB, Garey L, Scott-Sheldon LAJ, Elliott JC, Carey MP. Alcohol Interventions for Mandated College Students: A Meta-Analytic Review. Journal of Consulting & Clinical Psychology 2016;84:619-632.	Outside of specified PICO
Carey KB, Scott-Sheldon LAJ, Elliott JC, Bolles JR, Carey MP. Computer-delivered interventions to reduce college student drinking: a meta-analysis. Addiction 2009;104:1807-1819.	Outside of specified PICO
Carey TS, Crotty KA, Morrissey JP, Jonas DE, Viswanathan M, Thaker S, et al. AHRQ Future Research Needs Papers. In: Future Research Needs for the Integration of Mental Health/Substance Abuse and Primary Care: Identification of Future Research Needs from Evidence Report/Technology Assessment No. 173. Rockville (MD): Agency for Healthcare Research and Quality (US); 2010.	Not a systematic review

Carney T, Myers B. Effectiveness of early interventions for substance- using adolescents: Findings from a systematic review and meta-analysis. Substance Abuse Treatment, Prevention, and Policy 2012;7.	Outside of specified PICO
Castillo HL, Rivers T, Randall C, Gaughan K, Ojanen T, Massey OT, et al. Placing evidence-based interventions at the fingertips of school social workers. The Journal of Behavioral Health Services & Research 2016;43:474-483.	Outside of specified PICO
Champion KE, Newton NC, Teesson M. Prevention of alcohol and other drug use and related harm in the digital age: What does the evidence tell us? Current Opinion in Psychiatry 2016;29:242-249.	Outside of specified PICO
Chandra G. Evaluation of Internet as treatment support for methamphetamine abusers. 2011;71:4795-4795.	Not a systematic review
Chatters R, Cooper K, Day E, Knight M, Lagundoye O, Wong R, et al. Psychological and psychosocial interventions for cannabis cessation in adults: A systematic review. Addiction Research & Theory 2016;24:93-110.	Outside of specified PICO
Chebli J-L, Blaszczynski A, Gainsbury S, Gainsbury SM. Internet-Based Interventions for Addictive Behaviours: A Systematic Review. Journal of Gambling Studies 2016;32:1279-1304.	Outside of specified PICO
Chinman M, George P, Dougherty R, Daniels A, Ghose S, Swift A, et al. Peer support services for individuals with serious mental illnesses: assessing the evidence (Provisional abstract). Database of Abstracts of Reviews of Effects 2014:429-441.	Outside of specified PICO
Chopra P, Harvey C, Herrman H. Continuing accommodation and support needs of long-term patients with severe mental illness in the era of community care. Current Psychiatry Reviews 2011;7:67-83.	Outside of specified PICO
Chopra P, Harvey C, Herrman H. Continuing accommodation and support needs of long-term patients with severe mental illness in the era of community care. Current Psychiatry Reviews 2011;7:67-83.	duplicate
Ciketic S, Hayatbakhsh MR, Doran CM, Najman JM, McKetin R. A review of psychological and pharmacological treatment options for methamphetamine dependence. Journal of Substance Use 2012;17:363-383.	Outside of specified PICO
Ciketic S, Hayatbakhsh MR, Doran CM, Najman JM, McKetin R. A review of psychological and pharmacological treatment options for methamphetamine dependence. Journal of Substance Use 2012;17:363-383.	duplicate
Clark JJ. Contemporary psychotherapy research: Implications for substance misuse treatment and research. Substance Use & Misuse 2009;44:42-61.	Outside of specified PICO
Clark TT, McGovern P, Mgbeokwere D, Wooten N, Owusu H, McGraw KA. Systematic review: The nature and extent of social work research on substance use disorders treatment interventions among African Americans. Journal of Social Work 2014;14:451-472.	Outside of specified PICO

Duplicate

interventions for people with both severe mental illness and substance misuse. Cochrane Database Syst Rev 2008:Cd001088.	
Cleary M, Hunt G, Matheson S, Siegfried N, Walter G. Psychosocial treatment programs for people with both severe mental illness and substance misuse (Structured abstract). Schizophrenia Bulletin 2008;34:226-228.	Outside of specified PICO
Colfax G, Santos G-M, Chu P, Vittinghoff E, Pluddemann A, Kumar S, et al. Amphetamine-group substances and HIV. The Lancet 2010;376:458-474.	
Compton WM, Thomas YF, Stinson FS, Grant BF. Prevalence, correlates, disability, and comorbidity of DSM-IV drug abuse and dependence in the United States: results from the national epidemiologic survey on alcohol and related conditions. Arch Gen Psychiatry 2007;64:566-76.	Outside of specified PICO
Cooper-Hakim A, Viswesvaran C. A meta-analytic review of the MacAndrew Alcoholism Scale. Educational and Psychological Measurement 2002;62:818-829.	Not a systematic review
Copeland J, Martin G. Web-based interventions for substance use disorders: A qualitative review. Journal of Substance Abuse Treatment 2004;26:109-116.	Outside of specified PICO
Copeland J. Application of technology in the prevention and treatment of substance use disorders and related problems: Opportunities and challenges. Substance Use & Misuse 2011;46:112-113.	f Not a systematic review
Copello AG, Velleman RDB, Templeton LJ. Family interventions in the treatment of alcohol and drug problems. Drug and Alcohol Review 2005;24:369-385.	Not a systematic review
Corry J, Sanderson K, Issakidis C, Andrews G, Lapsley H. Evidence-based care for alcohol use disorders is affordable. Journal of Studies on Alcohol 2004;65:521-529.	Not a systematic review
Couto DB. A meta-analysis of the addiction severity index for screening substance abuse in mentally ill populations: Clinical and forensic implications. 2007;68:4171-4171.	Not a systematic review
Cristea IA, Kok RN, Cuijpers P. The Effectiveness of Cognitive Bias Modification Interventions for Substance Addictions: A Meta-Analysis. PLoS ONE 2016;11:1-19.	Outside of specified PICO
Cucciare MA, Coleman EA, Saitz R, Timko C. Enhancing transitions from addiction treatment to primary care. Journal of Addictive Diseases 2014;33:340-353.	Outside of specified PICO
Cucciare MA, Timko C. Bridging the gap between medical settings and specialty addiction treatment. Addiction 2015;110:1417-1419.	Not a systematic review
Cuijpers P, Riper H, Lemmers L. The effects on mortality of brief interventions for problem drinking: A meta-analysis. Addiction 2004;99:839-845.	Outside of specified PICO

Cleary M, Hunt G, Matheson S, Siegfried N, Walter G. Psychosocial

Outside of specified PICO

methamphetamine treatment: A systematic review and meta-analysis. Drug and Alcohol Dependence 2016;168:263-273. Cunningham JT, Khadjesari Z, Bewick BM, Riper H. Internet-based Not a systematic review interventions for problem drinkers: From efficacy trials to implementation. Drug and Alcohol Review 2010;29:617-622. Outside of specified PICO Curtis NM, Ronan KR, Borduin CM. Multisystemic treatment: a metaanalysis of outcome studies. J Fam Psychol 2004;18:411-9. Daeppen J-B. A meta-analysis of brief alcohol interventions in emergency Not a systematic review departments: Few answers, many questions. Addiction 2008;103:377-378. Dallery J, Defulio A, Meredith SE, Roane HS, Ringdahl JE, Falcomata TS, et Not a systematic review al. Contingency management to promote drug abstinence. Clinical and organizational applications of applied behavior analysis. 2015;0:395-424. Dallery J, Meredith SE, Budney AJ, Walters ST, Rotgers F, Walters ST, et al. Not a systematic review Contingency management in substance abuse treatment. Treating substance abuse: Theory and technique, 3rd ed. 2012;0:81-112. Outside of specified PICO Das JK, Salam RA, Arshad A, Finkelstein Y, Bhutta ZA. Interventions for adolescent substance abuse: An overview of systematic reviews. Journal of Adolescent Health 2016;59:S61-S75. D'Aunno T. The role of organization and management in substance abuse Not a systematic review treatment: Review and roadmap. Journal of Substance Abuse Treatment 2006;31:221-233. Davis JP, Smith DC, Briley DA. Substance Use Prevention and Treatment Outside of specified PICO Outcomes for Emerging Adults in Non-College Settings: A Meta-Analysis. Psychology of Addictive Behaviors 2017;0. Davis ML, Powers MB, Handelsman P, Medina JL, Zvolensky M, Smits JAJ. Outside of specified PICO Behavioral therapies for treatment-seeking cannabis users: A metaanalysis of randomized controlled trials. Evaluation & the Health Professions 2015;38:94-114. Dawson DA, Grant BF, Stinson FS, Zhou Y. Effectiveness of the derived Not a systematic review Alcohol Use Disorders Identification Test (AUDIT-C) in screening for alcohol use disorders and risk drinking in the US general population. Alcohol Clin Exp Res 2005;29:844-54. De Leon G. Is the therapeutic community an evidence-based treatment? Not a systematic review What the evidence says. Therapeutic Communities 2010;31:104-128. de Meneses-Gaya C, Zuardi AW, Loureiro SR, Crippa JAS. Alcohol Use Outside of specified PICO

Cumming C, Troeung L, Young JT, Kelty E, Preen DB. Barriers to accessing

Disorders Identification Test (AUDIT): An updated systematic review of psychometric properties. Psychology & Neuroscience 2009;2:83-97.

de Paula Gebara CF, de Castro Bhona FM, Ronzani TM, Lourenço LM, Noto Outside of specified PICO AR. Brief intervention and decrease of alcohol consumption among women: A systematic review. Substance Abuse Treatment, Prevention, and Policy 2013;8.

de Vet R, van Luijtelaar MJA, Brilleslijper-Kater SN, Vanderplasschen W, Beijersbergen MD, Wolf JRLM. Effectiveness of case management for homeless persons: A systematic review. American Journal of Public Health 2013;103:e13-e26.

Outside of specified PICO

Dedert EA, McDuffie JR, Stein R, McNiel JM, Kosinski AS, Freiermuth CE, et Outside of specified PICO al. Electronic Interventions for Alcohol Misuse and Alcohol Use Disorders: A Systematic Review. Annals of Internal Medicine 2015;163:205-214.

Dell CA, Seguin M, Hopkins C, Tempier R, Mehl-Madrona L, Dell D, et al. From benzos to berries: Treatment offered at an Aboriginal youth solvent abuse treatment centre relays the importance of culture. The Canadian Journal of Psychiatry / La Revue canadienne de psychiatrie 2011;56:75-83.

Not a systematic review

Dell CA, Seguin M, Hopkins C, Tempier R, Mehl-Madrona L, Dell D, et al. From benzos to berries: Treatment offered at an Aboriginal youth solvent abuse treatment centre relays the importance of culture. The Canadian Journal of Psychiatry / La Revue canadienne de psychiatrie 2011;56:75-83.

duplicate

Denis C, Lavie E, Fatseas M, Auriacombe M. Psychotherapeutic interventions for cannabis abuse and/or dependence in outpatient settings. Cochrane Database Syst Rev 2006:Cd005336.

Duplicate

Dennis BB, Bawor M, Paul J, Varenbut M, Daiter J, Plater C, et al. The impact of chronic pain on opioid addiction treatment: a systematic review protocol. Syst Rev 2015;4:49.

Not a systematic review

Derzon JH, Lipsey MW, Crano WD, Burgoon M, Crano WD, Burgoon M. A meta-analysis of the effectiveness of mass-communication for changing substance-use knowledge, attitudes, and behavior. Mass media and drug prevention: Classic and contemporary theories and research. 2002;0:231-258.

Outside of specified PICO

DeSantis SM, Zhu H. A Bayesian mixed-treatment comparison metaanalysis of treatments for alcohol dependence and implications for planning future trials. Medical Decision Making 2014;34:899-910.

Outside of specified PICO

Dhalla S, Kopec JA. The CAGE Questionnaire for Alcohol Misuse: A Review Outside of specified PICO of Reliability and Validity Studies. Clinical & Investigative Medicine 2007;30:33-41.

Diestelkamp S, Drechsel M, Baldus C, Wartberg L, Arnaud N, Thomasius R. Outside of specified PICO Brief in person interventions for adolescents and young adults following alcohol-related events in emergency care: A systematic review and European evidence synthesis. European Addiction Research 2016;22:17-35.

Doab A, Fowler C, Dawson A. Factors that influence mother-child reunification for mothers with a history of substance use: A systematic review of the evidence to inform policy and practice in Australia. International Journal of Drug Policy 2015;26:820-831.

Outside of specified PICO

Doab A, Fowler C, Dawson A. Factors that influence mother-child reunification for mothers with a history of substance use: A systematic review of the evidence to inform policy and practice in Australia. International Journal of Drug Policy 2015;26:820-831.

duplicate

Dolan J. Treatment of dual diagnosis post traumatic stress disorder and substance use disorders: A meta-analysis. 2013;73.

Not a systematic review

Domínguez-Salas S, Díaz-Batanero C, Lozano-Rojas OM, Verdejo-García A. Outside of specified PICO Impact of general cognition and executive function deficits on addiction treatment outcomes: Systematic review and discussion of neurocognitive pathways. Neuroscience and Biobehavioral Reviews 2016;71:772-801.

Donoghue K, Patton R, Phillips T, Deluca P, Drummond C. The effectiveness of electronic screening and brief intervention for reducing levels of alcohol consumption: A systematic review and meta-analysis. Journal of Medical Internet Research 2014;16:3-22.

Outside of specified PICO

Doran CM. Economic evaluation of interventions to treat opiate dependence: A review of the evidence. PharmacoEconomics 2008;26:371-393.

Outside of specified PICO

Dougherty RH, Lyman DR, George P, Ghose SS, Daniels AS, Delphin-Rittmon ME. Assessing the evidence base for behavioral health services: Introduction to the series. Psychiatric Services 2014;65:11-15.

Not a systematic review

Dougherty RH, Lyman DR, George P, Ghose SS, Daniels AS, Delphin-Rittmon ME. Assessing the evidence base for behavioral health services: Introduction to the series. Psychiatric Services 2014;65:11-15.

Not a systematic review

Dranitsaris G, Selby P, Negrete JC. Meta-analyses of placebo-controlled trials of acamprosate for the treatment of alcohol dependence: Impact of the combined pharmacotherapies and behavior interventions study. Journal of Addiction Medicine 2009;3:74-82.

Outside of specified PICO

Drazdowski TK. A systematic review of the motivations for the nonmedical use of prescription drugs in young adults. Drug and Alcohol Dependence 2016;162:3-25.

Outside of specified PICO

Dunn C, Deroo L, Rivara FP. The use of brief interventions adapted from motivational interviewing across behavioral domains: A systematic review. Addiction 2001;96:1725-1742.

Outside of specified PICO

Eaton K, Ohan JL, Dear G. The stigmatisation of the provision of services for alcohol and other drug users: A systematic literature review. Drugs:

Outside of specified PICO

Education, Prevention & Policy 2015;22:19-25.

Effectiveness of interventions to improve the health and housing status of Outside of specified PICO homeless people: a rapid systematic review. BMC Public Health 2011;11:638-651.

Effects of multisensory therapy on behaviour of adult clients with developmental disabilities; Physical leisure activities and their role in preventing dementia: a systematic review; Brief interventions for heavy alcohol users admitted to general hospital wards; The effectiveness of interventions in the prevention and management of aggressive behaviours in patients admitted to an acute hospital setting. Journal of Advanced Nursing 2009;65:2508-2513.	Not a systematic review
Egg R, Pearson FS, Cleland CM, Lipton DS. Evaluations of correctional treatment programs in Germany: A review and meta-analysis. Substance Use & Misuse 2000;35:1967-2009.	Not a systematic review
Eilender P, Ketchen B, Maremmani I, Saenger M, Fareed A. Treatment approaches for patients with opioid use disorder and chronic noncancer pain: A literature review. Addictive Disorders & Their Treatment 2016;15:85-98.	Outside of specified PICO
el-Guebaly N, Carra G, Clerici M, Ghodse H, Poldrugo F. Addiction, culture and family therapy strategies. Psychiatriki 2007;18:331-336.	Not a systematic review
el-Guebaly N. The meanings of recovery from addiction: Evolution and promises. Journal of Addiction Medicine 2012;6:1-9.	Not a systematic review
Elliott L, Orr L, Watson L, Jackson A. Secondary Prevention Interventions for Young Drug Users: A Systematic Review of the Evidence. Adolescence 2005;40:1-22.	Outside of specified PICO
Elliott L, Orr L, Watson L, Jackson A. Secondary Prevention Interventions for Young Drug Users: A Systematic Review of the Evidence. Adolescence 2005;40:1-22.	Outside of specified PICO
Elzerbi C, Donoghue K, Drummond C. A comparison of the efficacy of brief interventions to reduce hazardous and harmful alcohol consumption between European and non-European countries: A systematic review and meta-analysis of randomized controlled trials. Addiction 2015;110:1082-1091.	Outside of specified PICO
Emmen MJ, Schippers GM, Bleijenberg G, Wollersheim H. Effectiveness of opportunistic brief interventions for problem drinking in a general hospital setting: Systematic review. BMJ: British Medical Journal 2004;328:318-318.	Outside of specified PICO
Engle B, Macgowan MJ. A Critical Review of Adolescent Substance Abuse Group Treatments. Journal of Evidence-Based Social Work 2009;6:217-243.	Outside of specified PICO
Fagan AA, Lindsey AM. Gender differences in the effectiveness of delinquency prevention programs: What can be learned from experimental research? Criminal Justice and Behavior 2014;41:1057-1078.	Not a systematic review
Farr SL, Hutchings YL, Ondersma SJ, Creanga AA. Brief interventions for	Outside of specified PICO

illicit drug use among peripartum women. Am J Obstet Gynecol

2014;211:336-43.

Fatséas M, Denis C, Lavie E, Auriacombe M. Relationship between anxiety Outside of specified PICO disorders and opiate dependence—A systematic review of the literature: Implications for diagnosis and treatment. Journal of Substance Abuse Treatment 2010;38:220-230.

Feelemyer JP, Des Jarlais DC, Arasteh K, Phillips BW, Hagan H. Changes in Outside of specified PICO quality of life (WHOQOL-BREF) and addiction severity index (ASI) among participants in opioid substitution treatment (OST) in low and middle income countries: An international systematic review. Drug and Alcohol Dependence 2014;134:251-258.

Fernandez AC, Claborn KR, Borsari B. A systematic review of behavioural interventions to reduce preoperative alcohol use. Drug and Alcohol Review 2015;34:508-520.

Outside of specified PICO

Ferri M, Amato L, Davoli M. Alcoholics Anonymous and other 12-step programmes for alcohol dependence. Cochrane Database Syst Rev 2006:Cd005032.

Outside of specified PICO

Ferri M, Bo A, Amato L, Guedes IC, Esteves CS, Wiessing L, et al. What is needed in future drug treatment research? A systematic approach to identify gaps on effectiveness of drug treatment from the EMCDDA. Drugs: Education, Prevention & Policy 2015;22:86-92.

Not a systematic review

Ferri M, Davoli M, Perucci CA. Heroin maintenance treatment for chronic Outside of specified PICO heroin-dependent individuals: A Cochrane systematic review of effectiveness. Journal of Substance Abuse Treatment 2006;30:63-72.

Fiestas F, Ponce J. Efficacy of the therapeutic community model in the treatment of drug use-related problems: a systematic review (Provisional abstract). Revista Peruana de Medicina Experimental y Salud Publica 2012;29:12-20.

Outside specified languages

Filges T, Andersen D, Jorgensen A-MK. Functional Family Therapy (FFT) for Outside of specified PICO young people in treatment for non-opiod drug use: a systematic review, Campbell Collaboration; 2015.

Finfgeld-Connett D, Johnson ED. Substance abuse treatment for women who are under correctional supervision in the community: A systematic review of qualitative findings. Issues in Mental Health Nursing 2011;32:640-648.

Outside of specified PICO

Finfgeld-Connett D, Stevenson JS, Sommers MS, Stevenson JS, Sommers MS. Alcohol brief interventions. Annual review of nursing research, 2005: Alcohol use, misuse, abuse, and dependence. 2006;23:363-387.

Not a systematic review

Finney JW. Limitations in using existing alcohol treatment trials to develop Not a systematic review practice guidelines. Addiction 2000;95:1491-1500.

Fischer B, Blanken P, Da Silveira D, Gallassi A, Goldner EM, Rehm J, et al. Effectiveness of secondary prevention and treatment interventions for crack-cocaine abuse: A comprehensive narrative overview of Englishlanguage studies. International Journal of Drug Policy 2015;26:352-363.

Outside of specified PICO

Fishman HC, Andes F, Knowlton R. ENHANCING FAMILY THERAPY: THE ADDICTION OF A COMMUNITY RESOURCE SPECIALIST. Journal of Marital & Family Therapy 2001;27:111-116.	Not a systematic review
Fitzgerald N, Angus K, Emslie C, Shipton D, Bauld L. Gender differences in the impact of population-level alcohol policy interventions: evidence synthesis of systematic reviews. Addiction 2016;111:1735-1747.	Outside of specified PICO
Flückiger C, Del Re AC, Horvath AO, Symonds D, Ackert M, Wampold BE. Substance use disorders and racial/ethnic minorities matter: A meta-analytic examination of the relation between alliance and outcome. Journal of Counseling Psychology 2013;60:610-616.	Not a systematic review
Flynn WR. Review of Treating Alcohol and Drug Abuse: An Evidence Based Review. The American Journal of Psychiatry 2005;162:1557-1558.	Not a systematic review
Forcehimes AA, Tonigan JS. Self-efficacy as a factor in abstinence from alcohol/other drug abuse: A meta-analysis. Alcoholism Treatment Quarterly 2008;26:480-489.	Outside of specified PICO
Fowler DN, Faulkner M. Interventions targeting substance abuse among women survivors of intimate partner abuse: A meta-analysis. Journal of Substance Abuse Treatment 2011;41:386-398.	Outside of specified PICO
Fowler LA, Holt SL, Joshi D. Mobile technology-based interventions for adult users of alcohol: A systematic review of the literature. Addictive Behaviors 2016;62:25-34.	Outside of specified PICO
Gaasterland CMW, Jansen-van der Weide MC, Weinreich SS, van der Lee JH. A systematic review to investigate the measurement properties of goal attainment scaling, towards use in drug trials. BMC Medical Research Methodology 2016;16:1-22.	Outside of specified PICO
Gahr M, Schönfeldt-Lecuona C, Kölle MA, Freudenmann RW. Withdrawal and discontinuation phenomena associated with tranylcypromine: A systematic review. Pharmacopsychiatry 2013;46:123-129.	Outside of specified PICO
Gainsbury S, Blaszczynski A. A systematic review of Internet-based therapy for the treatment of addictions. Clinical Psychology Review 2011;31:490-498.	Outside of specified PICO
Galloway GP, Polcin D, Kielstein A, Brown M, Mendelson J. A Nine Session Manual of Motivational Enhancement Therapy for Methamphetamine Dependence: Adherence and Efficacy. Journal of Psychoactive Drugs 2007;0:393-400.	Not a systematic review
Garfield JBB, Lubman DI, Yücel M. Anhedonia in substance use disorders: A systematic review of its nature, course and clinical correlates. Australian and New Zealand Journal of Psychiatry 2014;48:36-51.	•
Garner BR. Research on the diffusion of evidence-based treatments within substance abuse treatment: A systematic review. Journal of Substance Abuse Treatment 2009;36:376-399.	Outside of specified PICO
Gates P, Albertella L. The effectiveness of telephone counselling in the	Outside of specified PICO

treatment of illicit drug and alcohol use concerns. Journal of Telemedicine

& Telecare 2016;22:67-85.

Gerhardt U, Breitschwerdt R, Thomas O. Relapse prevention in drug addiction: addressing a messy problem by IS Action Research. AI & Society 2015;30:31-43. Gianoli MO, Jane JS, O'Brien E, Ralevski E. Treatment for comorbid borderline personality disorder and alcohol use disorders: A review of the evidence and future recommendations. Experimental and Clinical Psychopharmacology 2012;20:333-344.
borderline personality disorder and alcohol use disorders: A review of the evidence and future recommendations. Experimental and Clinical
Gibson EK, Exner H, Stone R, Lindquist J, Cowen L, Roth EA. A mixed  Outside of specified PICO methods approach to delineating and understanding injection practices among clientele of a Victoria, British Columbia needle exchange program.  Drug and Alcohol Review 2011;30:360-365.
Giesen ES, Deimel H, Bloch W. Clinical exercise interventions in alcohol use disorders: A systematic review. Journal of Substance Abuse Treatment 2015;52:1-9.
Giroux D, Bacon S, King DK, Dulin P, Gonzalez V. Examining perceptions of Not a systematic review a smartphone-based intervention system for alcohol use disorders.  Telemedicine and e-Health 2014;20:923-929.
Glass JE, Hamilton AM, Powell BJ, Perron BE, Brown RT, Ilgen MA.  Specialty substance use disorder services following brief alcohol intervention: A meta-analysis of randomized controlled trials. Addiction 2015;110:1404-1415.
Goorden M, Schawo SJ, Bouwmans-Frijters CAM, van der Schee E, Hendriks VM, Hakkaart-van Roijen L. The cost-effectiveness of family/family-based therapy for treatment of externalizing disorders, substance use disorders and delinquency: A systematic review. BMC Psychiatry 2016;16.
Gottdiener WH, Murawski P, Kucharski LT. Using the Delay Discounting  Not a systematic review  Task to test for failures in ego control in substance abusers: A meta- analysis. Psychoanalytic Psychology 2008;25:533-549.
Gould RL, Coulson MC, Patel N, Highton-Williamson E, Howard RJ.  Outside of specified PICO Interventions for reducing benzodiazepine use in older people: Meta-analysis of randomised controlled trials. The British Journal of Psychiatry 2014;204:98-107.
Grant S, Pedersen ER, Osilla KC, Kulesza M, D'Amico EJ. Reviewing and Not a systematic review
interpreting the effects of brief alcohol interventions: Comment on a Cochrane review about motivational interviewing for young adults.  Addiction 2016;111:1521-1527.
Cochrane review about motivational interviewing for young adults.
Cochrane review about motivational interviewing for young adults.  Addiction 2016;111:1521-1527.  Griffith JD, Rowan-Szal GA, Roark RR, Simpson DD. Contingency management in outpatient methadone treatment: A meta-analysis. Drug

Hansen EH. Powerlessness and empowerment: An exploratory multiple-case study on the process of 12-step recovery among women addicted to crack cocaine. 2001;62:1080-1080.	Not a systematic review
Harris SK, Knight JR. Putting the screen in screening: Technology-based alcohol screening and brief interventions in medical settings. Alcohol Research: Current Reviews 2014;36:63-79.	Outside of specified PICO
Harris SK, Louis-Jacques J, Knight JR. Screening and brief intervention for alcohol and other abuse. Adolesc Med State Art Rev 2014;25:126-56.	Not a systematic review
Hartnett D, Carr A, Hamilton E, O'Reilly G. The effectiveness of functional family therapy for adolescent behavioral and substance misuse problems: A meta-analysis. Family Process 2016;0.	The state of the s
Hartzler B, Lash SJ, Roll JM. Contingency management in substance abuse treatment: A structured review of the evidence for its transportability. Drug and Alcohol Dependence 2012;122:1-10.	Outside of specified PICO
Hayes, Inc. Screening, brief intervention, and referral to treatment (SBIRT) for substance use among pregnant women (Structured abstract). Health Technology Assessment Database 2012.	Not a systematic review
Heather N. Developing, evaluating and implementing alcohol brief interventions in Europe. Drug and Alcohol Review 2011;30:138-147.	Outside of specified PICO
Heimdahl K, Karlsson P. Psychosocial interventions for substance-abusing parents and their young children: A scoping review. Addiction Research & Theory 2016;24:236-247.	Not a systematic review
Helter TM, Boehler CEH. Developing attributes for discrete choice experiments in health: A systematic literature review and case study of alcohol misuse interventions. Journal of Substance Use 2016;21:662-668.	Outside of specified PICO
Henderson C, Klimas J, Dunne C, Leddin D, Meagher D, O'Toole T, et al. Key performance indicators for mental health and substance use disorders: A literature review and discussion paper. Mental Health and Substance Use 2014;7:407-419.	Outside of specified PICO
Henderson J, Milligan K, Niccols A, Thabane L, Sword W, Smith A, et al. Reporting of feasibility factors in publications on integrated treatment programs for women with substance abuse issues and their children: a systematic review and analysis. Health Research Policy & Systems 2012;10:37-49.	Outside of specified PICO
Hennessey EA, Fisher BW. A meta-analysis exploring the relationship between 12-step attendance and adolescent substance use relapse.  Journal of Groups in Addiction & Recovery 2015;10:79-96.	Outside of specified PICO
Hensold TC, Guercio JM, Grubbs EE, Upton JC, Faw G. A personal intervention substance abuse treatment approach: Substance abuse treatment in a least restrictive residential model. Brain Injury 2006;20:369-381.	Not a systematic review

Hensold TC, Guercio JM, Grubbs EE, Upton JC, Faw G. A personal intervention substance abuse treatment approach: Substance abuse treatment in a least restrictive residential model. Brain Injury 2006;20:369-381.	duplicate
Herrmann ES, Matusiewicz AK, Stitzer ML, Higgins ST, Sigmon SC, Heil SH. Contingency Management Interventions for HIV, Tuberculosis, and Hepatitis Control Among Individuals With Substance Use Disorders: A Systematized Review. Journal of Substance Abuse Treatment 2017;72:117-125.	
Hesse M, Vanderplasschen W, Rapp RC, Broekaert E, Fridell M. Case management for persons with substance use disorders. Cochrane Database Syst Rev 2007:Cd006265.	The review has been withdrawn from publication
Hildebrand M. The Psychometric Properties of the Drug Use Disorders Identification Test (DUDIT): A Review of Recent Research. Journal of Substance Abuse Treatment 2015;53:52-59.	Outside of specified PICO
Hill TM. A psychometric study of the substance abuse subtle screening inventory-3 using rasch analysis. 2010;70:2397-2397.	Not a systematic review
Hines L. The treatment views and recommendations of substance abusing women: A meta-synthesis. Qualitative Social Work 2013;12:473-489.	Outside of specified PICO
Hjorthøj C, Fohlmann A, Nordentoft M. Reprint of 'Treatment of cannabis use disorders in people with schizophrenia spectrum disorders — A systematic review'. Addictive Behaviors 2009;34:846-851.	Duplicate
Hjorthøj C, Fohlmann A, Nordentoft M. Treatment of cannabis use disorders in people with schizophrenia spectrum disorders—A systematic review. Addictive Behaviors 2009;34:520-525.	Outside of specified PICO
Hoang VP, Shanahan M, Shukla N, Perez P, Farrell M, Ritter A. A systematic review of modelling approaches in economic evaluations of health interventions for drug and alcohol problems. BMC Health Serv Res 2016;16:127.	Outside of specified PICO
Hoch E, Preuss UW, Ferri M, Simon R. Digital interventions for problematic cannabis users in non-clinical settings: Findings from a systematic review and meta-analysis. European Addiction Research 2016;22:233-242.	Outside of specified PICO
Hoch E, Preuss UW, Ferri M, Simon R. 'Digital interventions for problematic cannabis users in non-clinical settings: Findings from a systematic review and meta-analysis': Erratum. European Addiction Research 2016;22:286-286.	Duplicate
Hofmann SG, Asnaani A, Vonk IJJ, Sawyer AT, Fang A. The efficacy of cognitive behavioral therapy: A review of meta-analyses. Cognitive Therapy and Research 2012;36:427-440.	Not a systematic review
Hogue A, Henderson CE, Ozechowski TJ, Robbins MS. Evidence base on outpatient behavioral treatments for adolescent substance use: Updates and recommendations 2007–2013. Journal of Clinical Child and Adolescent Psychology 2014;43:695-720.	Outside of specified PICO

Hogue A, Henderson CE, Ozechowski TJ, Robbins MS. Evidence base on duplicate outpatient behavioral treatments for adolescent substance use: Updates and recommendations 2007–2013. Journal of Clinical Child and Adolescent Psychology 2014;43:695-720.

Holtberg TL. Adolescent gender differences in residential versus Outside of specified PICO outpatient mental health treatment: A meta-analysis. 2015;75. Holtberg TL. Adolescent gender differences in residential versus duplicate outpatient mental health treatment: A meta-analysis. 2015;75. Hoppes K. The application of mindfulness-based cognitive interventions in Not a systematic review the treatment of co-occurring addictive and mood disorders. CNS Spectr 2006;11:829-51. Hore BD. Evidence-Based Treatments for Alcohol and Drug Abuse: A Not a systematic review Practitioner's Guide to Theory, Methods, and Practice. Alcohol & Alcoholism 2008;43:501-501. Huebner RB, Tonigan JS. The Search for Mechanisms of Behavior Change Not a systematic review in Evidence-Based Behavioral Treatments for Alcohol Use Disorders: Overview. Alcoholism: Clinical & Experimental Research 2007;31:1s-3s. Humphreys K, Wing S, McCarty D, Chappel J, Gallant L, Haberle B, et al. Not a systematic review Self-help organizations for alcohol and drug problems: Toward evidencebased practice and policy. Journal of Substance Abuse Treatment 2004;26:151-158. Hung-Yuan C, Elbers RG, Higgins JPT, Taylor A, MacArthur GJ, McGuinness Not a systematic review L, et al. Therapeutic interventions for alcohol dependence in noninpatient settings: a systematic review and network metaanalysis (protocol). Systematic Reviews 2017;6:1-7. Hunt SA, Kay-Lambkin FJ, Baker AL, Michie PT. Systematic review of Outside of specified PICO neurocognition in people with co-occurring alcohol misuse and depression. Journal of Affective Disorders 2015;179:51-64. Hwang SW, Tolomiczenko G, Kouyoumdjian FG, Garner RE. Interventions Outside of specified PICO to improve the health of the homeless: A systematic review. American Journal of Preventive Medicine 2005;29:311-319. Jacobs WO. Types and gender composition of social networks: Their Outside of specified PICO influence on adolescent substance use. 2016;77. Jafari S, Tom T. Diagnosis and treatment of marijuana dependence. British Not a systematic review Columbia Medical Journal 2016;58:315-317. Outside of specified PICO Janssen MM, Mathijssen JJP, van Bon-Martens MJH, van Oers HAM, Garretsen HFL. Effectiveness of alcohol prevention interventions based on

Jeal N, Macleod J, Turner K, Salisbury C. Systematic review of	Outside of specified PICO
interventions to reduce illicit drug use in female drug-dependent street	
sex workers. BMJ Open 2015;5:e009238.	
Jennifer Plebani L, Heil SH, Mongeon JA, Badger GJ, Higgins ST. REVIEW.	Duplicate

the principles of social marketing: A systematic review. Substance Abuse

Treatment, Prevention, and Policy 2013;8.

Addiction 2006;101:192-203.

Jensen CD, Cushing CC, Aylward BS, Craig JT, Sorell DM, Steele RG. Effectiveness of motivational interviewing interventions for adolescent substance use behavior change: A meta-analytic review. Journal of Consulting and Clinical Psychology 2011;79:433-440.	Outside of specified PICO
Jhanjee S. Evidence based psychosocial interventions in substance use (Provisional abstract). Database of Abstracts of Reviews of Effects 2014:112-118.	Not a systematic review
Jiloha RC. Prevention, early intervention, and harm reduction of substance use in adolescents. Indian Journal of Psychiatry 2017;59:111-118.	Not a systematic review
Jonas DE, Garbutt JC, Amick HR, Brown JM, Brownley KA, Council CL, et al. Behavioral Counseling After Screening for Alcohol Misuse in Primary Care: A Systematic Review and Meta-analysis for the U.S. Preventive Services Task Force. Annals of Internal Medicine 2012;157:645-654.	Outside of specified PICO
Joseph J, Basu D, Dandapani M, Krishnan N. Are nurse-conducted brief interventions (NCBIs) efficacious for hazardous or harmful alcohol use? A systematic review. International Nursing Review 2014;61:203-210.	Outside of specified PICO
Joseph J, Basu D. Efficacy of Brief Interventions in Reducing Hazardous or Harmful Alcohol Use in Middle-Income Countries: Systematic Review of Randomized Controlled Trials. Alcohol Alcohol 2017;52:56-64.	Outside of specified PICO
Jung WS. Assessing the relationship of attitude toward the ad to intentions to use direct-to-consumer drugs: A systematic quantitative meta-analysis. 2015;75.	Outside of specified PICO
Kalapatapu RK. Psychotherapeutic treatment of alcohol use disorders in geriatrics. Annals of the American Psychotherapy Association 2010;13:54-60.	Not a systematic review
Kaminer Y. Adolescent substance abuse treatment: evidence-based practice in outpatient services. Curr Psychiatry Rep 2002;4:397-401.	Not a systematic review
Kaner EFS, Brown N, Jackson K. A systematic review of the impact of brief interventions on substance use and co-morbid physical and mental health conditions. Mental Health and Substance Use 2011;4:38-61.	Outside of specified PICO
Kaner EFS, Dickinson HO, Beyer F, Pienaar E, Schlesinger C, Campbell F, et al. The effectiveness of brief alcohol interventions in primary care settings: A systematic review. Drug and Alcohol Review 2009;28:301-323.	Outside of specified PICO
Karriker-Jaffe KJ. Areas of disadvantage: A systematic review of effects of area-level socioeconomic status on substance use outcomes. Drug and Alcohol Review 2011;30:84-95.	Outside of specified PICO
Kay-Lambkin FJ, Thornton L, Lappin JM, Hanstock T, Sylvia L, Jacka F, et al. Study protocol for a systematic review of evidence for lifestyle interventions targeting smoking, sleep, alcohol/other drug use, physical	Not a systematic review

activity, and healthy diet in people with bipolar disorder. Systematic

Reviews 2016;5:1-7.

Kazemi DM, Borsari B, Levine MJ, Li S, Lamberson KA, Matta LA. A Systematic Review of the mHealth Interventions to Prevent Alcohol and Substance Abuse. Journal of Health Communication 2017;22:413-432.	Outside of specified PICO
Kelly JF, Bergman BG, Mistral W, Mistral W. Twelve-Step mutual-help organizations and facilitation interventions. Integrated approaches to drug and alcohol problems: Action on addiction. 2016;0:169-181.	Not a systematic review
Kelly JF, Myers MG. Adolescents' participation in Alcoholics Anonymous and Narcotics Anonymous: Review, implications and future directions. Journal of Psychoactive Drugs 2007;39:259-269.	Outside of specified PICO
Kelly JF, Yeterian JD. Mutual-help groups for dually diagnosed individuals: Rationale, description, and review of the evidence. Journal of Groups in Addiction & Recovery 2008;3:217-242.	Not a systematic review
Kelly JF, Yeterian JD. The role of mutual help groups in extending the framework of treatment. Alcohol Research & Health 2011;33:350-355.	Not a systematic review
Kerr S, Lawrence M, Darbyshire C, Middleton AR, Fitzsimmons L. Tobacco and alcohol-related interventions for people with mild/moderate intellectual disabilities: A systematic review of the literature. Journal of Intellectual Disability Research 2013;57:393-408.	Outside of specified PICO
Kertesz SG, Crouch K, Milby JB, Cusimano RE, Schumacher JE. Housing First for Homeless Persons with Active Addiction: Are We Overreaching? Milbank Quarterly 2009;87:495-534.	Outside of specified PICO
Keurhorst M, van de Glind I, do. Amaral-Sabadini M, Anderson P, Kaner E, Newbury-Birch D, et al. Implementation strategies to enhance management of heavy alcohol consumption in primary health care: A meta-analysis. Addiction 2015;110:1877-1900.	Outside of specified PICO
Khadjesari Z, Murray E, Hewitt C, Hartley S, Godfrey C. Can stand-alone computer-based interventions reduce alcohol consumption? A systematic review. Addiction 2011;106:267-282.	Outside of specified PICO
Khan A, Tansel A, White DL, Kayani WT, Bano S, Lindsay J, et al. Efficacy of Psychosocial Interventions in Inducing and Maintaining Alcohol Abstinence in Patients With Chronic Liver Disease: A Systematic Review. Clin Gastroenterol Hepatol 2016;14:191-202.e1-4; quiz e20.	Outside of specified PICO
Khanna S, Greeson JM. A narrative review of yoga and mindfulness as complementary therapies for addiction. Complement Ther Med 2013;21:244-52.	Not a systematic review
Khusid MA, Vythilingam M. The Emerging Role of Mindfulness Meditation as Effective Self-Management Strategy, Part 2: Clinical Implications for Chronic Pain, Substance Misuse, and Insomnia. Military Medicine 2016;181:969-975.	Outside of specified PICO
Kim C. Social work research on interventions for adolescent substance misuse: A systematic review of the literature.	Outside of specified PICO
Kingston AH, Jorm AF, Kitchener BA, Hides L, Kelly CM, Morgan AJ, et al. Helping someone with problem drinking: Mental health first aid guidelines—A Delphi expert consensus study. BMC Psychiatry 2009;9.	Not a systematic review

Kingston AH, Morgan AJ, Jorm AF, Hal K, Hart LM, Kelly CM, et al. Helping Not a systematic review someone with problem drug use: A delphi consensus study of consumers, carers, and clinicians. BMC Psychiatry 2011;11.

Kirst MJ, Kirst MJ. SOCIAL CAPITAL AND BEYOND: A QUALITATIVE ANALYSIS OF SOCIAL CONTEXTUAL AND STRUCTURAL INFLUENCES ON DRUG-USE RELATED HEALTH BEHAVIORS. Journal of Drug Issues 2009;39:653-676.	Not a systematic review
Koehler JA, Humphreys DK, Akoensi TD, Sánchez de Ribera O, Lösel F. A systematic review and meta-analysis on the effects of European drug treatment programmes on reoffending. Psychology, Crime & Law 2014;20:584-602.	Outside of specified PICO
Kohler S, Hofmann A. Can motivational interviewing in emergency care reduce alcohol consumption in young people? A systematic review and meta-analysis. Alcohol and Alcoholism 2015;50:107-117.	Outside of specified PICO
Kolar C, von Treuer K. Alcohol misuse interventions in the workplace: A systematic review of workplace and sports management alcohol interventions. International Journal of Mental Health and Addiction 2015;13:563-583.	Outside of specified PICO
Kraemer KL. The Cost-Effectiveness and Cost-Benefit of Screening and Brief Intervention for Unhealthy Alcohol Use in Medical Settings. Substance Abuse 2007;28:67.	Outside of specified PICO
Krenek M, Maisto SA. Life events and treatment outcomes among individuals with substance use disorders: A narrative review. Clinical Psychology Review 2013;33:470-483.	Outside of specified PICO
Krentzman AR. Review of the application of positive psychology to substance use, addiction, and recovery research. Psychology of Addictive Behaviors 2013;27:151-165.	Not a systematic review
Kriston L, Holzel L, Weiser AK, Berner MM, Harter M. Meta-analysis: are 3 questions enough to detect unhealthy alcohol use? Ann Intern Med 2008;149:879-88.	Outside of specified PICO
Kua EH. 'Interventions for reducing benzodiazepine use in older people: Meta-analysis of randomised controlled trials': Correction. The British Journal of Psychiatry 2014;205:331-331.	Not a systematic review
Kumpfer KL, Alvarado R, Whiteside HO. Family-based interventions for substance use and misuse prevention. Subst Use Misuse 2003;38:1759-87.	Not a systematic review
Kurti AN, Davis D, Redner R, Jarvis B, Zvorsky I, Keith DR, et al. A review of the literature on remote monitoring technology in incentive-based interventions for health-related behavior change. Translational Issues in Psychological Science 2016;2:128-152.	Outside of specified PICO

Kypri K, Vater T, Bowe SJ, Saunders JB, Cunningham JA, Horton NJ, et al. Web-based alcohol screening and brief intervention for university students: A randomized trial. JAMA: Journal of the American Medical Association 2014;311:1218-1224.

Not a systematic review

Landy MSH, Davey CJ, Quintero D, Pecora A, McShane KE. A systematic review on the effectiveness of brief interventions for alcohol misuse among adults in emergency departments. Journal of Substance Abuse Treatment 2016;61:1-12.	Outside of specified PICO
Lange W, Reker M, Driessen M. The community reinforcement approach: a review of an integrative approach to substance-abuse treatment (Provisional abstract). Sucht 2008;54:13-23.	Outside specified languages
Larson A. Women in Alcoholics Anonymous: A qualitative research study. 2016;77.	Not a systematic review
Lee N, Roche A, Duraisingam V, Fischer J, Cameron J, Pidd K. A systematic review of alcohol interventions among workers in male-dominated industries (Provisional abstract). Database of Abstracts of Reviews of Effects 2014:53-63.	Outside of specified PICO
Leeman RF, Perez E, Nogueira C, DeMartini KS. Very-brief, web-based interventions for reducing alcohol use and related problems among college students: A review. Frontiers in Psychiatry 2015;6.	Outside of specified PICO
Lefforge NL, Donohue B, Strada MJ. Improving session attendance in mental health and substance abuse settings: A review of controlled studies. Behavior Therapy 2007;38:1-22.	Outside of specified PICO
Lehto T, Oinas-Kukkonen H. Persuasive features in web-based alcohol and smoking interventions: A systematic review of the literature. Journal of Medical Internet Research 2011;13:62-80.	Outside of specified PICO
Lenz AS, Rosenbaum L, Sheperis D. Meta-analysis of randomized controlled trials of motivational enhancement therapy for reducing substance use. Journal of Addictions & Offender Counseling 2016;37:66-86.	Outside of specified PICO
Leske S, Harris MG, Charlson FJ, Ferrari AJ, Baxter AJ, Logan JM, et al. Systematic review of interventions for Indigenous adults with mental and substance use disorders in Australia, Canada, New Zealand and the United States. Australian and New Zealand Journal of Psychiatry 2016;50:1040-1054.	Outside of specified PICO
Leung RK, Toumbourou JW, Hemphill SA. The effect of peer influence and selection processes on adolescent alcohol use: A systematic review of longitudinal studies. Health Psychology Review 2014;8:426-457.	Outside of specified PICO
Levola J, Kaskela T, Holopainen A, Sabariego C, Tourunen J, Cieza A, et al. Psychosocial difficulties in alcohol dependence: A systematic review of activity limitations and participation restrictions. Disability and Rehabilitation: An International, Multidisciplinary Journal 2014;36:1227-1239.	Outside of specified PICO
Li L, Zhu S, Tse N, Tse S, Wong P. Effectiveness of motivational interviewing to reduce illicit drug use in adolescents: A systematic review and meta-analysis. Addiction 2016;111:795-805.	Outside of specified PICO

Li Q, Babor TF, Hao W, Chen X. Detection And Assessment: The Chinese Outside of specified PICO Translations of Alcohol Use Disorders Identification Test (AUDIT) in China: A Systematic Review. Alcohol and Alcoholism 2011;46:416-423.

Li Q, Babor TF, Hao W, Chen X. The Chinese translations of Alcohol Use Disorders Identification Test (AUDIT) in China: A systematic review. Alcohol and Alcoholism 2011;46:416-423.	Outside of specified PICO
Liddle HA. Family-based therapies for adolescent alcohol and drug use: Research contributions and future research needs. Addiction 2004;99:76-92.	Outside of specified PICO
Lindstrom M, et a. Family behavior therapy (FBT) for young people in treatment for illicit non-opioid drug use: a systematic review; 2015.	Outside of specified PICO
Lindstrøm M, Filges T, Jørgensen A-MK. Brief strategic family therapy for young people in treatment for drug use. Research on Social Work Practice 2015;25:61-80.	Outside of specified PICO
Linke SE, Ussher M. Exercise-based treatments for substance use disorders: evidence, theory, and practicality. The American Journal of Drug and Alcohol Abuse 2015;41:7.	Outside of specified PICO
Littlejohn C. Does socio-economic status influence the acceptability of, attendance for, and outcome of, screening and brief interventions for alcohol misuse: A review. Alcohol and Alcoholism 2006;41:540-545.	Outside of specified PICO
Liu T-T, Shi J, Epstein DH, Bao Y-P, Lu L. A meta-analysis of acupuncture combined with opioid receptor agonists for treatment of opiate-withdrawal symptoms. Cellular and Molecular Neurobiology 2009;29:449-454.	Outside of specified PICO
Livingston JD, Milne T, Fang ML, Amari E. The effectiveness of interventions for reducing stigma related to substance use disorders: A systematic review. Addiction 2012;107:39-50.	Outside of specified PICO
Lubman DI, Yücel M. Drugs, mental health and the adolescent brain: Implications for early intervention. Early Intervention in Psychiatry 2008;2:63-66.	Not a systematic review
Lund C, De Silva M, Plagerson S, Cooper S, Chisholm D, Das J, et al. Poverty and mental disorders: Breaking the cycle in low-income and middle-income countries. The Lancet 2011;378:1502-1514.	Outside of specified population
Lundahl B, Burke BL. The effectiveness and applicability of motivational interviewing: A practice-friendly review of four meta-analyses. Journal of Clinical Psychology 2009;65:1232-1245.	Not a systematic review
Lundahl BW, Kunz C, Brownell C, Tollefson D, Burke BL. A meta-analysis of motivational interviewing: Twenty-five years of empirical studies.  Research on Social Work Practice 2010;20:137-160.	Outside of specified PICO
Lynch WJ, Peterson AB, Sanchez V, Abel J, Smith MA. Exercise as a novel treatment for drug addiction: A neurobiological and stage-dependent hypothesis. Neuroscience and Biobehavioral Reviews 2013;37:1622-1644.	Not a systematic review
MacKillop J, Gray JC, Lilienfeld SO, Lynn SJ, Lohr JM, Lilienfeld SO, et al. Controversial treatments for alcohol use disorders. Science and pseudoscience in clinical psychology, 2nd ed. 2015;0:322-363.	Not a systematic review

MacLean S, Cameron J, Harney A, Lee NK. Psychosocial therapeutic interventions for volatile substance use: A systematic review. Addiction 2012;107:278-288.	Outside of specified PICO
Macy RJ, Goodbourn M. Promoting successful collaborations between domestic violence and substance abuse treatment service sectors: A review of the literature. Trauma, Violence, & Abuse 2012;13:234-251.	Outside of specified PICO
Madson MB, Campbell TC. Measures of fidelity in motivational enhancement: A systematic review. Journal of Substance Abuse Treatment 2006;31:67-73.	Outside of specified PICO
Magill M, Gaume J, Apodaca TR, Walthers J, Mastroleo NR, Borsari B, et al. The technical hypothesis of motivational interviewing: A meta-analysis of MI's key causal model. Journal of Consulting and Clinical Psychology 2014;82:973-983.	Outside of specified PICO
Magill, M. Cognitive-behavioral treatment with adult substance users: A meta-analysis. JOURNAL OF STUDIES ON ALCOHOL AND DRUGS 70: 516-527. 2008.	Duplicate
Magill, M. Cognitive-behavioral treatment with adult substance users: A meta-analysis. JOURNAL OF STUDIES ON ALCOHOL AND DRUGS 70: 516-527. 2009.	Not relevant intervention
Magor-Blatch L, Bhullar N, Thomson B, Thorsteinsson E. A systematic review of studies examining effectiveness of therapeutic communities. Therapeutic Communities 2014;35:168-184.	duplicate
Magura S. The relationship between substance user treatment and 12-step fellowships: Current knowledge and research questions. Substance Use & Misuse 2007;42:343-360.	Not a systematic review
Maher L, Hudson SL. WOMEN IN THE DRUG ECONOMY: A METASYNTHESIS OF THE QUALITATIVE LITERATURE. Journal of Drug Issues 2007;37:805-826.	Outside of specified PICO
Maine C. Feminist-narrative therapy: Treating PTSD and substance abuse in women. 2005;66:564-564.	Not a systematic review
Malivert M, Fatséas M, Denis C, Langlois E, Auriacombe M. Effectiveness of therapeutic communities: A systematic review. European Addiction Research 2011;18:1-11.	duplicate
Mann K, Hermann D. Individualised treatment in alcohol-dependent patients. European Archives of Psychiatry and Clinical Neuroscience 2010;260:S116-S120.	Not a systematic review
Manuel JK, Satre DD, Tsoh J, Moreno-John G, Ramos JS, McCance-Katz EF, et al. Adapting screening, brief intervention, and referral to treatment for alcohol and drugs to culturally diverse clinical populations. Journal of Addiction Medicine 2015;9:343-351.	Not a systematic review
Marsh JC, Smith BD, Bruni M. Integrated substance abuse and child	Not a systematic review

Review 2011;33:466-472.

Marshall T, Goldberg RW, Braude L, Dougherty RH, Daniels AS, Ghose SS, Outside of specified PICO et al. Supported employment: Assessing the evidence. Psychiatric Services 2014;65:16-23.

welfare services for women: A progress review. Children & Youth Services

Martin GW, Rehm J. The effectiveness of psychosocial modalities in the treatment of alcohol problems in adults: A review of the evidence. The Canadian Journal of Psychiatry / La Revue canadienne de psychiatrie 2012;57:350-358.	Not a systematic review
Martinez-Raga J, Knecht C, de Alvaro R, Szerman N, Ruiz P. Addressing dual diagnosis patients suffering from attention-deficit hyperactivity disorders and comorbid substance use disorders: A review of treatment considerations. Addictive Disorders & Their Treatment 2013;12:213-230.	Outside of specified PICO
Martino S. Review of Evidence-based treatment for alcohol and drug abuse: A practitioner's guide to theory, methods, and practice. Addiction 2007;102:1169-1170.	Not a systematic review
Mason M, Ola B, Zaharakis N, Zhang J. Text messaging interventions for adolescent and young adult substance use: A meta-analysis. Prevention Science 2015;16:181-188.	Outside of specified PICO
Massey JD. Approaches used by 12-step members to help facilitate receiving and following divine guidance. 2013;74.	Not a systematic review
Mathers BM, Degenhardt L, Ali H, Wiessing L, Hickman M, Mattick RP, et al. HIV prevention, treatment, and care services for people who inject drugs: a systematic review of global, regional, and national coverage. Lancet 2010;375:1014-1028.	Outside of specified PICO
Matthys F, Stes S, van den Brink W, Joostens P, Möbius D, Tremmery S, et al. Guideline for screening, diagnosis and treatment of ADHD in adults with substance use disorders. International Journal of Mental Health and Addiction 2014;12:629-647.	Not a systematic review
Mattick RP, Breen C, Kimber J, Davoli M. Buprenorphine maintenance versus placebo or methadone maintenance for opioid dependence. Cochrane Database Syst Rev 2014:Cd002207.	Outside of specified PICO
Mattick RP, Breen C, Kimber J, Davoli M. Methadone maintenance therapy versus no opioid replacement therapy for opioid dependence. Cochrane Database Syst Rev 2009:Cd002209.	Outside of specified PICO
Mays KL, Clark DL, Gordon AJ. Treating addiction with tunes: A systematic review of music therapy for the treatment of patients with addictions. Substance Abuse 2008;29:51-59.	Outside of specified PICO
McBride O, Teesson M, Baillie A, Slade T. Assessing the dimensionality of lifetime DSM-IV alcohol use disorders and a quantity-frequency alcohol use criterion in the Australian population: a factor mixture modelling approach. Alcohol Alcohol 2011;46:333-41.	Not a systematic review
McCallum S, Mikocka-Walus A, Turnbull D, Gaughwin M, Andrews J. The role of continuity of care (COC) in the treatment of comorbid mental health and substance use disorders (SUDS): A systematic review of the literature. Journal of Psychosomatic Research 2013;74:553-553.	Not a systematic review
McCambridge J, Jenkins RJ. Do brief interventions which target alcohol consumption also reduce cigarette smoking? Systematic review and meta-analysis. Drug and Alcohol Dependence 2008;96:263-270.	Not a systematic review

McCarty D, Braude L, Lyman DR, Dougherty RH, Daniels AS, Ghose SS, et duplicate al. Substance abuse intensive outpatient programs: Assessing the evidence. Psychiatric Services 2014;65:718-726. McHugh RK, Hearon BA, Otto MW. Cognitive behavioral therapy for Not a systematic review substance use disorders. Psychiatric Clinics of North America 2010;33:511-525. McKay JR, Weiss RV. A review of temporal effects and outcome predictors Outside of specified PICO in substance abuse treatment studies with long-term follow-ups: Preliminary results and methodological issues. Evaluation Review 2001;25:113-161. McKay JR. Effectiveness of continuing care interventions for substance Not a systematic review abusers: Implications for the study of long-term treatment effects. Evaluation Review 2001;25:211-232. McLoughlin BC, Pushpa-Rajah JA, Gillies D, Rathbone J, Variend H, Outside of specified PICO Kalakouti E, et al. Cannabis and schizophrenia. Cochrane Database Syst Rev 2014:Cd004837. McMurran M. Individual-level interventions for alcohol-related violence: a Outside of specified PICO rapid evidence assessment. Crim Behav Ment Health 2012;22:14-28. McMurran M. Motivational interviewing with offenders: A systematic Outside of specified PICO review. Legal and Criminological Psychology 2009;14:83-100. McMurran M. What works in substance misuse treatments for offenders? Not a systematic review Criminal Behaviour and Mental Health 2007;17:225-233. McNeil R, Small W. 'Safer environment interventions': A qualitative Outside of specified PICO synthesis of the experiences and perceptions of people who inject drugs. Social Science & Medicine 2014;106:151-158. Mdege ND, Fayter D, Watson JM, Stirk L, Sowden A, Godfrey C. Outside of specified PICO Interventions for reducing alcohol consumption among general hospital inpatient heavy alcohol users: A systematic review. Drug and Alcohol Dependence 2013;131:1-22. Meier PS, Barrowclough C. Mental health problems: Are they or are they Outside of specified PICO not a risk factor for dropout from drug treatment? A systematic review of the evidence. Drugs: Education, Prevention & Policy 2009;16:7-38. Outside of specified PICO Merz V, Baptista J, Haller DM. Brief interventions to prevent recurrence and alcohol-related problems in young adults admitted to the emergency ward following an alcohol-related event: a systematic review. Journal of Epidemiology & Community Health 2015;69:912-917. Michie S, Whittington C, Hamoudi Z, Zarnani F, Tober G, West R. Not a systematic review Identification of behaviour change techniques to reduce excessive alcohol consumption. Addiction 2012;107:1431-1440. Miller CS, Shields AL, Campfield D, Wallace KA, Weiss RD. Substance use Outside of specified PICO

scales of the Minnesota Multiphasic Personality Inventory: An exploration

of score reliability via meta-analysis. Educational and Psychological

Measurement 2007;67:1052-1065.

Miller CS, Woodson J, Howell RT, Shields AL. Assessing the Reliability of Scores Produced by the Substance Abuse Subtle Screening Inventory. Substance Use & Misuse 2009;44:1090-1100.	Outside of specified PICO
Milward J, Lynskey M, Strang J. Solving the problem of non-attendance in substance abuse services. Drug and Alcohol Review 2014;33:625-636.	Outside of specified PICO
Minozzi S, Amato L, Bellisario C, Davoli M. Detoxification treatments for opiate dependent adolescents. Cochrane Database Syst Rev 2014:Cd006749.	Outside of specified PICO
Mitchell SG, Schwartz RP, Kirk AS, Dusek K, Oros M, Hosler C, et al. SBIRT implementation for adolescents in urban federally qualified health centers. Journal of Substance Abuse Treatment 2016;60:81-90.	Not a systematic review
Monaghan M, Wincup E. Work and the journey to recovery: exploring the implications of welfare reform for methadone maintenance clients. International Journal of Drug Policy 2013;24:e81-6.	Not a systematic review
Montag A, Clapp JD, Calac D, Gorman J, Chambers C. A Review of Evidence-Based Approaches for Reduction of Alcohol Consumption in Native Women Who Are Pregnant or of Reproductive Age. The American Journal of Drug and Alcohol Abuse 2012;38:436-443.	Outside of specified PICO
Morris C, Moore E. An evaluation of group work as an intervention to reduce the impact of substance misuse for offender patients in a high security hospital. Journal of Forensic Psychiatry & Psychology 2009;20:559-576.	Outside of specified PICO
Moskalewicz J, Wieczorek Ł, Karlsson T, Österberg E. Social support for alcohol policy: Literature review. Drugs: Education, Prevention & Policy 2013;20:361-374.	Outside of specified PICO
Moyer A, Finney JW, Swearingen CE, Vergun P. Brief interventions for alcohol problems: A meta-analytic review of controlled investigations in treatment-seeking and non-treatment-seeking populations. Addiction 2002;97:279-292.	Outside of specified PICO
Moyer A, Finney JW. Randomized versus nonrandomized studies of alcohol treatment: Participants, methodological features and posttreatment functioning. Journal of Studies on Alcohol 2002;63:542-550.	Outside of specified PICO
Muckle W, Muckle J, Welch V, Tugwell P. Managed alcohol as a harm reduction intervention for alcohol addiction in populations at high risk for substance abuse. Cochrane Database Syst Rev 2012;12:Cd006747.	Outside of specified PICO
Mueller G, Schumacher P, Wetzlmair J, Pallauf M. Screening questionnaires to identify problem drinking in the primary care setting: A systematic review. Journal of Public Health 2016;24:9-19.	Outside of specified PICO
Mundt-Leach R. End of life and palliative care of patients with drug and alcohol addiction. Mental Health Practice 2016;20:17-21.	Outside of specified PICO

Murphy KM. Music therapy in addictions treatment: A systematic review of the literature and recommendations for future research. Music and Medicine 2017;9:15-23.	Outside of specified PICO
Murphy S, Polsky D. Economic Evaluations of Opioid Use Disorder Interventions. PharmacoEconomics 2016;34:863-887.	Outside of specified PICO
Naar-King S, Parsons JT, Johnson AM. Motivational interviewing targeting risk reduction for people with HIV: a systematic review. Curr HIV/AIDS Rep 2012;9:335-43.	Outside of specified PICO
Nair NK, Newton NC, Shakeshaft A, Wallace P, Teesson M. A Systematic Review of Digital and Computer-Based Alcohol Intervention Programs in Primary Care. Curr Drug Abuse Rev 2015;8:111-8.	Outside of specified PICO
Neff JA, MacMaster SA. Applying behavior change models to understand spiritual mechanisms underlying change in substance abuse treatment. The American Journal of Drug and Alcohol Abuse 2005;31:669-684.	Not a systematic review
Neff JA, MacMaster SA. Spiritual mechanisms underlying substance abuse behavior change in faith-based substance abuse treatment. Journal of Social Work Practice in the Addictions 2005;5:33-54.	Not a systematic review
Nevinski C. Participant perceptions of the experience and effect of a harm reduction Treatment Alternative Group program for alcohol and other drug abusers discharged from a veterans administration hospital. 2008;69:2903-2903.	Not a systematic review
Newton AS, Gokiert R, Mabood N, Ata N, Dong K, Ali S, et al. Instruments to detect alcohol and other drug misuse in the emergency department: A systematic review. Pediatrics 2011;128:e180-e192.	Outside of specified PICO
Nilsen P, Aalto M, Bendtsen P, Seppä K. Effectiveness of strategies to implement brief alcohol intervention in primary healthcare. Scandinavian Journal of Primary Health Care 2006;24:5-15.	Outside of specified PICO
Notley C, Blyth A, Maskrey V, Craig J, Holland R. The experience of long-term opiate maintenance treatment and reported barriers to recovery: A qualitative systematic review. European Addiction Research 2013;19:287-298.	Outside of specified PICO
Nunes EV, Levin FR. Treatment of co-occurring depression and substance dependence: Using meta-analysis to guide clinical recommendations. Psychiatric Annals 2008;38:730-738.	Not a systematic review
Nunes EV, Levin FR. Treatment of Depression in Patients With Alcohol or Other Drug Dependence: A Meta-analysis. JAMA: Journal of the American Medical Association 2004;291:1887-1896.	Outside of specified PICO
Obot IS, Anthony JC. Mental Health Problems in Adolescent Children of Alcohol Dependent Parents: Epidemiologic Research with a Nationally Representative Sample. Journal of Child and Adolescent Substance Abuse 2004;13:83-96.	Not a systematic review
Older and Hill China A.V. Handilland F. Constanting C. Walste IR. Contlant.	0. 1-1:1(:(f)1-B100

O'Connell H, Chin A-V, Hamilton F, Cunningham C, Walsh JB, Coakley D, et Outside of specified PICO al. A systematic review of the utility of self-report alcohol screening instruments in the elderly. International Journal of Geriatric Psychiatry 2004;19:1074-1086.

O'Farrell TJ, Fals-Stewart W. ALCOHOL ABUSE. Journal of Marital & Family Therapy 2003;29:121-146.	Duplicate
O'Farrell TJ, Fals-Stewart W. Family-involved alcoholism treatment. An update. Recent Dev Alcohol 2001;15:329-56.	Can not get access to article in fulltext
Ohinmaa A, Chatterley P, Nguyen T, Jacobs P. Telehealth in substance abuse and addiction: review of the literature on smoking, alcohol, drug abuse and gambling (Structured abstract). Health Technology Assessment Database 2010.	Outside of specified PICO
Okoro C. Repeat inpatient rehabilitation for people with relapsed alcohol addiction (Structured abstract). Health Technology Assessment Database 2001:7.	Not a systematic review
Oliveros A, Kaufman J. Addressing Substance Abuse Treatment Needs of Parents Involved with the Child Welfare System. Child Welfare 2011;90:25-41.	Not a systematic review
Onrust SA, Otten R, Lammers J, Smit F. School-based programmes to reduce and prevent substance use in different age groups: What works for whom? Systematic review and meta-regression analysis. Clinical Psychology Review 2016;44:45-59.	Outside of specified PICO
O'Rourke L, Humphris G, Baldacchino A. Electronic communication based interventions for hazardous young drinkers: A systematic review.  Neuroscience and Biobehavioral Reviews 2016;68:880-890.	Outside of specified PICO
Osborn LD. A meta-analysis of controlled clinical trials of the efficacy of motivational interviewing in a dual-diagnosis population. 2007;67:5417-5417.	Not peer reviewed
Osterling K, Austin M. Substance abuse interventions for parents involved in the child welfare system: evidence and implications (Structured abstract). Journal of Evidence-Based Social Work 2008;5:157-189.	Outside of specified PICO
Pagano ME, Post SG, Johnson SM. Alcoholics Anonymous-related helping and the helper therapy principle. Alcoholism Treatment Quarterly 2011;29:23-34.	Not a systematic review
Park S, Schepp KG. A systematic review of research on children of alcoholics: Their inherent resilience and vulnerability. Journal of Child and Family Studies 2015;24:1222-1231.	Outside of specified PICO
Patnode CD, O'Connor E, Rowland M, Burda BU, Perdue LA, Whitlock EP. Primary Care Behavioral Interventions to Prevent or Reduce Illicit Drug Use and Nonmedical Pharmaceutical Use in Children and Adolescents: A Systematic Evidence Review for the U.S. Preventive Services Task Force. Annals of Internal Medicine 2014;160:612-620.	Outside of specified PICO
Patton R, Deluca P, Kaner E, Newbury-Birch D, Phillips T, Drummond C. Alcohol Screening and Brief Intervention for Adolescents: The How, What and Where of Reducing Alcohol Consumption and Related Harm Among Young People. Alcohol & Alcoholism 2014;49:207-212.	Outside of specified PICO
Peltzer K, Ramlagan S, Johnson BD, Phaswana-Mafuya N. Illicit drug use	Outside of specified PICO

and treatment in South Africa: A review. Substance Use & Misuse

2010;45:2221-2243.

Perry AE, Neilson M, Martyn-St James M, Glanville JM, McCool R, Duffy S, et al. Interventions for drug-using offenders with co-occurring mental illness. Cochrane Database Syst Rev 2014:Cd010901.	Outside of specified PICO
Perry AE, Neilson M, Martyn-St James M, Glanville JM, McCool R, Duffy S, et al. Interventions for female drug-using offenders. Cochrane Database Syst Rev 2014:Cd010910.	Outside of specified PICO
Perryman C, Dingle G. A systematic review of the methodologies used in research related to adult drug and alcohol rehabilitation in therapeutic communities published 2000-2013. Therapeutic Communities 2015;36:193-208.	duplicate
Perryman C, Dingle G. A systematic review of the methodologies used in research related to adult drug and alcohol rehabilitation in therapeutic communities published 2000-2013. Therapeutic Communities 2015;36:193-208.	Can not get access to article in fulltext
Peters G-JY, Kok G, Abraham C. Social cognitive determinants of ecstasy use to target in evidence-based interventions: A meta-analytical review. Addiction 2008;103:109-118.	Outside of specified PICO
Pharmacologic and non-pharmacologic treatments for alcohol withdrawal in the outpatient setting: a review of the clinical effectiveness, cost-effectiveness, and guidelines (Structured abstract). Health Technology Assessment Database 2014.	Outside of specified PICO
Pickard JG, Laudet A, Grahovac ID, Vaughn MG, Perron BE, Vaughn MG, et al. The philosophy and practice of Alcoholics Anonymous and related 12-step programs. Social work practice in the addictions. 2013;0:119-136.	not peer reviewed
Pilkey D, Steinberg H, Martino S, Kaye AD, Vadivelu N, Urman RD, et al. Evidence-based treatments for substance use disorders. Substance abuse: Inpatient and outpatient management for every clinician. 2015;0:209-227.	not peer reviewed
Pilling S, et a. Diagnosis, assessment, and management of harmful drinking and alcohol dependence: summary of NICE guidance. British Medical Journal 2011:490-492.	Outside of specified PICO
Pinquart M, Oslejsek B, Teubert D. Efficacy of systemic therapy on adults with mental disorders: A meta-analysis. Psychotherapy Research 2016;26:241-257.	Outside of specified PICO
Platt JJ, Widman M, Lidz V, Rubenstein D, Thompson R. The case for support services in substance abuse treatment. The American Behavioral Scientist 1998;41:1050-1062.	Published before year 2000
Poikolainen K. A NICE TRY THAT FAILS: THE SWEDISH COUNCIL ON TECHNOLOGY ASSESSMENT IN HEALTH CARE (SBU) EVALUATION OF THE EFFECT OF TREATMENT OF ALCOHOL AND DRUG PROBLEMS: THE EPIDEMIOLOGIST'S VIEW. Alcohol & Alcoholism 2002;37:416-418.	Not a systematic review
Pol TM, Hoeve M, Noom MJ, Stams GJJM, Doreleijers TAH, Domburgh L, et al. Research review: The effectiveness of multidimensional family therapy in treating adolescents with multiple behavior problems – a meta-analysis. Journal of Child Psychology and Psychiatry 2017;0.	Outside of specified PICO

Posadzki P, Choi J, Lee M, Ernst E. Yoga for addictions: a systematic review Outside of specified PICO of randomised clinical trials (Provisional abstract). Focus on Alternative and Complementary Therapies 2014;19:1-8.

Potenza MN. Biological contributions to addictions in adolescents and adults: Prevention, treatment, and policy implications. Journal of Adolescent Health 2013;52:S22-S32.	Not a systematic review
Prendergast ML, Pearson FS, Podus D, Hamilton ZK, Greenwell L. The Andrews' principles of risk, needs, and responsivity as applied in drug treatment programs: Meta-analysis of crime and drug use outcomes. Journal of Experimental Criminology 2013;9:275-300.	Outside of specified PICO
Prendergast ML, Podus D, Chang E, Urada D. Erratum to 'The effectiveness of drug abuse treatment: A meta-analysis of comparison group studies' [Drug Alcohol Depend. 67 (2002) 53-72]. Drug and Alcohol Dependence 2006;84:133-133.	Not a systematic review
Price CJ, Crowell SE. Respiratory sinus arrhythmia as a potential measure in substance use treatment—outcome studies. Addiction 2016;111:615-625.	Outside of specified PICO
Provost SE. Reviews of Evidence-based psychotherapy: Where practice and research meet and Evidence-based practices for social workers: An interdisciplinary approach. Research on Social Work Practice 2007;17:425-426.	Not a systematic review
Provost SE. Reviews of Evidence-based psychotherapy: Where practice and research meet and Evidence-based practices for social workers: An interdisciplinary approach. Research on Social Work Practice 2007;17:425-440.	Not a systematic review
Raistrick D. Too many rating scales: Not enough validation. Addiction 2013;108:11-12.	Not a systematic review
Ralevski E, Gianoli MO, Russo M, Dwan R, Radhakrishnan R. Cognitive deficits in schizophrenia and alcoholism: A review of the evidence and findings on the effects of treatment on cognitive functioning in patients with dual diagnoses. Journal of Dual Diagnosis 2012;8:205-217.	Outside of specified PICO
Ramamoorthi R, Jayaraj R, Notaras L, Thomas M. Epidemiology, Etiology, and Motivation of Alcohol Misuse Among Australian Aboriginal and Torres Strait Islanders of the Northern Territory: A Descriptive Review. Journal of Ethnicity in Substance Abuse 2015;14:1-11.	Outside of specified PICO
Rammohan V, Hahn RA, Elder R, Brewer R, Fielding J, Naimi TS, et al. Effects of dram shop liability and enhanced overservice law enforcement initiatives on excessive alcohol consumption and related harms: Two community guide systematic reviews. American Journal of Preventive Medicine 2011;41:334-343.	Outside of specified PICO
Rapp RC, Van Den Noortgate W, Broekaert E, Vanderplasschen W. The efficacy of case management with persons who have substance abuse problems: A three-level meta-analysis of outcomes. Journal of Consulting and Clinical Psychology 2014;82:605-618.	Outside of specified PICO

Not a systematic review

cognitive behavioral therapy intervention for methamphetamine-abusing gay and bisexual men. Addictive Behaviors 2014;39:1286-1291. Reedy AR, Hall JA. Treatment issues with substance use disorder clients Not a systematic review who have mood or anxiety disorders. Mental Health and Substance Use: dual diagnosis 2008;1:44-53. Rehm J, Frick U, Hartwig C, Gutzwiller F, Gschwend P, Uchtenhagen A. Not a systematic review Mortality in heroin-assisted treatment in Switzerland 1994-2000. Drug and Alcohol Dependence 2005;79:137-143. Rehm J, Shield KD, Gmel G, Rehm MX, Frick U. Modeling the impact of Not a systematic review alcohol dependence on mortality burden and the effect of available treatment interventions in the European Union. European Neuropsychopharmacology 2013;23:89-97. Outside of specified PICO Reho K, Agley J, DeSalle M, Gassman RA. Are we there yet? A review of screening, brief intervention, and referral to treatment (SBIRT) implementation fidelity tools and proficiency checklists. The Journal of Primary Prevention 2016;37:377-388. Duplicate Report from the Swedish Council on Technology Assessment in Health Care (SBU). Treatment of alcohol and drug abuse: an evidence-based review. Int J Technol Assess Health Care 2002;18:145-54. Resor MR, Blume AW. Treating substance use disorders in offenders. The Outside of specified PICO Journal of Behavior Analysis of Offender and Victim Treatment and Prevention 2008;1:20-35. Resor MR, Blume AW. Treating substance use disorders in offenders. The Not a systematic review Journal of Behavior Analysis of Offender and Victim Treatment and Prevention 2008;1:20-35. Not a systematic review Review of the scientific literature for screening, diagnosis and treatment of dual diagnoses (substance abuse disorder and severe mental illness) (Project record). Health Technology Assessment Database 2007. Richards M, Doyle M, Cook P. A literature review of family interventions Outside of specified PICO for dual diagnosis: Implications for forensic mental health services. The British Journal of Forensic Practice 2009;11:39-49. Outside of specified PICO Rigter H, Pelc I, Tossmann P, Phan O, Grichting E, Hendriks V, et al. INCANT: A transnational randomized trial of Multidimensional Family Therapy versus treatment as usual for adolescents with cannabis use disorder. BMC Psychiatry 2010;10. Riper H, Andersson G, Hunter SB, de Wit J, Berking M, Cuijpers P. Outside of specified PICO Treatment of comorbid alcohol use disorders and depression with cognitive-behavioural therapy and motivational interviewing: A meta-analysis. Addiction 2014;109:394-406. Riper H, Blankers M, Hadiwijaya H, Cunningham J, Clarke S, Wiers R, et al. Outside of specified PICO Effectiveness of Guided and Unguided Low-Intensity Internet

Reback CJ, Shoptaw S. Development of an evidence-based, gay-specific

Interventions for Adult Alcohol Misuse: A Meta-Analysis. PLoS ONE

2014;9:1-11.

Riper H, van Straten A, Keuken M, Smit F, Schippers G, Cuijpers P. Curbing problem drinking with personalized-feedback interventions: A meta-analysis. American Journal of Preventive Medicine 2009;36:247-255.	Outside of specified PICO
Roll JM. Contingency management: an evidence-based component of methamphetamine use disorder treatments. Addiction 2007;102:114-20.	Not a systematic review
Rooke S, Thorsteinsson E, Karpin A, Copeland J, Allsop D. Computer-delivered interventions for alcohol and tobacco use: A meta-analysis. Addiction 2010;105:1381-1390.	Outside of specified PICO
Rosen MI. The 'check effect' reconsidered. Addiction 2011;106:1071-1077.	Outside of specified PICO
Rosenthal RN, Dewan NA, Luo JS, Lorenzi NM, Dewan NA, Luo JS, et al. Clinical communication technologies for addiction treatment. Mental health practice in a digital world: A clinician's guide. 2015;0:123-140.	not peer reviewed
Rowan M, Poole N, Shea B, Gone JP, Mykota D, Farag M, et al. Cultural interventions to treat addictions in Indigenous populations: Findings from a scoping study. Substance Abuse Treatment, Prevention, and Policy 2014;9.	Outside of specified PICO
Rowan M, Poole N, Shea B, Gone JP, Mykota D, Farag M, et al. Cultural interventions to treat addictions in Indigenous populations: Findings from a scoping study. Substance Abuse Treatment, Prevention, and Policy 2014;9.	duplicate
Rowan M, Poole N, Shea B, Mykota D, Farag M, Hopkins C, et al. A scoping study of cultural interventions to treat addictions in Indigenous populations: Methods, strategies and insights from a Two-Eyed Seeing approach. Substance Abuse Treatment, Prevention, and Policy 2015;10.	Not a systematic review
Ruadze E, Todadze K. Retention in Georgia opioid substitution therapy program and associated factors. Harm Reduction Journal 2016;13.	Outside of specified PICO
Ruger JP, Lazar CM. Economic evaluation of drug abuse treatment and HIV prevention programs in pregnant women: A systematic review. Addictive Behaviors 2012;37:1-10.	Outside of specified PICO
Rösner S, Willutzki R, Zgierska A. Mindfulness-based interventions for substance use disorders. Cochrane Database of Systematic Reviews 2015.	Not a systematic review
Sacks S, McKendrick K, Sacks JY, Cleland CM. Modified therapeutic community for co-occurring disorders: Single investigator meta analysis. Substance Abuse 2010;31:146-161.	Not a systematic review
Sacks S, Sacks JY. Research on the effectiveness of the modified therapeutic community for persons with co-occurring substance use and mental disorders. Therapeutic Communities 2010;31:176-211.	Not a systematic review
Sacks S, Sacks JY. Research on the effectiveness of the modified therapeutic community for persons with co-occurring substance use and mental disorders. Therapeutic Communities 2010;31:176-211.	Not a systematic review

Saitz R. 'SBIRT' is the answer? Probably not. Addiction 2015;110:1416-Not a systematic review 1417. Saitz R. Alcohol screening and brief intervention in primary care: Absence Outside of specified PICO of evidence for efficacy in people with dependence or very heavy drinking. Drug and Alcohol Review 2010;29:631-640. Saitz R. Screening and brief intervention for unhealthy drug use: Little or Not a systematic review no efficacy. Frontiers in Psychiatry 2014;5. Salam RA, Das JK, Lassi ZS, Bhutta ZA. Adolescent health and well-being: Not a systematic review Background and methodology for review of potential interventions. Journal of Adolescent Health 2016;59:S4-S10. Salaspuro M, Berglund M, Thelander S, Jonsson E, Berglund M, Thelander Outside of specified PICO S, et al. Intervention against hazardous alcohol consumption--secondary prevention of alcohol problems. Treating alcohol and drug abuse: An evidence based review. 2003;0:1-41. Outside of specified PICO Samson JE, Tanner-Smith EE. Single-session alcohol interventions for heavy drinking college students: A systematic review and meta-analysis. Journal of Studies on Alcohol and Drugs 2015;76:530-543. Sánchez-Bahíllo Á, Aragón-Alonso A, Sánchez-Bahíllo M, Birtle J. Therapist Outside of specified PICO characteristics that predict the outcome of multipatient psychotherapy: Systematic review of empirical studies. Journal of Psychiatric Research 2014;53:149-156. Satre DD, DeLorenze GN, Quesenberry CP, Jr., Tsai A, Weisner C. Factors Not a systematic review associated with treatment initiation for psychiatric and substance use disorders among persons with HIV. Psychiatric Services 2013;64:745-753. Schleider JL, Weisz JR. Little treatments, promising effects? Meta-analysis Outside of specified PICO of single-session interventions for youth psychiatric problems. Journal of the American Academy of Child & Adolescent Psychiatry 2017;56:107-115. Schmidt CS, Schulte B, Seo HN, Kuhn S, O'Donnell A, Kriston L, et al. Meta- Not a systematic review analysis on the effectiveness of alcohol screening with brief interventions for patients in emergency care settings. Addiction 2016;111:783-794. Schmidt L, Nielsen AS, Bojesen AB, Andersen K. Research assessments Not a systematic review more important than duration of treatment? A systematic review and meta-analysis of the duration of psychosocial treatments for alcohol use disorders. European Psychiatry 2016;33:S121-S121. Schulte B, O'Donnell AJ, Kastner S, Schmidt CS, Schäfer I, Reimer J. Alcohol Outside of specified PICO screening and brief intervention in workplace settings and social services: A comparison of literature. Frontiers in Psychiatry 2014;5. Schumacher JE, Milby JB, Meehan D-C, Kertesz S, Vuchinich R, Wallace D, **Duplicate** et al. Meta-Analysis of Day Treatment and Contingency-Management

Dismantling Research: Birmingham Homeless Cocaine Studies

828.

(1990—2006). Journal of Consulting & Clinical Psychology 2007;75:823-

Schumacher JE, Milby JB, Wallace D, Meehan D-C, Kertesz S, Vuchinich R, Outside of specified PICO et al. Meta-analysis of day treatment and contingency-management dismantling research: Birmingham Homeless Cocaine Studies (1990-2006). Journal of Consulting and Clinical Psychology 2007;75:823-828.

Schäfer I, Fischer M, Reimer J, Karow A, Haasen C. Significance of psychiatric comorbidity for the outcome of maintenance treatment — A review of the literature. Mental Health and Substance Use 2011;4:62-71.

Not a systematic review

Scott-Sheldon LAJ, Demartini KS, Carey KB, Carey MP. ALCOHOL INTERVENTIONS FOR COLLEGE STUDENTS IMPROVES ANTECEDENTS OF BEHAVIORAL CHANGE: RESULTS FROM A META-ANALYSIS OF 34 RANDOMIZED CONTROLLED TRIALS. Journal of Social & Clinical Psychology 2009;28:799-823.

Outside of specified PICO

Screening and Behavioral Counseling Interventions in Primary Care To Reduce Alcohol Misuse: Recommendation Statement. Annals of Internal Medicine 2004;140:554-556.

outside of specified domains

Secades-Villa R, García-Rodríguez O, Fernández-Hermida JR. Contingency management for substance use disorders in Spain: Implications for research and practice. Preventive Medicine: An International Journal Devoted to Practice and Theory 2015;80:82-88.

Outside of specified PICO

Serre F, Fatseas M, Swendsen J, Auriacombe M. Ecological momentary assessment in the investigation of craving and substance use in daily life: A systematic review. Drug and Alcohol Dependence 2015;148:1-20.

Outside of specified PICO

Sharma M, Branscum P. Is Alcoholics Anonymous Effective? Journal of Alcohol & Drug Education 2010;54:3-6.

Not a systematic review

Shearer J, Tie H, Byford S. Economic evaluations of contingency management in illicit drug misuse programmes: A systematic review. Drug and Alcohol Review 2015;34:289-298.

Outside of specified PICO

Shonin E, Van Gordon W, Slade K, Griffiths MD. Mindfulness and other Buddhist-derived interventions in correctional settings: A systematic review. Aggression and Violent Behavior 2013;18:365-372.

Outside of specified PICO

Shoptaw S, Rawson RA, Worley M, Lefkowith S, Roll JM, Roll JM, et al. Psychosocial and behavioral treatment of methamphetamine dependence. Methamphetamine addiction: From basic science to treatment. 2009;0:185-201.

Not a systematic review

Silva AC, Lucchese R, Vargas LS, Benicio PR, Vera I. Application of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) instrument: an integrative review. Rev Gaucha Enferm 2016;37:e52918.

Outside of specified PICO

Simioni N, Cottencin O, Rolland B. Interventions for increasing subsequent Outside of specified PICO alcohol treatment utilisation among patients with Alcohol Use Disorders from somatic inpatient settings: A systematic review. Alcohol and Alcoholism 2015;50:420-429.

Simioni N, Rolland B, Cottencin O. Interventions for increasing alcohol treatment utilization among patients with alcohol use disorders from Emergency departments: A systematic review. Journal of Substance Abuse Treatment 2015;58:6-15.

Outside of specified PICO

Simioni N, Rolland B, Cottencin O. Is there really no evidence of the efficacy of brief alcohol interventions for increasing subsequent utilization of alcohol-related services? Commentary on the paper by Glass et al. (2015). Addiction 2016;111:180-181.

Not a systematic review

Simoens S, Ludbrook A, Matheson C, Bond C. Pharmaco-economics of community maintenance for opiate dependence: A review of evidence and methodology. Drug and Alcohol Dependence 2006;84:28-39.

Outside of specified PICO

Sims OT, Maynard QR, Melton PA. Behavioral Interventions to Reduce Alcohol Use Among Patients with Hepatitis C: A Systematic Review. Social Work in Public Health 2016;31:565-573.

**Outside of specified PICO** 

Singh RD, Jimerson SR, Renshaw T, Saeki E, Hart SR, Earhart J, et al. A summary and synthesis of contemporary empirical evidence regarding the effects of the Drug Abuse Resistance Education Program (D.A.R.E.). Contemporary School Psychology 2011;15:93-102.

Outside of specified PICO

Sirdifield C, Chipchase SY, Owen S, Siriwardena AN. A systematic review and meta-synthesis of patients' experiences and perceptions of seeking and using benzodiazepines and Z-drugs: Towards safer prescribing. The Patient: Patient-Centered Outcomes Research 2017;10:1-15.

Outside of specified PICO

Smedslund G, Berg RC, Hammerstrom KT, Steiro A, Leiknes KA, Dahl HM, et al. Motivational interviewing for substance abuse. Cochrane Database Syst Rev 2011:Cd008063.

Duplicate

Smit E, Verdurmen J, Monshouwer K, Smit F. Family interventions and their effect on adolescent alcohol use in general populations: A meta-analysis of randomized controlled trials. Drug and Alcohol Dependence 2008;97:195-206.

Outside of specified PICO

Smith IE, Straussner SLA, Fewell CH, Straussner SLA, Fewell CH. Prevention not peer reviewed and intervention programs for pregnant women who abuse substances.

 $\label{lem:children} \textbf{Children of substance-abusing parents: Dynamics and treatment.}$ 

2011;0:171-192.

Smith IE, Straussner SLA, Fewell CH, Straussner SLA, Fewell CH. Prevention Not a systematic review and intervention programs for pregnant women who abuse substances.

 $\label{lem:children} \textbf{Children of substance-abusing parents: Dynamics and treatment.}$ 

2011;0:171-192.

Smith JE, Meyers RJ, Miller WR. The community reinforcement approach to the treatment of substance use disorders. The American Journal on Addictions 2001;10:51-59.

Not a systematic review

Smith-Baumann A. A meta-analysis of the effectiveness of treatments for Not a systematic review comorbid posttraumatic stress disorder and substance use disorder.

Dissertation Abstracts International: Section B: The Sciences and

Engineering 2016;76:No Pagination Specified.

Solberg LI, Maciosek MV, Edwards NM. Primary care intervention to reduce alcohol misuse: Ranking its health impact and cost effectiveness. American Journal of Preventive Medicine 2008;34:143-152.

Outside of specified PICO

Solis JM, Shadur JM, Burns AR, Hussong AM. Understanding the Diverse Needs of Children Whose Parents Abuse Substances. Current Drug Abuse Reviews 2012;5:135-147.

Not a systematic review

Soyka M, Kranzler HR, Berglund M, Gorelick D, Hesselbrock V, Johnson BA, Not a systematic review et al. World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Substance Use and Related Disorders, Part 1: Alcoholism. World Journal of Biological Psychiatry 2008;9:6-23.

Soyka M, Kranzler HR, Hesselbrock V, Kasper S, Mutschler J, Möller H-J. Guidelines for biological treatment of substance use and related disorders, part 1: Alcoholism, first revision. World Journal of Biological Psychiatry 2017;18:86-119.

Not a systematic review

Stalans LJ. Women's offending behavior: Evidence-based review of gender Outside of specified PICO differences and gender responsive programs. Victims & Offenders 2009;4:405-411.

Stalans LJ. Women's offending behavior: Evidence-based review of gender duplicate differences and gender responsive programs. Victims & Offenders 2009;4:405-411.

Steinka-Fry KT, Tanner-Smith EE, Dakof GA, Henderson C. Culturally sensitive substance use treatment for racial/ethnic minority youth: A meta-analytic review. Journal of Substance Abuse Treatment 2017;75:22-37.

Outside of specified PICO

Sullivan LE, Tetrault JM, Braithwaite RS, Turner BJ, Fiellin DA. A meta-analysis of the efficacy of nonphysician brief interventions for unhealthy alcohol use: Implications for the patient-centered medical home. The American Journal on Addictions 2011;20:343-356.

Outside of specified PICO

Sun A-P. Helping Homeless Individuals with Co-occurring Disorders: The Four Components. Social Work 2012;57:23-37.

Not a systematic review

Sun A-P. Helping Homeless Individuals with Co-occurring Disorders: The Duplicate Four Components. Social Work 2012;57:23-37.

Tait RJ, Christensen H. Internet-based interventions for young people with Outside of specified PICO problematic substance use: a systematic review. Med J Aust 2010;192:S15-21.

Tait RJ, Hulse GK. A systematic review of the effectiveness of brief
Outside interventions with substance using adolescents by type of drug. Drug and Alcohol Review 2003;22:337-346.

Outside of specified PICO

Tait RJ, Spijkerman R, Riper H. Internet and computer based interventions Outside of specified PICO for cannabis use: A meta-analysis. Drug and Alcohol Dependence 2013;133:295-304.

Talbot EC, Völlm B, Khalifa N. Effectiveness of work skills programmes for Outside of specified PICO offenders with mental disorders: A systematic review. Criminal Behaviour and Mental Health 2017;27:40-58.

Tanner-Smith EE, Jo Wilson S, Lipsey MW. The comparative effectiveness Outside of specified PICO of outpatient treatment for adolescent substance abuse: A meta-analysis. Journal of Substance Abuse Treatment 2013;44:145-158.

Tanner-Smith EE, Jo Wilson S, Lipsey MW. The comparative effectiveness duplicate of outpatient treatment for adolescent substance abuse: A meta-analysis. Journal of Substance Abuse Treatment 2013;44:145-158.

Tanner-Smith EE, Lipsey MW. Brief Alcohol Interventions for Adolescents Outside of specified PICO and Young Adults: A Systematic Review and Meta-Analysis. Journal of Substance Abuse Treatment 2015;51:1-18.

Tanner-Smith EE, Risser MD. A meta-analysis of brief alcohol
interventions for adolescents and young adults: Variability in effects
across alcohol measures. The American Journal of Drug and Alcohol Abuse
2016;42:140-151.

Tanner-Smith EE, Steinka-Fry KT, Hennessy EA, Lipsey MW, Winters KC. Outside of specified PICO Can brief alcohol interventions for youth also address concurrent illicit drug use? Results from a meta-analysis. Journal of Youth and Adolescence 2015;44:1011-1023.

Tansil KA, Esser MB, Sandhu P, Reynolds JA, Elder RW, Williamson RS, et Outside of specified PICO al. Alcohol electronic screening and brief intervention: A community guide systematic review. American Journal of Preventive Medicine 2016;51:801-811.

Thomas P, Rosenberg J, Rosenberg S, Rosenberg S. The not peer reviewed practice effectiveness of case management services for homeless persons with alcohol, drug, or mental health problems. Community mental health: Challenges for the 21st century. 2006;0:181-194.

Thomas RE, Lorenzetti DL, Spragins W. Systematic review of mentoring to Outside of specified PICO prevent or reduce alcohol and drug use by adolescents. Acad Pediatr 2013;13:292-9.

Thurgood SL, McNeill A, Clark-Carter D, Brose LS. A systematic review of Smoking cessation interventions for adults in substance abuse treatment or recovery. Nicotine & Tobacco Research 2016;18:993-1001.

Timko C, Kong C, Vittorio L, Cucciare MA. Screening and brief intervention Outside of specified PICO for unhealthy substance use in patients with chronic medical conditions:

A systematic review. Journal of Clinical Nursing 2016;25:3131-3143.

Tofighi B, Nicholson JM, McNeely J, Muench F, Lee JD. Mobile phone Not a systematic review messaging for illicit drug and alcohol dependence: A systematic review of the literature. Drug Alcohol Rev 2017.

Tonigan JS, Connors GJ, Galanter M, Kleber HD, Galanter M, Kleber HD. not peer reviewed Psychological mechanisms in Alcoholics Anonymous. The American Psychiatric Publishing textbook of substance abuse treatment, 4th ed. 2008;0:491-498.

Tonigan JS, Galanter M, Kaskutas LA, Galanter M, Kaskutas LA. Alcoholics not peer reviewed Anonymous outcomes and benefits. Research on Alcoholics Anonymous and spirituality in addiction recovery. 2008;18:357-372.

Torchalla I, Nosen L, Rostam H, Allen P. 'Integrated treatment programs for individuals with concurrent substance use disorders and trauma experiences: A systematic review and meta-analysis': Erratum. Journal of Substance Abuse Treatment 2012;42:337-337.	Duplicate
Treatment of alcohol abuse: a health technology assessment (Structured abstract). Health Technology Assessment Database 2006.	Not a systematic review
Tripathee S, Akbar T, Richards D, Themessl-Huber M, Freeman R. The Relationship between Sugar-Containing Methadone and Dental Caries: A Systematic Review. Health Education Journal 2013;72:469-485.	Outside of specified PICO
Tripodi SJ. A Comprehensive Review: Methodological Rigor of Studies on Residential Treatment Centers for Substance-Abusing Adolescents. Journal of Evidence-Based Social Work 2009;6:288-299.	Outside of specified PICO
Tripodi SJ. A Comprehensive Review: Methodological Rigor of Studies on Residential Treatment Centers for Substance-Abusing Adolescents. Journal of Evidence-Based Social Work 2009;6:288-299.	Duplicate
Ullman SE, Najdowski CJ, Adams EB. Women, Alcoholics Anonymous, and related mutual aid groups: Review and recommendations for research. Alcoholism Treatment Quarterly 2012;30:443-486.	Not a systematic review
Waldron HB, Turner CW. Evidence-based psychosocial treatments for adolescent substance abuse. Journal of Clinical Child and Adolescent Psychology 2008;37:238-261.	Outside of specified PICO
Walters ST, Matson SA, Baer JS, Ziedonis DM. Effectiveness of workshop training for psychosocial addiction treatments: A systematic review. Journal of Substance Abuse Treatment 2005;29:283-293.	Outside of specified PICO
van Gils PF, Hamberg-van Reenen HH, van den Berg M, Tariq L, de Wit GA. The scope of costs in alcohol studies: Cost-of-illness studies differ from economic evaluations. Cost Effectiveness & Resource Allocation 2010;8:15-21.	Outside of specified PICO
Van Phuong H, Shanahan M, Shukla N, Perez P, Farrell M, Ritter A, et al. A systematic review of modelling approaches in economic evaluations of health interventions for drug and alcohol problems. BMC Health Services Research 2016;16:1-14.	Outside of specified PICO
Vanderplasschen W, Wolf J, Rapp RC, Broekaert E. Effectiveness of different models of case management for substance-abusing populations. Journal of Psychoactive Drugs 2007;39:81-95.	Outside of specified PICO
Wang D, Wang Y, Wang Y, Li R, Zhou C. Impact of physical exercise on substance use disorders: A meta-analysis. PLoS ONE 2014;9.	Outside of specified PICO
Washton AM, Zweben JE. Cocaine and methamphetamine addiction: Treatment, recovery, and relapse prevention. 2009;0.	not peer reviewed
Vasilaki EI, Hosier SG, Cox WM. The efficacy of motivational interviewing as a brief intervention for excessive drinking: A meta-analytic review.	Outside of specified PICO

Alcohol and Alcoholism 2006;41:328-335.

Wasmuth S, Pritchard K, Kaneshiro K. Occupation-based intervention for addictive disorders: A systematic review. Journal of Substance Abuse Treatment 2016;62:1-9.	Outside of specified PICO
Waters AJ, Leventhal AM, Munafò M, Albery IP, Munafò M, Albery IP. Clinical relevance of implicit cognition in addiction. Cognition and addiction. 2006;0:249-278.	not peer reviewed
Watkins K, Pincus HA, Tanielian TL, Lloyd J. Using the chronic care model to improve treatment of alcohol use disorders in primary care settings. Journal of Studies on Alcohol 2003;64:209-218.	Not a systematic review
Watkins KE, Hunter SB, Burnam MA, Pincus HA, Nicholson G. Review of Treatment Recommendations for Persons With a Co-occurring Affective or Anxiety and Substance Use Disorder. Psychiatric Services 2005;56:913-926.	Outside of specified domains
Watson JM, Fayter D, Mdege N, Stirk L, Sowden AJ, Godfrey C. Interventions for alcohol and drug problems in outpatient settings: A systematic review. Drug and Alcohol Review 2013;32:356-367.	Outside of specified PICO
Watson T, Simpson S, Hughes C. Text messaging interventions for individuals with mental health disorders including substance use: A systematic review. Psychiatry Research 2016;243:255-262.	Outside of specified PICO
Vaughn MG, Howard MO. Adolescent Substance Abuse Treatment: A Synthesis of Controlled Evaluations. Research on Social Work Practice 2004;14:325-335.	Outside of specified PICO
Weaver H, Roberts B. Drinking and displacement: A systematic review of the influence of forced displacement on harmful alcohol use. Substance Use & Misuse 2010;45:2340-2355.	Outside of specified PICO
Weaver MR, Conover CJ, Proescholdbell RJ, Arno PS, Ang A, Ettner SL. Utilization of mental health and substance abuse care for people living with HIV/AIDS, chronic mental illness, and substance abuse disorders. JAIDS Journal of Acquired Immune Deficiency Syndromes 2008;47:449-458.	Not a systematic review
Webb G, Shakeshaft A, Sanson-Fisher R, Havard A. A systematic review of work-place interventions for alcohol-related problems. Addiction 2009;104:365-377.	Outside of specified PICO
Weekes J, Rotgers F. Review of Substance Abuse Treatment for Criminal Offenders: An Evidence-Based Guide for Practitioners. Journal of Studies on Alcohol 2004;65:283-283.	Not a systematic review
Veilleux JC, Colvin PJ, Anderson J, York C, Heinz AJ. A review of opioid dependence treatment: Pharmacological and psychosocial interventions to treat opioid addiction. Clinical Psychology Review 2010;30:155-166.	Not a systematic review
Velleman R. The importance of family members in helping problem drinkers achieve their chosen goal. Addiction Research & Theory 2006;14:73-85.	Not a systematic review
Wells SA, Smyth T, Brown TG. Patient attitudes towards change in adapted motivational interviewing for substance abuse: a systematic review. Subst Abuse Rehabil 2012;3:61-72.	Outside of specified PICO

Werb D, Buxton J, Shoveller J, Richardson C, Rowell G, Wood E. Interventions to prevent the initiation of injection drug use: A systematic review. Drug and Alcohol Dependence 2013;133:669-676.	Outside of specified PICO
Vermeulen-Smit E, Verdurmen JEE, Engels RCME. The effectiveness of family interventions in preventing adolescent illicit drug use: A systematic review and meta-analysis of randomized controlled trials. Clinical Child and Family Psychology Review 2015;18:218-239.	Outside of specified PICO
White A, Kavanagh D, Stallman H, Klein B, Kay-Lambkin F, Proudfoot J, et al. Online alcohol interventions: A systematic review. Journal of Medical Internet Research 2010;12:160-171.	Outside of specified PICO
Whitlock EP, Polen MR, Green CA, Orleans T, Klein J. Behavioral Counseling Interventions in Primary Care To Reduce Risky/Harmful Alcohol Use by Adults: A Summary of the Evidence for the U.S. Preventive Services Task Force. Annals of Internal Medicine 2004;140:557-580.	Outside of specified PICO
Via RM. Screening and intervention for excessive drinking produce small results. Journal of Family Practice 2004;53:15-16.	Outside of specified PICO
Wilbourne PL. An empirical basis for the treatment of alcohol problems. 2005;66:2844-2844.	Outside of specified PICO
Wilcox CE, Dekonenko CJ, Mayer AR, Bogenschutz MP, Turner JA. Cognitive control in alcohol use disorder: Deficits and clinical relevance. Reviews in the Neurosciences 2014;25:1-24.	Not a systematic review
Williams EC, Achtmeyer CE, Kivlahan DR, Greenberg D, Merrill JO, Wickizer TM, et al. Evaluation of an electronic clinical reminder to facilitate brief alcohol-counseling interventions in primary care. Journal of Studies on Alcohol and Drugs 2010;71:720-725.	Outside of specified PICO
Windsor LC, Jemal A, Alessi EJ. Cognitive behavioral therapy: A meta- analysis of race and substance use outcomes. Cultural Diversity and Ethnic Minority Psychology 2015;21:300-313.	Outside of specified PICO
Winters KC, Botzet AM, Fahnhorst T, Stinchfield R, Koskey R, Leukefeld CG, et al. Adolescent substance abuse treatment: A review of evidence-based research. Adolescent substance abuse: Evidence-based approaches to prevention and treatment. 2009;0:73-96.	Not a systematic review
Witkiewitz K, Black DS. Unresolved issues in the application of mindfulness-based interventions for substance use disorders. Substance Use & Misuse 2014;49:601-604.	Not a systematic review
Witkiewitz K, Steckler G, Gavrishova A, Jensen B, Wilder M, Shaffer H, et al. Psychotherapies for addiction: Empirically supported interventions for the addiction syndrome. APA addiction syndrome handbook, Vol. 2: Recovery, prevention, and other issues. 2012;0:87-103.	not peer reviewed
Wong CJ, Silverman K. Establishing and maintaining job skills and professional behaviors in chronically unemployed drug abusers. Substance Use & Misuse 2007;42:1127-1140.	Not a systematic review
Wong J. Concurrent treatments of Substance Use Disorders with anxiety	Outside of specified PICO

or trauma: A comprehensive meta-analysis. 2015;76.

Wong J. Concurrent treatments of Substance Use Disorders with anxiety or trauma: A comprehensive meta-analysis. 2015;76.	duplicate
Wood SK, Eckley L, Hughes K, Hardcastle KA, Bellis MA, Schrooten J, et al. Computer-based programmes for the prevention and management of illicit recreational drug use: A systematic review. Addictive Behaviors 2014;39:30-38.	Outside of specified PICO
Woodhall-Melnik JR, Dunn JR. A systematic review of outcomes associated with participation in Housing First programs. Housing Studies 2016;31:287-304.	Outside of specified PICO
Woolard R, Cherpitel C, Thompson K. Brief Intervention for Emergency Department Patients with Alcohol Misuse: Implications for Current Practice. Alcoholism Treatment Quarterly 2011;29:146-157.	Outside of specified PICO
Wray TB, Grin B, Dorfman L, Glynn TR, Kahler CW, Marshall BDL, et al. Systematic review of interventions to reduce problematic alcohol use in men who have sex with men. Drug and Alcohol Review 2016;35:148-157.	Outside of specified PICO
Wright NMJ, Tompkins CNE. How can health services effectively meet the health needs of homeless people? British Journal of General Practice 2006;56:286-293.	Outside of specified PICO
Wright NMJ, Walker J. Homelessness and drug use - A narrative systematic review of interventions to promote sexual health. AIDS Care 2006;18:467-478.	Outside of specified PICO
Xiang X. A review of interventions for substance use among homeless youth. Research on Social Work Practice 2013;23:34-45.	Outside of specified PICO
Xiang X. A review of interventions for substance use among homeless youth. Research on Social Work Practice 2013;23:34-45.	duplicate
Young SD, Swendeman D, Holloway IW, Reback CJ, Kao U. Use of Technology to Address Substance Use in the Context of HIV: A Systematic Review. Curr HIV/AIDS Rep 2015;12:462-71.	Outside of specified PICO
Yuma-Guerrero PJ, Lawson KA, Velasquez MM, von Sternberg K, Maxson T, Garcia N. Screening, brief intervention, and referral for alcohol use in adolescents: A systematic review. Pediatrics 2012;130:115-122.	Outside of specified PICO
Zgierska A, Rabago D, Chawla N, Kushner K, Koehler R, Marlatt A. Mindfulness meditation for substance use disorders: A systematic review. Substance Abuse 2009;30:266-294.	Outside of specified PICO
Zschucke E, Heinz A, Strohle A. Exercise and physical activity in the therapy of substance use disorders. ScientificWorldJournal 2012;2012:901741.	Outside of specified PICO