



Bilaga till rapport

Missbruk och beroende av alkohol och narkotika
Kunskapsläget för utredningar och insatser inom
socialtjänsten

Bilaga 4. Sökstrategier

Sociological abstracts (incl. Social Services Abstracts) via Proquest 31 May 2017

Title: Scientific evidence and evidence gaps in social care regarding assessment routines and interventions for persons with substance abuse or their next of kin

Search terms	Items found
Population: Substance abuse	
SU.EXACT("Drug Abuse") OR SU.EXACT("Drug Addiction") OR SU.EXACT("Alcohol Abuse") OR SU.EXACT("Substance Abuse") OR SU.EXACT("Addiction") OR SU.EXACT("Drug Use Screening") OR SU.EXACT("Alcoholism") OR SU.EXACT("Abstinence") OR SU.EXACT("Marijuana") OR SU.EXACT("Cocaine") OR SU.EXACT("Tranquilizing Drugs") OR SU.EXACT("Drugs") OR SU.EXACT("Narcotic Drugs") OR SU.EXACT("Psychedelic Drugs") OR SU.EXACT("Lysergic Acid Diethylamide") OR SU.EXACT("Cocaine") OR SU.EXACT("Opiates") OR SU.EXACT("Heroin") OR SU.EXACT("Marijuana")	36,660
(ti((methadone OR cocaine OR crack) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((methadone OR cocaine OR crack) NEAR/1 (user OR users OR usage OR using)) OR ab((methadone OR cocaine OR crack) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((methadone OR cocaine OR crack) NEAR/1 (user OR users OR usage OR using)) OR ab((methadone OR cocaine OR crack) NEAR/1(dependent OR dependency)) ab((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (user OR users OR usage OR using)) OR ab((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (dependent OR dependency)) OR ab((methadone OR cocaine OR crack) NEAR/1 (dependent OR dependency)) OR ab((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (user OR users OR usage OR using)) OR ab((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (dependent OR dependency))) OR ti((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (user OR users OR usage OR using)) OR ti((methamphetamine OR hallucinogenic OR	22,570

MDMA) NEAR/1 (dependent OR dependency)) OR ti((methadone OR cocaine OR crack) NEAR/1 (dependent OR dependency)) OR ti((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (user OR users OR usage OR using)) OR ti((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (dependent OR dependency))) OR (ti((morphine OR heroin OR amphetamine OR amphetamines) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((morphine OR heroin OR amphetamine OR amphetamines) NEAR/1 (user OR users OR usage OR using))) OR (ti((substance OR substances) NEAR/1 (abuser OR abusers OR abusing OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((substance OR substances) NEAR/1 (user OR users OR usage OR using)) OR ti((substance OR substances OR drug OR drugs) NEAR/1 (dependent OR dependency)) OR ti((drug OR drugs) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((drug OR drugs) NEAR/1 (user OR users OR usage OR using)) OR ti(alcoholism OR alcoholics) OR ti((opiate OR opiates OR opium OR opoid OR opioides) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((opiate OR opiates OR opium OR opoid OR opioides) NEAR/1 (user OR users OR usage OR using))) OR (ab((morphine OR heroin OR amphetamine OR amphetamines) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((morphine OR heroin OR amphetamine OR amphetamines) NEAR/1 (user OR users OR usage OR using))) OR (ab((substance OR substances) NEAR/1 (abuser OR abusers OR abusing OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((substance OR substances) NEAR/1 (user OR users OR usage OR using)) OR ab((substance OR substances OR drug OR drugs) NEAR/1 (dependent OR dependency)) OR ab((drug OR drugs) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((drug OR drugs) NEAR/1 (user OR users OR usage OR using)) OR ab(alcoholism OR alcoholics) OR ab((opiate OR opiates OR opium OR opoid OR opioides) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((opiate OR opiates OR opium OR opoid OR opioides) NEAR/1 (user OR users OR usage OR using))) OR ti(("prescription drugs" OR "prescribed drugs") N/5 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti(("prescription drugs" OR "prescribed drugs") N/5 (user OR users OR usage OR using OR dependent OR dependency)) OR ti((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N/5 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N/5 (user OR users OR usage OR using

OR dependent OR dependency)) OR ab(("prescription drugs" OR "prescribed drugs") N/5 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab(("prescription drugs" OR "prescribed drugs") N/5 (user OR users OR usage OR using OR dependent OR dependency)) OR ab((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N/5 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N/5 (user OR users OR usage OR using OR dependent OR dependency))

1 OR 2

44,811

Study types: systematic reviews, meta synthesis

SU.EXACT("Literature Reviews") OR SU.EXACT("Bibliographies")

1,686

((systematic OR systematically) NEAR/3 (bibliographic OR literature)) OR ((comprehensive) NEAR/3 (bibliographic OR literature) OR (integrative) NEAR/3 (review)) OR ((data) NEAR/2 (synthesis OR syntheses OR synthesizing OR extracting OR extraction) OR "Cochrane Database of Systematic Reviews") OR ((information) NEAR/2 (synthesis) OR (review OR reviews OR reviewing) PRE/1 (randomized OR randomized OR controlled OR control OR trial OR trials OR study OR studies OR experiment OR experiments OR experimental OR experimentally OR empiric OR empirically))

8,428

4 OR 5

9,914

((review or systematic or meta or synthesis or syntheses OR synthesizing) N/3 (qualitative or narrative or interpretive or integrative OR evidence)) OR ((meta) PRE/3 (study or studies or synthesis or syntheses OR synthesizing or ethnography or ethnographic or "data analysis" OR "data analyses" or summary) OR (realist or framework or thematic or "mixed method" OR "mixed methods") N/3 (synthesis or syntheses OR synthesizing or review)) OR ((meta or metaanalysis or metaanalyses or review or synthesis or syntheses OR systematic) N/3 ("grounded theory") OR (information OR data) N/2 (synthesis or syntheses OR synthesizing)) OR ((data) PRE/2 (extraction) OR metaanalytic or metasynthesis OR metasyntheses OR metaethnography OR metaethnographic OR "qualitative cross-case analysis" OR "aggregated analysis" OR "aggregated analyses")

16,264

Limits: publication date, language

2000-2017, english

Combined sets	
3 AND 6 AND 8	313
3 AND 7 AND 8	458

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AF = Author affiliation

All = Performs a keyword search in most of the database's searchable fields, except full text

AU = Author

SU.EXACT = Term from the Sociological thesaurus

SU.EXACT.EXPLODE = Includes terms found below this term in the Sociological thesaurus

TI = Title

* = Truncation

" " = Citation Marks; searches for an exact phrase

? = Wildcard, used to replace any single character either inside or at the right end of a word

Scopus via Elsevier 8 June 2017

Title: Scientific evidence and evidence gaps in social care regarding assessment routines and interventions for persons with substance abuse or their next of kin

Search terms	Items found
(TITLE (substance* OR drug* OR morphine OR heroin OR amphetamine* OR opiate* OR opium OR opoid* OR methadone OR cocaine OR crack OR methamphetamine* OR hallucinogen* OR mdma OR ecstasy OR ghb OR lsd OR mescaline OR cannabi* OR marijuana OR marihuana OR hashish OR catha OR khat OR prescription AND drug* OR prescribed AND drug* OR tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) AND TITLE (abus* OR misus* OR addict* OR depend* OR use OR user OR users OR usage OR using)) AND ((KEY ("Systematic review") OR KEY ("Meta analysis")) OR (INDEXTERMS ('systematic AND review' OR 'meta AND analysis' OR "Meta-Analysis")) OR (TITLE-ABS-KEY (systematic W/2 review*) OR TITLE-ABS-KEY (meta-analy* OR metaanaly*) OR TITLE-ABS-KEY ("systematic overview*" OR "methodological overview*"))) AND (LIMIT-TO (PUBYEAR , 2017) OR LIMIT-TO (PUBYEAR , 2016) OR LIMIT-TO (PUBYEAR , 2015) OR LIMIT-TO (PUBYEAR , 2014) OR LIMIT-TO (PUBYEAR , 2013) OR LIMIT-TO (PUBYEAR , 2012) OR LIMIT-TO (PUBYEAR , 2011) OR LIMIT-TO (PUBYEAR , 2010) OR LIMIT-TO (PUBYEAR , 2009) OR LIMIT-TO (PUBYEAR , 2008) OR LIMIT-TO (PUBYEAR , 2007) OR LIMIT-TO (PUBYEAR , 2006) OR LIMIT-TO (PUBYEAR , 2005) OR LIMIT-TO (PUBYEAR , 2004) OR LIMIT-TO (PUBYEAR , 2003) OR	192

LIMIT-TO (PUBYEAR , 2002) OR LIMIT-TO (PUBYEAR , 2001)
OR LIMIT-TO (PUBYEAR , 2000)) AND (LIMIT-TO (LANGUAGE
, "English"))

(TITLE (alcoholism OR alcoholics)) AND ((KEY ("Systematic review" 327
) OR KEY ("Meta analysis")) OR (INDEXTERMS ('systematic AND
review' OR 'meta AND analysis' OR "Meta-Analysis")) OR (TITLE-
ABS-KEY (systematic W/2 review*) OR TITLE-ABS-KEY (meta-
analy* OR metaanaly*) OR TITLE-ABS-KEY ("systematic overview*" OR
"methodological overview*"))) AND (LIMIT-TO (PUBYEAR ,
2017) OR LIMIT-TO (PUBYEAR , 2016) OR LIMIT-TO (PUBYEAR , 2015) OR
LIMIT-TO (PUBYEAR , 2014) OR LIMIT-TO (PUBYEAR , 2013) OR LIMIT-TO (PUBYEAR , 2012) OR
LIMIT-TO (PUBYEAR , 2011) OR LIMIT-TO (PUBYEAR , 2010) OR
LIMIT-TO (PUBYEAR , 2009) OR LIMIT-TO (PUBYEAR , 2008) OR LIMIT-TO (PUBYEAR , 2007) OR
LIMIT-TO (PUBYEAR , 2006) OR LIMIT-TO (PUBYEAR , 2005) OR LIMIT-TO (PUBYEAR , 2004) OR
LIMIT-TO (PUBYEAR , 2003) OR LIMIT-TO (PUBYEAR , 2002) OR LIMIT-TO (PUBYEAR , 2001)
OR LIMIT-TO (PUBYEAR , 2000)) AND (LIMIT-TO (LANGUAGE
, "English"))

(((TITLE-ABS-KEY (meta PRE/2 (study OR studies OR synthes* 105
OR ethnograph* OR "data analys*" OR summary))) OR (TITLE-
ABS-KEY ((realist OR framework OR thematic OR "mixed method*")
PRE/1 (synthes* OR review))) OR (TITLE-ABS-KEY ((meta*
OR review OR synthes* OR systematic) PRE/3 ("grounded theory"))
OR (TITLE-ABS-KEY ((information OR data) PRE/2 synthes*))
OR (TITLE-ABS-KEY (data PRE/1 extract*)) OR (TITLE-ABS-
KEY (metasynthes* OR metaethnograph* OR "qualitative cross-case
analysis" OR "aggregated analys*"))) AND (TITLE (substance* OR
drug* OR morphine OR heroin OR amphetamine* OR opiate* OR
opium OR opoid* OR methadone OR cocaine OR crack OR
methamphetamine* OR hallucinogen* OR mdma OR ecstasy OR ghb
OR lsd OR mescaline OR cannabi* OR marijuana OR marihuana OR
hashish OR catha OR khat OR prescription AND drug* OR prescribed
AND drug* OR tranquiliz* OR benzodiazepines OR rohypnol OR
diazepam OR valium) AND TITLE (abus* OR misus* OR addict*
OR depend* OR use OR user OR users OR usage OR using)) AND
(LIMIT-TO (PUBYEAR , 2017) OR LIMIT-TO (PUBYEAR , 2016)
OR LIMIT-TO (PUBYEAR , 2015) OR LIMIT-TO (PUBYEAR ,
2014) OR LIMIT-TO (PUBYEAR , 2013) OR LIMIT-TO (PUBYEAR , 2012) OR
LIMIT-TO (PUBYEAR , 2011) OR LIMIT-TO (PUBYEAR , 2010) OR LIMIT-TO (PUBYEAR , 2009) OR
LIMIT-TO (PUBYEAR , 2008) OR LIMIT-TO (PUBYEAR , 2007)
OR LIMIT-TO (PUBYEAR , 2006) OR LIMIT-TO (PUBYEAR , 2005) OR
LIMIT-TO (PUBYEAR , 2004) OR LIMIT-TO (PUBYEAR , 2003) OR LIMIT-TO (PUBYEAR , 2002) OR LIMIT-

TO (PUBYEAR , 2001) OR LIMIT-TO (PUBYEAR , 2000)) AND (LIMIT-TO (LANGUAGE , "English"))

(((TITLE-ABS-KEY (meta PRE/2 (study OR studies OR synthes* OR ethnograph* OR "data analys*" OR summary))) OR (TITLE-ABS-KEY (realist OR framework OR thematic OR "mixed method*") PRE/1 (synthes* OR review))) OR (TITLE-ABS-KEY ((meta* OR review OR synthes* OR systematic) PRE/3 ("grounded theory"))) OR (TITLE-ABS-KEY ((information OR data) PRE/2 synthes*)) OR (TITLE-ABS-KEY (data PRE/1 extract*)) OR (TITLE-ABS-KEY (metasynthes* OR metaethnograph* OR "qualitative cross-case analysis" OR "aggregated analys*"))) AND (TITLE (alcoholism OR alcoholics)) AND (LIMIT-TO (PUBYEAR , 2017) OR LIMIT-TO (PUBYEAR , 2016) OR LIMIT-TO (PUBYEAR , 2015) OR LIMIT-TO (PUBYEAR , 2014) OR LIMIT-TO (PUBYEAR , 2013) OR LIMIT-TO (PUBYEAR , 2012) OR LIMIT-TO (PUBYEAR , 2011) OR LIMIT-TO (PUBYEAR , 2010) OR LIMIT-TO (PUBYEAR , 2009) OR LIMIT-TO (PUBYEAR , 2008) OR LIMIT-TO (PUBYEAR , 2007) OR LIMIT-TO (PUBYEAR , 2006) OR LIMIT-TO (PUBYEAR , 2005) OR LIMIT-TO (PUBYEAR , 2004) OR LIMIT-TO (PUBYEAR , 2003) OR LIMIT-TO (PUBYEAR , 2002) OR LIMIT-TO (PUBYEAR , 2001) OR LIMIT-TO (PUBYEAR , 2000)) AND (LIMIT-TO (LANGUAGE , "English "))

The search result, usually found at the end of the documentation, forms the list of abstracts.

TITLE-ABS-KEY = Title or abstract or keywords

ALL = All fields

PRE/n = "precedes by". The first term in the search must precede the second by a specified number of terms (n).

W/n = "within". The terms in the search must be within a specified number of terms (n) in any order.

***** = Truncation

" " = Citation Marks; searches for an exact phrase

Socindex via EBSCO 29 May 2017

Title: Scientific evidence and evidence gaps in social care regarding assessment routines and interventions for persons with substance abuse or their next of kin

Search terms	Items found
Population: Substance abuse	
DE "MEDICATION abuse" OR DE "INHALANT abuse" OR DE "SUBSTANCE abuse" OR DE "SEDATIVE abuse" OR DE "MARIJUANA abuse" OR DE "DRUG abuse -- Treatment" OR DE "DRUG abuse" OR DE "SUBSTANCE Abuse Subtle Screening Inventory" OR DE "DRUG abuse -- Study & teaching" OR DE "SUBSTANCE abuse - Relapse" OR DE "SUBSTANCE abuse" OR DE "AEROSOL sniffing"	46,647

OR DE "ALCOHOLISM" OR DE "DRUG abuse" OR DE "INHALANT abuse" OR DE "BINGE drinking" OR DE "BLACKS -- Substance use" OR DE "EMPLOYEES -- Substance use" OR DE "MEN -- Substance use" OR DE "MINORITIES -- Substance use" OR DE "PRISONERS -- Substance use" OR DE "SUBSTANCE abuse -- Diagnosis" OR DE "SUBSTANCE abuse -- Treatment" OR DE "SUBSTANCE-induced disorders" OR DE "VETERANS -- Substance use" OR DE "WOMEN -- Substance use" OR DE "SUBSTANCE abuse -- Psychological aspects" OR DE "SUBSTANCE abuse -- Relapse" OR DE "SUBSTANCE abuse -- Research" OR DE "SUBSTANCE abuse -- Social aspects" OR DE "SUBSTANCE abuse -- Study & teaching" OR DE "SUBSTANCE abuse -- Treatment" OR DE "SUBSTANCE-induced disorders" OR DE "ALCOHOL & crime" OR DE "ALCOHOLIC fathers" OR DE "ALCOHOLICS" OR DE "ALCOHOLICS -- Family relationships" OR DE "ALCOHOLICS -- Identification" OR DE "ALCOHOLICS -- Psychological testing" OR DE "ALCOHOLICS -- Rehabilitation" OR DE "ALCOHOLISM" OR DE "ALCOHOLISM & crime" OR DE "ALCOHOLISM -- Relapse" OR DE "ALCOHOLISM -- Social aspects" OR DE "ALCOHOLISM -- Treatment" OR DE "MEDICATION abusers" OR DE "SUBSTANCE-induced disorders" OR DE "DRUG addiction" OR DE "BINGE drinking" OR DE "HEROIN abuse" OR DE "HEROIN addicts" OR DE "HEROIN abuse -- Treatment" OR DE "KETAMINE abuse" OR DE "COCAINE abuse" OR DE "OXYCODONE abuse" OR DE "COCAINE abuse -- Treatment" OR DE "AMPHETAMINE abuse" OR DE "GLUE sniffing" OR DE "MARIJUANA abuse"

DE "NARCOTICS" OR DE "COCAINE" OR DE "HASHISH" OR DE "OXYCODONE" OR DE "DRUGS of abuse" OR DE "MARIJUANA" OR DE "COCAINE" OR DE "CRACK cocaine" OR DE "METHADONE abuse" OR DE "DESIGNER drugs" OR DE "HALLUCINOGENIC drugs" OR DE "CLUB drugs" OR DE "ECSTASY (Drug)" OR DE "PEYOTE"	8,368
--	-------

TI (substance* N1 (abus* OR misus* OR addict*)) OR TI (substance* N1 (use* OR usage OR using)) OR TI substance* N1 depend* OR TI (drug* N1 (abus* OR misus* OR addict*)) OR TI (drug* N1 (use* OR usage OR using)) OR TI drug* N1 depend* OR TI (alcoholism OR alcoholics OR "binge drink*") OR TI (opiate* OR opium OR opoid*) N1 (abus* OR misus* OR addict*)) OR TI (opiate* OR opium OR opoid*) N1 (use* OR usage OR using OR depend*)) OR TI ((morphine OR heroin OR amphetamine*) N1 (abus* OR misus* OR addict*)) OR TI ((morphine OR heroin OR amphetamine*) N1 (use* OR usage OR using OR depend*)) OR AB (substance* N1 (abus* OR misus* OR addict*)) OR AB (substance* N1 (use* OR usage OR using)) OR AB substance* N1 depend* OR AB (drug* N1 (abus* OR misus* OR addict*)) OR AB (drug* N1 (use* OR usage OR using)) OR AB drug* N1 depend* OR AB (alcoholism OR alcoholics OR "binge drink*") OR AB (opiate* OR opium OR opoid*) N1 (abus* OR misus* OR addict*)) OR AB (opiate* OR opium OR opoid*) N1 (use* OR usage OR using OR depend*)) OR AB ((morphine OR heroin OR amphetamine*) N1 (abus* OR misus* OR addict*)) OR AB ((morphine OR heroin OR amphetamine*) N1 (use* OR	70, 319
---	---------

usage OR using OR depend*)) OR TI ((methadone OR cocaine OR crack) N1 (abus* OR misus* OR addict*)) OR TI ((methadone OR cocaine OR crack) N1 (use* OR usage OR using OR depend*)) OR TI ((methamphetamine* OR hallucinogen* OR MDMA) N1 (abus* OR misus* OR addict*)) OR TI ((methamphetamine* OR hallucinogen* OR MDMA) N1 (use* OR usage OR using OR depend*)) OR TI ((ecstasy OR GHB OR LSD OR mescaline) N1 (abus* OR misus* OR addict*)) OR TI ((ecstasy OR GHB OR LSD OR mescaline) N1 (use* OR usage OR using OR depend*)) OR TI ((cannabi* OR marijuana OR marihuana) N1 (abus* OR misus* OR addict*)) OR TI ((cannabi* OR marijuana OR marihuana) N1 (use* OR usage OR using OR depend*)) OR TI ((hashish OR catha OR khat) N1 (abus* OR misus* OR addict*)) OR TI ((hashish OR catha OR khat) N1 (use* OR usage OR using OR depend*)) OR AB ((methadone OR cocaine OR crack) N1 (abus* OR misus* OR addict*)) OR AB ((methadone OR cocaine OR crack) N1 (use* OR usage OR using OR depend*)) OR AB ((methamphetamine* OR hallucinogen* OR MDMA) N1 (abus* OR misus* OR addict*)) OR AB ((methamphetamine* OR hallucinogen* OR MDMA) N1 (use* OR usage OR using OR depend*)) OR AB ((ecstasy OR GHB OR LSD OR mescaline) N1 (abus* OR misus* OR addict*)) OR AB ((ecstasy OR GHB OR LSD OR mescaline) N1 (use* OR usage OR using OR depend*)) OR AB ((cannabi* OR marijuana OR marihuana) N1 (abus* OR misus* OR addict*)) OR AB ((cannabi* OR marijuana OR marihuana) N1 (use* OR usage OR using OR depend*)) OR AB ((hashish OR catha OR khat) N1 (abus* OR misus* OR addict*)) OR AB ((hashish OR catha OR khat) N1 (use* OR usage OR using OR depend*)) OR TI (("prescription drug*" OR "prescribed drug*") N5 (abus* OR misus* OR addict*)) OR TI (("prescription drug*" OR "prescribed drug*") N5 (use* OR usage OR using OR depend*)) OR TI ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (abus* OR misus* OR addict*)) OR TI ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (use* OR usage OR using OR depend*)) OR AB (("prescription drug*" OR "prescribed drug*") N5 (abus* OR misus* OR addict*)) OR AB (("prescription drug*" OR "prescribed drug*") N5 (use* OR usage OR using OR depend*)) OR AB ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (abus* OR misus* OR addict*)) OR AB ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (use* OR usage OR using OR depend*))

1 OR 2 OR 3

86,304

Study types: systematic reviews, meta synthesis

DE "Systematic reviews (Medical research)"

1,480

(systematic* N3 review* OR (metaanaly* OR meta-analy*)) OR ((systematic*) n3 (bibliographic* OR literature)) OR ((comprehensive*) N3 (bibliographic* OR literature)) OR (integrative n3 review) OR

9,981

(information n2 syntheses*)) OR ((review*) W1 (random* OR control* OR trial* OR study OR studies OR experiment* OR empiric*))

5 OR 6	9,981
(review or systematic or meta or syntheses*) N3 (qualitative or narrative or interpret* or integrative OR evidence)	5,164
meta W3 (study or studies or syntheses* or ethnograph* or "data analys*" or summary)	640
(realist or framework or thematic or "mixed method*") N3 (syntheses* or review)	687
(meta* or review or syntheses* or systematic) N3 ("grounded theory")	172
(information OR data) N2 syntheses*	360
data W2 extract*	531
metasyntheses* OR metaethnograph* OR "qualitative cross-case analysis" OR "aggregated analys*"	28
8-14 (OR)	7,207
Limits: publication date, language	
Limiters - Date of Publication: 20000101-20171231; Language: Danish, English, Norwegian, Swedish	
Combined sets	
4 AND 7 AND 16	580
4 AND 15 AND 16	265

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

" " = Citation Marks; searches for an exact phrase

ASSIA via Proquest 31 May 2017

Title: Scientific evidence and evidence gaps in social care regarding assessment routines and interventions for persons with substance abuse or their next of kin

Search terms	Items found
Population: Substance abuse	
SU.EXACT("Alcohol abuse") OR SU.EXACT("Drug abuse") OR SU.EXACT("Substance abuse") OR SU.EXACT("Solvent abuse") OR SU.EXACT("Intravenous drug addicts") OR SU.EXACT("Drug addiction") OR SU.EXACT("Drug addicts") OR SU.EXACT("Intravenous drug addiction") OR SU.EXACT("Alcoholism") OR SU.EXACT("Alcohol dependence") OR SU.EXACT("Substance dependency") OR SU.EXACT("Dual-dependency") OR SU.EXACT("Drug dependency") OR SU.EXACT("Ecstasy drug") OR SU.EXACT("Drug abusers") OR SU.EXACT("Drug addicts") OR SU.EXACT("Opium") OR SU.EXACT("Cocaine") OR SU.EXACT("Gamma- hydroxybutyrate") OR SU.EXACT("Opiates") OR SU.EXACT("Opioids") OR SU.EXACT("Tranquillizers") OR SU.EXACT("Narcotics") OR SU.EXACT("Heroin") OR SU.EXACT("Crack") OR SU.EXACT("Ayahuasca") OR "Hallucinogens" OR "Lysergic acid diethylamide") OR SU.EXACT("Amphetamines" OR "Dexamphetamines" OR "Dextroamphetamines" OR "Ecstasy drug" OR "Flatliner drug" OR "Khat" OR "Methamphetamine") OR SU.EXACT("Morphine") OR SU.EXACT("Methadone") OR SU.EXACT("Alprazolam" OR "Benzodiazepines" OR "Clobazam" OR "Flunitrazepam" OR "Triazolam" OR "Valium") OR SU.EXACT("Barbiturates") OR SU.EXACT("Cannabis") OR SU.EXACT("Skunk")	33,027
(ti((methadone OR cocaine OR crack) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((methadone OR cocaine OR crack) NEAR/1 (user OR users OR usage OR using)) OR (ab((methadone OR cocaine OR crack) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((methadone OR cocaine OR crack) NEAR/1 (user OR users OR usage OR using)) OR ab((methadone OR cocaine OR crack) NEAR/1(dependent OR dependency)) ab((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (user OR users OR usage OR using)) OR ab((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (dependent OR dependency)) OR ab((methadone OR cocaine OR crack) NEAR/1 (dependent OR dependency)) OR ab((ecstasy OR GHB OR LSD OR	21,811

mescaline) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse
 OR misusing OR addiction OR addict OR addicts OR addicted)) OR
 ab((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (user OR users OR
 usage OR using)) OR ab((ecstasy OR GHB OR LSD OR mescaline) NEAR/1
 (dependent OR dependency))) OR ti((methamphetamine OR hallucinogenic
 OR MDMA) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse
 OR misusing OR addiction OR addict OR addicts OR addicted)) OR
 ti((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (user OR
 users OR usage OR using)) OR ti((methamphetamine OR hallucinogenic OR
 MDMA) NEAR/1 (dependent OR dependency)) OR ti((methadone OR
 cocaine OR crack) NEAR/1 (dependent OR dependency)) OR ti((ecstasy OR
 GHB OR LSD OR mescaline) NEAR/1 (abuse OR abusing OR abuser OR
 abusers OR misuse OR misusing OR addiction OR addict OR addicts OR
 addicted)) OR ti((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (user OR
 users OR usage OR using)) OR ti((ecstasy OR GHB OR LSD OR mescaline)
 NEAR/1 (dependent OR dependency))) OR (ti((morphine OR heroin OR
 amphetamine OR amphetamines) NEAR/1 (abuse OR abusing OR abuser
 OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR
 addicted)) OR ti((morphine OR heroin OR amphetamine OR
 amphetamines) NEAR/1 (user OR users OR usage OR using))) OR
 (ti((substance OR substances) NEAR/1 (abuser OR abusers OR abusing OR
 misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR
 ti((substance OR substances) NEAR/1 (user OR users OR usage OR using))
 OR ti((substance OR substances OR drug OR drugs) NEAR/1 (dependent OR
 dependency)) OR ti((drug OR drugs) NEAR/1 (abuse OR abusing OR abuser
 OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR
 addicted)) OR ti((drug OR drugs) NEAR/1 (user OR users OR usage OR
 using)) OR ti(alcoholism OR alcoholics) OR ti((opiate OR opiates OR opium
 OR opoid OR opioides) NEAR/1 (abuse OR abusing OR abuser OR abusers
 OR misuse OR misusing OR addiction OR addict OR addicts OR addicted))
 OR ti((opiate OR opiates OR opium OR opoid OR opioides) NEAR/1 (user
 OR users OR usage OR using))) OR (ab((morphine OR heroin OR
 amphetamine OR amphetamines) NEAR/1 (abuse OR abusing OR abuser
 OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR
 addicted)) OR ab((morphine OR heroin OR amphetamine OR
 amphetamines) NEAR/1 (user OR users OR usage OR using))) OR
 (ab((substance OR substances) NEAR/1 (abuser OR abusers OR abusing OR
 misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR
 ab((substance OR substances) NEAR/1 (user OR users OR usage OR using))
 OR ab((substance OR substances OR drug OR drugs) NEAR/1 (dependent
 OR dependency)) OR ab((drug OR drugs) NEAR/1 (abuse OR abusing OR
 abuser OR abusers OR misuse OR misusing OR addiction OR addict OR
 addicts OR addicted)) OR ab((drug OR drugs) NEAR/1 (user OR users OR
 usage OR using)) OR ab(alcoholism OR alcoholics) OR ab((opiate OR opiates
 OR opium OR opoid OR opioides) NEAR/1 (abuse OR abusing OR abuser OR
 abusers OR misuse OR misusing OR addiction OR addict OR addicts OR
 addicted)) OR ab((opiate OR opiates OR opium OR opoid OR opioides)

NEAR/1 (user OR users OR usage OR using))) OR ti(("prescription drugs" OR "prescribed drugs") N/5 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti(("prescription drugs" OR "prescribed drugs") N/5 (user OR users OR usage OR using OR dependent OR dependency)) OR ti((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N/5 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N/5 (user OR users OR usage OR using OR dependent OR dependency)) OR ab(("prescription drugs" OR "prescribed drugs") N/5 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab(("prescription drugs" OR "prescribed drugs") N/5 (user OR users OR usage OR using OR dependent OR dependency)) OR ab((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N/5 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N/5 (user OR users OR usage OR using OR dependent OR dependency))

1 OR 2

41,168

Study types: systematic reviews, meta synthesis

SU.EXACT("Systematic reviews") OR SU.EXACT("Meta-analysis" OR "Validity generalization")

4,886

((systematic OR systematically) NEAR/3 (bibliographic OR literature)) OR ((comprehensive) NEAR/3 (bibliographic OR literature) OR (integrative) NEAR/3 (review)) OR ((data) NEAR/2 (synthesis OR syntheses OR synthesizing OR extracting OR extraction) OR "Cochrane Database of Systematic Reviews") OR ((information) NEAR/2 (synthesis) OR (review OR reviews OR reviewing) PRE/1 (randomized OR randomized OR controlled OR control OR trial OR trials OR study OR studies OR experiment OR experiments OR experimental OR experimentally OR empiric OR empirically))

15,258

4 OR 5

19,313

SU.EXACT("Review articles")

58

((review or systematic or meta or synthesis or syntheses OR synthesizing) N/3 (qualitative or narrative or interpretive or integrative OR evidence)) OR ((meta) PRE/3 (study or studies or synthesis or syntheses OR synthesizing or ethnography or ethnographic or "data analysis" OR "data analyses" or summary) OR (realist or framework or thematic or "mixed

24,710

method" OR "mixed methods") N/3 (synthesis or syntheses OR synthesizing or review)) OR ((meta or metaanalysis or metaanalyses or review or synthesis or syntheses OR systematic) N/3 ("grounded theory") OR (information OR data) N/2 (synthesis or syntheses OR synthesizing)) OR ((data) PRE/2 (extraction) OR metaanalytic or metasynthesis OR metasyntheses OR metaethnography OR metaethnographic OR "qualitative cross-case analysis" OR "aggregated analysis" OR "aggregated analyses")

7 OR 8	24,768
Limits: publication date	
2000-2017	
Combined sets	
3 AND 6 AND 10	451
3 AND 9 AND 10	521

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AF = Author affiliation

All = Performs a keyword search in most of the database's searchable fields, except full text

AU = Author

SU.EXACT = Term from the Sociological thesaurus

SU.EXACT.EXPLODE = Includes terms found below this term in the Sociological thesaurus

TI = Title

* = Truncation

" " = Citation Marks; searches for an exact phrase

? = Wildcard, used to replace any single character either inside or at the right end of a word

Cochrane Library via Wiley 28 October 2016 (CDSR, DARE & CENTRAL)

Title: Scientific evidence and evidence gaps in social care regarding assessment routines and interventions for persons with substance abuse or their next of kin

Search terms	Items found
Population: Substance abuse	
MeSH descriptor: [Alcohol-Related Disorders] this term only	327

MeSH descriptor: [Substance-Related Disorders] this term only	2868
MeSH descriptor: [Alcohol-Induced Disorders] this term only	10
MeSH descriptor: [Alcoholism] explode all trees	2752
MeSH descriptor: [Amphetamine-Related Disorders] explode all trees	212
MeSH descriptor: [Cocaine-Related Disorders] explode all trees	731
MeSH descriptor: [Inhalant Abuse] explode all trees	3
MeSH descriptor: [Marijuana Abuse] explode all trees	308
MeSH descriptor: [Opioid-Related Disorders] explode all trees	1473
MeSH descriptor: [Phencyclidine Abuse] explode all trees	5
MeSH descriptor: [Psychoses, Substance-Induced] explode all trees	187
MeSH descriptor: [Substance Abuse, Intravenous] explode all trees	423
MeSH descriptor: [Substance Abuse Detection] explode all trees	418
MeSH descriptor: [Substance Abuse Treatment Centers] explode all trees	371
(substance* or drug* or morphine or heroin or amphetamine* or opiate* or opium or opoid* or methadone or cocaine or crack or methamphetamine* or hallucinogen* or MDMA or ecstasy or GHB or LSD or mescaline or cannabi* or marijuana or marihuana or hashish or catha or khat or prescription next drug* or prescribed next drug* or tranquiliz* or benzodiazepines or rohypnol or diazepam or valium) near/1 (abus* or misus* or addict* or depend* or use or user or users or usage or using):ti or alcoholism or alcoholics:ti (Word variations have been searched)	7720
1-15 (OR)	12675
Limits: publication year	
2000-2017	
Combined sets	
16 AND 17	8886

CDSR/1
29

DARE/4
24

HTA/12
2

The search result, usually found at the end of the documentation, forms the list of abstracts.

:au = Author

MeSH = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

this term only = Does not include terms found below this term in the MeSH hierarchy

:ti = title

:ab = abstract

:kw = keyword

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

CDSR = Cochrane Database of Systematic Review

DARE = Database Abstracts of Reviews of Effects, “other reviews”

HTA = Health Technology Assessments

IBSS via Proquest 7 June 2017

Title: Scientific evidence and evidence gaps in social care regarding assessment routines and interventions for persons with substance abuse or their next of kin

Search terms	Items found
Population: Substance abuse	
SU.EXACT("Alcoholism") OR SU.EXACT("Drug abuse") OR SU.EXACT("Solvent abuse") OR SU.EXACT("Addictions") OR SU.EXACT("Drug addiction") OR SU.EXACT("Methadone") OR SU.EXACT("Cocaine") OR SU.EXACT("Narcotics") OR SU.EXACT("Heroin") OR SU.EXACT("Tranquilizers") OR SU.EXACT("Ecstasy") OR SU.EXACT("Lysergic acid diethylamide--LSD") OR SU.EXACT("Prescription drugs") OR SU.EXACT("Marijuana") OR SU.EXACT("Hallucinogens") OR SU.EXACT("Methamphetamines") OR SU.EXACT("Psychotropic drugs") OR SU.EXACT("Amphetamines")	13,960
ti((methadone OR cocaine OR crack) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((methadone OR cocaine OR crack) NEAR/1 (user OR users	8,338

OR usage OR using)) OR (ab((methadone OR cocaine OR crack) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((methadone OR cocaine OR crack) NEAR/1 (user OR users OR usage OR using)) OR ab((methadone OR cocaine OR crack) NEAR/1(dependent OR dependency)) ab((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (user OR users OR usage OR using)) OR ab((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (dependent OR dependency)) OR ab((methadone OR cocaine OR crack) NEAR/1 (dependent OR dependency)) OR ab((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (user OR users OR usage OR using)) OR ab((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (dependent OR dependency))) OR ti((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (user OR users OR usage OR using)) OR ti((methamphetamine OR hallucinogenic OR MDMA) NEAR/1 (dependent OR dependency)) OR ti((methadone OR cocaine OR crack) NEAR/1 (dependent OR dependency)) OR ti((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (user OR users OR usage OR using)) OR ti((ecstasy OR GHB OR LSD OR mescaline) NEAR/1 (dependent OR dependency))) OR (ti((morphine OR heroin OR amphetamine OR amphetamines) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((morphine OR heroin OR amphetamine OR amphetamines) NEAR/1 (user OR users OR usage OR using))) OR (ti((substance OR substances) NEAR/1 (abuser OR abusers OR abusing OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((substance OR substances) NEAR/1 (user OR users OR usage OR using)) OR ti((substance OR substances OR drug OR drugs) NEAR/1 (dependent OR dependency)) OR ti((drug OR drugs) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((drug OR drugs) NEAR/1 (user OR users OR usage OR using)) OR ti(alcoholism OR alcoholics) OR ti((opiate OR opiates OR opium OR opoid OR opioides) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ti((opiate OR opiates OR opium OR opoid OR opioides) NEAR/1 (user OR users OR usage OR using))) OR (ab((morphine OR heroin OR amphetamine OR amphetamines) NEAR/1 (abuse OR abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR ab((morphine OR heroin OR amphetamine OR

amphetamines) NEAR/1 (user OR users OR usage OR using))) OR
 (ab((substance OR substances) NEAR/1 (abuser OR abusers OR abusing OR
 misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR
 ab((substance OR substances) NEAR/1 (user OR users OR usage OR using))
 OR ab((substance OR substances OR drug OR drugs) NEAR/1 (dependent
 OR dependency)) OR ab((drug OR drugs) NEAR/1 (abuse OR abusing OR
 abuser OR abusers OR misuse OR misusing OR addiction OR addict OR
 addicts OR addicted)) OR ab((drug OR drugs) NEAR/1 (user OR users OR
 usage OR using)) OR ab(alcoholism OR alcoholics) OR ab((opiate OR opiates
 OR opium OR opoid OR opioides) NEAR/1 (abuse OR abusing OR abuser OR
 abusers OR misuse OR misusing OR addiction OR addict OR addicts OR
 addicted)) OR ab((opiate OR opiates OR opium OR opoid OR opioides)
 NEAR/1 (user OR users OR usage OR using))) OR ti(("prescription drugs" OR
 "prescribed drugs") N/5 (abuse OR abusing OR abuser OR abusers OR
 misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR
 ti(("prescription drugs" OR "prescribed drugs") N/5 (user OR users OR
 usage OR using OR dependent OR dependency)) OR ti((tranquiliz* OR
 benzodiazepines OR rohypnol OR diazepam OR valium) N/5 (abuse OR
 abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR
 addict OR addicts OR addicted)) OR ti((tranquiliz* OR benzodiazepines OR
 rohypnol OR diazepam OR valium) N/5 (user OR users OR usage OR using
 OR dependent OR dependency)) OR ab(("prescription drugs" OR
 "prescribed drugs") N/5 (abuse OR abusing OR abuser OR abusers OR
 misuse OR misusing OR addiction OR addict OR addicts OR addicted)) OR
 ab(("prescription drugs" OR "prescribed drugs") N/5 (user OR users OR
 usage OR using OR dependent OR dependency)) OR ab((tranquiliz* OR
 benzodiazepines OR rohypnol OR diazepam OR valium) N/5 (abuse OR
 abusing OR abuser OR abusers OR misuse OR misusing OR addiction OR
 addict OR addicts OR addicted)) OR ab((tranquiliz* OR benzodiazepines OR
 rohypnol OR diazepam OR valium) N/5 (user OR users OR usage OR using
 OR dependent OR dependency))

1 OR 2

18,311

Study types: Systematic reviews, meta synthesis

(SU.EXACT("Meta-analysis") OR SU.EXACT("Systematic review")) OR
 (((systematic OR systematically) NEAR/3 (bibliographic OR literature)) OR
 ((comprehensive) NEAR/3 (bibliographic OR literature) OR (integrative)
 NEAR/3 (review)) OR ((data) NEAR/2 (synthesis OR syntheses OR
 synthesizing OR extracting OR extraction) OR "Cochrane Database of
 Systematic Reviews") OR ((information) NEAR/2 (synthesis) OR (review OR
 reviews OR reviewing) PRE/1 (randomized OR randomized OR controlled
 OR control OR trial OR trials OR study OR studies OR experiment OR
 experiments OR experimental OR experimentally OR empiric OR
 empirically)))

17,492

SU.EXACT("Literature reviews") OR (((review or systematic or meta or synthesis or syntheses OR synthesizing) N/3 (qualitative or narrative or interpretive or integrative OR evidence)) OR ((meta) PRE/3 (study or studies or synthesis or syntheses OR synthesizing or ethnography or ethnographic or "data analysis" OR "data analyses" or summary) OR (realist or framework or thematic or "mixed method" OR "mixed methods") N/3 (synthesis or syntheses OR synthesizing or review)) OR ((meta or metaanalysis or metaanalyses or review or synthesis or syntheses OR systematic) N/3 ("grounded theory") OR (information OR data) N/2 (synthesis or syntheses OR synthesizing)) OR ((data) PRE/2 (extraction) OR metaanalytic or metasynthesis OR metasyntheses OR metaethnography OR metaethnographic OR "qualitative cross-case analysis" OR "aggregated analysis" OR "aggregated analyses"))

34,247

Limits: Publication date, language

2000-2017, English, danish, norwegian

Combined sets

3 AND 4 AND 6	200
----------------------	------------

3 AND 5 AND 6	235
----------------------	------------

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AF = Author affiliation

All = Performs a keyword search in most of the database's searchable fields, except full text

AU = Author

SU.EXACT = Term from the Sociological thesaurus

SU.EXACT.EXPLODE = Includes terms found below this term in the Sociological thesaurus

TI = Title

* = Truncation

" " = Citation Marks; searches for an exact phrase

? = Wildcard, used to replace any single character either inside or at the right end of a word

PubMed via NLM 7 June 2017

Title: Scientific evidence and evidence gaps in social care regarding assessment routines and interventions for persons with substance abuse or their next of kin

Search terms	Items found
---------------------	--------------------

Population: Substance abuse

substance-related disorders[MeSH:NoExp] or alcohol-related disorders[MeSH:NoExp] or alcohol-induced disorders[MeSH:NoExp] or alcoholism[MeSH] or amphetamine-related disorders[MeSH] or cocaine-related disorders[MeSH] or inhalant abuse[MeSH] or marijuana abuse[MeSH] or opioid-related disorders[MeSH] or heroin dependence[MeSH] or morphine dependence[MeSH] or phencyclidine abuse[MeSH] or psychoses, substance-induced[MeSH] or substance abuse, intravenous[MeSH]	194141
Substance Abuse Detection[MeSH] OR Substance Abuse Treatment Centers[MeSH]	12660
((((substance*[ti] or drug*[ti] or morphine[ti] or heroin[ti] or amphetamine*[ti] or opiate*[ti] or opium[ti] or opoid*[ti] or methadone[ti] or cocaine[ti] or crack[ti] or methamphetamine*[ti] or hallucinogen*[ti] or MDMA[ti] or ecstasy[ti] or GHB[ti] or LSD[ti] or mescaline[ti] or cannabi*[ti] or marijuana[ti] or marihuana[ti] or hashish[ti] or catha[ti] or khat[ti] or prescription drug*[ti] or prescribed drug*[ti] or tranquiliz*[ti] or benzodiazepines[ti] or rohypnol[ti] or diazepam[ti] or valium[ti]) and (abus*[ti] or misus*[ti] or addict*[ti] or depend*[ti] or use[ti] OR user[ti] OR users[ti] or usage[ti] or using[ti])) or alcoholism[ti] or alcoholics[ti]) NOT Medline[sb])	4391
1-3 (OR)	203594
Study types: systematic reviews, meta synthesis	
systematic[sb]	
((((((review[ti] or systematic[ti] or meta[ti] or synthes*[ti]) AND (qualitative[ti] or narrative[ti] or interpret*[ti] or integrative[ti] or evidence[ti]))) OR (((meta[tiab]) AND (study[tiab] or studies[tiab] or synthes*[tiab] or ethnograph*[tiab] or data analys*[tiab] or summary[tiab]))) OR ((realist[tiab] or framework[tiab] or thematic[tiab] or mixed method*[tiab]) AND (synthes*[tiab] or review[tiab]))) OR (((meta[tiab] or metaanalys*[tiab] or metasynthes*[tiab] or review[tiab] or synthes*[tiab] or systematic[tiab]) AND (grounded theory[tiab]))) OR (((information[tiab] or data[tiab]) AND (synthes*[tiab]))) OR data extract*[tiab]) OR ((metasynthes*[tiab] or metaethnograph*[tiab] or qualitative cross-case analysis[tiab] or aggregated analys*[tiab]))	264416
Limits: publication date, language	
Filters activated: Publication date from 2000/01/01, English, Danish, Norwegian, Swedish.	

Combined sets

4 AND 5 AND 7	3141
4 AND 6 AND 7	1517

The search result, usually found at the end of the documentation, forms the list of abstracts.

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TIAB] = Title or abstract

[TI] = Title

[AU] = Author

[OT] = Other term

[TW] = Text Word

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

Academic Search Elite via EBSCO 28 October 2016

Title: Scientific evidence and evidence gaps in social care regarding assessment routines and interventions for persons with substance abuse or their next of kin

Search terms	Items found
Population: Substance abuse	
DE "INTRAVENOUS drug abusers" OR DE "INTRAVENOUS drug abuse" OR DE "DRUG abuse" OR DE "ALCOHOLISM" OR DE "DRUG abusers" OR DE "DRUG-seeking behavior" OR DE "ALCOHOLICS" OR DE "SUBSTANCE abuse" OR DE "INHALANT abuse" OR DE "SUBSTANCE abuse in pregnancy" OR DE "BINGE drinking" OR DE "BLACKS -- Substance use" OR DE "EMPLOYEES -- Substance use" OR DE "MEN -- Substance use" OR DE "MINORITIES -- Substance use" OR DE "PRISONERS -- Substance use" OR DE "SUBSTANCE abuse -- Diagnosis" OR DE "SUBSTANCE abuse -- Treatment" OR DE "SUBSTANCE-induced disorders" OR DE "VETERANS -- Substance use" OR DE "WOMEN -- Substance use" OR DE "BENZODIAZEPINE abuse" OR DE "KETAMINE abuse" OR DE "METHAQUALONE abuse" OR DE "OXYCODONE abuse" OR DE "ALCOHOLIC fathers" OR DE "ALCOHOLICS -- Family relationships" OR DE "RECOVERING alcoholics" OR DE "WOMEN alcoholics" OR DE "ALCOHOLICS -- Rehabilitation" OR DE "ALCOHOLISM & employment" OR DE "DUAL diagnosis" OR DE "ALCOHOLISM -- Diagnosis" OR DE "ALCOHOLISM -- Psychological aspects" OR DE "ALCOHOLISM -- Relapse" OR DE "ALCOHOLISM -- Social aspects" OR DE "ALCOHOLISM -- Treatment" OR DE "ALCOHOLISM counseling" OR DE "ALCOHOLISM counselors" OR DE "ALCOHOLISM in pregnancy" OR DE "OPIUM abuse" OR DE "HALLUCINOGENIC drugs" OR DE "DRUGS of abuse" OR DE "CLUB	104,081

drugs" OR DE "DESIGNER drugs" OR DE "HASHISH" OR DE "MARIJUANA"
OR DE "SEDATIVE abuse" OR DE "MORPHINE abuse" DE "HEROIN" OR DE
"HEROIN abuse" OR DE "HEROIN abuse -- Treatment" OR DE "HEROIN
addicts" OR DE "METHADONE abuse" OR DE "AMPHETAMINE abuse" OR
DE "METHAMPHETAMINE abuse" OR DE "COCAINE abuse" OR DE
"COCAINE abuse -- Treatment" OR DE "COCAINE-induced disorders" OR DE
"MARIJUANA abuse" OR DE "ALCOHOL-induced disorders" OR DE
"ALCOHOL testing" OR DE "ALCOHOLISM & crime" OR DE "ALCOHOLISM &
crime -- Abstracts" OR DE "ALCOHOLISM & crime -- Research" OR DE
"ALCOHOLISM -- Complications" OR DE "ALCOHOLICS -- Psychological
testing" OR DE "MEDICATION abuse" OR DE "MEDICATION abusers"

(DE "ALCOHOL" OR DE "OPIOIDS" OR DE "MORPHINE" OR DE "HYDROCODONE" OR DE "OXYCODONE" OR DE "TRAMADOL Drug" OR DE "SEDATIVES" OR DE "STIMULANTS" OR DE "TRANQUILIZING drugs" OR DE "AMPHETAMINES" OR DE "CONTROLLED drugs" OR DE "GAMMA- hydroxybutyrate" OR DE "NARCOTICS" OR DE "PSYCHIATRIC drugs" OR DE "APOMORPHINE" OR DE "METHADONE hydrochloride" OR DE "METHAMPHETAMINE" OR DE "BENZODIAZEPINES" OR DE "ALPRAZOLAM" OR DE "CLONAZEPAM" OR DE "DIAZEPAM" OR DE "FLUNITRAZEPAM" OR DE "FLURAZEPAM" OR DE "LORAZEPAM" OR DE "MIDAZOLAM" OR DE "NITRAZEPAM" OR DE "OXAZEPAM Drug" OR DE "BARBITURATES" OR DE "PHENOBARBITAL Drug" OR DE "THIOPENTAL" OR DE "PENTOBARBITAL" OR DE "CRACK cocaine" OR DE "DESIGNER drugs" OR DE "LSD Drug" OR DE "ECSTASY Drug" OR DE "MESCALINE" OR DE "CANNABIS" OR DE "OPIUM") AND (TI ("use disorder*" OR depend* OR misus* OR abus* OR addict*) OR AB ("use disorder*" OR depend* OR misus* OR abus* OR addict*))	25,071
--	--------

TI (substance* N1 (abus* OR misus* OR addict*)) OR TI (substance* N1 (use* OR usage OR using)) OR TI substance* N1 depend* OR TI (drug* N1 (abus* OR misus* OR addict*)) OR TI (drug* N1 (use* OR usage OR using)) OR TI drug* N1 depend* OR TI ("alcoholism" OR "alcoholics" OR "binge drink*") OR TI ((opiate* OR opium OR opoid*) N1 (abus* OR misus* OR addict*)) OR TI ((opiate* OR opium OR opoid*) N1 (use* OR usage OR using OR depend*)) OR TI ((morphine OR heroin OR amphetamine*) N1 (abus* OR misus* OR addict*)) OR TI ((morphine OR heroin OR amphetamine*) N1 (use* OR usage OR using OR depend*)) OR TI ((methadone OR cocaine OR crack) N1 (abus* OR misus* OR addict*)) OR TI ((methadone OR cocaine OR crack) N1 (use* OR usage OR using OR depend*)) OR TI ((methamphetamine* OR hallucinogen* OR MDMA) N1 (abus* OR misus* OR addict*)) OR TI ((methamphetamine* OR hallucinogen* OR MDMA) N1 (use* OR usage OR using OR depend*)) OR TI ((ecstasy OR GHB OR LSD OR mescaline) N1 (abus* OR misus* OR addict*)) OR TI ((ecstasy OR GHB OR LSD OR mescaline) N1 (use* OR usage OR using OR depend*)) OR TI ((cannabi* OR marijuana OR marihuana) N1 (abus* OR misus* OR addict*)) OR TI ((cannabi* OR marijuana OR marihuana) N1 (use* OR usage OR using OR depend*)) OR TI	46,909
---	--------

(hashish OR catha OR khat) N1 (abus* OR misus* OR addict*)) OR TI (hashish OR catha OR khat) N1 (use* OR usage OR using OR depend*)) OR TI (("prescription drug*" OR "prescribed drug*") N5 (abus* OR misus* OR addict*)) OR TI (("prescription drug*" OR "prescribed drug*") N5 ("nonmedical*" OR "non-medical*" OR "use disorder*" OR depend*)) OR TI ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (abus* OR misus* OR addict*)) OR TI ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 ("nonmedical*" OR "non-medical*" OR "use disorder*" OR depend*))

1 OR 2 OR 3

134,929

Study types: Systematic reviews, meta synthesis

(DE "SYSTEMATIC reviews (Medical research)") OR (DE "META-analysis")

65,921

(systematic* N3 review* OR (metaanaly* OR meta-analy*)) OR ((systematic*) n3 (bibliographic* OR literature)) OR ((comprehensive*) N3 (bibliographic* OR literature)) OR (integrative n3 review) OR (information n2 synthes*)) OR ((review*) W1 (random* OR control* OR trial* OR study OR studies OR experiment* OR empiric*))

144,527

5 OR 6

144,527

DE "META-synthesis (Qualitation research)"

559

((review or systematic or meta or synthes*) N3 (qualitative or narrative or interpret* or integrative OR evidence)) OR (meta W3 (study or studies or synthes* or ethnograph* or "data analys*" or summary)) OR ((realist or framework or thematic or "mixed method*") N3 (synthes* or review)) OR ((meta* or review or synthes* or systematic) N3 ("grounded theory")) OR ((information OR data) N2 synthes*) OR data W2 extract* OR (metasynthes* OR metaethnograph* OR "qualitative cross-case analysis" OR "aggregated analys*")

74,613

8 OR 9

74,613

Limits: publication year, language

Limiters - Published Date: 20000101-20171231; Language: English, Norwegian

Combined sets

4 AND 7 AND 11	2,210
4 AND 10 AND 11	1,040

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

" " = Citation Marks; searches for an exact phrase

PsycInfo via EBSCO 30 March 2017

Title: Scientific evidence and evidence gaps in social care regarding assessment routines and interventions for persons with substance abuse or their next of kin

Search terms	Items found
Population: Substance abuse	
DE "Drug Abuse" OR DE "Alcohol Abuse" OR DE "Drug Dependency" OR DE "Inhalant Abuse" OR DE "Polydrug Abuse" OR DE "Addiction" OR DE "Drug Addiction" OR DE "Intravenous Drug Usage" OR DE "Substance Use Disorder" OR DE "Alcoholism" OR DE "Binge Drinking" OR DE "Heroin Addiction" OR DE "Glue Sniffing" OR DE "Drug Usage" OR DE "Marijuana Usage" OR DE "Methadone" OR DE "Opiates" OR DE "Buprenorphine" OR DE "Codeine" OR DE "Endogenous Opiates" OR DE "Fentanyl" OR DE "Heroin" OR DE "Morphine" OR DE "Papaverine" OR DE "Cannabis" OR DE "Hashish" OR DE "Marijuana" OR DE "Tranquilizing Drugs" OR DE "Hexobarbital" OR DE "Pentobarbital" OR DE "Phenobarbital" OR DE "Thiopental" OR DE "Barbiturates" OR DE "Amobarbital" OR DE "Barbital" OR DE "Hexobarbital" OR DE "Methohexital" OR DE "Pentobarbital" OR DE "Phenobarbital" OR DE "Secobarbital" OR DE "Thiopental" OR DE "Benzodiazepines" OR DE "Alprazolam" OR DE "Chlordiazepoxide" OR DE "Clonazepam" OR DE "Diazepam" OR DE "Flunitrazepam" OR DE "Flurazepam" OR DE "Lorazepam" OR DE "Midazolam" OR DE "Nitrazepam" OR DE "Oxazepam" OR DE "Alprazolam" OR DE "Chlordiazepoxide" OR DE "Clonazepam" OR DE "Diazepam" OR DE "Flunitrazepam" OR DE "Flurazepam" OR DE "Lorazepam" OR DE "Midazolam" OR DE "Nitrazepam" OR DE "Oxazepam" OR DE "Amobarbital" OR DE "Barbital" OR DE "Amphetamine" OR DE "Dextroamphetamine" OR DE "Methamphetamine" OR DE "Cocaine" OR DE "Crack Cocaine" OR DE "Hallucinogenic Drugs" OR DE "Lysergic Acid Diethylamide" OR DE "Mescaline" OR DE "Methylenedioxymethamphetamine" OR DE "Cannabinoids" OR DE "Tetrahydrocannabinol"	186,123
TI (substance* N1 (abus* OR misus* OR addict*)) OR TI (substance* N1 (use* OR usage OR using)) OR TI substance* N1 depend* OR TI (drug* N1 (abus* OR misus* OR addict*)) OR TI (drug* N1 (use* OR usage OR using)) OR TI drug* N1 depend* OR TI (alcoholism OR alcoholics OR "binge drink*") OR TI ((opiate* OR opium OR opoid*) N1 (abus* OR misus* OR addict*)) OR TI ((opiate* OR opium OR opoid*) N1 (use* OR usage OR using OR depend*)) OR TI ((morphine OR heroin OR amphetamine*) N1 (abus* OR misus* OR addict*)) OR TI ((morphine OR heroin OR amphetamine*) N1 (use* OR usage OR using OR depend*)) OR AB (substance* N1 (abus* OR misus* OR addict*)) OR AB (substance* N1 (use* OR usage OR using)) OR AB substance* N1 depend* OR AB (drug*	156,919

N1 (abus* OR misus* OR addict*)) OR AB (drug* N1 (use* OR usage OR
 using)) OR AB drug* N1 depend* OR AB (alcoholism OR alcoholics OR
 "binge drink*") OR AB ((opiate* OR opium OR opoid*) N1 (abus* OR
 misus* OR addict*)) OR AB ((opiate* OR opium OR opoid*) N1 (use* OR
 usage OR using OR depend*)) OR AB ((morphine OR heroin OR
 amphetamine*) N1 (abus* OR misus* OR addict*)) OR AB ((morphine OR
 heroin OR amphetamine*) N1 (use* OR usage OR using OR depend*)) OR
 TI ((methadone OR cocaine OR crack) N1 (abus* OR misus* OR addict*))
 OR TI ((methadone OR cocaine OR crack) N1 (use* OR usage OR using OR
 depend*)) OR TI ((methamphetamine* OR hallucinogen* OR MDMA) N1
 (abus* OR misus* OR addict*)) OR TI ((methamphetamine* OR
 hallucinogen* OR MDMA) N1 (use* OR usage OR using OR depend*)) OR
 TI ((ecstasy OR GHB OR LSD OR mescaline) N1 (abus* OR misus* OR
 addict*)) OR TI ((ecstasy OR GHB OR LSD OR mescaline) N1 (use* OR
 usage OR using OR depend*)) OR TI ((cannabi* OR marijuana OR
 marihuana) N1 (abus* OR misus* OR addict*)) OR TI ((cannabi* OR
 marijuana OR marihuana) N1 (use* OR usage OR using OR depend*)) OR TI
 ((hashish OR catha OR khat) N1 (abus* OR misus* OR addict*)) OR TI ((hashish OR catha OR khat) N1 (use* OR usage OR using OR depend*)) OR
 AB ((methadone OR cocaine OR crack) N1 (abus* OR misus* OR addict*))
 OR AB ((methadone OR cocaine OR crack) N1 (use* OR usage OR using OR
 depend*)) OR AB ((methamphetamine* OR hallucinogen* OR MDMA) N1
 (abus* OR misus* OR addict*)) OR AB ((methamphetamine* OR
 hallucinogen* OR MDMA) N1 (use* OR usage OR using OR depend*)) OR
 AB ((ecstasy OR GHB OR LSD OR mescaline) N1 (abus* OR misus* OR
 addict*)) OR AB ((ecstasy OR GHB OR LSD OR mescaline) N1 (use* OR
 usage OR using OR depend*)) OR AB ((cannabi* OR marijuana OR
 marihuana) N1 (abus* OR misus* OR addict*)) OR AB ((cannabi* OR
 marijuana OR marihuana) N1 (use* OR usage OR using OR depend*)) OR
 AB ((hashish OR catha OR khat) N1 (abus* OR misus* OR addict*)) OR AB ((hashish OR catha OR khat) N1 (use* OR usage OR using OR depend*)) OR
 TI (("prescription drug*" OR "prescribed drug*") N5 (abus* OR misus* OR
 addict*)) OR TI (("prescription drug*" OR "prescribed drug*") N5 (use* OR
 usage OR using OR depend*)) OR TI ((tranquiliz* OR benzodiazepines OR
 rohypnol OR diazepam OR valium) N5 (abus* OR misus* OR addict*)) OR
 TI ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium)
 N5 (use* OR usage OR using OR depend*)) OR AB (("prescription drug*" OR "prescribed drug*") N5 (abus* OR misus* OR addict*)) OR AB (("prescription drug*" OR "prescribed drug*") N5 (use* OR usage OR using OR depend*)) OR AB ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (abus* OR misus* OR addict*)) OR AB ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (use* OR usage OR using OR depend*))

Study types: systematic review, meta synthesis

DE "Meta Analysis" OR ZC "systematic review" OR ZC "meta analysis"	31,199
TX (systematic* N3 review*) OR TX (metaanaly* OR meta-analy* OR "meta analy*") OR TX ((systematic* n3 bibliographic*) OR (systematic* n3 literature) OR (comprehensive* n3 literature) OR (comprehensive* n3 bibliographic*) OR (integrative n3 review) OR (information n2 synthesis) OR (data n2 synthesis) OR (data n2 extract*)) OR JN ("Cochrane Database of Systematic Reviews")	54,213
4 OR 5	54,213
(ZC "metasynthesis")	56
(review or systematic or meta or synthes*) N3 (qualitative or narrative or interpret* or integrative OR evidence)	24,893
meta W3 (study or studies or synthes* or ethnograph* or "data analys*" or summary)	4,594
(realist or framework or thematic or "mixed method*") N3 (synthes* or review)	2,357
(meta* or review or synthes* or systematic) N3 ("grounded theory")	122
(information OR data) N2 synthes*	2,380
data W2 extract*	3,286
metasynthes* OR metaethnograph* OR "qualitative cross-case analysis" OR "aggregated analys*"	214
7-14 (OR)	35,214

Limits: publication year, language

Limiters - Publication Year: 2000-2017; Language: Danish, English, Norwegian, Swedish

Combined sets

3 AND 6 AND 16	3,235
3 AND 15 AND 16	1,968

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

" " = Citation Marks; searches for an exact phrase