

Reference	Reason for exclusion
A. DM pilot aims to further integrate mental health services into primary care. <i>Disease Management Advisor</i> , 2001; 7 (12): 185-7, 77.	Outside of specified Intervention
C, S, C. The effectiveness of psychosocial interventions designed to improve health-related quality of life (HRQOL) amongst asthmatic children and their families: a systematic review (Provisional abstract). <i>Quality of Life Research</i> , 2012; 21 (5): 747-64.	Outside of specified population
E. The Clubhouse model for psychosocial rehabilitation of individuals with severe mental illness (Structured abstract). <i>Health Technology Assessment Database</i> , 2001; (4): 33.	Article non-retrievable
F, D, Schultze S. Psycho-oncology of prostate carcinoma - psychosocial distress and treatment approaches: a systematic review (Provisional abstract). <i>Zeitschrift fur Psychosomatische Medizin und Psychotherapie</i> , 2008; 54 (4): 329-53.	Not in the specified language
S. Role of the work environment in the development of sleep disorders (Structured abstract). <i>Health Technology Assessment Database</i> , 2013; 0 (4).	Outside of specified population
Abendstern M, Harrington V, Brand C, Tucker S, Wilberforce M, Challis D. Variations in structures, processes and outcomes of community mental health teams for older people: a systematic review of the literature. <i>Aging &amp; Mental Health</i> , 2012; 16 (7): 861-73.	Outside of specified outcome
Adams C, Wilson P, Bagnall A. Psychosocial interventions for schizophrenia. <i>Quality in Health Care</i> , 2000; 9 (4): 251-56.	Not a systematic review
Adams RC, Tapia C, Council on children with d. Early intervention, IDEA Part C services, and the medical home: collaboration for best practice and best outcomes. <i>Pediatrics</i> , 2013; 132 (4): e1073-88.	Not a systematic review
Adli M, Bauer M, Rush AJ. Algorithms and collaborative-care systems for depression: are they effective and why? A systematic review. <i>Biological Psychiatry</i> , 2006; 59 (11): 1029-38.	Outside of specified Intervention
Agius M, Biocina SM, Alptekin K, Rotstein V, Morselli P, Persaud A. Basic standards for management of patients with serious mental illness in the community. <i>Psychiatria Danubina</i> , 2005; 17 (1): 42-57.	Not a systematic review
Agius M, Murphy CL, Zaman R. Does shared care help in the treatment of depression? <i>Psychiatria Danubina</i> , 2010; 22S18-22.	Not a systematic review
Ahola K, Toppinen-Tanner S, Seppänen J. Interventions to alleviate burnout symptoms and to support return to work among employees with burnout: Systematic review and meta-analysis. <i>Burnout Research</i> , 2017; 41-11.	Low quality
Aitken Z, Garrett CC, Hewitt B, Keogh L, Hocking JS, Kavanagh AM. The maternal health outcomes of paid maternity leave: A systematic review. <i>Social Science &amp; Medicine</i> , 2015; 13032.	Outside of specified Intervention
Allen-Meares P, Montgomery KL, Kim JS. School-based social work interventions: a cross-national systematic review. <i>Social Work</i> , 2013; 58 (3): 253-62.	Outside of specified Intervention
Alvarez-Jimenez M, Alcazar-Corcoles MA, González-Blanch C, Bendall S, McGorry PD, Gleeson JF. Online, social media and mobile technologies for psychosis treatment: A systematic review on novel user-led interventions. <i>Schizophrenia Research</i> , 2014; 156 (1): 96-106.	Outside of specified Intervention
Anderson K, Laxhman N, Priebe S. Can mental health interventions change social networks? A systematic review. <i>BMC Psychiatry</i> , 2015; 15.	Low quality
Andrews L. Systematic review summary - Psychosocial interventions to improve quality of life and emotional well-being for recently diagnosed cancer patients. <i>Singapore Nursing Journal</i> , 2013; 40 (3): 47-49.	Not a systematic review
Antoniades J, Mazza D, Brijnath B. Efficacy of depression treatments for immigrant patients: results from a systematic review. <i>BMC Psychiatry</i> , 2014; 14176.	Outside of specified outcome
Anttila S, Clausson E, Eckerlund I, Helgesson G, Hjern A, Hakansson P, et al. Methods of preventing mental ill-health among schoolchildren (Structured abstract). <i>Health Technology Assessment Database</i> , 2010; (4).	Outside of specified Intervention
Arbesman M, Bazyk S, Nochajski SM. Systematic review of occupational therapy and mental health promotion, prevention, and intervention for children and youth. <i>American Journal of Occupational Therapy</i> , 2013; 67 (6): e120-30.	Not a systematic review
Arbesman M, Logsdon DW. Occupational therapy interventions for employment and education for adults with serious mental illness: a systematic review. <i>American Journal of Occupational Therapy</i> , 2011; 65 (3): 238-46.	Low quality
Arends I, Bruinvels DJ, Rebergen DS, Nieuwenhuijsen K, Madan I, Neumeyer-Gromen A, et al. Interventions to facilitate return to work in adults with adjustment disorders. <i>Cochrane Database of Systematic Reviews</i> , 2012; 12CD006389.	Outside of specified domains
Assertive community treatment for people with persistent and particularly severe mental illness (Structured abstract). <i>Health Technology Assessment Database</i> , 2001; 0 (4): 78.	Low quality
Audhoe SS, Hoving JL, Sluiter JK, Frings-Dresen MH. Vocational interventions for unemployed: effects on work participation and mental distress. A systematic review. <i>Journal of Occupational Rehabilitation</i> , 2010; 20 (1): 1-13.	Outside of specified Intervention
Austin M-P, Priest SR, Sullivan EA. Antenatal psychosocial assessment for reducing perinatal mental health morbidity. 2008; (4).	Outside of specified Intervention
Austin SB. Prevention research in eating disorders: theory and new directions. <i>Psychological Medicine</i> , 2000; 30 (6): 1249-62.	Outside of specified outcome
Awa WL, Plaumann M, Walter U. Burnout prevention: a review of intervention programs. <i>Patient Education &amp; Counseling</i> , 2010; 78 (2): 184-90.	Outside of specified population
Babor TF. Linking science to policy: the role of international collaboration and problem-focused integrative reviews. <i>Addiction</i> , 2015; 11040-46.	Not a systematic review

Baker PR, Francis DP, Hairi NN, Othman S, Choo WY. Interventions for preventing abuse in the elderly. 2016; (8).	Outside of specified Intervention
Baldwin RC, Anderson D, Black S, Evans S, Jones R, Wilson K, et al. Guideline for the management of late-life depression in primary care. <i>International Journal of Geriatric Psychiatry</i> , 2003; 18 (9): 829-38.	Not a systematic review
Balogh R, McMorris CA, Lunsly Y, Ouellette-Kuntz H, Bourne L, Colantonio A, et al. Organising healthcare services for persons with an intellectual disability. <i>Cochrane Database of Systematic Reviews</i> , 2016; 4CD007492.	Outside of specified population
Banfield MA, Gardner KL, Yen LE, McRae IS, Gillespie JA, Wells RW. Coordination of care in Australian mental health policy. <i>Australian Health Review</i> , 2012; 36 (2): 153-7.	Not a systematic review
Barbui C, Tansella M. Identification and management of depression in primary care settings. A meta-review of evidence. <i>Epidemiologia e Psichiatria Sociale</i> , 2006; 15 (4): 276-83.	Not a systematic review
Barley EA, Haddad M, Simmonds R, Fortune Z, Walters P, Murray J, et al. The UPBEAT depression and coronary heart disease programme: using the UK Medical Research Council framework to design a nurse-led complex intervention for use in primary care. <i>BMC Family Practice</i> , 2012; 13:119.	Outside of specified Intervention
Barlow J, Coren E, Stewart-Brown S. Meta-analysis of the effectiveness of parenting programmes in improving maternal psychosocial health (Structured abstract). <i>British Journal of General Practice</i> , 2002; 52 (476): 223-33.	Outside of specified Intervention
Barsevick AM, Sweeney C, Haney E, Chung E. A systematic qualitative analysis of psychoeducational interventions for depression in patients with cancer (Structured abstract). <i>Oncology Nursing Forum</i> , 2002; 29 (1): 73-84.	Outside of specified Intervention
Bartels SJ, Dums AR, Oxman TE, Schneider LS, Areal PA, Alexopoulos GS, et al. Evidence-based practices in geriatric mental health care. <i>Psychiatric Services</i> , 2002; 53 (11): 1419-31.	Not a systematic review
Baskin TW, Slaten CD, Crosby NR, Pufahl T, Schneller CL, Ladell M. Efficacy of counseling and psychotherapy in schools: A meta-analytic review of treatment outcome studies. <i>The Counseling Psychologist</i> , 2010; 38 (7): 878-903.	Outside of specified Intervention
Bauer MS. An evidence-based review of psychosocial treatments for bipolar disorder. <i>Psychopharmacology Bulletin</i> , 2001; 35 (3): 109-34.	Outside of specified Intervention
Beattie AM, Daker-White G, Gilliard J, Means R. Younger people in dementia care: a review of service needs, service provision and models of good practice. <i>Aging &amp; Mental Health</i> , 2002; 6 (3): 205-12.	Outside of specified population
Beaudoin I, Bouchard S. Efficiency of the "housing first" approach for people who are homeless and living with mental illness or with disorders associated to psychoactive substances (Structured abstract). <i>Health Technology Assessment Database</i> , 2014; (4).	Not in the specified language
Bedell JR, Cohen NL, Sullivan A. Case management: the current best practices and the next generation of innovation. <i>Community Mental Health Journal</i> , 2000; 36 (2): 179-94.	Not a systematic review
Behan C, Masterson S, Clarke M. Systematic review of the evidence for service models delivering early intervention in psychosis outside the stand-alone centre. <i>Early Intervention in Psychiatry</i> , 2017; 11 (1): 3-13.	Outside of specified Intervention
Bellonci C, Gleason MM. Building a treatment safety net for children in child welfare programs. <i>Journal of the American Academy of Child &amp; Adolescent Psychiatry</i> , 2012; 51 (9): 855-7.	Outside of specified Intervention
Bemelmans R, Gelderblom GI, Jonker P, de Witte L. Socially Assistive Robots in Elderly Care: A Systematic Review into Effects and Effectiveness. <i>Journal of the American Medical Directors Association</i> , 2012; 13 (2): 114-20.e1.	Outside of specified population
Bennett K, Manassis K, Duda S, Bagnell A, Bernstein GA, Garland EJ, et al. Preventing Child and Adolescent Anxiety Disorders: Overview of Systematic Reviews. <i>Depression &amp; Anxiety</i> , 2015; 32 (12): 909-18.	Not a systematic review
Bennett K, Rhodes AE, Duda S, Cheung AH, Manassis K, Links P, et al. A youth suicide prevention plan for Canada: A systematic review of reviews. <i>The Canadian Journal of Psychiatry / La Revue canadienne de psychiatrie</i> , 2015; 60 (6): 245-57.	Not a systematic review
Benston EA. Housing Programs for Homeless Individuals With Mental Illness: Effects on Housing and Mental Health Outcomes. <i>Psychiatric Services</i> , 2015; 66 (8): 806-16.	Low quality
Berhe T, Puschner B, Kilian R, Becker T. "Home treatment" for mental illness: concept definition and effectiveness (Provisional abstract). <i>Der Nervenarzt</i> , 2005; 76 (7): 822-28.	Not in the specified language
Berk M, Berk L, Castle D. A collaborative approach to the treatment alliance in bipolar disorder. <i>Bipolar Disorders</i> , 2004; 6 (6): 504-18.	Outside of specified Intervention
Bhattacharyya S, Benbow SM. Mental health services for black and minority ethnic elders in the United Kingdom: a systematic review of innovative practice with service provision and policy implications. <i>International Psychogeriatrics</i> , 2013; 25 (3): 359-73.	Outside of specified Intervention
Bhui KS, Dinos S, Stansfeld SA, White PD. A synthesis of the evidence for managing stress at work: a review of the reviews reporting on anxiety, depression, and absenteeism. <i>Journal Of Environmental &amp; Public Health</i> , 2012; 2012515874.	Not a systematic review
Bird M, Anderson K, MacPherson S, Blair A. Do interventions with staff in long-term residential facilities improve quality of care or quality for life people with dementia? A systematic review of the evidence. <i>International Psychogeriatrics</i> , 2016; 28 (12): 1937-63.	Outside of specified population
Blank L, Peters J, Pickvance S, Wilford J, Macdonald E. A systematic review of the factors which predict return to work for people suffering episodes of poor mental health. <i>Journal of Occupational Rehabilitation</i> , 2008; 18 (1): 27-34.	Outside of specified Intervention
Blodgett J, Maisel N, Fuh I, Wilbourne P, Finney J. How effective is continuing care for substance use disorders? A meta-analytic review (Provisional abstract). <i>Journal of Substance Abuse Treatment</i> , 2013; 46 (2): 87-97.	Outside of specified population

Bokberg C, Ahlstrom G, Karlsson S, Hallberg IR, Janlov AC. Best practice and needs for improvement in the chain of care for persons with dementia in Sweden: a qualitative study based on focus group interviews. <i>BMC Health Services Research</i> , 2014; 14:596.	Not a systematic review
Bond GR, Drake RE, Becker DR. An update on randomized controlled trials of evidence-based supported employment. <i>Psychiatric Rehabilitation Journal</i> , 2008; 31 (4): 280-90.	Low quality
Bond GR, Drake RE, Becker DR. Generalizability of the Individual Placement and Support (IPS) model of supported employment outside the US. <i>World Psychiatry</i> , 2012; 11 (1): 32-9.	Low quality
Bond GR, Drake RE, Luciano A. Employment and educational outcomes in early intervention programmes for early psychosis: A systematic review. <i>Epidemiology and Psychiatric Sciences</i> , 2015; 24 (5): 446-57.	Low quality
Bond GR, Drake RE. Making the Case for IPS Supported Employment. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2014; 41 (1): 69-73.	Not a systematic review
Bond GR. Supported employment: evidence for an evidence-based practice. <i>Psychiatric Rehabilitation Journal</i> , 2004; 27 (4): 345-59.	Not a systematic review
Borsay C. Anger management interventions for adults with learning disabilities living in the community: a review of recent (2000-2010) evidence (Structured abstract). <i>British Journal of Learning Disabilities</i> , 2013; 41 (1): 38-44.	Outside of specified population
Bower P, Garralda E, Kramer T, Harrington R, Sibbald B. The treatment of child and adolescent mental health problems in primary care: a systematic review. <i>Family Practice</i> , 2001; 18 (4): 373-82.	Outside of specified Intervention
Bower P, Gilbody S, Richards D, Fletcher J, Sutton A. Collaborative care for depression in primary care. Making sense of a complex intervention: systematic review and meta-regression. <i>British Journal of Psychiatry</i> , 2006; 189, 484-93.	Outside of specified outcome
Bower P, Knowles S, Coventry PA, Rowland N. Counselling for mental health and psychosocial problems in primary care. <i>Cochrane Database of Systematic Reviews</i> , 2011; 0 (9): CD001025.	Outside of specified population
Bower P, Sibbald B. On-site mental health workers in primary care: effects on professional practice. <i>Cochrane Database of Systematic Reviews</i> , 2000; 0 (3): CD000532.	Outside of specified population
Bower P, Sibbald B. Systematic review of the effect of on-site mental health professionals on the clinical behaviour of general practitioners. <i>BMJ</i> , 2000; 320 (7235): 614-7.	Outside of specified outcome
Bradford DW, Cunningham NT, Slubicki MN, McDuffie JR, Kilbourne AM, Nagi A, et al. An evidence synthesis of care models to improve general medical outcomes for individuals with serious mental illness: a systematic review. <i>Journal of Clinical Psychiatry</i> , 2013; 74 (8): e754-64.	Outside of specified Intervention
Bregman JD. Evidence-based integrated treatment in autism spectrum disorders. <i>Journal of the American Academy of Child &amp; Adolescent Psychiatry</i> , 2012; 51 (11): 1113-5.	Not a systematic review
Broom C, Shirk MJ, Pehrson KM, Peterson K. Perspectives on psychiatric consultation liaison nursing: psychiatric-mental health--advanced practice nurses: transforming nursing practice. <i>Perspectives in Psychiatric Care</i> , 2008; 44 (2): 131-4.	Not a systematic review
Browne G, Cashin A, Graham I. Children with Behavioral/Mental Health Disorders and School Mental Health Nurses in Australia. <i>Journal of Child &amp; Adolescent Psychiatric Nursing</i> , 2012; 25 (1): 17-24.	Not a systematic review
Browne G, Gafni A, Roberts J, Byrne C, Majumdar B. Effective/efficient mental health programs for school-age children: a synthesis of reviews. <i>Social Science &amp; Medicine</i> , 2004; 58 (7): 1367-84.	Outside of specified population
Brownley KA, Berkman ND, Sedway JA, Lohr KN, Bulik CM. Binge eating disorder treatment: A systematic review of randomized controlled trials. <i>International Journal of Eating Disorders</i> , 2007; 40 (4): 337-48.	Outside of specified Intervention
Bruce ML, Van Citters AD, Bartels SJ. Evidence-based mental health services for home and community. <i>Psychiatric Clinics of North America</i> , 2005; 28 (4): 1039-60, x-xi.	Low quality
Buckley LA, Maayan N, Soares-Weiser K, Adams CE. Supportive therapy for schizophrenia. 2015; (4).	Outside of specified Intervention
Burgoyne J. Mental health and the settings of housing support -- a systematic review and conceptual model. <i>Housing, Care &amp; Support</i> , 2014; 17 (1): 26-40.	Outside of specified outcome
Burns T, Catty J, Dash M, Roberts C, Lockwood A, Marshall M. Use of intensive case management to reduce time in hospital in people with severe mental illness: systematic review and meta-regression. <i>BMJ</i> , 2007; 335 (7615): 336.	Low quality
Burns T, Catty J, Wright C. Deconstructing home-based care for mental illness: Can one identify the effective ingredients? <i>Acta Psychiatrica Scandinavica</i> , 2006; 11333-35.	Outside of specified Intervention
Burns T, Knapp M, Catty J, Healey A, Henderson J, Watt H, et al. Home treatment for mental health problems: a systematic review. <i>Health Technology Assessment (Winchester, England)</i> , 2001; 5 (15): 1-139.	Outside of specified Intervention
Butler M, Kane RL, McAlpine D, Kathol R, Fu SS, Hagedorn H, et al. Does integrated care improve treatment for depression? A systematic review. <i>Journal of Ambulatory Care Management</i> , 2011; 34 (2): 113-25.	Low quality
Butler M, Kane RL, McAlpine D, Kathol RG, Fu SS, Hagedorn H, et al. Integration of mental health/substance abuse and primary care. <i>Evidence Report/Technology Assessment</i> , 2008; (173): 1-362.	Outside of specified Intervention
Butow P, Price MA, Shaw JM, Turner J, Clayton JM, Grimison P, et al. Clinical pathway for the screening, assessment and management of anxiety and depression in adult cancer patients: Australian guidelines. <i>Psycho-Oncology</i> , 2015; 24 (9): 987-1001.	Not a systematic review
Byatt N, Simas T, Lundquist R, Johnson J, Ziedonis D. Strategies for improving perinatal depression treatment in North American outpatient obstetric settings (Provisional abstract). <i>Journal of Psychosomatic Obstetrics and Gynecology</i> , 2012; 33 (4): 143-61.	Outside of specified outcome
Cabassa LJ, Hansen MC. A systematic review of depression treatments in primary care for Latino adults. <i>Research on Social Work Practice</i> , 2007; 17 (4): 494-503 10p.	Outside of specified Intervention

Cadieux M-A, Garcia LJ, Patrick J. Needs of People With Dementia in Long-Term Care: A Systematic Review. <i>American Journal of Alzheimer's Disease &amp; Other Dementias</i> , 2013; 28 (8): 723-33.	Outside of specified population
Calear AL, Christensen H. Systematic review of school-based prevention and early intervention programs for depression. <i>Journal of Adolescence</i> , 2010; 33 (3): 429-38.	Outside of specified population
Candy B, Cattell V, Clark C, Stansfeld SA. The health impact of policy interventions tackling the social determinants of common mental disorder: a systematic review. <i>Journal of Public Mental Health</i> , 2007; 6 (2): 28-39.	Outside of specified Intervention
Cape J, Whittington C, Bower P. What is the role of consultation-liaison psychiatry in the management of depression in primary care? A systematic review and meta-analysis. <i>General Hospital Psychiatry</i> , 2010; 32 (3): 246-54.	Low quality
Capone G, Schroder T, Clarke S, Braham L. Outcomes of therapeutic community treatment for personality disorder. <i>Therapeutic Communities</i> , 2016; 37 (2): 84-100.	Article non-retrievable
Carter FA. Postnatal home visits from healthcare professionals show promise for preventing postnatal depression. <i>Evidence Based Mental Health</i> , 2005; 8 (4): 108-08 1p.	Outside of specified Intervention
Catty JS, Burns T, Comas A, Poole Z. Day centres for severe mental illness. <i>Cochrane Database of Systematic Reviews</i> , 2007; ON.PAG-N.PAG.	Outside of specified Intervention
Chamberlain IJ, Sampson S. Nidotherapy for people with schizophrenia. <i>Cochrane Database of Systematic Reviews</i> , 2013; 0 (3): N.PAG-N.PAG.	Not a systematic review
Charles VE, Polis CB, Sridhara SK, Blum RW. Abortion and long-term mental health outcomes: a systematic review of the evidence (Structured abstract). <i>Contraception</i> , 2008; 78 (6): 436-50.	Outside of specified Intervention
Charney DS, Reynolds CF, 3rd, Lewis L, Lebowitz BD, Sunderland T, Alexopoulos GS, et al. Depression and Bipolar Support Alliance consensus statement on the unmet needs in diagnosis and treatment of mood disorders in late life. <i>Archives of General Psychiatry</i> , 2003; 60 (7): 664-72.	Not a systematic review
Charzyńska K, Kucharska K, Mortimer A. Does employment promote the process of recovery from schizophrenia? A review of the existing evidence. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2015; 28 (3): 407-18.	Low quality
Chen S, Awan S, Rajji T, Abdool P, George TP, Collins A, et al. Integrated care pathways for schizophrenia: A scoping review. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2016; 43 (5): 760-67.	Low quality
Cheney G, Schlosser A, Nash P, Glover L. Targeted group-based interventions in schools to promote emotional well-being: a systematic review. <i>Clinical Child Psychology &amp; Psychiatry</i> , 2014; 19 (3): 412-38.	Outside of specified Intervention
Chien L, Chu H, Guo J, Liao Y, Chang L, Chen C, et al. Caregiver support groups in patients with dementia: a meta-analysis (Structured abstract). <i>International Journal of Geriatric Psychiatry</i> , 2011; 26 (10): 1089-98.	Outside of specified population
Chinman M, George P, Dougherty R, Daniels A, Ghose S, Swift A, et al. Peer support services for individuals with serious mental illnesses: assessing the evidence (Provisional abstract). <i>Database of Abstracts of Reviews of Effects</i> , 2014; (2): 429-41.	Low quality
Chong C, Tsunaka M, Tsang H, Chan E, Cheung W. Effects of yoga on stress management in healthy adults: a systematic review (Provisional abstract). <i>Alternative Therapies in Health and Medicine</i> , 2011; 17 (1): 32-38.	Outside of specified Intervention
Chow C, Wieman D, Cichocki B, Qvicklund H, Hiersteiner D. Mission impossible: treating serious mental illness and substance use co-occurring disorder with integrated treatment: a meta-analysis. <i>Mental Health and Substance Use</i> , 2013; 6 (2): 150-68.	Low quality
Christensen H, Griffiths KM, Gulliver A, Clack D, Kljakovic M, Wells L. Models in the delivery of depression care: a systematic review of randomised and controlled intervention trials. <i>BMC Family Practice</i> , 2008; 925.	Low quality
Chu AH, Koh D, Moy FM, Muller-Riemenschneider F. Do workplace physical activity interventions improve mental health outcomes? <i>Occupational Medicine (Oxford)</i> , 2014; 64 (4): 235-45.	Outside of specified Intervention
Cimpean D, Drake RE. Treating co-morbid chronic medical conditions and anxiety/depression. <i>Epidemiology &amp; Psychiatric Science</i> , 2011; 20 (2): 141-50.	Low quality
Citters AD, Bartels SJ. A systematic review of the effectiveness of community-based mental health outreach services for older adults (Provisional abstract). <i>Psychiatric Services</i> , 2004; 55 (11): 1237-49.	Low quality
Cleary M, Hunt G, Matheson S, Siegfried N, Walter G. Psychosocial interventions for people with both severe mental illness and substance misuse. <i>Cochrane Database of Systematic Reviews</i> , 2008; 0 (1): CD001088.	Not a systematic review
Cleary M, Hunt G, Matheson S, Siegfried N, Walter G. Psychosocial treatment programs for people with both severe mental illness and substance misuse (Structured abstract). <i>Schizophrenia Bulletin</i> , 2008; 34 (2): 226-28.	Outside of specified Intervention
Cleary M, Hunt GE, Matheson S, Walter G. Psychosocial treatments for people with co-occurring severe mental illness and substance misuse: Systematic review. <i>Journal of Advanced Nursing</i> , 2009; 65 (2): 238-58.	Outside of specified domains
Cluxton-Keller F, Riley AW, Noazin S, Umoren MV. Clinical effectiveness of family therapeutic interventions embedded in general pediatric primary care settings for parental mental health: A systematic review and meta-analysis. <i>Clinical Child and Family Psychology Review</i> , 2015; 18 (4): 395-412.	Outside of specified population
Coldwell CM, Bender WS. The effectiveness of assertive community treatment for homeless populations with severe mental illness: a meta-analysis. <i>American Journal of Psychiatry</i> , 2007; 164 (3): 393-9.	Low quality
Connolly KR, Thase ME. The clinical management of bipolar disorder: a review of evidence-based guidelines. <i>The Primary Care Companion to CNS Disorders</i> , 2011; 13 (4).	Not a systematic review

Contreras N, Rossell SL, Castle DJ, Fossey E, Morgan D, Crosse C, et al. Enhancing work-focused supports for people with severe mental illnesses in australia. <i>Rehabilitation Research &amp; Practice</i> , 2012; 2012863203.	Not a systematic review
Cooper C, Mukadam N, Katona C, Lyketsos CG, Ames D, Rabins P, et al. Systematic review of the effectiveness of non-pharmacological interventions to improve quality of life of people with dementia. <i>International Psychogeriatrics</i> , 2012; 24 (6): 856-70.	Outside of specified Intervention
Cooper M, Evans Y, Pybis J. Interagency collaboration in children and young people's mental health: a systematic review of outcomes, facilitating factors and inhibiting factors. <i>Child: Care, Health &amp; Development</i> , 2016; 42 (3): 325-42.	Outside of specified outcome
Corbiere M, Shen J, Rouleau M, Dewa CS. A systematic review of preventive interventions regarding mental health issues in organizations. <i>Work</i> , 2009; 33 (1): 81-116.	Outside of specified Intervention
Corbière M, Shen J. A systematic review of psychological return-to-work interventions for people with mental health problems and/or physical injuries. <i>Canadian Journal of Community Mental Health</i> , 2006; 25 (2): 261-88.	Outside of specified Intervention
Corrigan PW, Morris SB, Michaels PJ, Rafacz JD, Rüsch N. Challenging the public stigma of mental illness: A meta-analysis of outcome studies. <i>Psychiatric Services</i> , 2012; 63 (10): 963-73.	Outside of specified outcome
Couser GP. Challenges and opportunities for preventing depression in the workplace: a review of the evidence supporting workplace factors and interventions. <i>Journal of Occupational &amp; Environmental Medicine</i> , 2008; 50 (4): 411-27.	Not a systematic review
Coventry PA, Hudson JL, Kontopantelis E, Archer J, Richards DA, Gilbody S, et al. Characteristics of effective collaborative care for treatment of depression: a systematic review and meta-regression of 74 randomised controlled trials. <i>PLoS ONE [Electronic Resource]</i> , 2014; 9 (9): e108114.	Low quality
Craven MA, Bland R. Better practices in collaborative mental health care: an analysis of the evidence base. <i>Canadian Journal of Psychiatry - Revue Canadienne de Psychiatrie</i> , 2006; 51 (6): 75-72S.	Outside of specified outcome
Croyle RT, Rowland JH. Mood disorders and cancer: a National Cancer Institute perspective. <i>Biological Psychiatry</i> , 2003; 54 (3): 191-4.	Not a systematic review
Cuijpers P, Straten A, Smit F, Mihalopoulos C, Beekman A. Preventing the onset of depressive disorders: a meta-analytic review of psychological interventions (Structured abstract). <i>American Journal of Psychiatry</i> , 2008; 165 (10): 1272-80.	Outside of specified Intervention
Cuijpers P, van Straten A, Smits N, Smit F. Screening and early psychological intervention for depression in schools: systematic review and meta-analysis. <i>European Child &amp; Adolescent Psychiatry</i> , 2006; 15 (5): 300-07.	Outside of specified Intervention
Cullen KL, Irvin E, Collie A, Clay F, Gensby U, Jennings PA, et al. Effectiveness of Workplace Interventions in Return-to-Work for Musculoskeletal, Pain-Related and Mental Health Conditions: An Update of the Evidence and Messages for Practitioners. <i>Journal of Occupational Rehabilitation</i> , 2017; 2121.	Low quality
Dalgren AS, Gard GE. Soft values with hard impact -- a review of stress reducing interventions on group and organisational level. <i>Physical Therapy Reviews</i> , 2009; 14 (6): 369-81.	Outside of specified outcome
Damery S, Flanagan S, Combes G. Does integrated care reduce hospital activity for patients with chronic diseases? An umbrella review of systematic reviews. <i>BMJ Open</i> , 2016; 6 (11): e011952.	Outside of specified population
David A, Szamoskozi S. A meta-analytical study on the effects of cognitive behavioral techniques for reducing distress in organizations (Provisional abstract). <i>Journal of Cognitive and Behavioral Psychotherapies</i> , 2011; 11 (2): 221-36.	Outside of specified Intervention
De Leeuw M, Van Meijel B, Grypdonck M, Kroon H. The quality of the working alliance between chronic psychiatric patients and their case managers: process and outcomes. <i>Journal of Psychiatric &amp; Mental Health Nursing</i> , 2012; 19 (1): 1-7.	Low quality
de Maat SM, Dekker J, Schoevers RA, de Jonghe F. Relative efficacy of psychotherapy and combined therapy in the treatment of depression: A meta-analysis. <i>European Psychiatry</i> , 2007; 22 (1): 1-8.	Outside of specified Intervention
De Silva M, Maclachlan M, Devane D, Desmond D, Gallagher P, Schnyder U, et al. Psychosocial interventions for the prevention of disability following traumatic physical injury. <i>Cochrane Database of Systematic Reviews</i> , 2009; (4): CD006422.	Outside of specified population
De SM, Maclachlan M, Devane D, Desmond D, Gallagher P, Schnyder U, et al. Psychosocial interventions for the prevention of disability following traumatic physical injury. <i>Cochrane Database of Systematic Reviews</i> , 2009; (4).	Outside of specified Intervention
de Vet R, van Luitelaar MJA, Brilleslijper-Kater SN, Vanderplasschen W, Beijersbergen MD, Wolf JRLM. Effectiveness of case management for homeless persons: A systematic review. <i>American Journal of Public Health</i> , 2013; 103 (10): e13-e26.	Outside of specified outcome
Dean BB, Gerner D, Gerner RH. A systematic review evaluating health-related quality of life, work impairment, and healthcare costs and utilization in bipolar disorder. <i>Current Medical Research &amp; Opinion</i> , 2004; 20 (2): 139-54.	Outside of specified population
Deenadayalan Y, Perraton L, Machotka Z, Kumar S. Day therapy programs for adolescents with mental health problems: a systematic review (Structured abstract). <i>Internet Journal of Allied Health Sciences and Practice</i> , 2010; 8 (1): 1-14.	Outside of specified Intervention
Dennis C. Psychosocial and psychological interventions for prevention of postnatal depression: systematic review. <i>BMJ: British Medical Journal (International Edition)</i> , 2005; 331 (7507): 15-18 4p.	Outside of specified Intervention
Dennis C-L, Dowswell T. Psychosocial and psychological interventions for preventing postpartum depression. <i>Cochrane Database of Systematic Reviews</i> , 2013; (2).	Outside of specified Intervention
Dickson K, Gough D. Supporting people in accessing meaningful work: recovery approaches in community-based adult mental health services (Provisional abstract). <i>Database of Abstracts of Reviews of Effects</i> , 2008; (2): 1.	Article non-retrievable

Dieterich M, Irving CB, Bergman H, Khokhar MA, Park B, Marshall M. Intensive case management for severe mental illness. <i>Cochrane Database of Systematic Reviews</i> , 2017; 1CD007906.	Outside of specified domains
Dietrich S, Deckert S, Ceynowa M, Hegerl U, Stengler K. Depression in the workplace: a systematic review of evidence-based prevention strategies. <i>International Archives of Occupational &amp; Environmental Health</i> , 2012; 85 (1): 1-11.	Article non-retrievable
Donald M, Dower J, Kavanagh D. Integrated versus non-integrated management and care for clients with co-occurring mental health and substance use disorders: a qualitative systematic review of randomised controlled trials. <i>Social Science &amp; Medicine</i> , 2005; 60 (6): 1371-83.	Low quality
Doody O, Butler MP, Lyons R, Newman D. Families experiences of involvement in care planning in mental health services: An integrative literature review. <i>Journal of Psychiatric &amp; Mental Health Nursing</i> , 2017; 1919.	Outside of specified outcome
Doughty C, Tse S. Can consumer-led mental health services be equally effective? An integrative review of CLMH services in high-income countries. <i>Community Mental Health Journal</i> , 2011; 47 (3): 252-66.	Outside of specified outcome
Doughty C. Effective models of mental health service provision and workforce configuration in the primary care setting (Structured abstract). <i>Health Technology Assessment Database</i> , 2006; (4): 91.	Low quality
Drake RE, O'Neal EL, Wallach MA. A systematic review of psychosocial research on psychosocial interventions for people with co-occurring severe mental and substance use disorders. <i>Journal of Substance Abuse Treatment</i> , 2008; 34 (1): 123-38.	Low quality
Draper B. The effectiveness of old age psychiatry services. <i>International Journal of Geriatric Psychiatry</i> , 2000; 15 (8): 687-703.	Outside of specified Intervention
Droste N, Miller P, Baker T. Review article: Emergency department data sharing to reduce alcohol-related violence: a systematic review of the feasibility and effectiveness of community-level interventions. <i>Emergency Medicine Australasia</i> , 2014; 26 (4): 326-35.	Outside of specified population
Dumaine ML. Meta-analysis of interventions with co-occurring disorders of severe mental illness and substance abuse: Implications for social work practice. <i>Research on Social Work Practice</i> , 2003; 13 (2): 142-65.	Outside of specified Intervention
Duncan E, Best C, Hagen S. Shared decision making interventions for people with mental health conditions. <i>Cochrane Database of Systematic Reviews</i> , 2010; (1): CD007297.	Outside of specified Intervention
Durand MJ, Corbiere M, Coutu MF, Reinharz D, Albert V. A review of best work-absence management and return-to-work practices for workers with musculoskeletal or common mental disorders. <i>Work</i> , 2014; 48 (4): 579-89.	Right aim but no primay studies
Dy SM, Apostol C, Martinez KA, Aslakson RA. Continuity, coordination, and transitions of care for patients with serious and advanced illness: A systematic review of interventions. <i>Journal of Palliative Medicine</i> , 2013; 16 (4): 436-45.	Not a systematic review
Edward KL, Munro I. Nursing considerations for dual diagnosis in mental health. <i>International Journal of Nursing Practice</i> , 2009; 15 (2): 74-9.	Low quality
Eggert S. Psychosocial factors affecting employees' abilities to return to work. <i>AAOHN Journal</i> , 2010; 58 (2): 51-55.	Low quality
Ekers D, Murphy R, Archer J, Ebenezer C, Kemp D, Gilbody S. Nurse-delivered collaborative care for depression and long-term physical conditions: a systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2013; 149 (1): 14-22.	Low quality
Embrett MG, Randall GE, Longo CJ, Nguyen T, Mulvale G. Effectiveness of health system services and programs for youth to adult transitions in mental health care: A systematic review of academic literature. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2015.	Outside of specified Intervention
Engle B, MacGowan M. A critical review of adolescent substance abuse group treatments (Structured abstract). <i>Journal of Evidence-Based Social Work</i> , 2009; 6 (3): 217-43.	Outside of specified population
Evans S, Huxley P, Baker C, White J, Madge S, Onyett S, et al. The social care component of multidisciplinary mental health teams: a review and national survey. <i>Journal of Health Services Research &amp; Policy</i> , 2012; 1723-29.	Outside of specified outcome
Evans SW, Axelrod JL, Sapia JL. Effective school-based mental health interventions: Advancing the social skills training paradigm. <i>The Journal of School Health</i> , 2000; 70 (5): 191-4.	Not a systematic review
Everly Jr GS, Sherman MF, Stapelton A, Barnett DJ, Hiremath GS, Links JM. Workplace Crisis Intervention: A Systematic Review of Effect Sizes. <i>Journal of Workplace Behavioral Health</i> , 2006; 21 (3): 153-70.	Outside of specified Intervention
Facilitating the return to work of NHS staff with common mental health disorders: a feasibility study (Project record). <i>Health Technology Assessment Database</i> , 2016; (4).	Not a systematic review
Farahmand FK, Duffy SN, Tailor MA, DuBois DL, Lyon AL, Grant KE, et al. Community-based mental health and behavioral programs for low-income urban youth: A meta-analytic review. <i>Clinical Psychology: Science and Practice</i> , 2012; 19 (2): 195-215.	Outside of specified Intervention
Ferri M, Dias S. Time, consensus and implementation: challenges for effective knowledge exchange. <i>Addiction</i> , 2015; 110 (6): 900-01.	Not a systematic review
Fiellin DA, Reid MC, O'Connor PG. Screening for alcohol problems in primary care: a systematic review. <i>Archives of Internal Medicine</i> , 2000; 160 (13): 1977-2069.	Outside of specified Intervention
Firth N, Barkham M, Kellett S. The clinical effectiveness of stepped care systems for depression in working age adults: a systematic review. <i>Journal of Affective Disorders</i> , 2015; 170119-30.	Outside of specified Intervention
Fisher A, Manicavasagar V, Kiln F, Juraskova I. Communication and decision-making in mental health: A systematic review focusing on Bipolar disorder. <i>Patient Education &amp; Counseling</i> , 2016; 99 (7): 1106-20.	Outside of specified Intervention

Fitzpatrick-Lewis D, Ganann R, Krishnaratne S, Ciliska D, Kouyoumdjian F, Hwang SW. Effectiveness of interventions to improve the health and housing status of homeless people: a rapid systematic review. <i>BMC Public Health</i> , 2011; 11:638.	Outside of specified population
Fletcher J, Gavin M, Harkness E, Gask L. A collaborative approach to embedding graduate primary care mental health workers in the UK National Health Service. <i>Health &amp; Social Care in the Community</i> , 2008; 16 (5): 451-9.	Outside of specified population
Forbes D, Creamer M, Phelps A, Bryant R, McFarlane A, Devilly GJ, et al. Australian guidelines for the treatment of adults with acute stress disorder and post-traumatic stress disorder. <i>Australian &amp; New Zealand Journal of Psychiatry</i> , 2007; 41 (8): 637-48.	Outside of specified Intervention
Fossey EM, Harvey CA. Finding and sustaining employment: a qualitative meta-synthesis of mental health consumer views. <i>Canadian Journal of Occupational Therapy - Revue Canadienne d Ergotherapie</i> , 2010; 77 (5): 303-14.	Not a systematic review
Fothergill A, Satherley P, Webber I. A systematic review on the effectiveness of school nurse implemented mental health screening available for adolescents in schools. <i>Journal of Psychiatric &amp; Mental Health Nursing</i> , 2003; 10 (5): 625-6.	Not a systematic review
Fountoulakis KN, Vieta E. Treatment of bipolar disorder: a systematic review of available data and clinical perspectives. <i>International Journal of Neuropsychopharmacology</i> , 2008; 11 (7): 999-1029.	Outside of specified Intervention
Fowler-Davies S. Review: supported employment is better than prevocational training for increasing competitive employment rates in people with severe mental illness. <i>Evidence Based Mental Health</i> , 2001; 076-76.	Not a systematic review
Franche R-L, Cullen K, Clarke J, Irvin E, Sinclair S, Frank J. Workplace-Based Return-to-Work Interventions: A Systematic Review of the Quantitative Literature. <i>Journal of Occupational Rehabilitation</i> , 2005; 15 (4): 607-31.	Outside of specified population
Franklin C, Kim JS, Beretvas TS, Zhang A, Guz S, Park S, et al. The effectiveness of psychosocial interventions delivered by teachers in schools: A systematic review and meta-analysis. <i>Clinical Child and Family Psychology Review</i> , 2017.	Outside of specified population
Franklin CGS, Kim JS, Ryan TN, Kelly MS, Montgomery KL. Teacher involvement in school mental health interventions: A systematic review. <i>Children and Youth Services Review</i> , 2012; 34 (5): 973-82.	Outside of specified Intervention
Frederick JT, Steinman LE, Prohaska T, Satariano WA, Bruce M, Bryant L, et al. Community-based treatment of late life depression an expert panel-informed literature review. <i>American Journal of Preventive Medicine</i> , 2007; 33 (3): 222-49.	Outside of specified population
Fredericks S, Lapum J, Lo J. Anxiety, Depression, and Self-Management: A Systematic Review. <i>Clinical Nursing Research</i> , 2012; 21 (4): 411-30.	Outside of specified Intervention
Frolek Clark GJ, Schlabach TL. Systematic review of occupational therapy interventions to improve cognitive development in children ages birth-5 years. <i>American Journal of Occupational Therapy</i> , 2013; 67 (4): 425-30.	Not a systematic review
Fuentes D, Aranda MP. Depression interventions among racial and ethnic minority older adults: a systematic review across 20 years. <i>American Journal of Geriatric Psychiatry</i> , 2012; 20 (11): 915-31.	Outside of specified Intervention
Fulcher CD, Kim H-J, Smith PR, Sherner TL. Putting Evidence Into Practice: Evidence-Based Interventions for Depression. <i>Clinical Journal of Oncology Nursing</i> , 2014; 1826-37.	Outside of specified outcome
Fung L, Boet S, Bould MD, Qosa H, Perrier L, Tricco A, et al. Impact of crisis resource management simulation-based training for interprofessional and interdisciplinary teams: A systematic review. <i>Journal of Interprofessional Care</i> , 2015; 29 (5): 433-44.	Outside of specified population
Fung YL, Chan Z, Chien WT. Role performance of psychiatric nurses in advanced practice: A systematic review of the literature. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2014; 21 (8): 698-714.	Outside of specified Intervention
Gabrielova J, Veleminsky M, Sr. Interdisciplinary collaboration between medical and non-medical professions in health and social care. <i>Neuro Endocrinol Lett</i> , 2014; 3559-66.	Outside of specified outcome
Gall SH, Elliott L, Atkinson JM, Johansen R. Training nurses to support carers of relatives with schizophrenia. <i>British Journal of Nursing</i> , 2001; 10 (4): 238.	Not a systematic review
Gaynes B, Brown C, Lux L, Ashok M, Coker-Schwimmer E, Hoffman V, et al. Management strategies to reduce psychiatric readmissions (Structured abstract). <i>Health Technology Assessment Database</i> , 2015; (4).	Low quality
Gellis Z, Kang-Yi C. Meta-analysis of the effect of cardiac rehabilitation interventions on depression outcomes in adults 64 years of age and older (Structured abstract). <i>American Journal of Cardiology</i> , 2012; 110 (9): 1219-24.	Outside of specified Intervention
Gemignani J. Can your health plan handle depression? <i>Business &amp; Health</i> , 2001; 19 (6): 21-4.	Not a systematic review
Gensichen J, Beyer M, Muth C, Gerlach FM, Von Korff M, Ormel J. Case management to improve major depression in primary health care: a systematic review. <i>Psychological Medicine</i> , 2006; 36 (1): 7-14.	Outside of specified Intervention
George J, Adamson J, Woodford H. Joint geriatric and psychiatric wards: a review of the literature. <i>Age &amp; Ageing</i> , 2011; 40 (5): 543-48.	Outside of specified outcome
Gesundheit ÖG. Integrated mental health care of children and adolescents (Structured abstract). <i>Health Technology Assessment Database</i> , 2015; (4).	Not in the specified language
Gilbody S, Bower P, Fletcher J, Richards D, Sutton AJ. Collaborative care for depression: a cumulative meta-analysis and review of longer-term outcomes. <i>Archives of Internal Medicine</i> , 2006; 166 (21): 2314-21.	Low quality
Gilbody S, Bower P, Whitty P. Costs and consequences of enhanced primary care for depression: systematic review of randomised economic evaluations. <i>British Journal of Psychiatry</i> , 2006; 189:297-308.	Low quality

Gilbody S, Whitty P, Grimshaw J, Thomas R. Educational and organizational interventions to improve the management of depression in primary care: a systematic review. <i>JAMA</i> , 2003; 289 (23): 3145-51.	Low quality
Gilbody S, Whitty P. Improving the recognition and management of depression in primary care. <i>Effective Health Care</i> , 2002; 7 (5): 1-11.	Not a systematic review
Gilbody S. Review: disease management programmes improve detection and care of people with depression. <i>Evidence Based Mental Health</i> , 2004; 7 (3): 80-80.	Not a systematic review
Gill FJ, Leslie GD, Marshall AP. The impact of implementation of family-initiated escalation of care for the deteriorating patient in hospital: A systematic review. <i>Worldviews on Evidence-Based Nursing</i> , 2016; 13 (4): 303-13.	Outside of specified population
Gillies D, Maiocchi L, Bhandari AP, Taylor F, Gray C, O'Brien L. Psychological therapies for children and adolescents exposed to trauma. <i>Cochrane Database of Systematic Reviews</i> , 2016; (10).	Outside of specified Intervention
Gjerdingen D, Katon W, Rich DE. Stepped care treatment of postpartum depression: a primary care-based management model. <i>Women's Health Issues</i> , 2008; 18 (1): 44-52.	Low quality
Glavin CEY, Montgomery P. Creative bibliotherapy for post-traumatic stress disorder (PTSD): A systematic review. <i>Journal of Poetry Therapy</i> , 2017; 30 (2): 95-107.	Outside of specified population
Goldbeck L, Fidika A, Herle M, Quittner AL. Psychological interventions for individuals with cystic fibrosis and their families. 2014; (6).	Outside of specified Intervention
Gondek D, Edbrooke-Childs J, Fink E, Deighton J, Wolpert M. Feedback from Outcome Measures and Treatment Effectiveness, Treatment Efficiency, and Collaborative Practice: A Systematic Review. <i>Administration &amp; Policy in Mental Health</i> , 2016; 43 (3): 325-43.	Outside of specified Intervention
Goodman J, Santangelo G. Group treatment for postpartum depression: a systematic review (Structured abstract). <i>Archives of Women's Mental Health</i> , 2011; 14 (4): 277-93.	Outside of specified Intervention
Goorden M, Vlasveld MC, Anema JR, van Mechelen W, Beekman AT, Hoedeman R, et al. Cost-utility analysis of a collaborative care intervention for major depressive disorder in an occupational healthcare setting. <i>Journal of Occupational Rehabilitation</i> , 2013; epub.	Not a systematic review
Gougeon L, Johnson J, Morse H. Interprofessional collaboration in health care teams for the maintenance of community-dwelling seniors' health and well-being in Canada: A systematic review of trials. <i>Journal of Interprofessional Education and Practice</i> , 2017; 729-37.	Outside of specified outcome
Grawe RW, Ruud T, Bjorngaard JH. Alternative akuttilbud i psykisk helsevern for voksne [Alternative emergency interventions in adult mental health care] (Provisional abstract). <i>Tidsskrift for den Norske Legeforening</i> , 2005; 125 (23): 3265-68.	Low quality
Graveling R, Crawford J, Cowie H, Amati C, Vohra S. A review of workplace interventions that promote mental wellbeing in the workplace (Provisional abstract). <i>Database of Abstracts of Reviews of Effects</i> , 2008; (2): 1.	Article non-retrievable
Graveling R, Crawford J, Cowie H, Amati C, Vohra S. A review of workplace interventions that promote mental wellbeing in the workplace (Provisional abstract). <i>Database of Abstracts of Reviews of Effects</i> , 2008; 0 (2): 1.	Outside of specified population
Graven C, Brock K, Hill K, Joubert L. Are rehabilitation and/or care co-ordination interventions delivered in the community effective in reducing depression, facilitating participation and improving quality of life after stroke? <i>Disability &amp; Rehabilitation</i> , 2011; 33 (17): 1501-20.	Not a systematic review
Griffiths P. ADDRESSING DEPRESSION FOR PEOPLE WITH A CHRONIC PHYSICAL HEALTH PROBLEM. <i>Healthcare Counselling &amp; Psychotherapy Journal</i> , 2012; 12 (3): 8-13.	Not a systematic review
Grochtdreis T, Brettschneider C, Wegener A, Watzke B, Riedel-Heller S, Harter M, et al. Cost-effectiveness of collaborative care for the treatment of depressive disorders in primary care: a systematic review. <i>PLoS ONE [Electronic Resource]</i> , 2015; 10 (5): e0123078.	Outside of specified Intervention
Guidi J, Tomba E, Fava GA. The sequential integration of pharmacotherapy and psychotherapy in the treatment of major depressive disorder: A meta-analysis of the sequential model and a critical review of the literature. <i>The American Journal of Psychiatry</i> , 2016; 173 (2): 128-37.	Outside of specified Intervention
Guo B, Harstall C. Efficacy of suicide prevention programs for children and youth (Structured abstract). <i>Database of Abstracts of Reviews of Effects</i> , 2002; (2): 71.	Outside of specified Intervention
H, I. Screening, Brief Intervention, and Referral to Treatment (SBIRT) using remote interventions for alcohol misuse (Structured abstract). <i>Health Technology Assessment Database</i> , 2012; 0 (4).	Not a systematic review
Haaga DAF. Review: case management in primary health care improves symptoms and drug adherence in people with major depression. <i>Evidence Based Mental Health</i> , 2006; 9 (3): 79-79.	Not a systematic review
Haddad M, Tylee A. The chronic disease management model for depression in primary care. <i>Clinical Neuropsychiatry: Journal of Treatment Evaluation</i> , 2011; 8 (4): 252-59.	Not a systematic review
Haggerty JL, Reid RJ, Freeman GK, Starfield BH, al. e. Continuity of care: A multidisciplinary review. <i>British Medical Journal</i> , 2003; 327 (7425): 1219-21.	Outside of specified population
Haibach JP, Beehler GP, Dollar KM, Finnell DS. Moving toward integrated behavioral intervention for treating multimorbidity among chronic pain, depression, and substance-use disorders in primary care. <i>Medical Care</i> , 2014; 52 (4): 322-7.	Outside of specified outcome
Hale DR, Fitzgerald-Yau N, Mark Viner R. A Systematic Review of Effective Interventions for Reducing Multiple Health Risk Behaviors in Adolescence. <i>American Journal of Public Health</i> , 2014; 104 (5): e19-41.	Outside of specified population
Hall J, Callaghan P. Developments in managing mental health care: a review of the literature. <i>Issues in Mental Health Nursing</i> , 2008; 29 (12): 1245-72.	Not a systematic review
Hall J, Callaghan P. Part 2: the organization of mental health care. Contrasting prevailing approaches with integrated care pathways - integrated care pathways, the care programme approach and clinical guidelines. <i>International Journal of Care Pathways</i> , 2009; 13 (1): 23-29.	Outside of specified outcome



Hamberg-van Reenen HH, Proper KI, van den Berg M. Worksite mental health interventions: a systematic review of economic evaluations. <i>Occupational &amp; Environmental Medicine</i> , 2012; 69 (11): 837-45.	Outside of specified Intervention
Hambrick EP, Oppenheim-Weller S, N'zi AM, Taussig HN. Mental health interventions for children in foster care: A systematic review. <i>Children and Youth Services Review</i> , 2016; 7065-77.	Low quality
Hansotte E, Payne SI, Babich SM. Positive postpartum depression screening practices and subsequent mental health treatment for low-income women in Western countries: a systematic literature review. <i>Public Health Reviews</i> , 2017; 38.	Outside of specified Intervention
Haracz K, Ennals P. Occupational therapy intervention in mental health should be individualised, occupation focussed, promote inclusion and occur in the context of an authentic relationship. <i>Australian Occupational Therapy Journal</i> , 2015; 62 (5): 365-66.	Outside of specified Intervention
Hardaker L, Halcomb EJ, Griffiths R, Bolzan N, Arblaster K. The role of the occupational therapist in adolescent mental health: a critical review of the literature. <i>Australian e-Journal for the Advancement of Mental Health</i> , 2007; 6 (3): 10p-10p.	Low quality
Hardy KV, Moore M, Rose D, Bennett R, Jackson-Lane C, Gause M, et al. Filling the implementation gap: a community-academic partnership approach to early intervention in psychosis. <i>Early intervention in psychiatry</i> , 2011; 5 (4): 366-74.	Not a systematic review
Harkness EF, Bower PJ. On-site mental health workers delivering psychological therapy and psychosocial interventions to patients in primary care: effects on the professional practice of primary care providers. <i>Cochrane Database of Systematic Reviews</i> , 2009; ON.PAG-N.PAG.	Outside of specified outcome
Harpaz-Rotem I, Rosenheck RA. Prescribing practices of psychiatrists and primary care physicians caring for children with mental illness. <i>Child: Care, Health &amp; Development</i> , 2006; 32 (2): 225-37.	Not a systematic review
Harwood H. Don'T forget the workforce. <i>Psychiatric Services</i> , 2007; 58 (2): 191.	Not a systematic review
Haskayne D, Hirschfeld R, Larkin M. The outcome of psychodynamic psychotherapies with individuals diagnosed with personality disorders: A systematic review. <i>Psychoanalytic Psychotherapy</i> , 2014; 28 (2): 115-38.	Outside of specified Intervention
Hasson-Ohayon I, Roe D, Yanos PT, Lysaker PH. The trees and the forest: mixed methods in the assessment of recovery based interventions' processes and outcomes in mental health. <i>Journal of Mental Health</i> , 2016; 25 (6): 543-49.	Not a systematic review
Hawton K, Witt KG, Taylor STL, Arensman E, Gunnell D, Townsend E, et al. Interventions for self-harm in children and adolescents. 2015; (12).	Outside of specified Intervention
Health Quality O. Interventions to Improve Access to Primary Care for People Who Are Homeless: A Systematic Review. <i>Ontario Health Technology Assessment Series</i> , 2016; 16 (9): 1-50.	Outside of specified outcome
Heise BA, van Servellen G. The Nurse's role in primary care antidepressant medication adherence. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 2014; 52 (4): 48-57.	Outside of specified outcome
Helping Homeless Individuals with Co-occurring Disorders: The Four Components. <i>Social Work</i> , 2012; 57 (1): 23-37.	Not a systematic review
Hibbs R, Rhind C, Leppanen J, Treasure J. Interventions for caregivers of someone with an eating disorder: a meta-analysis. <i>International Journal of Eating Disorders</i> , 2015; 48 (4): 349-61.	Outside of specified population
Hildebrand MW. Effectiveness of interventions for adults with psychological or emotional impairment after stroke: an evidence-based review. <i>American Journal of Occupational Therapy</i> , 2015; 69 (1): 6901180050p1-9.	Outside of specified domains
Hine CE, Howell HB, Yonkers KA. Integration of medical and psychological treatment within the primary health care setting. <i>Social Work in Health Care</i> , 2008; 47 (2): 122-34.	Outside of specified population
Ho FY, Yeung WF, Ng TH, Chan CS. The Efficacy and Cost-Effectiveness of Stepped Care Prevention and Treatment for Depressive and/or Anxiety Disorders: A Systematic Review and Meta-Analysis. <i>Scientific Reports</i> , 2016; 629281.	Outside of specified Intervention
Hoelt TJ, Fortney JC, Patel V, Unutzer J. Task-Sharing Approaches to Improve Mental Health Care in Rural and Other Low-Resource Settings: A Systematic Review. <i>Journal of Rural Health</i> , 2017; 1313.	Low quality
Holloway F, Carson J. Case management: an update. <i>International Journal of Social Psychiatry</i> , 2001; 47 (3): 21-31.	Outside of specified Intervention
Holm AL, Severinsson E. Chronic care model for the management of depression: synthesis of barriers to, and facilitators of, success. <i>International Journal of Mental Health Nursing</i> , 2012; 21 (6): 513-23.	Outside of specified Intervention
Horvath AO, Del Re AC, Fluckiger C, Symonds D. Alliance in individual psychotherapy. <i>Psychotherapy: Theory, Research, Practice, Training</i> , 2011; 48 (1): 9-16.	Outside of specified Intervention
Howard-Wilsher S, Irvine L, Fan H, Shakespeare T, Suhrcke M, Horton S, et al. Systematic overview of economic evaluations of health-related rehabilitation. <i>Disability &amp; Health Journal</i> , 2016; 9 (1): 11-25.	Not a systematic review
Howarth E, Moore THM, Shaw ARG, Welton NJ, Feder GS, Hester M, et al. The Effectiveness of Targeted Interventions for Children Exposed to Domestic Violence: Measuring Success in Ways that Matter to Children, Parents and Professionals. <i>Child Abuse Review</i> , 2015; 24 (4): 297-310.	Outside of specified outcome
Hsiang H, Karen MT, Joseph MC, Nahida A, Amritha B, Rachel K. Collaborative Care for Women With Depression: A Systematic Review. <i>Psychosomatics</i> , 2017; 58 (1): 11-18.	Low quality
Hu C, Kung S, Rummans TA, Clark MM, Lapid MI. Reducing caregiver stress with internet-based interventions: a systematic review of open-label and randomized controlled trials. <i>Journal of the American Medical Informatics Association</i> , 2015; 22e194-209.	Outside of specified Intervention
Hubbelling D, Bertram R. Crisis resolution teams in the UK and elsewhere. <i>Journal of Mental Health</i> , 2012; 21 (3): 285-95.	Low quality

Huffman JC, Niazi SK, Rundell JR, Sharpe M, Katon WJ. Essential articles on collaborative care models for the treatment of psychiatric disorders in medical settings: a publication by the academy of psychosomatic medicine research and evidence-based practice committee. <i>Psychosomatics</i> , 2014; 55 (2): 109-22.	Low quality
Hultsjö SM, Hjelm K. Organizing care for persons with psychotic disorders and risk of or existing diabetes mellitus type 2. <i>Journal of Psychiatric &amp; Mental Health Nursing</i> , 2012; 19 (10): 891-902.	Outside of specified outcome
Hungerford C, Jones T, Cleary M. Pharmacological versus non- pharmacological approaches to managing challenging behaviours for people with dementia. <i>British Journal of Community Nursing</i> , 2014; 19 (2): 72-77.	Outside of specified population
Huntley AL, Araya R, Salisbury C. Group psychological therapies for depression in the community: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2012; 200 (3): 184-90.	Outside of specified Intervention
Husk K, Lovell R, Cooper C, Stahl-Timmins W, Garside R. Participation in environmental enhancement and conservation activities for health and well-being in adults: a review of quantitative and qualitative evidence. <i>Cochrane Database of Systematic Reviews</i> , 2016; (5).	Outside of specified Intervention
Iachini AL, Brown EL, Ball A, Gibson JE, Lize SE. School mental health early interventions and academic outcomes for at-risk high school students: A meta-analysis. <i>Advances in School Mental Health Promotion</i> , 2015; 8 (3): 156-75.	Low quality
Iaquinta MS. A Systematic Review of the Transition from Homelessness to Finding a Home. <i>Journal of Community Health Nursing</i> , 2016; 33 (1): 20-41.	Outside of specified outcome
Interian A, Lewis-Fernandez R, Dixon LB. Improving treatment engagement of underserved U.S. racial-ethnic groups: a review of recent interventions. <i>Psychiatric Services</i> , 2013; 64 (3): 212-22.	Low quality
Jackson CA, Henderson M, Frank JW, Haw SJ. An overview of prevention of multiple risk behaviour in adolescence and young adulthood. <i>Journal of Public Health</i> , 2012; 34i31-40.	Outside of specified population
Jackson M, Pelone F, Reeves S, Hassenkamp AM, Emery C, Titmarsh K, et al. Interprofessional education in the care of people diagnosed with dementia and their carers: a systematic review. <i>BMJ open</i> , 2016; 6 (8): e010948.	Outside of specified population
Jacob V, Chattopadhyay SK, Sipe TA, Thota AB, Byard GJ, Chapman DP, et al. Economics of collaborative care for management of depressive disorders: a community guide systematic review. <i>American Journal of Preventive Medicine</i> , 2012; 42 (5): 539-49.	Low quality
Jane-Llopis E, Hosman C, Jenkins R, Anderson P. Predictors of efficacy in depression prevention programmes: meta-analysis (Structured abstract). <i>British Journal of Psychiatry</i> , 2003; 183 (5): 384-97.	Low quality
Jayakody K, Gunadasa S, Hosker C. Exercise for anxiety disorders: systematic review. <i>British Journal of Sports Medicine</i> , 2014; 48 (3): 187-96.	Outside of specified Intervention
Jones MC, Johnston DW. Reducing distress in first level and student nurses: a review of the applied stress management literature. <i>Journal of Advanced Nursing</i> , 2000; 32 (1): 66-74.	Outside of specified population
Joo JY, Huber DL. Community-based case management effectiveness in populations that abuse substances. <i>International Nursing Review</i> , 2015; 62 (4): 536-46.	Outside of specified population
Joseph SA. Review: enhanced primary care programmes are effective for people with depression but are associated with increased healthcare costs. <i>Evidence Based Mental Health</i> , 2007; 10 (2): 48-48 1p.	Not a systematic review
Joyce S, Modini M, Christensen H, Mykletun A, Bryant R, Mitchell PB, et al. Workplace interventions for common mental disorders: a systematic meta-review. <i>Psychological Medicine</i> , 2016; 46 (4): 683-97.	Outside of specified Intervention
Kane GA, Wood VA, Barlow J. Parenting programmes: a systematic review and synthesis of qualitative research. <i>Child: Care, Health &amp; Development</i> , 2007; 33 (6): 784-93.	Outside of specified Intervention
Kang-yi C, Gellis Z. A systematic review of community-based health interventions on depression for older adults with heart disease. <i>Aging and mental health</i> , 2010; 14 (1): 1-19.	Outside of specified Intervention
Karyotaki E, Tordrup D, Buntrock C, Bertolini R, Cuijpers P. Economic evidence for the clinical management of major depressive disorder: a systematic review and quality appraisal of economic evaluations alongside randomised controlled trials. <i>Epidemiology &amp; Psychiatric Science</i> , 2016; 01-16.	Outside of specified Intervention
Kates N. Review: counselling in primary care may have short term benefits for people with common mental disorders. <i>Evidence Based Mental Health</i> , 2003; 6 (3): 87-87.	Not a systematic review
Katon W, Guico-Pabia CJ. Improving quality of depression care using organized systems of care: a review of the literature. <i>The Primary Care Companion to CNS Disorders</i> , 2011; 13 (1).	Low quality
Katon W, Unutzer J. Collaborative care models for depression: time to move from evidence to practice. <i>Archives of Internal Medicine</i> , 2006; 166 (21): 2304-6.	Not a systematic review
Katon W. Collaborative depression care models: From development to dissemination. <i>American Journal of Preventive Medicine</i> , 2012; 42 (5): 550-52.	Not a systematic review
Katon WJ, Seelig M. Population-based care of depression: team care approaches to improving outcomes. <i>Journal of Occupational &amp; Environmental Medicine</i> , 2008; 50 (4): 459-67.	Not a systematic review
Katon WJ, Zatzick D, Bond G, Williams J, Jr. Dissemination of evidence-based mental health interventions: importance to the trauma field. <i>Journal of Traumatic Stress</i> , 2006; 19 (5): 611-23.	Not a systematic review
Katon WJ. Collaborative care: evidence-based models that improve primary care depressive outcomes. <i>Cns Spectrums</i> , 2009; 14 (12): 10-3.	Not a systematic review
Katz C, Bolton SL, Katz LY, Isaak C, Tilston-Jones T, Sareen J. A systematic review of school-based suicide prevention programs. <i>Depression and Anxiety</i> , 2013; 30 (10): 1030-45.	Outside of specified Intervention
Kavanagh J, Oliver S, Caird J, Tucker H, Greaves A, Harden A, et al. Inequalities and the mental health of young people: a systematic review of secondary school-based cognitive behavioural interventions (Structured abstract). <i>Database of Abstracts of Reviews of Effects</i> , 2009; (2): 1.	Outside of specified Intervention

Kavanagh J, Oliver S, Lorenc T, Caird J, Tucker H, Harden A, et al. School-based cognitive-behavioural interventions: a systematic review of effects and inequalities. <i>Health Sociology Review</i> , 2009; 18 (1): 61-78.	Outside of specified population
Kelly BJ, Perkins DA, Fuller JD, Parker SM. Shared care in mental illness: A rapid review to inform implementation. <i>International Journal of Mental Health Systems</i> , 2011; 531.	Not a systematic review
Kessing LV, Hansen HV, Hougaard E, Hvenegaard A, Albaek J. [Preventive out-patient treatment of affective disorders]. <i>Ugeskrift for Laeger</i> , 2007; 169 (16): 1456-9.	Not a systematic review
Keynejad R, Semrau M, Toynbee M, Evans-Lacko S, Lund C, Gureje O, et al. Building the capacity of policy-makers and planners to strengthen mental health systems in low- and middle-income countries: a systematic review. <i>BMC Health Services Research</i> , 2016; 16 (1): 601.	Outside of specified population
Khanassov V, Vedel I, Pluye P. Case management for dementia in primary health care: a systematic mixed studies review based on the diffusion of innovation model. <i>Clinical Interventions In Aging</i> , 2014; 9915-28.	Outside of specified population
King G, Currie M, Petersen P. Child and parent engagement in the mental health intervention process: a motivational framework. <i>Child &amp; Adolescent Mental Health</i> , 2014; 19 (1): 2-8.	Outside of specified Intervention
Kinn LG, Holgersen H, Aas RW, Davidson L. "Balancing on Skates on the Icy Surface of Work": a metasynthesis of work participation for persons with psychiatric disabilities. <i>Journal of Occupational Rehabilitation</i> , 2014; 24 (1): 125-38.	Outside of specified Intervention
Kiosses D, Leon A, Arian P. Psychosocial interventions for late-life major depression: evidence-based treatments, predictors of treatment outcomes, and moderators of treatment effects (Structured abstract). <i>Psychiatric Clinics of North America</i> , 2011; 34 (2): 377-401.	Outside of specified Intervention
Kirsh B, Cockburn L, Gewurtz R. Best practice in occupational therapy: program characteristics that influence vocational outcomes for people with serious mental illnesses. <i>Canadian Journal of Occupational Therapy - Revue Canadienne d Ergotherapie</i> , 2005; 72 (5): 265-79.	Outside of specified outcome
Kirsh B, Cockburn L. Employment outcomes associated with ACT: A review of ACT literature. <i>American Journal of Psychiatric Rehabilitation</i> , 2007; 10 (1): 31-51.	Outside of specified domains
Kisely SR, Campbell LA, O'Reilly R. Compulsory community and involuntary outpatient treatment for people with severe mental disorders. <i>Cochrane Database of Systematic Reviews</i> , 2017; 3CD004408.	Outside of specified Intervention
Knight A, Shakeshaft A, Havard A, Maple M, Foley C, Shakeshaft B. The quality and effectiveness of interventions that target multiple risk factors among young people: a systematic review. <i>Australian &amp; New Zealand Journal of Public Health</i> , 2017; 41 (1): 54-60.	Low quality
Kong E, Evans LK, Guevara JP. Nonpharmacological intervention for agitation in dementia: a systematic review and meta-analysis. <i>Aging &amp; Mental Health</i> , 2009; 13 (4): 512-20.	Outside of specified Intervention
Kraag G, Zeegers MP, Kok G, Hosman C, Abu-Saad HH. School programs targeting stress management in children and adolescents: A meta-analysis. <i>Journal of School Psychology</i> , 2006; 44 (6): 449-72.	Outside of specified population
Kraft K. CAM for depression, anxiety, grief, and other symptoms in palliative care. <i>Progress in Palliative Care</i> , 2012; 20 (5): 272-77.	Outside of specified Intervention
Kratochwill TR, Albers CA, Shernoff ES. School-based interventions. <i>Child &amp; Adolescent Psychiatric Clinics of North America</i> , 2004; 13 (4): 885-903, vi-vii.	Not a systematic review
Kuehnl A, Rehfuess E, von EE, Nowak D, Glaser J. Human resource management training of supervisors for improving health and well-being of employees. 2014; (1).	Outside of specified Intervention
Kuhaneck HM, Madonna S, Novak A, Pearson E. Effectiveness of Interventions for Children With Autism Spectrum Disorder and Their Parents: A Systematic Review of Family Outcomes. <i>American Journal of Occupational Therapy</i> , 2015; 69 (5): 6905180040p1-14.	Outside of specified Intervention
Kuhn TM, Ebert JS, Gracey KA, Chapman GL, Epstein RA. Evidence-based interventions for adolescents with disruptive behaviors in school-based settings. <i>Child &amp; Adolescent Psychiatric Clinics of North America</i> , 2015; 24 (2): 305-17.	Not a systematic review
Kwok KHR, Yuan SNV, Ougrin D. Review: Alternatives to inpatient care for children and adolescents with mental health disorders. <i>Child and Adolescent Mental Health</i> , 2016; 21 (1): 3-10.	Outside of specified Intervention
Lamb CE. Alternatives to admission for children and adolescents: Providing intensive mental healthcare services at home and in communities: What works? <i>Current Opinion in Psychiatry</i> , 2009; 22 (4): 345-50.	Not a systematic review
Lamontagne AD, Keegel T, Louie AM, Ostry A, Landsbergis PA. A systematic review of the job-stress intervention evaluation literature, 1990-2005. <i>International Journal of Occupational &amp; Environmental Health</i> , 2007; 13 (3): 268-80.	Low quality
Landeem J. Review: social skills training, supported employment programmes, and cognitive behaviour therapy improve some outcomes in schizophrenia. <i>Evidence Based Nursing</i> , 2001; 0115-15.	Not a systematic review
Langford R, Bonell C, Jones H, Poulou T, Murphy S, Waters E, et al. The World Health Organization's Health Promoting Schools framework: a Cochrane systematic review and meta-analysis. <i>BMC Public Health</i> , 2015; 15130.	Outside of specified population
Latimer E. Evaluation of the individual placement and support (IPS) model for people with mental problems [Le soutien à l'emploi de type "placement et soutien individuels" pour les personnes atteintes de troubles mentaux graves : sa pertinence pour le Québec - in French only] (Structured abstract). <i>Health Technology Assessment Database</i> , 2008; (4).	Not in the specified language
Lebowitz AJ. Community collaboration as a disaster mental health competency: a systematic literature review. <i>Community Mental Health Journal</i> , 2015; 51 (2): 125-31.	Outside of specified population
Lee NK, Roche A, Duraisingam V, Fischer JA, Cameron J. Effective interventions for mental health in male-dominated workplaces. <i>Mental Health Review Journal</i> , 2014; 19 (4): 237-50.	Outside of specified population

Lee SJ, Crowther E, Keating C, Kulkarni J. What is needed to deliver collaborative care to address comorbidity more effectively for adults with a severe mental illness? Australian & New Zealand Journal of Psychiatry, 2013; 47 (4): 333-46.	Outside of specified outcome
Leenarts L, Diehle J, Doreleijers T, Jansma E, Lindauer R. Evidence-based treatments for children with trauma-related psychopathology as a result of childhood maltreatment: a systematic review. European Child & Adolescent Psychiatry, 2013; 22 (5): 269-83.	Outside of specified population
Leff HS, Chow CM, Pepin R, Conley J, Allen IE, Seaman CA. One size fit all? What we can and can't learn from a meta-analysis of housing models for persons with mental illness. Psychiatric Services, 2009; 60 (4): 473-82.	Low quality
Leff HS, Cook JA, Gold PB, Toprac M, Blyler C, Goldberg RW, et al. Effects of job development and job support on competitive employment of persons with severe mental illness. Psychiatric Services, 2005; 56 (10): 1237-44.	Not a systematic review
Leger J, Letourneau N. New mothers and postpartum depression: a narrative review of peer support intervention studies (Provisional abstract). Database of Abstracts of Reviews of Effects, 2014; (2): epub.	Low quality
Lehman AF. Vocational rehabilitation in schizophrenia (Structured abstract). Schizophrenia Bulletin, 1995; 21 (4): 645-56.	Published before year 2000
Lehner RK, Dopke CA, Cohen K, Edstrom K, Maslar M, Slagg NB, et al. Outpatient treatment adherence and serious mental illness: a review of interventions. American Journal of Psychiatric Rehabilitation, 2007; 10 (4): 245-74.	Not a systematic review
Lewis C, Pearce J, Bisson J. Efficacy, cost-effectiveness and acceptability of self-help interventions for anxiety disorders: systematic review (Structured abstract). British Journal of Psychiatry, 2012; 200 (1): 15-21.	Outside of specified Intervention
Lewis SJ. Do one-shot preventive interventions for PTSD work? A systematic research synthesis of psychological debriefings. Aggression and Violent Behavior, 2003; 8 (3): 329-43.	Outside of specified Intervention
Ley A, Jeffery DP, McLaren S, Siegfried N. Treatment programmes for people with both severe mental illness and substance misuse. Cochrane Database of Systematic Reviews, 2000; 0 (4): CD001088.	Low quality
Li M, Kennedy EB, Byrne N, Gerin-Lajoie C, Katz MR, Keshavarz H, et al. Management of Depression in Patients With Cancer: A Clinical Practice Guideline. Journal of oncology practice/American Society of Clinical Oncology, 2016; 12 (8): 747-56.	Not a systematic review
Li M, Kennedy EB, Byrne N, Gerin-Lajoie C, Katz MR, Keshavarz H, et al. Systematic review and meta-analysis of collaborative care interventions for depression in patients with cancer. Psycho Oncology, 2016; 1919.	Not a systematic review
Lim Y, Millington M, Mpofu E. The evidentiary basis for supported employment practice for workers with schizophrenia: A thematic analysis. American Journal of Psychiatric Rehabilitation, 2014; 17 (2): 93-113.	Low quality
Lincoln TM, Wilhelm K, Nestoriuc Y. Effectiveness of psychoeducation for relapse, symptoms, knowledge, adherence and functioning in psychotic disorders: A meta-analysis. Schizophrenia Research, 2007; 96 (1): 232-45.	Outside of specified Intervention
Lipinski K, Liu LL, Wong PWC. The effectiveness of psychosocial interventions implemented after the Indian Ocean Tsunami: A systematic review. The International Journal of Social Psychiatry, 2016; 62 (3): 271.	Outside of specified outcome
Llewellyn P. The needs of people with learning disabilities who develop dementia: A literature review. Dementia (14713012), 2011; 10 (2): 235-47.	Outside of specified population
Lloyd-Evans B, Mayo-Wilson E, Harrison B, Istead H, Brown E, Pilling S, et al. A systematic review and meta-analysis of randomised controlled trials of peer support for people with severe mental illness. BMC Psychiatry, 2014; 1439.	Outside of specified Intervention
Lockett H, Waghorn G, Kydd R, Chant D. Predictive validity of evidence-based practices in supported employment: A systematic review and meta-analysis. Mental Health Review Journal, 2016; 21 (4): 261-81.	Outside of specified Intervention
Lopez-Hartmann M, Wens J, Verhoeven V, Remmen R. The effect of caregiver support interventions for informal caregivers of community-dwelling frail elderly: a systematic review. International Journal of Integrated Care [Electronic Resource], 2012; 12e133.	Outside of specified population
Lovell K, Bee P. Optimising treatment resources for OCD: A review of the evidence base for technology-enhanced delivery. Journal of Mental Health, 2011; 20 (6): 525-42.	Outside of specified Intervention
Luxama C, Dreyfus D. Collaborative care for depression and anxiety. American Family Physician, 2014; 89 (7): 524-5.	Outside of specified Intervention
Lyman DR, Braude L, George P, Dougherty RH, Daniels AS, Ghose SS, et al. Consumer and family psychoeducation: Assessing the evidence. Psychiatric Services, 2014; 65 (4): 416-28.	Outside of specified Intervention
Lyman DR, Kurtz MM, Farkas M, George P, Dougherty RH, Daniels AS, et al. Skill building: Assessing the evidence. Psychiatric Services, 2014; 65 (6): 727-38.	Low quality
Maciver D, Prior S, Forsyth K, Walsh M, Meiklejohn A, Irvine L, et al. Vocational rehabilitation: facilitating evidence based practice through participatory action research. Journal of Mental Health, 2013; 22 (2): 183-90.	Not a systematic review
Macleod S, Elliott L, Brown R. What support can community mental health nurses deliver to carers of people diagnosed with schizophrenia? Findings from a review of the literature (Structured abstract). International Journal of Nursing Studies, 2011; 48 (1): 100-20.	Outside of specified population
Macpherson R, Edwards TR, Chilvers R, David C, Elliott HJ. Twenty-four hour care for schizophrenia. Cochrane Database of Systematic Reviews, 2009; (2).	Outside of specified Intervention

Macy RJ, Goodbourn M. Promoting Successful Collaborations Between Domestic Violence and Substance Abuse Treatment Service Sectors: A Review of the Literature. <i>Trauma, Violence &amp; Abuse</i> , 2012; 13 (4): 234-51.	Outside of specified outcome
Macy RJ, Johns N. Aftercare Services for International Sex Trafficking Survivors: Informing U.S. Service and Program Development in an Emerging Practice Area. <i>Trauma, Violence &amp; Abuse</i> , 2011; 12 (2): 87-98.	Outside of specified population
Magor-Blatch L, Bhullar N, Thomson B, Thorsteinsson E. A systematic review of studies examining effectiveness of therapeutic communities. <i>Therapeutic Communities</i> , 2014; 35 (4): 168-84.	Outside of specified population
Malm U, Lundin L, Rydell P, Nordén T, Norlander T. Resource Group ACT (RACT) - A Review of an Integrative Approach to Psychoeducation of Individual Families Involving the Patient. <i>International Journal of Mental Health</i> , 2015; 44 (4): 269.	Not a systematic review
Malm U, Lundin L, Rydell P, Nordén T, Norlander T. Resource group ACT (RACT)—A review of an integrative approach to psychoeducation of individual families involving the patient. <i>International Journal of Mental Health</i> , 2015; 44 (4): 269-76.	Not a systematic review
Malone D, Marriott S, Newton-Howes G, Simmonds S, Tyrer P. Community mental health teams for people with severe mental illnesses and disordered personality. <i>Schizophrenia Bulletin</i> , 2009; 35 (1): 13-4.	Low quality
Manthorpe J, Iliffe S. Social Work with Older People—Reducing Suicide Risk: A Critical Review of Practice and Prevention. <i>British Journal of Social Work</i> , 2011; 41 (1): 131-47.	Low quality
Marine A, Ruotsalainen J, Serra C, Verbeek J. Preventing occupational stress in healthcare workers. <i>Cochrane Database of Systematic Reviews</i> , 2006; 0 (4): CD002892.	Outside of specified Intervention
Markowitz S, Gonzalez J, Wilkinson J, Safren S. A review of treating depression in diabetes: emerging findings (Structured abstract). <i>Psychosomatics</i> , 2011; 52 (1): 1-18.	Low quality
Marshall M, Creed F. Assertive community treatment—is it the future of community care in the UK? <i>International Review of Psychiatry</i> , 2000; 12 (3): 191-96.	Not a systematic review
Marshall M, Gray A, Lockwood A, Green R. Case management for people with severe mental disorders. <i>Cochrane Database of Systematic Reviews</i> , 2011; 0 (4).	Not a systematic review
Marshall M, Lockwood A. Assertive community treatment for people with severe mental disorders. <i>Cochrane Database of Systematic Reviews</i> , 2011; 0 (4).	Not a systematic review
Marshall M, Lockwood A. The effectiveness of case management and assertive community treatment for people with severe mental disorders (Structured abstract). <i>Database of Abstracts of Reviews of Effects</i> , 2001; 0 (2): 181-94.	Outside of specified Intervention
Marshall T, Goldberg RW, Braude L, Dougherty RH, Daniels AS, Ghose SS, et al. Supported employment: Assessing the evidence. <i>Psychiatric Services</i> , 2014; 65 (1): 16-23.	Low quality
Martins Pereira S, Fonseca AM, Sofia Carvalho A. Burnout in palliative care: A systematic review. <i>Nursing Ethics</i> , 2011; 18 (3): 317-26.	Outside of specified outcome
Martire LM, Lustig AP, Schulz R, Miller GE, Helgeson VS. Is it beneficial to involve a family member? A meta-analysis of psychosocial interventions for chronic illness. <i>Health Psychology</i> , 2004; 23 (6): 599-611.	Low quality
Maughan D, Molodynski A, Rugkasa J, Burns T. A systematic review of the effect of community treatment orders on service use. <i>Social Psychiatry &amp; Psychiatric Epidemiology</i> , 2014; 49 (4): 651-63.	Outside of specified Intervention
Mayo-Wilson E, Montgomery P. Media-delivered cognitive behavioural therapy and behavioural therapy (self-help) for anxiety disorders in adults. <i>Cochrane Database of Systematic Reviews</i> , 2013; (9).	Outside of specified Intervention
McCallum S, Mikocka-Walus A, Turnbull D, Andrews JM. Continuity of Care in Dual Diagnosis Treatment: Definitions, Applications, and Implications. <i>Journal of Dual Diagnosis</i> , 2015; 11 (3): 217-32.	Outside of specified outcome
McCray LW, Cronholm PF, Bogner HR, Gallo JJ, Neill RA. Resident physician burnout: is there hope? <i>Family Medicine</i> , 2008; 40 (9): 626-32.	Outside of specified Intervention
McCulloch S, Robertson D, Kirkpatrick P. Sustaining people with dementia or mild cognitive impairment in employment: A systematic review of qualitative evidence. <i>The British Journal of Occupational Therapy</i> , 2016; 79 (11): 682-92.	Outside of specified population
McGurk SR, Twamley EW, Sitzer DI, McHugo GJ, Mueser KT. A meta-analysis of cognitive remediation in schizophrenia. <i>American Journal of Psychiatry</i> , 2007; 164 (12): 1791-802.	Outside of specified Intervention
McHugh P, Byrne M. The teamworking challenges of care planning. <i>Irish Journal of Psychological Medicine</i> , 2012; 29 (3): 185-89.	Outside of specified outcome
McLaren J, Lichtenstein JD, Lynch D, Becker D, Drake R. Individual Placement and Support for People with Autism Spectrum Disorders: A Pilot Program. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017; 44 (3): 365-73.	Not a systematic review
McMurrin M, Huband N, Overton E. Non-completion of personality disorder treatments: A systematic review of correlates, consequences, and interventions. <i>Clinical Psychology Review</i> , 2010; 30 (3): 277-87.	Outside of specified Intervention
McNaughton JL. Brief interventions for depression in primary care: a systematic review. <i>Canadian Family Physician</i> , 2009; 55 (8): 789-96.	Outside of specified Intervention
Meagher DJ. Delirium: Optimising management. <i>British Medical Journal</i> , 2001; 322 (7279): 144-9.	Outside of specified population
Meindl JN, Cannella-Malone HI. Initiating and responding to joint attention bids in children with autism: a review of the literature. <i>Research in Developmental Disabilities</i> , 2011; 32 (5): 1441-54.	Outside of specified Intervention
Meis LA, Griffin JM, Greer N, Jensen AC, MacDonald R, Carlyle M, et al. Couple and family involvement in adult mental health treatment: A systematic review. <i>Clinical Psychology Review</i> , 2013; 33 (2): 275-86.	Outside of specified Intervention

Mellor C. School-based interventions targeting stigma of mental illness: systematic review (Provisional abstract). Database of Abstracts of Reviews of Effects, 2014; (2): 164-71.	Outside of specified outcome
Michelson D, Davenport C, Dretzke J, Barlow J, Day C. Do evidence-based interventions work when tested in the "real world?" A systematic review and meta-analysis of parent management training for the treatment of child disruptive behavior. <i>Clinical Child &amp; Family Psychology Review</i> , 2013; 16 (1): 18-34.	Outside of specified Intervention
Michie S, Williams S. Reducing work related psychological ill health and sickness absence: a systematic literature review. <i>Occupational &amp; Environmental Medicine</i> , 2003; 60 (1): 3-9.	Outside of specified Intervention
Mikhail JN, Nemeth LS. Trauma Center Based Youth Violence Prevention Programs. <i>Trauma, Violence &amp; Abuse</i> , 2016; 17 (5): 500-19.	Outside of specified outcome
Miller CJ, Grogan-Kaylor A, Perron BE, Kilbourne AM, Woltmann E, Bauer MS. Collaborative chronic care models for mental health conditions: cumulative meta-analysis and metaregression to guide future research and implementation. <i>Medical Care</i> , 2013; 51 (10): 922-30.	Low quality
Mimura C, Griffiths P. The effectiveness of current approaches to workplace stress management in the nursing profession: an evidence based literature review. <i>Occupational &amp; Environmental Medicine</i> , 2003; 60 (1): 10-5.	Outside of specified Intervention
Mojtabai R, Nicholson RA, Carpenter BN. Role of psychosocial treatments in management of schizophrenia: a meta-analytic review of controlled outcome studies (Structured abstract). <i>Schizophrenia Bulletin</i> , 1998; 24 (4): 569-87.	Published before year 2000
Moll S, Huff J, Detwiler L. Supported employment: evidence for a best practice model in psychosocial rehabilitation. <i>Canadian Journal of Occupational Therapy - Revue Canadienne d'Ergotherapie</i> , 2003; 70 (5): 298-310.	Low quality
Moniz-Cook E, Vernooij-Dassen M, Woods B, Orrell M. Psychosocial interventions in dementia care research: The INTERDEM manifesto. <i>Aging &amp; Mental Health</i> , 2011; 15 (3): 283-90.	Not a systematic review
Moore TH, Kapur N, Hawton K, Richards A, Metcalfe C, Gunnell D. Interventions to reduce the impact of unemployment and economic hardship on mental health in the general population: a systematic review. <i>Psychological Medicine</i> , 2017; 47 (6): 1062-84.	Outside of specified Intervention
Morandi S, Burns T. Involuntary outpatient treatment for mental health problems in Switzerland: A literature review. <i>International Journal of Social Psychiatry</i> , 2014; 60 (7): 695-702.	Outside of specified Intervention
Mulhern RK, Butler RW. Neurocognitive sequelae of childhood cancers and their treatments. <i>Pediatric Rehabilitation</i> , 2004; 7 (1): 1-14.	Outside of specified Intervention
Murphy SM, Irving CB, Adams CE, Waqar M. Crisis intervention for people with severe mental illnesses. <i>Cochrane Database of Systematic Reviews</i> , 2015; 0 (12): CD001087.	Outside of specified outcome
Mychajlyszyn MP, Brodman DM, Read KL, Kendall PC. Cognitive-behavioral school-based interventions for anxious and depressed youth: A meta-analysis of outcomes. <i>Clinical Psychology: Science and Practice</i> , 2012; 19 (2): 129-53.	Outside of specified population
Mytton JA, DiGiuseppe C, Gough DA, Taylor RS, Logan S. School-based violence prevention programs: systematic review of secondary prevention trials (Structured abstract). <i>Archives of Pediatrics and Adolescent Medicine</i> , 2002; 156 (8): 752-62.	Outside of specified outcome
Naqvi F, Cervo F, Fields S. Evidence-based review of interventions to improve palliation of pain, dyspnea, depression. <i>Geriatrics</i> , 2009; 64 (8): 8-14.	Not a systematic review
Neil AL, Christensen H. Australian school-based prevention and early intervention programs for anxiety and depression: a systematic review. <i>Medical Journal of Australia</i> , 2007; 186 (6): 305-8.	Outside of specified Intervention
Neil AL, Christensen H. Efficacy and effectiveness of school-based prevention and early intervention programs for anxiety. <i>Clinical Psychology Review</i> , 2009; 29 (3): 208-15.	Low quality
Nelson G, Aubry T, Lafrance A. A review of the literature on the effectiveness of housing and support, assertive community treatment, and intensive case management interventions for persons with mental illness who have been homeless (Provisional abstract). <i>American Journal of Orthopsychiatry</i> , 2007; 77 (3): 350-61.	Low quality
Nelson HJ, Kendall GE, Shields L. Neurological and Biological Foundations of Children's Social and Emotional Development: An Integrated Literature Review. <i>Journal of School Nursing</i> (Sage Publications Inc.), 2014; 30 (4): 240-50.	Outside of specified outcome
Neves Rda F, Nunes Mde O, Magalhaes L. Interactions among stakeholders involved in return to work after sick leave due to mental disorders: a meta-ethnography. <i>Cadernos de Saude Publica</i> , 2015; 31 (11): 2275-90.	Not in the specified language
Newlin M, Webber M, Morris D, Howarth S. Social participation interventions for adults with mental health problems: A review and narrative synthesis. <i>Social Work Research</i> , 2015; 39 (3): 167-80.	Low quality
Niccols A, Milligan K, Sword W, Thabane L, Henderson J, Smith A, et al. Maternal mental health and integrated programs for mothers with substance abuse issues. <i>Psychology of Addictive Behaviors</i> , 2010; 24 (3): 466-74.	Outside of specified Intervention
Niccols A, Milligan K, Sword W, Thabane L, Henderson J, Smith A. Integrated programs for mothers with substance abuse issues: a systematic review of studies reporting on parenting outcomes (Provisional abstract). <i>Harm Reduction Journal</i> , 2012; 9 (2): Article Number 14.	Outside of specified Intervention
Nicholas DB, Attridge M, Zwaigenbaum L, Clarke M. Vocational support approaches in autism spectrum disorder: a synthesis review of the literature. <i>Autism</i> , 2015; 19 (2): 235-45.	Low quality
Nielsen AC, Alberdi F, Rosenbaum B. Collaborative assessment and management of suicidality method shows effect. <i>Danish Medical Bulletin</i> , 2011; 58 (8): A4300.	Not a systematic review
Nilsen T, Eisemann M, Kvernmo S. Predictors and moderators of outcome in child and adolescent anxiety and depression: a systematic review of psychological treatment studies. <i>European Child &amp; Adolescent Psychiatry</i> , 2013; 22 (2): 69-87.	Outside of specified outcome

Noordik E, van der Klink JJ, Klingen EF, Nieuwenhuijsen K, van Dijk FJ. Exposure-in-vivo containing interventions to improve work functioning of workers with anxiety disorder: a systematic review. <i>BMC Public Health</i> , 2010; 10598.	Outside of specified Intervention
Norden T, Norlander T. Absence of Positive Results for Flexible Assertive Community Treatment. What is the next Approach? <i>Clinical Practice &amp; Epidemiology in Mental Health [Electronic Resource]: CP &amp; EMH</i> , 2014; 1087-91.	Not a systematic review
Nurjannah I, Mills J, Usher K, Park T. Discharge planning in mental health care: an integrative review of the literature. <i>Journal of Clinical Nursing</i> , 2014; 23 (9): 1175-85.	Outside of specified outcome
O'Connor D, Ames D, Gardner B, King M. Psychosocial treatments of psychological symptoms in dementia: a systematic review of reports meeting quality standards (Structured abstract). <i>International Psychogeriatrics</i> , 2009; 21 (2): 241-51.	Outside of specified population
O'Connor EA, Whitlock EP, Beil TL, Gaynes BN. Screening for depression in adult patients in primary care settings: a systematic evidence review. <i>Annals of Internal Medicine</i> , 2009; 151 (11): 793-803.	Outside of specified Intervention
O'Connor FW, Delaney KR. The recovery movement: defining evidence-based processes. <i>Archives of Psychiatric Nursing</i> , 2007; 21 (3): 172-5.	Not a systematic review
O'Malley PG. Collaborative care for depression in patients with diabetes increased depression-free days and had economic benefit. <i>ACP Journal Club</i> , 2007; 146 (3): 78.	Not a systematic review
Ong S, Caron A. Family-based Psychoeducation for Children and Adolescents with Mood Disorders. <i>Journal of Child &amp; Family Studies</i> , 2008; 17 (6): 809-22.	Outside of specified Intervention
O'Shea L, Dickens G. Short-Term Assessment of Risk and Treatability (START): systematic review and meta-analysis (Provisional abstract). <i>Database of Abstracts of Reviews of Effects</i> , 2014; 0 (2): 990-1002.	Outside of specified outcome
Osterling K, Austin M. Substance abuse interventions for parents involved in the child welfare system: evidence and implications (Structured abstract). <i>Journal of Evidence-Based Social Work</i> , 2008; 5 (1): 157-89.	Outside of specified population
Overbeck G, Davidsen AS, Kousgaard MB. Enablers and barriers to implementing collaborative care for anxiety and depression: a systematic qualitative review. <i>Implementation Science</i> , 2016; 11 (1): 165.	Outside of specified population
Oxman TE, Dietrich AJ, Schulberg HC. Evidence-based models of integrated management of depression in primary care. <i>Psychiatric Clinics of North America</i> , 2005; 28 (4): 1061-77.	Not a systematic review
Pack MJ. Critical incident stress management: A review of the literature with implications for social work. <i>International Social Work</i> , 2013; 56 (5): 608-27.	Outside of specified outcome
Panagioti M, Bower P, Kontopantelis E, Lovell K, Gilbody S, Waheed W, et al. Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression: An Individual Participant Data Meta-analysis. <i>JAMA Psychiatry</i> , 2016; 73 (9): 978-89.	Low quality
Papageorgiou A, Loke Y, Deane KH, Fromage M. Communication skills training for mental health professionals working with people with severe mental illness. 2012; (8).	Outside of specified Intervention
Park M, Cuijpers P, Straten A, Reynolds C. The effects of psychotherapy for adult depression on social support: a meta-analysis (Provisional abstract). <i>Database of Abstracts of Reviews of Effects</i> , 2014; (2): 600-11.	Outside of specified Intervention
Parker D, Mills S, Abbey J. Effectiveness of interventions that assist caregivers to support people with dementia living in the community: a systematic review. <i>International Journal of Evidence-Based Healthcare</i> , 2008; 6 (2): 137-72.	Outside of specified population
Parsons S, Guldborg K, MacLeod A, Jones G, Prunty A, Balfe T. International review of the evidence on best practice in educational provision for children on the autism spectrum. <i>European Journal of Special Needs Education</i> , 2011; 26 (1): 47-63.	Outside of specified outcome
Patel H. Review: management of children with mental health problems by specialist teams in primary care improved some outcomes. <i>Evidence Based Mental Health</i> , 2002; 043-43 1p.	Outside of specified Intervention
Patel V. Integrating mental health care with chronic diseases in low-resource settings. <i>International Journal of Public Health</i> , 2009; 541-3.	Not a systematic review
Patten SB, Newman S, Becker M, Riddell C, Metz L. Disease management for depression in an MS clinic. <i>International Journal of Psychiatry in Medicine</i> , 2007; 37 (4): 459-73.	Not a systematic review
Paulus FW, Ohmann S, Popow C. Practitioner Review: School-based interventions in child mental health. <i>Journal of Child Psychology &amp; Psychiatry &amp; Allied Disciplines</i> , 2016; 57 (12): 1337-59.	Low quality
Peck E, Hills B. Provider arrangements for mental health services in 'The New NHS'. <i>Health &amp; Social Care in the Community</i> , 2000; 8 (5): 325-35.	Outside of specified population
Penckofer S, Doyle T, Byrn M, Lustman PJ. State of the Science: Depression and Type 2 Diabetes. <i>Western Journal of Nursing Research</i> , 2014; 36 (9): 1158-82.	Not a systematic review
Pennybaker S, Hemming P, Roy D, Anton B, Chisolm MS. Risks, Benefits, and Recommendations for Pastoral Care on Inpatient Psychiatric Units: A Systematic Review. <i>Journal of Psychiatric Practice</i> , 2016; 22 (5): 363-81.	Outside of specified outcome
Perry D, Dallas AM, Brennan E, Bradley J. The evidence base for mental health consultation in early childhood settings: a research synthesis addressing children's behavioral outcomes (Structured abstract). <i>Early Education and Development</i> , 2010; 21 (6): 795-824.	Low quality
Peter E. Review: involvement of former or current users of mental health services may improve outcomes in patients with severe mental illness. <i>Evidence Based Nursing</i> , 2003; 6 (3): 90-90 1p.	Not a systematic review
Pfeiffer P, Heisler M, Piette J, Rogers M, Valenstein M. Efficacy of peer support interventions for depression: a meta-analysis (Structured abstract). <i>General Hospital Psychiatry</i> , 2011; 33 (1): 29-36.	Low quality
Pilgrim D, Rogers A. Social psychiatry and sociology. <i>Journal of Mental Health</i> , 2005; 14 (4): 317-20.	Outside of specified outcome

Pilling S, Bebbington P, Kuipers E, Garety P, Geddes J, Orbach G, et al. Psychological treatments in schizophrenia: I. Low quality Meta-analysis of family intervention and cognitive behaviour therapy. <i>Psychological Medicine</i> , 2002; 32 (5): 763-82.	
Pimouguet C, Lavaud T, Dartigues JF, Helmer C. Dementia case management effectiveness on health care costs and resource utilization: a systematic review of randomized controlled trials. <i>Journal of Nutrition, Health &amp; Aging</i> , 2010; 14 (8): 669-76.	Outside of specified population
Pinfold V, Sweet D, Porter I, Quinn C, Byng R, Griffiths C, et al. Improving community health networks for people with severe mental illness: a case study investigation (Structured abstract). <i>Health Technology Assessment Database</i> , 2015; (4).	Not a systematic review
Pistrang N, Barker C, Humphreys K. Mutual help groups for mental health problems: a review of effectiveness studies (Structured abstract). <i>American Journal of Community Psychology</i> , 2008; 42 (1): 110-21.	Outside of specified Intervention
Pitschel-Walz G, Leucht S, Bauml J, Kissling W, Engel RR. The effect of family interventions on relapse and rehospitalization in schizophrenia: a meta-analysis (Provisional abstract). <i>Schizophrenia Bulletin</i> , 2001; 27 (1): 73-92.	Not a systematic review
Policy, populations and service systems. <i>Journal of Intellectual Disability Research</i> , 2008; 52 (8): 754-70.	Not a systematic review
Prendergast ML, Podus D, Chang E. Program factors and treatment outcomes in drug dependence treatment: an examination using meta-analysis. <i>Substance Use &amp; Misuse</i> , 2000; 35 (12): 1931-65.	Outside of specified outcome
Psychosocial interventions for schizophrenia (Structured abstract). <i>Health Technology Assessment Database</i> , 2000; 0 (4): 8.	Not a systematic review
Purdie N, Hattie J, Carroll A. A review of the research on interventions for attention deficit hyperactivity disorder: what works best (Structured abstract). <i>Review of Educational Research</i> , 2002; 72 (1): 61-99.	Outside of specified Intervention
Ratti V, Hassiotis A, Crabtree J, Deb S, Gallagher P, Unwin G. The effectiveness of person-centred planning for people with intellectual disabilities: A systematic review. <i>Research in Developmental Disabilities</i> , 2016; 57:63-84.	Outside of specified Intervention
Reddy LA, Newman E, De Thomas CA, Chun V. Effectiveness of school-based prevention and intervention programs for children and adolescents with emotional disturbance: a meta-analysis. <i>Journal of School Psychology</i> , 2009; 47 (2): 77-99.	Outside of specified Intervention
Reeves S. A systematic review of the effects of interprofessional education on staff involved in the care of adults with mental health problems. <i>Journal of Psychiatric &amp; Mental Health Nursing</i> , 2001; 8 (6): 533-42.	Outside of specified outcome
Reger G, Wong-McDonald A, Liberman RP. Psychiatric rehabilitation in a community mental health center. <i>Psychiatric Services</i> , 2003; 54 (11): 1457-9.	Not a systematic review
Reichow B. Overview of Meta-Analyses on Early Intensive Behavioral Intervention for Young Children with Autism Spectrum Disorders. <i>Journal of Autism &amp; Developmental Disorders</i> , 2012; 42 (4): 512-20.	Not a systematic review
Reif S, George P, Braude L, Dougherty RH, Daniels AS, Ghose SS, et al. Recovery housing: Assessing the evidence. <i>Psychiatric Services</i> , 2014; 65 (3): 295-300.	Low quality
Reilly S, Miranda-Castillo C, Malouf R, Hoe J, Toot S, Challis D, et al. Case management approaches to home support for people with dementia. <i>Cochrane Database of Systematic Reviews</i> , 2015; 0 (1): N.PAG-N.PAG.	Not a systematic review
Reuter L, Bengel J, Scheidt C. Non-response to therapy in acute and rehabilitative psychosomatic inpatient care ? a systematic review (Provisional abstract). <i>Database of Abstracts of Reviews of Effects</i> , 2014; 0 (2): 121-45.	Not in the specified language
Rice S, Goodall J, Hetrick S, Parker A, Gilbertson T, Amminger G, et al. Online and social networking interventions for the treatment of depression in young people: a systematic review (Provisional abstract). <i>Database of Abstracts of Reviews of Effects</i> , 2014; (2): e206.	Outside of specified Intervention
Richards D. Review: comprehensive organisational and educational interventions appear to be effective for managing depression in primary care. <i>Evidence Based Nursing</i> , 2004; 7 (1): 28-28.	Not a systematic review
Richards S, Coast J. Interventions to improve access to health and social care after discharge from hospital: a systematic review. <i>Journal of Health Services Research &amp; Policy</i> , 2003; 8 (3): 171-79.	Outside of specified population
Richardson KM, Rothstein HR. Effects of occupational stress management intervention programs: a meta-analysis. <i>Journal of Occupational Health Psychology</i> , 2008; 13 (1): 69-93.	Outside of specified Intervention
Riper H, Andersson G, Hunter SB, Wit J, Berking M, Cuijpers P. Treatment of comorbid alcohol use disorders and depression with cognitive-behavioural therapy and motivational interviewing: a meta-analysis. <i>Addiction</i> , 2014; 109 (3): 394-406.	Outside of specified Intervention
Roberts J, Browne G, Gafni A, Varieur M, Loney P, de Ruijter M. Specialized continuing care models for persons with dementia: A systematic review of the research literature. <i>Canadian Journal on Aging</i> , 2000; 19 (1): 106-26.	Outside of specified population
Robinson J, Cox G, Malone A, Williamson M, Baldwin G, Fletcher K, et al. A systematic review of school-based interventions aimed at preventing, treating, and responding to suicide-related behavior in young people (Provisional abstract). <i>Crisis</i> , 2013; 34 (3): 164-82.	Outside of specified outcome
Robinson L, Dickinson C, Rousseau N, Beyer F, Clark A, Hughes J, et al. A systematic review of the effectiveness of advance care planning interventions for people with cognitive impairment and dementia (Structured abstract). <i>Age and Ageing</i> , 2012; 41 (2): 263-69.	Outside of specified outcome
Roder V, Mueller DR, Mueser KT, Brenner HD. Integrated psychological therapy (IPT) for schizophrenia: is it effective? <i>Schizophrenia Bulletin</i> , 2006; 32:S81-93.	Outside of specified Intervention



Rodgers M, Dalton J, Harden M, Street A, Parker G, Eastwood A. Integrated care to address the physical health needs of people with severe mental illness: a rapid review (Structured abstract). Health Technology Assessment Database, 2016; (4).	Outside of specified outcome
Rog D, Marshall T, Dougherty R, George P, Daniels A, Ghose S, et al. Permanent supportive housing: assessing the evidence (Provisional abstract). Database of Abstracts of Reviews of Effects, 2014; (2): 287-94.	Low quality
Rolfnes E, Idsoe T. School-based intervention programs for PTSD symptoms: A review and meta-analysis (Structured abstract). Journal of Traumatic Stress, 2011; 24 (2): 155-65.	Outside of specified Intervention
Romeo R, Byford S, Knapp M. Annotation: Economic evaluations of child and adolescent mental health interventions: A systematic review. Journal of Child Psychology and Psychiatry, 2005; 46 (9): 919-30.	Outside of specified Intervention
Rones M, Hoagwood K. School-based mental health services: a research review. Clinical Child & Family Psychology Review, 2000; 3 (4): 223-41.	Low quality
Rosen A, Bond GR, Teesson M. Review: intensive case management for severe mental illness reduces rehospitalisation when previous hospital use has been high. Evidence Based Mental Health, 2008; 11 (2): 45-45.	Not a systematic review
Ross L, Boesen EH, Dalton SO, Johansen C. Mind and cancer: does psychosocial intervention improve survival and psychological well-being? (Structured abstract). European Journal of Cancer, 2002; 38 (11): 1447-57.	Outside of specified Intervention
Rost KM, Duan N, Rubenstein LV, Ford DE, Sherbourne CD, Meredith LS, et al. The Quality Improvement for Depression Collaboration: General analytic strategies for a coordinated study of quality improvement in depression care. General Hospital Psychiatry, 2001; 23 (5): 239-53.	Not a systematic review
Ruotsalainen J, Serra C, Marine A, Verbeek J. Systematic review of interventions for reducing occupational stress in health care workers. Scandinavian Journal of Work, Environment & Health, 2008; 34 (3): 169-78.	Outside of specified Intervention
Ruotsalainen JH, Verbeek JH, Mariné A, Serra C. Preventing occupational stress in healthcare workers. 2015; (4).	Outside of specified Intervention
Ruzek JI, Rosen RC. Disseminating evidence-based treatments for PTSD in organizational settings: A high priority focus area. Behaviour Research & Therapy, 2009; 47 (11): 980-9.	Outside of specified Intervention
Sacks S, Sacks JY. Research on the effectiveness of the modified therapeutic community for persons with co-occurring substance use and mental disorders. Therapeutic Communities, 2010; 31 (2): 176-211.	Not a systematic review
SAFFRON: Developing a Stepped Approach to improving sexual Function aFter treatment fOr gyNaecological cancer (Project record). Health Technology Assessment Database, 2014; 0 (4).	Article non-retrievable
Salkever D. Social costs of expanding access to evidence-based supported employment: concepts and interpretive review of evidence. Psychiatric Services, 2013; 64 (2): 111-9.	Outside of specified Intervention
Salter K, Foley N, Teasell R. Social support interventions and mood status post stroke: a review. International Journal of Nursing Studies, 2010; 47 (5): 616-25.	Outside of specified Intervention
Sancassiani F, Pintus E, Holte A, Paulus P, Moro MF, Cossu G, et al. Enhancing the Emotional and Social Skills of the Youth to Promote their Wellbeing and Positive Development: A Systematic Review of Universal School-based Randomized Controlled Trials. Clinical Practice & Epidemiology in Mental Health [Electronic Resource]: CP & EMH, 2015; 1121-40.	Outside of specified population
Sarris J, Lake J, Hoenders R. Bipolar Disorder and Complementary Medicine: Current Evidence, Safety Issues, and Clinical Considerations. Journal of Alternative & Complementary Medicine, 2011; 17 (10): 881-90.	Outside of specified Intervention
Saunders KE, Hawton K. Clinical assessment and crisis intervention for the suicidal bipolar disorder patient. Bipolar Disorders, 2013; 15 (5): 575-83.	Outside of specified outcome
Savina E, Simon J, Lester M. School reintegration following psychiatric hospitalization: An ecological perspective. Child & Youth Care Forum, 2014; 43 (6): 729-46.	Not a systematic review
Scheeren AM, Geurts HM. Research on community integration in autism spectrum disorder: Recommendations from research on psychosis. Research in Autism Spectrum Disorders, 2015; 171-12.	Outside of specified Intervention
Schrank B, Bird V, Rudnick A, Slade M. Determinants, self-management strategies and interventions for hope in people with mental disorders: systematic search and narrative review (Provisional abstract). Social Science and Medicine, 2012; 74 (4): 554-64.	Outside of specified outcome
Schultze-lutter F, Schimmelman BG, Schmidt SJ. Resilience, risk, mental health and well-being: associations and conceptual differences. European Child & Adolescent Psychiatry, 2016; 25 (5): 459-66.	Outside of specified Intervention
Schurer Coldiron J, Bruns EJ, Quick H. A Comprehensive Review of Wraparound Care Coordination Research, 1986-2014. Journal of Child and Family Studies, 2017; 26 (5): 1245-65.	Low quality
Seaman RL, Cannella-Malone HI. Vocational skills interventions for adults with autism spectrum disorder: A review of the literature. Journal of Developmental and Physical Disabilities, 2016; 28 (3): 479-94.	Outside of specified Intervention
Secker J, Grove B, Seebohm P. What Have We Learnt About Mental Health and Employment? The Mental Health Review, 2006; 11 (1): 8-15.	Not a systematic review
Secker J. Supporting mental health service users back to work. Journal of Public Mental Health, 2009; 8 (3): 38-45.	Not a systematic review
Seidler GH, Wagner FE. Review: trauma-focused psychological treatments improve post-traumatic stress disorder symptoms. Evidence Based Mental Health, 2007; 10 (4): 117-17.	Not a systematic review

Seitz DP, Brisbin S, Herrmann N, Rapoport MJ, Wilson K, Gill SS, et al. Efficacy and Feasibility of Nonpharmacological Interventions for Neuropsychiatric Symptoms of Dementia in Long Term Care: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2012; 13 (6): 503-06.e2.	Outside of specified Intervention
Shahmohammadi S, Yaghobi H, Bolhari J, Moshirpour S. Integration of mental health care in primary health care program in Iran: A systematic review. <i>Iranian Journal of Psychiatry and Clinical Psychology</i> , 2013; 19 (1): 3-8.	Not in the specified language
Sharifi V, Abolhasani F, Farhoudian A, Amin-Esmaeili M. Which of community-based services are effective for people with psychiatric disorders? A review of evidence. <i>Iranian Journal of Psychiatry and Clinical Psychology</i> , 2013; 19 (2): 96-100.	Not in the specified language
Shaw E, Levitt C, Wong S, Kaczorowski J. Systematic Review of the Literature on Postpartum Care: Effectiveness of Postpartum Support to Improve Maternal Parenting, Mental Health, Quality of Life, and Physical Health. <i>Birth: Issues in Perinatal Care</i> , 2006; 33 (3): 210-20.	Outside of specified population
Shepherd A, Sanders C, Doyle M, Shaw J. Personal recovery in personality disorder: Systematic review and meta-synthesis of qualitative methods studies. <i>The International Journal of Social Psychiatry</i> , 2016; 62 (1): 41.	Outside of specified outcome
Shepperd S, Doll H, Gowers S, James A, Fazel M, Fitzpatrick R, et al. Alternatives to inpatient mental health care for children and young people. <i>Cochrane Database of Systematic Reviews</i> , 2009; 0 (2): CD006410.	Outside of specified Intervention
Sickness absence -- causes, consequences, and physicians' sickness certification practice. A systematic literature review by the Swedish Council on Technology Assessment and Health Care. <i>Scandinavian Journal of Public Health</i> , 2004; 323-263.	Outside of specified Intervention
Sidle SD. Workplace stress management interventions: What works best? <i>The Academy of Management Perspectives</i> , 2008; 22 (3): 111-12.	Article non-retrievable
Silva M, Cooper S, Li H, Lund C, Patel V. Effect of psychosocial interventions on social functioning in depression and schizophrenia: meta-analysis (Structured abstract). <i>British Journal of Psychiatry</i> , 2013; 202 (2): 253-60.	Outside of specified Intervention
Simmonds S, Coid J, Joseph P, Marriott S, Tyrer P. Community mental health team management in severe mental illness: a systematic review. <i>British Journal of Psychiatry</i> , 2001; 178497-502; discussion 03-5.	Low quality
Simon G. Collaborative care for mood disorders. <i>Current Opinion in Psychiatry</i> , 2009; 22 (1): 37-41.	Not a systematic review
Sin J, Norman I. Psychoeducational interventions for family members of people with schizophrenia: a mixed-method systematic review. <i>Journal of Clinical Psychiatry</i> , 2013; 74 (12): e1145-62.	Outside of specified outcome
Sin J, Spain D. Psychological interventions for trauma in individuals who have psychosis: A systematic review and meta-analysis. <i>Psychosis: Psychological, Social and Integrative Approaches</i> , 2017; 9 (1): 67-81.	Outside of specified outcome
Singer GH, Ethridge BL, Aldana SI. Primary and secondary effects of parenting and stress management interventions for parents of children with developmental disabilities: a meta-analysis (Provisional abstract). <i>Mental Retardation and Developmental Disabilities Research Reviews</i> , 2007; 13 (4): 357-69.	Outside of specified outcome
Singh H, Shah AA, Gupta V, Coverdale J, Harris T. The efficacy of mental health outreach programs to religious settings: A systematic review. <i>American Journal of Psychiatric Rehabilitation</i> , 2012; 15 (3): 290-98.	Low quality
Sinnaeve R, Van Den Bosch LMC, Van Steenbergen-Weijenburg KM. Change in interpersonal functioning during psychological interventions for borderline personality disorder—A systematic review of measures and efficacy. <i>Personality and Mental Health</i> , 2015; 9 (3): 173-94.	Outside of specified Intervention
Sjølie H, Karlsson B, Kim HS. Crisis resolution and home treatment: Structure, process, and outcome—A literature review. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2010; 17 (10): 881-92.	Outside of specified outcome
Ski CF, Thompson DR. Beyond the blues: the need for integrated care pathways. <i>European Journal of Cardiovascular Prevention &amp; Rehabilitation</i> , 2011; 18 (2): 218-21.	Outside of specified Intervention
Sklad M, Diekstra R, De Ritter M, Ben J, Gravesteijn C. Effectiveness of school-based universal social, emotional, and behavioral programs: Do they enhance students' development in the area of skill, behavior, and adjustment? <i>Psychology in the Schools</i> , 2012; 49 (9): 892-909.	Outside of specified population
Skultety KM, Zeiss A. The treatment of depression in older adults in the primary care setting: an evidence-based review. <i>Health Psychology</i> , 2006; 25 (6): 665-74.	Low quality
Slade M, Bird V, Boutillier CL, Farkas M, Grey B, Larsen J, et al. Development of the REFOCUS intervention to increase mental health team support for personal recovery. <i>The British Journal of Psychiatry</i> , 2015; 207 (6): 544-50.	Not a systematic review
Slimmer L. Review: effectiveness of intensive case management for severe mental illness depends on baseline hospital use and organisation. <i>Evidence Based Nursing</i> , 2008; 11 (1): 19-19.	Not a systematic review
Slobodin O, de Jong JTVM. Family interventions in traumatized immigrants and refugees: A systematic review. <i>Transcultural Psychiatry</i> , 2015; 52 (6): 723-42.	Low quality
Smedler A-C, Hjern A, Wiklund S, Anttila S, Pettersson A. Programs for prevention of externalizing problems in children: Limited evidence for effect beyond 6 months post intervention. <i>Child &amp; Youth Care Forum</i> , 2015; 44 (2): 251-76.	Outside of specified population
Somme D, Trouve H, Drame M, Gagnon D, Couturier Y, Saint-Jean O. Analysis of case management programs for patients with dementia: a systematic review. <i>Alzheimer's &amp; Dementia</i> , 2012; 8 (5): 426-36.	Outside of specified population
Soomro GM. Deliberate self-harm (and attempted suicide). <i>Clinical Evidence</i> , 2008; 1212.	Outside of specified Intervention

Spek V, Cuijpers P, Nyklicek I, Riper H, Keyzer J, Pop V. Internet-based cognitive behaviour therapy for symptoms of depression and anxiety: a meta-analysis (Structured abstract). <i>Psychological Medicine</i> , 2007; 37 (3): 319-28.	Outside of specified Intervention
Spence SH, Shortt AL. Research review: can we justify the widespread dissemination of universal, school-based interventions for the prevention of depression among children and adolescents? (Structured abstract). <i>Journal of Child Psychology and Psychiatry</i> , 2007; 48 (6): 526-42.	Outside of specified population
Stahl ST, Rodakowski J, Saghafi EM, Park M, Reynolds CF, Dew MA. Systematic review of dyadic and family-oriented interventions for late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2016; 31 (9): 963-73.	Low quality
Steffen S, Kusters M, Becker T, Puschner B. Discharge planning in mental health care: a systematic review of the recent literature. <i>Acta Psychiatrica Scandinavica</i> , 2009; 120 (1): 1-9.	Outside of specified Intervention
Stein RE, Zitner LE, Jensen PS. Interventions for adolescent depression in primary care (Provisional abstract). <i>Pediatrics</i> , 2006; 118 (2): 669-82.	Outside of specified Intervention
Steinert C, Hofmann M, Kruse J, Leichsenring F. The prospective long-term course of adult depression in general practice and the community. A systematic literature review. <i>Journal of Affective Disorders</i> , 2014; 15265-75.	Outside of specified Intervention
Stergiopoulos E, Cimo A, Cheng C, Bonato S, Dewa CS. Interventions to improve work outcomes in work-related PTSD: a systematic review. <i>BMC Public Health</i> , 2011; 11838.	Outside of specified population
Stewart W, Terry L. Reducing burnout in nurses and care workers in secure settings. <i>Nursing Standard</i> , 2014; 28 (34): 37-45.	Outside of specified Intervention
Stovell D, Morrison AP, Panayiotou M, Hutton P. Shared treatment decision-making and empowerment-related outcomes in psychosis: Systematic review and meta-analysis. <i>The British Journal of Psychiatry</i> , 2016; 209 (1): 23-28.	Outside of specified Intervention
Struckmeyer LR, Pickens ND. Home Modifications for People With Alzheimer's Disease: A Scoping Review. <i>American Journal of Occupational Therapy</i> , 2016; 70 (1): 7001270020p1-9.	Outside of specified population
Suijkerbuijk YB, Verbeek JH, van MJ, Ojajärvi A, Anema JR, Corbiere M, et al. Interventions for obtaining and maintaining employment in adults with severe mental illness, a network meta-analysis. 2015; (9).	Not a systematic review
Sullivan AL, Simonson GR. A systematic review of school-based social-emotional interventions for refugee and war-traumatized youth. <i>Review of Educational Research</i> , 2016; 86 (2): 503-30.	Low quality
Sunderji N, Ion A, Ghavam-Rassoul A, Abate A. Evaluating the Implementation of Integrated Mental Health Care: A Systematic Review to Guide the Development of Quality Measures. <i>Psychiatric Services</i> , 2017; appips201600464.	Not a systematic review
Susskind O, Ruzek JI, Friedman MJ. The VA/DOD Clinical Practice Guideline for Management of Post-Traumatic Stress (update 2010): Development and Methodology. <i>Journal of Rehabilitation Research &amp; Development</i> , 2012; 49 (5): xvii-xxvii.	Outside of specified outcome
Suter JC, Bruns EJ. Effectiveness of the wraparound process for children with emotional and behavioral disorders: a meta-analysis. <i>Clinical Child &amp; Family Psychology Review</i> , 2009; 12 (4): 336-51.	Low quality
Sutherland KS, W, J H, Gunter PL. The effectiveness of cooperative learning with students with emotional and behavioral disorders: a literature review (Structured abstract). <i>Behavioral Disorders</i> , 2000; 25 (3): 225-38.	Outside of specified outcome
Sweeney A, Fahmy S, Nolan F, Morant N, Fox Z, Lloyd-Evans B, et al. A mixed-methods study exploring therapeutic relationships and their association with service user satisfaction in acute psychiatric wards and crisis residential alternatives (Structured abstract). <i>Health Technology Assessment Database</i> , 2014; 0 (4).	Not a systematic review
Swift KD, Sayal K, Hollis C. ADHD and transitions to adult mental health services: a scoping review. <i>Child: Care, Health &amp; Development</i> , 2014; 40 (6): 775-86.	Outside of specified Intervention
Sylvestre J, Nelson G, Sabloff A, Peddle S. Housing for people with serious mental illness: A comparison of values and research. <i>American Journal of Community Psychology</i> , 2007; 40 (1): 125-37.	Outside of specified outcome
Tan L, Wang MJ, Modini M, Joyce S, Mykletun A, Christensen H, et al. Preventing the development of depression at work: a systematic review and meta-analysis of universal interventions in the workplace. <i>BMC Medicine</i> , 2014; 1274.	Outside of specified Intervention
Tanner K, Hand BN, O'Toole G, Lane AE. Effectiveness of Interventions to Improve Social Participation, Play, Leisure, and Restricted and Repetitive Behaviors in People With Autism Spectrum Disorder: A Systematic Review. <i>American Journal of Occupational Therapy</i> , 2015; 69 (5): 6905180010p1-12.	Outside of specified Intervention
Taylor JL, McPheeters ML, Sathe NA, Dove D, Veenstra-Vanderweele J, Warren Z. A systematic review of vocational interventions for young adults with autism spectrum disorders. <i>Pediatrics</i> , 2012; 130 (3): 531-8.	Low quality
Taylor TL, Killaspy H, Wright C, Turton P, White S, Kallert TW, et al. A systematic review of the international published literature relating to quality of institutional care for people with longer term mental health problems. <i>BMC Psychiatry</i> , 2009; 955.	Outside of specified Intervention
Tennant R, Goens C, Barlow J, Day C, Stewart-Brown S. A systematic review of reviews of interventions to promote mental health and prevent mental health problems in children and young people. <i>Journal of Public Mental Health</i> , 2007; 6 (1): 25-32.	Not a systematic review
Thornicroft G, Tansella M. Components of a modern mental health service: A pragmatic balance of community and hospital care: Overview of systematic evidence. <i>The British Journal of Psychiatry</i> , 2004; 185 (4): 283-90.	Outside of specified domains

Thota AB, Sipe TA, Byard GJ, Zometa CS, Hahn RA, McKnight-Eily LR, et al. Collaborative care to improve the management of depressive disorders: a community guide systematic review and meta-analysis. <i>American Journal of Preventive Medicine</i> , 2012; 42 (5): 525-38.	Low quality
Timbie JW, Horvitz-Lennon M, Frank RG, Normand SL. A meta-analysis of labor supply effects of interventions for major depressive disorder. <i>Psychiatric Services</i> , 2006; 57 (2): 212-8.	Outside of specified Intervention
Timm BJ, Swanton CL, Asp KM, Miller SK, Ring DL. Prescriptive Guide for Getting the Depressed Employee Back to Work. <i>The Journal for Nurse Practitioners</i> , 2013; 9 (7): 458-65.	Not a systematic review
Tomizawa R, Shigeta M, Reeves S. Framework development for the assessment of interprofessional teamwork in mental health settings. <i>Journal of Interprofessional Care</i> , 2017; 31 (1): 43-50.	Outside of specified outcome
Town J, Abbas A, Hardy G. Short-term psychodynamic psychotherapy for personality disorders: a critical review of randomized controlled trials (Provisional abstract). <i>Journal of Personality Disorders</i> , 2011; 25 (6): 723-40.	Outside of specified outcome
Tran K, Nkansah E. Critical incident stress debriefing for first responders: a review of the clinical benefit and harm (Structured abstract). <i>Health Technology Assessment Database</i> , 2010; (4).	Outside of specified Intervention
Tricco AC, Antony J, Ivers NM, Ashoor HM, Khan PA, Blondal E, et al. Effectiveness of quality improvement strategies for coordination of care to reduce use of health care services: A systematic review and meta-analysis. <i>Canadian Medical Association Journal</i> , 2014; 186 (15): E568-E78.	Outside of specified outcome
Tsakitzidis G, Timmermans O, Callewaert N, Verhoeven V, Lopez-Hartmann M, Truijien S, et al. Outcome Indicators on Interprofessional Collaboration Interventions for Elderly. <i>International Journal of Integrated Care [Electronic Resource]</i> , 2016; 16 (2): 5.	Outside of specified outcome
Tully PJ, Baumeister H. Collaborative care for the treatment of comorbid depression and coronary heart disease: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2014; 3127.	Not a systematic review
Tungpunkom P, Maayan N, Soares-Weiser K. Life skills programmes for chronic mental illnesses. <i>Cochrane Database of Systematic Reviews</i> , 2012; (1).	Outside of specified Intervention
Turner W, Broad J, Drinkwater J, Firth A, Hester M, Stanley N, et al. Interventions to improve the response of professionals to children exposed to domestic violence and abuse: A systematic review. <i>Child Abuse Review</i> , 2015.	Outside of specified outcome
Twamley EW, Jeste DV, Lehman AF. Vocational rehabilitation in schizophrenia and other psychotic disorders: a literature review and meta-analysis of randomized controlled trials. <i>Journal of Nervous &amp; Mental Disease</i> , 2003; 191 (8): 515-23.	Low quality
Waerden J, Hoefnagels C, Hosman C. Psychosocial preventive interventions to reduce depressive symptoms in low-SES women at risk: a meta-analysis (Structured abstract). <i>Journal of Affective Disorders</i> , 2011; 128 (1): 10-23.	Outside of specified Intervention
Waghorn G, Hielscher E. The availability of evidence-based practices in supported employment for Australians with severe and persistent mental illness. <i>Australian Occupational Therapy Journal</i> , 2015; 62 (2): 141-4.	Not a systematic review
Wagner SL, Koehn C, White MI, Harder HG, Schultz IZ, Williams-Whitt K, et al. Mental Health Interventions in the Workplace and Work Outcomes: A Best-Evidence Synthesis of Systematic Reviews. <i>International Journal of Occupational &amp; Environmental Medicine</i> , 2016; 7 (1): 1-14.	Outside of specified outcome
Wahbeh H, Senders A, Neuendorf R, Cayton J. Complementary and Alternative Medicine for Post-Traumatic Stress Disorder Symptoms: A Systematic Review. <i>Journal of Alternative &amp; Complementary Medicine</i> , 2014; 20 (5): A76-A76.	Outside of specified Intervention
Wahlbeck K, Cresswell-Smith J, Haaramo P, Parkkonen J. Interventions to mitigate the effects of poverty and inequality on mental health. <i>Social Psychiatry &amp; Psychiatric Epidemiology</i> , 2017; 909.	Low quality
Walker I, Gonzalez E. Review of intervention studies on depression in persons with multiple sclerosis (Provisional abstract). <i>Issues in Mental Health Nursing</i> , 2007; 28 (5): 511-31.	Outside of specified Intervention
Walker J, Sawhney A, Holm Hansen C, Ahmed S, Martin P, Symeonides S, et al. Treatment of depression in adults with cancer: A systematic review of randomized controlled trials. <i>Psychological Medicine</i> , 2014; 44 (5): 897-907.	Outside of specified Intervention
Walter U, Plaumann M, Krugmann C. <i>Burnout intervention</i> . Springer US, 2013.	Outside of specified population
Walter UM, Petr CG. Best practices in wraparound: a multidimensional view of the evidence. <i>Social Work</i> , 2011; 56 (1): 73-80.	Outside of specified outcome
Van Daele T, Hermans D, Van Audenhove C, Van den Bergh O. Stress reduction through psychoeducation: A meta-analytic review. <i>Health Education &amp; Behavior</i> , 2012; 39 (4): 474-85.	Outside of specified population
van der Feltz-Cornelis CM, Van Os TW, Van Marwijk HW, Leentjens AF. Effect of psychiatric consultation models in primary care. A systematic review and meta-analysis of randomized clinical trials. <i>Journal of Psychosomatic Research</i> , 2010; 68 (6): 521-33.	Low quality
van der Klink JJ, Blonk RW, Schene AH, van Dijk FJ. The benefits of interventions for work-related stress. <i>American Journal of Public Health</i> , 2001; 91 (2): 270-6.	Outside of specified Intervention
van Oostrom SH, Driessen MT, de Vet HC, Franche RL, Schonstein E, Loisel P, et al. Workplace interventions for preventing work disability. <i>Cochrane Database of Systematic Reviews</i> , 2009; 0 (2): CD006955.	Outside of specified population
van Steenbergen-Weijnenburg KM, van der Feltz-Cornelis CM, Horn EK, van Marwijk HW, Beekman AT, Rutten FF, et al. Cost-effectiveness of collaborative care for the treatment of major depressive disorder in primary care. A systematic review. <i>BMC Health Services Research</i> , 2010; 1019.	Outside of specified outcome
Van Til L, Fikretoglu D, Pranger T, Patten S, JianLi W, Wong M, et al. Work Reintegration for Veterans With Mental Disorders: A Systematic Literature Review to Inform Research. <i>Physical Therapy</i> , 2013; 93 (9): 1163-74.	Outside of specified outcome

Vanderplasschen W, Wolf J, Rapp R, Broekaert E. Effectiveness of different models of case management for substance-abusing populations (Structured abstract). <i>Journal of Psychoactive Drugs</i> , 2007; 39 (1): 81-95.	Outside of specified population
Wang CM. <i>School-Linked Services: A Research Synthesis. Publication Series #93-5e. 1993.</i>	Published before year 2000
Vanhove AJ, Herian MN, Perez ALU, Harms PD, Lester PB. Can resilience be developed at work? A meta-analytic review of resilience-building programme effectiveness. <i>Journal of Occupational and Organizational Psychology</i> , 2016; 89 (2): 278-307.	Outside of specified Intervention
Ward EC. Examining differential treatment effects for depression in racial and ethnic minority women: a qualitative systematic review. <i>Journal of the National Medical Association</i> , 2007; 99 (3): 265-74.	Low quality
Waters L. A review of school-based positive psychology interventions. <i>The Australian Educational and Developmental Psychologist</i> , 2011; 28 (2): 75-90.	Outside of specified population
Watson LC, Amick HR, Gaynes BN, Brownley KA, Thaker S, Viswanathan M, et al. Practice-based interventions addressing concomitant depression and chronic medical conditions in the primary care setting: a systematic review and meta-analysis. <i>Journal of Primary Care &amp; Community Health</i> , 2013; 4 (4): 294-306.	Outside of specified Intervention
Watson PJ, Ruzek JI. Academic/State/Federal collaborations and the improvement of practices in disaster mental health services and evaluation. <i>Administration &amp; Policy in Mental Health</i> , 2009; 36 (3): 215-20.	Not a systematic review
Watters C, O'Callaghan P. Mental health and psychosocial interventions for children and adolescents in street situations in low- and middle-income countries: A systematic review. <i>Child Abuse and Neglect</i> , 2016; 60:18-26.	Low quality
Weaver LL. Effectiveness of Work, Activities of Daily Living, Education, and Sleep Interventions for People With Autism Spectrum Disorder: A Systematic Review. <i>American Journal of Occupational Therapy</i> , 2015; 69 (5): 6905180020p1-11.	Outside of specified Intervention
Wei Y, Hayden JA, Kutcher S, Zygumt A, McGrath P. The effectiveness of school mental health literacy programs to address knowledge, attitudes and help seeking among youth. <i>Early intervention in psychiatry</i> , 2013; 7 (2): 109-21.	Outside of specified outcome
Wells J, Barlow J, Stewart-Brown S. A systematic review of universal approaches to mental health promotion in schools. <i>Health Education</i> , 2003; 103 (4): 197-220.	Outside of specified population
Vera-Garcia E, Mayoral-Cleries F, Vancampfort D, Stubbs B, Cuesta-Vargas AI. A systematic review of the benefits of physical therapy within a multidisciplinary care approach for people with schizophrenia: An update. <i>Psychiatry Research</i> , 2015; 229 (3): 828-39.	Outside of specified Intervention
Verdonschot MM, de Witte LP, Reichrath E, Buntinx WH, Curfs LM. Community participation of people with an intellectual disability: a review of empirical findings. <i>Journal of Intellectual Disability Research</i> , 2009; 53 (4): 303-18.	Outside of specified population
Werner-Seidler A, Perry Y, Calear AL, Newby JM, Christensen H. School-based depression and anxiety prevention programs for young people: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2017; 51:30-47.	Outside of specified Intervention
Westermann C, Kozak A, Harling M, Nienhaus A. Burnout intervention studies for inpatient elderly care nursing staff: systematic literature review. <i>International Journal of Nursing Studies</i> , 2014; 51 (1): 63-71.	Outside of specified Intervention
Whalon K, Conroy M, Martinez J, Werch B. School-Based Peer-Related Social Competence Interventions for Children with Autism Spectrum Disorder: A Meta-Analysis and Descriptive Review of Single Case Research Design Studies. <i>Journal of Autism &amp; Developmental Disorders</i> , 2015; 45 (6): 1513-31.	Outside of specified Intervention
Wheeler C, Lloyd-Evans B, Churchard A, Fitzgerald C, Fullarton K, Mosse L, et al. Implementation of the Crisis Resolution Team model in adult mental health settings: a systematic review. <i>BMC Psychiatry</i> , 2015; 15:74.	Outside of specified Intervention
Wheeler S, Richards K. The impact of clinical supervision on counsellors and therapists, their practice and their clients: a systematic review of the literature (Structured abstract). <i>Counselling and Psychotherapy Research</i> , 2007; 7 (1): 54-65.	Outside of specified Intervention
Whiteford H, McKeon G, Harris M, Diminic S, Siskind D, Scheurer R. System-level intersectoral linkages between the mental health and non-clinical support sectors: a qualitative systematic review. <i>Australian &amp; New Zealand Journal of Psychiatry</i> , 2014; 48 (10): 895-906.	Outside of specified outcome
Vigod SN, Kurdyak PA, Dennis CL, Leszcz T, Taylor VH, Blumberger DM, et al. Transitional interventions to reduce early psychiatric readmissions in adults: systematic review. <i>British Journal of Psychiatry</i> , 2013; 202 (3): 187-94.	Low quality
Wilai N, Patraporn T, McCann TV. The effectiveness of family interventions on psychological distress and expressed emotion in family members of individuals diagnosed with first-episode psychosis: a systematic review protocol. <i>JBIC Database of Systematic Reviews &amp; Implementation Reports</i> , 2014; 12 (4): 3-16.	Not a systematic review
Wiley-Exley E. Evaluations of community mental health care in low- and middle-income countries: a 10-year review of the literature. <i>Social Science &amp; Medicine</i> , 2007; 64 (6): 1231-41.	Outside of specified Intervention
Wilkinson B. Current trends in remediating adolescent self-injury: An integrative review. <i>The Journal of School Nursing</i> , 2011; 27 (2): 120-28.	Outside of specified population
Williams AE, Fossey E, Corbiere M, Paluch T, Harvey C. Work participation for people with severe mental illnesses: An integrative review of factors impacting job tenure. <i>Australian Occupational Therapy Journal</i> , 2016; 63 (2): 65-85.	Outside of specified Intervention
Williams M. Depression in primary care: Evidence and practice. <i>Journal of Mental Health</i> , 2011; 20 (6): 604-04.	Outside of specified Intervention

Wilson DB, Gottfredson DC, Najaka SS. School-Based Prevention of Problem Behaviors: A Meta-Analysis. <i>Journal of Quantitative Criminology</i> , 2001; 17 (3): 247.	Outside of specified outcome
Wilson SJ, Lipsey MW. School-based interventions for aggressive and disruptive behavior: update of a meta-analysis. <i>American Journal of Preventive Medicine</i> , 2007; 33 (2): S130-43.	Outside of specified outcome
Vohringer PA, Castro A, Martinez P, Tala A, Medina S, Rojas G. Healthcare team training programs aimed at improving depression management in primary care: A systematic review. <i>Journal of Affective Disorders</i> , 2016; 200142-7.	Outside of specified Intervention
Wolfs CA, Dirksen CD, Severens JL, Verhey FR. The added value of a multidisciplinary approach in diagnosing dementia: a review. <i>International Journal of Geriatric Psychiatry</i> , 2006; 21 (3): 223-32.	Outside of specified population
Woltmann E, Grogan-Kaylor A, Perron B, Georges H, Kilbourne A, Bauer M. Comparative effectiveness of collaborative chronic care models for mental health conditions across primary, specialty, and behavioral health care settings: systematic review and meta-analysis. <i>American Journal of Psychiatry</i> , 2012; 169 (8): 790-804.	Low quality
Women with co-occurring mental illness and substance abuse. <i>Journal of Addictions Nursing (Taylor &amp; Francis Ltd)</i> , 2008; 19 (2): 93-100.	Not a systematic review
Woods P, Richards D. Effectiveness of nursing interventions in people with personality disorders. <i>Journal of Advanced Nursing</i> , 2003; 44 (2): 154-72.	Outside of specified Intervention
Wright N, Moldavsky M, Schneider J, Chakrabarti I, Coates J, Daley D, et al. Practitioner Review: Pathways to care for ADHD - a systematic review of barriers and facilitators. <i>Journal of Child Psychology &amp; Psychiatry &amp; Allied Disciplines</i> , 2015; 56 (6): 598-617.	Outside of specified outcome
Wu L, Zhang D, Su Z, Hu T. Peer Victimization Among Children and Adolescents: A Meta-Analytic Review of Links to Emotional Maladjustment. <i>Clinical Pediatrics</i> , 2015; 54 (10): 941-55.	Outside of specified Intervention
Välämäki M, Hätönen H, Lahti M, Kuosmanen L, Adams CE. Information and communication technology in patient education and support for people with schizophrenia. 2012; (10).	Outside of specified Intervention
Yager Z, Diedrichs P, Ricciardelli L, Halliwell E. What works in secondary schools? A systematic review of classroom-based body image programs (Provisional abstract). <i>Body Image</i> , 2013; 10 (3): 271-81.	Outside of specified Intervention
Yakimo R. Outcomes in psychiatric consultation-liaison nursing. <i>Perspectives in Psychiatric Care</i> , 2006; 42 (1): 59-62.	Not a systematic review
Yang J, Law S, Chow W, Andermann L, Steinberg R, Sadavoy J. Best practices: assertive community treatment for persons with severe and persistent mental illness in ethnic minority groups. <i>Psychiatric Services</i> , 2005; 56 (9): 1053-5.	Not a systematic review
Yonemoto N, Dowswell T, Nagai S, Mori R. Schedules for home visits in the early postpartum period. <i>Cochrane Database of Systematic Reviews</i> , 2013; 0 (7): N.PAG-N.PAG.	Outside of specified Intervention
Ziguras SJ, Stuart GW. A meta-analysis of the effectiveness of mental health case management over 20 years. <i>Psychiatric Services</i> , 2000; 51 (11): 1410-21.	Low quality