



## Bilaga till rapport

Program för ungdomar med antisocial  
problematik inom institutionsvård,  
rapport 252 (2016)

### Bilaga 2 Sökstrategier

**Multi-database search (ASE, Cinahl, ERIC, Psychology and Behavioral Sciences Collection) via EBSCO 22 September 2015**

**Title: programmes for adolescents with anti-social behaviour in residential care**

Search terms		Items found
<b>Population: adolescents (13-20 years)</b>		
1.	TI (Adolescent* OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence* OR juvenile*) OR AB (Adolescent* OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence* OR juvenile*)	502,870
<b>Setting: residential care</b>		
2.	TI (Residential OR Institutio* OR out-of-home OR offender* OR forensic* OR prison*) OR AB (aftercare OR (Correction* NO Setting*) OR (Correction* NO facilit*) OR (community N1 residen*) OR "community N1 setting*" OR (clinical N2 setting*) OR "care placement" OR "community juvenile justice setting" OR (community NO residen*) OR "forensic mental health" OR (forensic N2 Setting*) OR (forensic NO hospital*) OR "forensic psychiatric" OR (forensic NO patient*) OR "Group home" OR "Group homes" OR (Institutional N1 Setting*) OR inmate* OR Institutionalized OR Inpatient* OR incarcerat* OR "Juvenile Justice Aftercare" OR "juvenile hall" OR "juvenile halls" OR (juvenile N1 forensic) OR jail OR jailed OR (justice NO setting*) OR (offender NO institution*) OR out-of-home OR prison OR prisoner OR prisoners OR "post-residential" Or probation OR (Residential N1 care) OR (Residential NO treatment*) OR (residential NO institution*) OR (Residential NO setting*) OR (residential NO program*) OR (residential N2 facilit*) OR (runaway NO shelter*) OR "secure hospital" OR (secure psychiatric NO setting*) OR (treatment NO center*))	290,875
<b>Interventions:</b>		
Adolescent Community Reinforcement Approach (A-CRA)		
Aggression Replacement Training (ART)		
Dialectical Behavior Therapy (DBT)		
Parent Management Training (PMT) (inklusive Komet)		
Functional family therapy (FFT)		
Trauma Intervention Program for Adjudicated and At-Risk Youth (SITCAP-ART)		
Token Economy (TE)		
Relapse prevention (RP)		
The Multisystemic Therapy–Family Integrated Transitions (MST–FIT)		
3.	AB("Adolescent Community Reinforcement Approach" OR "A-CRA" OR "Aggression Replacement Training" OR "Aggression Replacement Therapy" OR "Structured Sensory Intervention for Traumatized Children, Adolescents and Parents" OR SITCAP-ART OR "Dialectical Behavior Therapy" OR "Parent Management Training" OR "Functional family therapy" OR "token economy" OR "token economies" OR "contingency management") OR AB((KOMET OR Comet) AND AB("COmmunication METHod" OR "Parent Management Training")) OR AB ("relapse prevention") OR TI ("relapse prevention") OR KW ("relapse prevention") OR (AB "Multisystemic Therapy" OR AB "Family Integrated Transitions" OR AB"MST-FIT")	6,986
<b>Combined sets</b>		
4.	<b>1 AND 2 AND 3</b>	<b>198</b>

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

\* = Truncation

“ ” = Citation Marks; searches for an exact phrase

## PsycInfo via EBSCO 22 September 2015

## Title: programmes for adolescents in residential care with anti-social behaviour

Search terms		Items found
<b>Population: adolescents (13-20 years)</b>		
1.	((ZG "young adulthood (18-29 yrs)") or ((ZG "adolescence (13-17 yrs)"))	628,228
2.	TI (Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile OR young) OR AB (Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile)	278,144
3.	1 OR 2	727,515
<b>Setting: residential care</b>		
4.	DE "Assisted Living" OR DE "Adjudication" OR DE "Community Facilities" OR DE "Concentration Camps" OR DE "Criminal Rehabilitation" OR DE "Correctional Institutions" OR DE "Community Mental Health Centers" OR DE "Criminal Conviction" OR DE "Discharge Planning" OR DE "Facilities" OR DE "Facility Discharge" OR DE "Group Homes" OR DE "Halfway Houses" OR DE "Hospitalization" OR DE "Institutionalization" OR DE "Incarceration" OR DE "Institutional Schools" OR DE "Maximum Security Facilities" OR DE "Mentally Ill Offenders" OR DE "Psychiatric Units" OR DE "Prisons" OR DE "Psychiatric Clinics" OR DE "Residential Care Institutions" OR DE "Rehabilitation Centers" OR DE "Reformatories" OR DE "Treatment Facilities" OR DE "Therapeutic Camps"	46,300
5.	TI (Residential OR Institutio* OR out-of-home OR offender* OR forensic* OR prison*)	42,793
6.	TX (aftercare OR (Correction* N0 Setting*) OR (Correction* N0 facilit*) OR (community N1 residen*) OR "community N1 setting*" OR (clinical N2 setting*) OR "care placement" OR "community juvenile justice setting" OR (community N0 residen*) OR "forensic mental health" OR (forensic N2 Setting*) OR (forensic N0 hospital*) OR "forensic psychiatric" OR (forensic N0 patient*) OR "Group home" OR "Group homes" OR (Institutional N1 Setting*) OR inmate* OR Institutionalized OR Inpatient* OR incarcerat* OR "Juvenile Justice Aftercare" OR "juvenile hall" OR "juvenile halls" OR (juvenile N1 forensic) OR jail OR jailed OR (justice N0 setting*) OR (offender N0 institution*) OR out-of-home OR prison OR prisoner OR prisoners OR "post-residential" Or probation OR (Residential N1 care) OR (Residential N0 treatment*) OR (residential N0 institution*) OR (Residential N0 setting*) OR (residential N0 program*) OR (residential N2 facilit*) OR (runaway N0 shelter*) OR "secure hospital" OR (secure psychiatric N0 setting*) OR (treatment N0 center*))	174,572
7.	4 OR 5 OR 6	213,382
<b>Interventions:</b>		
Adolescent Community Reinforcement Approach (A-CRA)		
Aggression Replacement Training (ART)		
Dialectical Behavior Therapy (DBT)		
Parent Management Training (PMT) (inklusive Komet)		
Functional family therapy (FFT)		
Trauma Intervention Program for Adjudicated and At-Risk Youth (SITCAP-ART)		
Token Economy (TE)		
Relapse prevention (RP)		
The Multisystemic Therapy–Family Integrated Transitions (MST–FIT)		
8.	TX ("Adolescent Community Reinforcement Approach" OR "A-CRA" OR "assertive continuing care" OR "Community Reinforcement Approach")	700
9.	TX ("Aggression Replacement Training" OR "Aggression Replacement Therapy")	66
10.	(DE "Dialectical Behavior Therapy" OR TX ("Dialectical Behavior Therapy" OR (dialectical N0 behav* N0 therapy)) OR TI (DBT)) AND (DE "Antisocial Personality Disorder" OR DE "Conduct Disorder" OR DE "Criminals" OR DE "Drug Abuse" OR DE "Alcohol Abuse" OR DE "Externalization" OR DE "Juvenile Delinquency" OR DE "Drug Usage" OR DE "Behavior Problems" OR DE "Antisocial Behavior" OR DE "Cruelty" OR DE "Juvenile Delinquency" OR DE "Runaway Behavior" OR DE "Psychopathology" OR DE "Psychopathy" OR DE "Relational Aggression" OR DE "Aggressive Behavior" OR DE "Child Psychopathology" OR DE "Drug Dependency" OR DE "Emotional Disturbances" OR DE "Mentally Ill Offenders" OR DE "Self Regulation" OR DE "Behavior Change" OR DE "Behavior Modification" OR DE "Risk Taking" OR DE "Impulsiveness" OR DE "Male Delinquency")	162
11.	TX ("Parent Management Training") OR (TX ((KOMET OR Comet) AND ("COmmunication METHod" OR "Parent Management Training"))) OR (AU (Forster OR Sundell OR Karlberg OR Enebrink) AND (TX "Parent Management Training"))	239

12.	TX ("Functional family therapy")	165
13.	TX ("Structured Sensory Intervention for Traumatized Children, Adolescents and Parents" OR SITCAP-ART OR "Trauma Intervention Program for Adjudicated and At-Risk Youth")	3
14.	(DE "Token Economy Programs" OR DE "Contingency Management" OR TX ("token economy" OR "token economies" OR "contingency management")) AND (DE "Antisocial Personality Disorder" OR DE "Conduct Disorder" OR DE "Criminals" OR DE "Drug Abuse" OR DE "Alcohol Abuse" OR DE "Externalization" OR DE "Juvenile Delinquency" OR DE "Drug Usage" OR DE "Behavior Problems" OR DE "Antisocial Behavior" OR DE "Cruelty" OR DE "Juvenile Delinquency" OR DE "Runaway Behavior" OR DE "Psychopathology" OR DE "Psychopathy" OR DE "Relational Aggression" OR DE "Aggressive Behavior" OR DE "Child Psychopathology" OR DE "Drug Dependency" OR DE "Emotional Disturbances" OR DE "Mentally Ill Offenders" OR DE "Self Regulation" OR DE "Behavior Change" OR DE "Behavior Modification" OR DE "Risk Taking" OR DE "Impulsiveness" OR DE "Male Delinquency")	1,210
15.	((TI "Relapse prevention" OR AB "Relapse prevention" OR DE "Relapse Prevention") AND (TX "Marlatt" OR TX "Gordon" OR TX "cognitive behavioral" OR TX "RP" OR DE "Antisocial Personality Disorder" OR DE "Conduct Disorder" OR DE "Criminals" OR DE "Drug Abuse" OR DE "Alcohol Abuse" OR DE "Externalization" OR DE "Juvenile Delinquency" OR DE "Drug Usage" OR DE "Behavior Problems" OR DE "Antisocial Behavior" OR DE "Cruelty" OR DE "Juvenile Delinquency" OR DE "Runaway Behavior" OR DE "Psychopathology" OR DE "Psychopathy" OR DE "Relational Aggression" OR DE "Aggressive Behavior" OR DE "Child Psychopathology" OR DE "Drug Dependency" OR DE "Emotional Disturbances" OR DE "Mentally Ill Offenders" OR DE "Self Regulation" OR DE "Behavior Change" OR DE "Behavior Modification" OR DE "Risk Taking" OR DE "Impulsiveness" OR DE "Male Delinquency")) OR TX "cognitive behavioral relapse prevention model" OR TX "Relapse Prevention Therapy" OR TX "Relapse Prevention Approach" OR TX "mindfulness-based relapse prevention" OR TX ("relapse prevention" NO program*) OR TX "Relapse Prevention Intervention" OR TX "structured relapse prevention"	1,827
16.	(DE "Multisystemic Therapy" OR TX "Multisystemic Therapy" OR TI "MST" OR TX "Family Integrated Transitions" OR TX "MST-FIT") AND (DE "Antisocial Personality Disorder" OR DE "Conduct Disorder" OR DE "Criminals" OR DE "Drug Abuse" OR DE "Alcohol Abuse" OR DE "Externalization" OR DE "Juvenile Delinquency" OR DE "Drug Usage" OR DE "Behavior Problems" OR DE "Antisocial Behavior" OR DE "Cruelty" OR DE "Juvenile Delinquency" OR DE "Runaway Behavior" OR DE "Psychopathology" OR DE "Psychopathy" OR DE "Relational Aggression" OR DE "Aggressive Behavior" OR DE "Child Psychopathology" OR DE "Drug Dependency" OR DE "Emotional Disturbances" OR DE "Mentally Ill Offenders" OR DE "Self Regulation" OR DE "Behavior Change" OR DE "Behavior Modification" OR DE "Risk Taking" OR DE "Impulsiveness" OR DE "Male Delinquency"))	237
17.	8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16	4,462
<b>Combined sets</b>		
18.	3 AND 7 AND 17	400

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

\* = Truncation

“ ” = Citation Marks; searches for an exact phrase

## PubMed via NLM 22 September 2015

## Title: programmes for adolescents in residential care with anti-social behaviour

Search terms	Items found
<b>Population: adolescents (13-20 years)</b>	
1. "Adolescent"[Mesh] OR "Young Adult"[Mesh]	1865150
2. Adolescent[ti] OR Adolescents[ti] OR Teens[ti] OR Teen[ti] OR Teenager[ti] OR Teenagers[ti] OR Youth[ti] OR Youths[ti] OR youthful[ti] OR Adolescence[ti] OR juvenile[ti] OR young[ti] OR ((Adolescent[ti] OR Adolescents[tiab] OR Teens[tiab] OR Teen[tiab] OR Teenager[tiab] OR Teenagers[tiab] OR Youth[tiab] OR Youths[tiab] OR youthful[tiab] OR Adolescence[tiab] OR juvenile[tiab]) NOT medline[SB])	275700
3. 1 OR 2	1985701
<b>Setting: residential care settings</b>	
4. "Residential Facilities"[Mesh:NoExp] OR "Residential Treatment"[Mesh] OR "Assisted Living Facilities"[Mesh] OR "Group Homes"[Mesh] OR "Halfway Houses"[Mesh] OR "Prisons"[Mesh] OR "Substance Abuse Treatment Centers"[Mesh] OR "Prisoners"[Mesh:NoExp] OR "Inpatients"[Mesh] OR "Patient Discharge"[Mesh] OR Hospitals, Psychiatric[MeSH] OR Aftercare[MeSH] OR Criminals/psychology[MeSH]	92337
5. Residential[ti] OR Institutio*[ti] OR offender*[ti] OR forensic*[ti]	48318
6. Aftercare[tiab] OR care placement*[tiab] OR correctional setting*[tiab] OR correctional facilit*[tiab] OR clinical setting*[tiab] OR forensic mental health setting*[tiab] OR forensic psychiatric[tiab] OR forensic patient*[tiab] OR Group home*[tiab] OR Institution*[tiab] OR Inpatient*[tiab] OR incarcerat*[tiab] OR "Juvenile Justice Aftercare"[tiab] OR "juvenile hall"[tiab] OR "juvenile halls"[tiab] OR jail[tiab] OR jailed[tiab] OR out-of-home[tiab] OR prison[tiab] OR prisoner[tiab] OR prisoners[tiab] OR post-residential[tiab] OR Residential care[tiab] OR Residential treatment*[tiab] OR residential institution*[tiab] OR Residential setting*[tiab] OR runaway shelter*[tiab] OR secure hospital[tiab] OR secure forensic hospital*[tiab] OR secure psychiatric setting*[tiab] OR treatment center[tiab]	309437
7. 4 OR 5 OR 6	398142
<b>Interventions:</b>	
Adolescent Community Reinforcement Approach (A-CRA)	
Aggression Replacement Training (ART)	
Dialectical Behavior Therapy (DBT)	
Parent Management Training (PMT) (inklusive Komet)	
Functional family therapy (FFT)	
Trauma Intervention Program for Adjudicated and At-Risk Youth (SITCAP-ART)	
Token Economy (TE)	
Relapse prevention (RP)	
The Multisystemic Therapy–Family Integrated Transitions (MST–FIT)	
8. Adolescent Community Reinforcement Approach[tiab] OR A-CRA[tiab] OR assertive continuing care[tiab]	57
9. Aggression Replacement Training[tiab] OR Aggression Replacement Therapy[tiab]	29
10. Dialectical Behavior Therapy[tiab] OR Dialectical Behaviour Therapy[tiab]	382
11. Parent Management Training[tiab] OR KOMET[tiab] OR (Comet[tiab] AND Communication Method[tiab])	152
12. Functional family therapy[tiab]	30
13. Trauma Intervention Program for Adjudicated and At-Risk Youth[tiab] OR Structured Sensory Intervention for Traumatized Children, Adolescents and Parents[tiab] OR SITCAP-ART[tiab]	1
14. (Token Economy[MeSH] OR token economy[tiab] OR contingency management[tiab]) AND ("Antisocial Personality Disorder"[Mesh] OR "Conduct Disorder"[Mesh] OR "Juvenile Delinquency"[Mesh] OR "Crime"[Mesh] OR "Dangerous Behavior"[Mesh] OR "Substance-Related Disorders"[Mesh] OR Alcohol Drinking[MeSH] OR "Absenteeism"[Mesh] OR Violence[MeSH:NoExp] OR "Social Behavior Disorders"[Mesh:NoExp] OR "Child Behavior Disorders"[Mesh] OR "Prisoners"[Mesh:NoExp])	713
15. ("Relapse prevention"[tiab] AND (Marlatt[tx] OR Gordon[tx] OR "cognitive behavioral"[tiab] OR RP[tiab])) OR "cognitive behavioral relapse prevention model"[tiab] OR "Relapse Prevention Therapy"[tiab] OR "Relapse Prevention Approach"[tiab] OR mindfulness-based	821

	relapse prevention[tiab] OR relapse prevention program*[tiab] OR Relapse Prevention Intervention[tiab] OR structured relapse prevention[tiab] OR relapse prevention[ti]	
16.	(Multisystemic Therapy[tiab] OR Family Integrated Transitions[tiab]) AND ("Antisocial Personality Disorder"[Mesh] OR "Conduct Disorder"[Mesh] OR "Juvenile Delinquency"[Mesh] OR "Crime"[Mesh] OR "Dangerous Behavior"[Mesh] OR "Substance-Related Disorders"[Mesh] OR Alcohol Drinking[MeSH] OR "Absenteeism"[Mesh] OR Violence[MeSH:NoExp] OR "Social Behavior Disorders"[Mesh:NoExp] OR "Child Behavior Disorders"[Mesh] OR "Prisoners"[Mesh:NoExp])	92
17.	8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16	2240
<b>Combined sets</b>		
<b>18.</b>	<b>3 AND 7 AND 17</b>	<b>154</b>

The search result, usually found at the end of the documentation, forms the list of abstracts.

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TIAB] = Title or abstract

[TI] = Title

[AU] = Author

[TW] = Text Word

Systematic[SB] = Filter for retrieving systematic reviews

\* = Truncation

**Sociological Abstracts & Social Services Abstracts via Proquest 23 September 2015**
**Title: programmes for adolescents in residential care with anti-social behaviour**

Search terms		Items found
<b>Population: adolescents (13-20 years)</b>		
1.	SU.EXACT("Juvenile Delinquency") OR SU.EXACT("Adolescents") OR SU.EXACT("Young Adults")	38,516
2.	TI(Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile) OR AB(Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile)	82,911
3.	1 OR 2	88,671
<b>Setting: residential care</b>		
4.	SU.EXACT("Institutions") OR SU.EXACT("Institutionalization (Persons)") OR SU.EXACT("Residential Institutions") OR SU.EXACT("Housing") OR SU.EXACT("Imprisonment") OR SU.EXACT("Prisons") OR SU.EXACT("Prisonization") OR SU.EXACT("Placement") OR SU.EXACT("Offenders") OR SU.EXACT("Prisoners") OR SU.EXACT("Probation")	30,095
5.	TI (Residential OR Institutio* OR out-of-home OR offender* OR forensic* OR prison*)	39
6.	All (aftercare OR "care placement" OR (community NEAR/1 residen*) OR (Correction* NEAR/0 Setting*) OR (Correction* NEAR/0 facilit*) OR (Clinical NEAR/1 setting*) OR "community supervision setting" OR (forensic NEAR/0 hospital*) OR (forensic NEAR/2 Setting*) OR "forensic mental health" OR (forensic NEAR/0 patient*) OR "forensic psychiatric" OR "Group home" OR "Group homes" OR Institutionalized OR Inpatient* OR incarcerat* OR inmate* OR (Institutional NEAR/1 Setting*) OR (justice NEAR/0 setting*) OR (juvenile NEAR/1 forensic) OR jail OR jailed OR "juvenile hall" OR "juvenile halls" OR "Juvenile Justice Aftercare" OR (offender NEAR/1 institution*) OR out-of-home OR prison OR prisoner OR prisoners OR "post-residential" OR (Residential NEAR/1 treatment*) OR (residential NEAR/1 institution*) OR (Residential NEAR/1 setting*) OR (residential NEAR/1 program*) OR (residential NEAR/1 Care) OR (residential NEAR/1 setting*) OR "runaway shelter" OR "secure hospital" OR (secure psychiatric NEAR/0 setting*) OR (treatment NEAR/0 center*))	31,834
7.	4 OR 5 OR 6	50,470
<b>Interventions:</b>		
Adolescent Community Reinforcement Approach (A-CRA)		
Aggression Replacement Training (ART)		
Dialectical Behavior Therapy (DBT)		
Parent Management Training (PMT) (inklusive Komet)		
Functional family therapy (FFT)		
Trauma Intervention Program for Adjudicated and At-Risk Youth (SITCAP-ART)		
Token Economy (TE)		
Relapse prevention (RP)		
The Multisystemic Therapy–Family Integrated Transitions (MST–FIT)		
8.	All("Adolescent Community Reinforcement Approach" OR "A-CRA" OR "assertive continuing care" OR "Community Reinforcement Approach")	32
9.	ALL ("Aggression Replacement Training" OR "Aggression Replacement Therapy")	19
10.	DE "DIALECTICAL behavior therapy" OR ALL ("Dialectical Behavior Therapy" OR (dialectical NEAR/0 behav* NEAR/0 therapy)) OR TI (DBT)	38
11.	ALL ("Parent Management Training") OR ALL ((KOMET OR Comet) AND ("Communication METHod" OR "Parent Management Training")) OR (AU (Forster OR Sundell OR Karlberg OR Enebrink) AND (ALL "Parent Management Training" OR DE "PARENTING education"))	31
12.	ALL ("Functional family therapy")	18
13.	ALL ("Structured Sensory Intervention for Traumatized Children, Adolescents and Parents" OR SITCAP-ART OR (structured NEAR/0 sensory) OR "Trauma Intervention Program for Adjudicated and At-Risk Youth")	1
14.	DE "TOKEN economy (Psychology)" OR DE "CONTINGENCY theory (Management)" OR ALL ("token economy" OR "token economies" OR "contingency management")	150
15.	ALL("Relapse prevention")	260
16.	ALL ("Multisystemic Therapy" OR MST OR "MST-FIT" "Family Integrated Transitions")	205
17.	8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16	746

**Combined sets****18. 3 AND 7 AND 17****52**

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AF = Author affiliation

All = Performs a keyword search in most of the database's searchable fields, except full text

AU = Author

SU.EXACT = Term from the Sociological thesaurus

SU.EXACT.EXPLODE = Includes terms found below this term in the Sociological thesaurus

TI = Title

\* = Truncation

“ ” = Citation Marks; searches for an exact phrase

? = Wildcard, used to replace any single character either inside or at the right end of a word



## Scopus via Elsevier 23 September 2015

## Title: programmes for adolescents in residential care with anti-social behaviour

Search terms		Items found
<b>Population: adolescents (13-20 years)</b>		
1.	TITLE-ABS-KEY (Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile OR young)	2,957,515
<b>Setting: residential care</b>		
2.	TITLE(Residential OR Institutio* OR out-of-home) OR TITLE-ABS-KEY("residential youth care" OR "Residential care" OR "Group home" OR "Group homes" OR "Residential treatment" OR "residential institution" OR "residential institutions" OR "Residential setting" OR "Residential settings" OR "residential program" OR "residential programme" OR "residential programs" OR "care placement" OR Institutionalized OR Inpatient* OR Inpatient* OR "out-of-home care" OR "Out-of-Home Placement" OR "Out-of-Home Placements" OR "living out-of-home" OR "runaway shelter" OR incarcerated OR "community juvenile justice setting" OR "community residence" OR "treatment center" OR prison* OR inmate*)	1,672,625
<b>Interventions:</b>		
Adolescent Community Reinforcement Approach (A-CRA)		
Aggression Replacement Training (ART)		
Dialectical Behavior Therapy (DBT)		
Parent Management Training (PMT) (inklusive Komet)		
Functional family therapy (FFT)		
Trauma Intervention Program for Adjudicated and At-Risk Youth (SITCAP-ART)		
Token Economy (TE)		
Relapse prevention (RP)		
The Multisystemic Therapy–Family Integrated Transitions (MST–FIT)		
3.	TITLE-ABS-KEY("Adolescent Community Reinforcement Approach" OR "A-CRA" OR "Aggression Replacement Training" OR "Aggression Replacement Therapy" OR "Structured Sensory Intervention for Traumatized Children, Adolescents and Parents" OR SITCAP-ART OR "Dialectical Behavior Therapy" OR "Parent Management Training" OR "Functional family therapy" OR "token economy" OR "token economies" OR "contingency management") OR ((KOMET OR Comet) AND ("COMmunication METHod" OR "Parent Management Training")) OR ("Relapse prevention" OR "multisystemic therapy")	25,888
<b>Combined sets</b>		
4.	<b>1 AND 2 AND 3</b>	<b>1,164</b>

The search result, usually found at the end of the documentation, forms the list of abstracts.

**TITLE-ABS-KEY** = Title or abstract or keywords

**ALL** = All fields

**PRE/n** = "precedes by". The first term in the search must precede the second by a specified number of terms (n).

**W/n** = "within". The terms in the search must be within a specified number of terms (n) in any order.

\* = Truncation

“ ” = Citation Marks; searches for an exact phrase

LIMIT-TO ( SRCTYPE , "j" = Limit to source type journal

LIMIT-TO ( DOCTYPE , "ar" = Limit to document type article

LIMIT-TO ( DOCTYPE , "re" = Limit to document type review

## SocIndex via EBSCO 23 September 2015

## Title: programmes for adolescents in residential care with anti-social behaviour

Search terms	Items found
<b>Population: adolescents (13-20 years)</b>	
1. DE "YOUTH" OR DE "AT-risk youth" OR DE "RUNAWAY teenagers" OR DE "TEENAGERS" OR DE "UNEMPLOYED youth" OR DE "ADOLESCENCE" OR DE "PARENT & teenager" OR DE "ADOLESCENT psychiatry"	35,247
2. TI (Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile OR young) OR AB (Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile)	136,445
3. 1 OR 2	141,054
<b>Setting: residential care</b>	
4. DE "RESIDENTIAL care" OR DE "INSTITUTIONAL care" OR DE "INSTITUTIONALIZED persons" OR DE "LONG-term care facilities" OR DE "GROUP homes" OR DE "ADOLESCENT psychotherapy -- Residential treatment" OR DE "PRISONS" OR DE "PRISONERS" OR DE "CONGREGATE housing" OR DE "AFTERCARE services" OR DE "JUVENILE detention homes" OR DE "JUVENILE detention" OR DE "HOSPITAL wards" OR DE "PSYCHIATRIC hospitals"	18,849
5. TI (Residential OR Institutio* OR out-of-home OR offender* OR forensic* OR prison*)	35,994
6. TI("residential youth care" OR "Residential care" OR "Group home" OR "Group homes" OR (Residential NO treatment*) OR (residential NO institution*) OR (Residential NO setting*) OR (residential NO program*) OR "care placement" OR Institutionalized OR Inpatient* OR In-patient* OR (out-of-home NO care) OR (Out-of-Home N1 Place*) OR "Out-of-Home Placements" OR "living out-of-home" OR "runaway shelter" OR incarcerated OR "community juvenile justice setting" OR (community NO residen*) OR (treatment NO center*) OR prison* OR inmate*) OR AB("residential youth care" OR "Residential care" OR "Group home" OR "Group homes" OR (Residential NO treatment*) OR (residential NO institution*) OR (Residential NO setting*) OR (residential NO program*) OR "care placement" OR Institutionalized OR Inpatient* OR In-patient* OR (out-of-home NO care) OR (Out-of-Home N1 Place*) OR "Out-of-Home Placements" OR "living out-of-home" OR "runaway shelter" OR incarcerated OR "community juvenile justice setting" OR (community NO residen*) OR (treatment NO center*) OR prison* OR inmate*)	115,922
7. 4 OR 5 OR 6	140,429
<b>Interventions:</b>	
Adolescent Community Reinforcement Approach (A-CRA)	
Aggression Replacement Training (ART)	
Dialectical Behavior Therapy (DBT)	
Parent Management Training (PMT) (inklusive Komet)	
Functional family therapy (FFT)	
Trauma Intervention Program for Adjudicated and At-Risk Youth (SITCAP-ART)	
Token Economy (TE)	
Relapse prevention (RP)	
The Multisystemic Therapy–Family Integrated Transitions (MST–FIT)	
8. TI ("Adolescent Community Reinforcement Approach" OR "A-CRA") OR AB("Adolescent Community Reinforcement Approach" OR "A-CRA")	116
9. TI("Aggression Replacement Training" OR "Aggression Replacement Therapy") OR AB("Aggression Replacement Training" OR "Aggression Replacement Therapy")	48
10. DE "DIALECTICAL behavior therapy" OR AB("Dialectical Behavior Therapy" OR (dialectical NO behav* NO therapy)) OR TI(DBT)	112
11. AB ("Parent Management Training") OR TX ((KOMET OR Comet) AND ("COmmunication METHod" OR "Parent Management Training")) OR AU (Forster OR Sundell OR Karlberg OR Enebrink) AND (AB "Parent Management Training" OR DE "PARENTING education"))	51
12. TI ("Functional family therapy") OR AB ("Functional family therapy")	43
13. TX ("Structured Sensory Intervention for Traumatized Children, Adolescents and Parents" OR SITCAP-ART)	20
14. DE "TOKEN economy (Psychology)" OR DE "CONTINGENCY theory (Management)" OR AB ("token economy" OR "token economies" OR "contingency management") OR TI ("token economy" OR "token economies" OR "contingency management")	633
15. TI "relapse prevention" OR AB "relapse prevention"	676

16.	(TI"Multisystemic Therapy" OR AB"Multisystemic Therapy" OR AB"Family Integrated Transitions" OR AB"MST-FIT")	148
17.	8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16	1,810
<b>Combined sets</b>		
<b>18.</b>	<b>3 AND 7 AND 17</b>	<b>100</b>

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

\* = Truncation

" " = Citation Marks; searches for an exact phrase

**Multi-database search (ASE, Cinahl, ERIC, Psychology and Behavioral Sciences Collection) via EBSCO 22 September 2015**

**Title: Relapse Prevention (RP) for adolescents with anti-social behaviour in residential care –  
ADDITIONAL SEARCH**

Search terms		Items found
<b>Population: adolescents (13-20 years)</b>		
1.	TI (Adolescent* OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence* OR juvenile*) OR AB (Adolescent* OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence* OR juvenile*)	502,870
<b>Setting: residential care</b>		
2.	TI (Residential OR Institutio* OR out-of-home OR offender* OR forensic* OR prison*) OR AB (aftercare OR (Correction* NO Setting*) OR (Correction* NO facilit*) OR (community N1 residen*) OR "community N1 setting*" OR (clinical N2 setting*) OR "care placement" OR "community juvenile justice setting" OR (community NO residen*) OR "forensic mental health" OR (forensic N2 Setting*) OR (forensic NO hospital*) OR "forensic psychiatric" OR (forensic NO patient*) OR "Group home" OR "Group homes" OR (Institutional N1 Setting*) OR inmate* OR Institutionalized OR Inpatient* OR incarcerat* OR "Juvenile Justice Aftercare" OR "juvenile hall" OR "juvenile halls" OR (juvenile N1 forensic) OR jail OR jailed OR (justice NO setting*) OR (offender NO institution*) OR out-of-home OR prison OR prisoner OR prisoners OR "post-residential" Or probation OR (Residential N1 care) OR (Residential NO treatment*) OR (residential NO institution*) OR (Residential NO setting*) OR (residential NO program*) OR (residential N2 facilit*) OR (runaway NO shelter*) OR "secure hospital" OR (secure psychiatric NO setting*) OR (treatment NO center*))	290,875
<b>Interventions:</b>		
Relapse prevention (RP)		
3.	AB ("relapse prevention") OR TI ("relapse prevention") OR KW ("relapse prevention")	2,670
<b>Combined sets</b>		
4.	<b>1 AND 2 AND 3</b>	<b>22</b>

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

\* = Truncation

“ ” = Citation Marks; searches for an exact phrase

PsycInfo via EBSCO 22 September 2015

Title: Relapse prevention (RP) for adolescents with anti-social behaviour in residential care –  
ADDITIONAL SEARCH

Search terms	Items found
<b>Population: adolescents (13-20 years)</b>	
1. ((ZG "young adulthood (18-29 yrs)") OR ((ZG "adolescence (13-17 yrs)"))	628,228
2. TI (Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile OR young) OR AB (Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile)	278,144
3. 1 OR 2	727,515
<b>Setting: residential care</b>	
4. DE "Assisted Living" OR DE "Adjudication" OR DE "Community Facilities" OR DE "Concentration Camps" OR DE "Criminal Rehabilitation" OR DE "Correctional Institutions" OR DE "Community Mental Health Centers" OR DE "Criminal Conviction" OR DE "Discharge Planning" OR DE "Facilities" OR DE "Facility Discharge" OR DE "Group Homes" OR DE "Halfway Houses" OR DE "Hospitalization" OR DE "Institutionalization" OR DE "Incarceration" OR DE "Institutional Schools" OR DE "Maximum Security Facilities" OR DE "Mentally Ill Offenders" OR DE "Psychiatric Units" OR DE "Prisons" OR DE "Psychiatric Clinics" OR DE "Residential Care Institutions" OR DE "Rehabilitation Centers" OR DE "Reformatories" OR DE "Treatment Facilities" OR DE "Therapeutic Camps"	46,300
5. TI (Residential OR Institutio* OR out-of-home OR offender* OR forensic* OR prison*)	42,793
6. TX (aftercare OR (Correction* N0 Setting*) OR (Correction* N0 facilit*) OR (community N1 residen*) OR "community N1 setting*" OR (clinical N2 setting*) OR "care placement" OR "community juvenile justice setting" OR (community N0 residen*) OR "forensic mental health" OR (forensic N2 Setting*) OR (forensic N0 hospital*) OR "forensic psychiatric" OR (forensic N0 patient*) OR "Group home" OR "Group homes" OR (Institutional N1 Setting*) OR inmate* OR Institutionalized OR Inpatient* OR incarcerat* OR "Juvenile Justice Aftercare" OR "juvenile hall" OR "juvenile halls" OR (juvenile N1 forensic) OR jail OR jailed OR (justice N0 setting*) OR (offender N0 institution*) OR out-of-home OR prison OR prisoner OR prisoners OR "post-residential" Or probation OR (Residential N1 care) OR (Residential N0 treatment*) OR (residential N0 institution*) OR (Residential N0 setting*) OR (residential N0 program*) OR (residential N2 facilit*) OR (runaway N0 shelter*) OR "secure hospital" OR (secure psychiatric N0 setting*) OR (treatment N0 center*))	174,572
7. 4 OR 5 OR 6	213,382
<b>Intervention: Relapse prevention (RP)</b>	
8. ((TI "Relapse prevention" OR AB "Relapse prevention" OR DE "Relapse Prevention") AND (TX "Marlat" OR TX "Gordon" OR TX "cognitive behavioral" OR TX "RP" OR DE "Antisocial Personality Disorder" OR DE "Conduct Disorder" OR DE "Criminals" OR DE "Drug Abuse" OR DE "Alcohol Abuse" OR DE "Externalization" OR DE "Juvenile Delinquency" OR DE "Drug Usage" OR DE "Behavior Problems" OR DE "Antisocial Behavior" OR DE "Cruelty" OR DE "Juvenile Delinquency" OR DE "Runaway Behavior" OR DE "Psychopathology" OR DE "Psychopathy" OR DE "Relational Aggression" OR DE "Aggressive Behavior" OR DE "Child Psychopathology" OR DE "Drug Dependency" OR DE "Emotional Disturbances" OR DE "Mentally Ill Offenders" OR DE "Self Regulation" OR DE "Behavior Change" OR DE "Behavior Modification" OR DE "Risk Taking" OR DE "Impulsiveness" OR DE "Male Delinquency")) OR TX "cognitive behavioral relapse prevention model" OR TX "Relapse Prevention Therapy" OR TX "Relapse Prevention Approach" OR TX "mindfulness-based relapse prevention" OR TX ("relapse prevention" N0 program*) OR TX "Relapse Prevention Intervention" OR TX "structured relapse prevention"	1,827
<b>Combined sets</b>	
9. 3 AND 7 AND 8	107

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

\* = Truncation

“ ” = Citation Marks; searches for an exact phrase

## PubMed via NLM 22 September 2015

Title: Relapse Prevention (RP) for adolescents with anti-social behaviour in residential care –  
ADDITIONAL SEARCH

Search terms	Items found
<b>Population: adolescents (13-20 years)</b>	
1. "Adolescent"[Mesh] OR "Young Adult"[Mesh]	1865150
2. Adolescent[ti] OR Adolescents[ti] OR Teens[ti] OR Teen[ti] OR Teenager[ti] OR Teenagers[ti] OR Youth[ti] OR Youths[ti] OR youthful[ti] OR Adolescence[ti] OR juvenile[ti] OR young[ti] OR ((Adolescent[ti] OR Adolescents[tiab] OR Teens[tiab] OR Teen[tiab] OR Teenager[tiab] OR Teenagers[tiab] OR Youth[tiab] OR Youths[tiab] OR youthful[tiab] OR Adolescence[tiab] OR juvenile[tiab]) NOT medline[SB])	275700
3. 1 OR 2	1985701
<b>Setting: residential care settings</b>	
4. "Residential Facilities"[Mesh:NoExp] OR "Residential Treatment"[Mesh] OR "Assisted Living Facilities"[Mesh] OR "Group Homes"[Mesh] OR "Halfway Houses"[Mesh] OR "Prisons"[Mesh] OR "Substance Abuse Treatment Centers"[Mesh] OR "Prisoners"[Mesh:NoExp] OR "Inpatients"[Mesh] OR "Patient Discharge"[Mesh] OR Hospitals, Psychiatric[MeSH] OR Aftercare[MeSH] OR Criminals/psychology[MeSH]	92337
5. Residential[ti] OR Institutio*[ti] OR offender*[ti] OR forensic*[ti]	48318
6. Aftercare[tiab] OR care placement*[tiab] OR correctional setting*[tiab] OR correctional facilit*[tiab] OR clinical setting*[tiab] OR forensic mental health setting*[tiab] OR forensic psychiatric[tiab] OR forensic patient*[tiab] OR Group home*[tiab] OR Institution*[tiab] OR Inpatient*[tiab] OR incarcerat*[tiab] OR "Juvenile Justice Aftercare"[tiab] OR "juvenile hall"[tiab] OR "juvenile halls"[tiab] OR jail[tiab] OR jailed[tiab] OR out-of-home[tiab] OR prison[tiab] OR prisoner[tiab] OR prisoners[tiab] OR post-residential[tiab] OR Residential care[tiab] OR Residential treatment*[tiab] OR residential institution*[tiab] OR Residential setting*[tiab] OR runaway shelter*[tiab] OR secure hospital[tiab] OR secure forensic hospital*[tiab] OR secure psychiatric setting*[tiab] OR treatment center[tiab]	309437
7. 4 OR 5 OR 6	398142
<b>Intervention: Relapse prevention (RP)</b>	
8. ("Relapse prevention"[tiab] AND (Marlatt[tw] OR Gordon[tw] OR "cognitive behavioral"[tiab] OR RP[tiab])) OR "cognitive behavioral relapse prevention model"[tiab] OR "Relapse Prevention Therapy"[tiab] OR "Relapse Prevention Approach"[tiab] OR mindfulness-based relapse prevention[tiab] OR relapse prevention program*[tiab] OR Relapse Prevention Intervention[tiab] OR structured relapse prevention[tiab]	446
<b>Combined sets</b>	
9. 3 AND 7 AND 8	20

The search result, usually found at the end of the documentation, forms the list of abstracts.

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TIAB] = Title or abstract

[TI] = Title

[AU] = Author

[TW] = Text Word

Systematic[SB] = Filter for retrieving systematic reviews

\* = Truncation

## Sociological Abstracts & Social Services Abstracts via Proquest 22 September 2015

### Title: Relapse Prevention (RP) for adolescents with anti-social behaviour in residential care - KOMPLETTERING

Search terms	Items found
<b>Population: adolescents (13-20 years)</b>	
1. SU.EXACT("Juvenile Delinquency") OR SU.EXACT("Adolescents") OR SU.EXACT("Young Adults")	38,516
2. TI(Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile) OR AB(Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile)	82,911
3. 1 OR 2	88,671
<b>Setting: residential care</b>	
4. SU.EXACT("Institutions") OR SU.EXACT("Institutionalization (Persons)") OR SU.EXACT("Residential Institutions") OR SU.EXACT("Housing") OR SU.EXACT("Imprisonment") OR SU.EXACT("Prisons") OR SU.EXACT("Prisonization") OR SU.EXACT("Placement") OR SU.EXACT("Offenders") OR SU.EXACT("Prisoners") OR SU.EXACT("Probation")	30,095
5. TI (Residential OR Institutio* OR out-of-home OR offender* OR forensic* OR prison*)	39
6. All (aftercare OR "care placement" OR (community NEAR/1 residen*) OR (Correction* NEAR/0 Setting*) OR (Correction* NEAR/0 facilit*) OR (Clinical NEAR/1 setting*) OR "community supervision setting" OR (forensic NEAR/0 hospital*) OR (forensic NEAR/2 Setting*) OR "forensic mental health" OR (forensic NEAR/0 patient*) OR "forensic psychiatric" OR "Group home" OR "Group homes" OR Institutionalized OR Inpatient* OR incarcerat* OR inmate* OR (Institutional NEAR/1 Setting*) OR (justice NEAR/0 setting*) OR (juvenile NEAR/1 forensic) OR jail OR jailed OR "juvenile hall" OR "juvenile halls" OR "Juvenile Justice Aftercare" OR (offender NEAR/1 institution*) OR out-of-home OR prison OR prisoner OR prisoners OR "post-residential" OR (Residential NEAR/1 treatment*) OR (residential NEAR/1 institution*) OR (Residential NEAR/1 setting*) OR (residential NEAR/1 program*) OR (residential NEAR/1 Care) OR (residential NEAR/1 setting*) OR "runaway shelter" OR "secure hospital" OR (secure psychiatric NEAR/0 setting*) OR (treatment NEAR/0 center*))	31,834
7. 4 OR 5 OR 6	50,470
<b>Intervention: Relapse prevention (RP)</b>	
8. ALL("Relapse prevention")	260
<b>Combined sets</b>	
9. 3 AND 7 AND 8	6

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AF = Author affiliation

All = Performs a keyword search in most of the database's searchable fields, except full text

AU = Author

SU.EXACT = Term from the Sociological thesaurus

SU.EXACT.EXPLODE = Includes terms found below this term in the Sociological thesaurus

TI = Title

\* = Truncation

“ ” = Citation Marks; searches for an exact phrase

? = Wildcard, used to replace any single character either inside or at the right end of a word



**Scopus via Elsevier 22 September 2015****Title: Relapse Prevention (RP) for adolescents with anti-social behaviour in residential care –  
ADDITIONAL SEARCH**

Search terms	Items found
<b>Population: adolescents (13-20 years)</b>	
1. TITLE-ABS-KEY (Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile OR young)	2,957,513
<b>Setting: residential care</b>	
2. TITLE(Residential OR Institutio* OR out-of-home) OR TITLE-ABS-KEY("residential youth care" OR "Residential care" OR "Group home" OR "Group homes" OR "Residential treatment" OR "residential institution" OR "residential institutions" OR "Residential setting" OR "Residential settings" OR "residential program" OR "residential programme" OR "residential programs" OR "care placement" OR Institutionalized OR Inpatient* OR Inpatient* OR "out-of-home care" OR "Out-of-Home Placement" OR "Out-of-Home Placements" OR "living out-of-home" OR "runaway shelter" OR incarcerated OR "community juvenile justice setting" OR "community residence" OR "treatment center" OR prison* OR inmate*)	1,672,622
<b>Interventions: Relapse prevention (RP)</b>	
3. TITLE-ABS-KEY("Relapse prevention")	3,398
<b>Combined sets</b>	
4. 1 AND 2 AND 3	150

The search result, usually found at the end of the documentation, forms the list of abstracts.

**TITLE-ABS-KEY** = Title or abstract or keywords

**ALL** = All fields

**PRE/n** = "precedes by". The first term in the search must precede the second by a specified number of terms (n).

**W/n** = "within". The terms in the search must be within a specified number of terms (n) in any order.

**\*** = Truncation

**" "** = Citation Marks; searches for an exact phrase

LIMIT-TO ( SRCTYPE , "j" = Limit to source type journal

LIMIT-TO ( DOCTYPE , "ar" = Limit to document type article

LIMIT-TO ( DOCTYPE , "re" = Limit to document type review

## SocIndex via EBSCO 22 September 2015

Title: Relapse Prevention (RP) for adolescents with anti-social behaviour in residential care –  
ADDITIONAL SEARCH

Search terms	Items found
<b>Population: adolescents (13-20 years)</b>	
1. DE "YOUTH" OR DE "AT-risk youth" OR DE "RUNAWAY teenagers" OR DE "TEENAGERS" OR DE "UNEMPLOYED youth" OR DE "ADOLESCENCE" OR DE "PARENT & teenager" OR DE "ADOLESCENT psychiatry"	35,245
2. TI (Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile OR young) OR AB (Adolescents OR Teens OR Teen OR Teenager OR Teenagers OR Youth OR Youths OR youthful OR Adolescence OR juvenile)	136,442
3. 1 OR 2	141,051
<b>Setting: residential care</b>	
4. DE "RESIDENTIAL care" OR DE "INSTITUTIONAL care" OR DE "INSTITUTIONALIZED persons" OR DE "LONG-term care facilities" OR DE "GROUP homes" OR DE "ADOLESCENT psychotherapy -- Residential treatment" OR DE "PRISONS" OR DE "PRISONERS" OR DE "CONGREGATE housing" OR DE "AFTERCARE services" OR DE "JUVENILE detention homes" OR DE "JUVENILE detention" OR DE "HOSPITAL wards" OR DE "PSYCHIATRIC hospitals"	18,849
5. TI (Residential OR Institutio* OR out-of-home OR offender* OR forensic* OR prison*)	35,993
6. TI("residential youth care" OR "Residential care" OR "Group home" OR "Group homes" OR (Residential NO treatment*) OR (residential NO institution*) OR (Residential NO setting*) OR (residential NO program*) OR "care placement" OR Institutionalized OR Inpatient* OR In-patient* OR (out-of-home NO care) OR (Out-of-Home N1 Place*) OR "Out-of-Home Placements" OR "living out-of-home" OR "runaway shelter" OR incarcerated OR "community juvenile justice setting" OR (community NO residen*) OR (treatment NO center*) OR prison* OR inmate*) OR AB("residential youth care" OR "Residential care" OR "Group home" OR "Group homes" OR (Residential NO treatment*) OR (residential NO institution*) OR (Residential NO setting*) OR (residential NO program*) OR "care placement" OR Institutionalized OR Inpatient* OR In-patient* OR (out-of-home NO care) OR (Out-of-Home N1 Place*) OR "Out-of-Home Placements" OR "living out-of-home" OR "runaway shelter" OR incarcerated OR "community juvenile justice setting" OR (community NO residen*) OR (treatment NO center*) OR prison* OR inmate*)	115,915
7. 4 OR 5 OR 6	140,421
<b>Interventions: Relapse prevention (RP)</b>	
8. TI "relapse prevention" OR AB "relapse prevention"	676
<b>Combined sets</b>	
9. 3 AND 7 AND 8	18

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

\* = Truncation

" " = Citation Marks; searches for an exact phrase