

Bilaga till rapport

Tidig koordinerad utskrivning och fortsatt rehabilitering i hemmiljö av äldre efter stroke, rapport 234 (2015)

Bilaga 2 Sökstrategier

Cinahl via EBSCO 21 February 2014

Title: services for reducing duration of hospital care for acute stroke patients

Search terms		ltems found
Population: e	lderly	
1.	(MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") OR (MH "Geriatrics") OR (MH "Aging") OR MH "Nursing Home Patients In Old Age" OR TX ("older patient" OR "older patients" OR "older adult" OR "older adults" OR "older person" OR "older persons" OR "older women" OR "older men" OR geriatric OR geriatrics OR elderly OR elders OR elder OR senior OR seniors OR 'community dwelling' OR "nursing home" OR "nursing homes" OR "care home" OR "care homes" OR "oldest old" OR frail OR postmenopaus OR postmenopausal OR 'post menopaus' OR 'post menopausal' OR 'late life' OR 'latest life' OR "old age") OR TX "In old age"	535,001
Population: p	persons with stroke	
2.	(MH "Stroke") OR (MH "Stroke, Lacunar") OR (MH "Stroke Patients") OR (TI stroke) OR (MH "Cerebrovascular Disorders") OR (MH "Carotid Artery Diseases") OR (MH "Cerebrovascular Disorders") OR (MH "Basal Ganglia Cerebrovascular Disease") OR (MH "Hypoxia-Ischemia, Brain") OR (MH "Cerebral Ischemia") OR (MH "Intracranial Arterial Diseases") OR (MH "Intracranial Embolism and Thrombosis") OR (MH "Intracranial Hemorrhage") OR (MH "Vertebral Artery Dissections") OR (TI cerebrovasc* OR brain N0 vasc* OR cerebral N0 vasc* OR cva* OR apoplexy*)	41,655
Intervention:	rehabilitation –early supported discharge	
3.	MH "Home Health Care" OR MH "Patient Discharge" OR MH "Early Patient Discharge" OR MH "Discharge Planning" OR MM "Home Rehabilitation" OR (TX "early supported discharge" OR "short-term ward" OR rehabilitation N0 unit* OR "extended stroke unit" OR "extended stroke units" OR "organized home care" OR TX (mobile AND team*))	33,155
Combined se	ts	
4.	(1 AND 2 AND 3)	820
5.	4 OR TX(early N0 supported N0 discharge)	911
6.	5 AND Publication date from 2012/01/01	106

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract AU = Author DE = Term from the thesaurus MH = Term from the "Cinahl Headings" thesaurus MM = Major Concept TI = Title TX = All Text. Performs a keyword search of all the database's searchable fields ZC = Methodology Index * = Truncation

Cochrane Library via Wiley 21 August 2014 (only EED) Title: services for reducing duration of hospital care for acute stroke patients: health economic aspects

The search strategy is *based* on the strategy used in Fearon P, Langhorne P, Early Supported Discharge Trialists. Services for reducing duration of hospital care for acute stroke patients. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No: CD000443. DOI: 10,1002/14651858.CD000443.pub3

Search terr	ns	ltems found
Population	: elderly	
1.	Aged[MeSH] OR "older patient" OR "older patients" OR "older adult" OR "older adults" OR "older women" OR "older men" OR "older person" OR "older rural" OR "older person" OR "older persons" OR geriatric OR geriatrics OR elderly OR elders OR elder OR senior OR seniors OR community-dwelling OR "nursing home" OR "nursing homes" OR "care home" OR "care homes" OR "oldest old" OR frail or postmenopaus* OR post-menopaus* OR late- life OR latest-life* OR old age OR old-old):tx	59274
Population	: persons with stroke	
2.	"Cerebrovascular Disorders"[Mesh:NoExp] OR "Stroke"[Mesh] OR stroke:ti,ab,kw	27344
Interventio	n: rehabilitation –early supported discharge	
3.	"Patient Discharge"[Mesh] OR "Home Care Services"[Mesh:NoExp] OR "Home Care Services, Hospital-Based"[Mesh:NoExp]	2718
4.	("early supported discharge" OR "short-term ward" OR "hospital rehabilitation unit" OR "extended stroke unit" OR "organized home care" OR (mobile AND team*)):tx	364
5.	(((organised OR organized OR multidisciplinary) AND discharge AND team*) OR ((early OR earlier OR prompt OR accelerate* OR supported) AND return* AND home*)):ti,ab,kw	243
6.	3 OR 4 OR 5	3230
Combined	sets	
7.	1 AND 2 AND 6	EED/8
8.	"supported discharge":ti,ab,kw	EED/4
9.	7 OR 8	EED/10

The search result, usually found at the end of the documentation, forms the list of abstracts.

[AU] = Author
[MAJR] = MeSH Major Topic
[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy
[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy
Systematic[SB] = Filter for retrieving systematic reviews
[TI] = Title
[TIAB] = Title or abstract
[TW] = Text Word
* = Truncation
" " = Citation Marks; searches for an exact phrase

CDSR = Cochrane Database of Systematic Review CENTRAL = Cochrane Central Register of Controlled Trials, "trials" CRM = Method Studies DARE = Database Abstracts of Reviews of Effects, "other reviews" EED = Economic Evaluations HTA = Health Technology Assessments

Cochrane Library via Wiley 26 February 2014 (CDSR, DARE & CENTRAL) Title: services for reducing duration of hospital care for acute stroke patients

The search strategy is based on the strategy used in Fearon P, Langhorne P, Early Supported Discharge Trialists. Services for reducing duration of hospital care for acute stroke patients. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No: CD000443. DOI: 10.1002/14651858.CD000443.pub3

Search terms	s	ltems found
Population:	elderly	
1.	Aged[MeSH] OR "older patient" OR "older patients" OR "older adult" OR "older adults" OR "older women" OR "older men" OR "older person" OR "older rural" OR "older person" OR "older persons" OR geriatric OR geriatrics OR elderly OR elders OR elder OR senior OR seniors OR community-dwelling OR "nursing home" OR "nursing homes" OR "care home" OR "care homes" OR "oldest old" OR frail or postmenopaus* OR post-menopaus* OR late- life OR latest-life* OR old age OR old-old):tx	55880
Population:	persons with stroke	
2.	"Cerebrovascular Disorders"[Mesh:NoExp] OR "Stroke"[Mesh] OR stroke:ti,ab,kw	25643
Intervention	: rehabilitation –early supported discharge	
3.	"Patient Discharge"[Mesh] OR "Home Care Services"[Mesh:NoExp] OR "Home Care Services, Hospital-Based"[Mesh:NoExp]	2880
4.	("early supported discharge" OR "short-term ward" OR "hospital rehabilitation unit" OR "extended stroke unit" OR "organized home care" OR (mobile AND team*)):tx	336
5.	(((organised OR organized OR multidisciplinary) AND discharge AND team*) OR ((early OR earlier OR prompt OR accelerate* OR supported) AND return* AND home*)):ti,ab,kw	231
6.	3 OR 4 OR 5	3352
Combined se	ets	
7.	1 AND 2 AND 6 from 2012	CDSR/14 DARE/0 Central/1 CRM/0 HTA/0
8.	"supported discharge":ti,ab,kw From 2012	5

The search result, usually found at the end of the documentation, forms the list of abstracts.

[AU] = Author

[MAJR] = MeSH Major Topic

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy [MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

Systematic[SB] = Filter for retrieving systematic reviews

[TI] = Title

[TIAB] = Title or abstract

[TW] = Text Word

* = Truncation

" " = Citation Marks; searches for an exact phrase

CDSR = Cochrane Database of Systematic Review CENTRAL = Cochrane Central Register of Controlled Trials, "trials" CRM = Method Studies DARE = Database Abstracts of Reviews of Effects, "other reviews" EED = Economic Evaluations HTA = Health Technology Assessments

Embase via Elsevier 21 August 2014

Title: Services for reducing duration of hospital care for acute stroke patients: health economic aspects

Search term	15	ltems found
Population:	elderly	
1.	'aged'/de OR 'aged hospital patient'/de OR 'frail elderly'/de OR 'very elderly'/de OR 'geriatric patient'/de OR 'geriatrics'/de OR "older patient":ti:ab OR "older patients":ti:ab OR "older adult":ti:ab OR "older adults":ti:ab OR "older person":ti:ab OR "older persons":ti:ab OR "older women":ti:ab OR "older men":ti:ab OR geriatric:ti:ab OR geriatrics:ti:ab OR elderly:ti:ab OR elders:ti:ab OR elder:ti:ab OR senior:ti:ab OR seniors:ti:ab OR 'community dwelling':ti:ab OR "oldest old":ti:ab OR frail:ti:ab OR postmenopaus:ti:ab OR postmenopausal:ti:ab OR 'post menopaus':ti:ab OR 'post menopausal':ti:ab OR 'late life':ti:ab OR 'latest life':ti:ab OR "old age":ti:ab OR (older NEAR/2 people):ti:ab OR (older NEAR/2 people):ti:ab	1,675,43
Population:	persons with stroke	
2.	'cerebrovascular accident'/exp/mj OR 'cerebrovascular accident'/de OR 'stroke patient'/de OR stroke:ti	216,857
	n: rehabilitation –early supported discharge	
3.	'hospital discharge'/mj OR ('hospital discharge'/de AND 'rehabilitation'/de) OR 'home rehabilitation'/mj OR 'home care'/mj OR 'rehabilitation'/mj	71,213
4.	('same-day discharge' OR 'same-day discharges' OR 'supported discharge' OR 'Early Home Supported Discharge' OR 'early supported discharge' OR 'short-term ward' OR 'hospital rehabilitation unit' OR 'hospital rehabilitation units' OR 'extended stroke unit' OR 'extended stroke units' OR 'organized home care'):ti,ab	
5.	((early OR earlier OR prompt OR accelerate* OR acute OR subacute OR supported OR organised OR organized Or multidiciplinary) NEAR/2 discharge*):ti:ab	6,283
6.	(reduce* NEAR/2 (duration OR length) AND stay):ti:ab	2,620
7.	((early OR earlier OR prompt OR accelerate* OR acute OR subacute OR supported OR organised OR organized OR multidiciplinary) NEAR/2 return*):ab,ti AND home:ab,ti	145
8.	(team AND discharge):ti OR (team NEAR/2 discharge):ab OR (ESD NEAR/0 team*):ti,ab	154
9.	intensive NEAR/2 rehabilitation AND home:ab,ti	129
10.	((post-discharge OR "home rehabilitation") NEAR/2 (support* OR care)):ti,ab	346
11.	((early OR earlier OR acute OR subacute OR post-discharge) NEAR/3 (community OR domiciliary OR "primary care" OR home OR home-based) AND (rehabilitation OR support* OR care)):ti,ab	2,893
12.	3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11	81,973
-lealth econ	omic aspects (filter: SBU search strategy 30 October 2012)	
13.	('health economics'/de/mj OR 'economic evaluation'/exp/mj OR 'health-care-cost'/exp/mj OR 'pharmacoeconomics'/exp/mj OR 'economic aspect'/exp/mj OR 'financial management'/exp/mj OR ((economic near/2 (evaluation* OR analys* OR stud*)) OR (value* near/2 (money or monetary)) OR pharmacoeconomic* OR (pharmaco next/1economic*) OR "icer" OR (cost NEAR/2 (util* OR benefit* OR effectiveness OR illness OR analys* OR consequence* OR saving* OR breakdown* OR low* OR high* OR estimate* OR variable* OR allocation* OR control* OR unit))):ti,ab OR (economic* OR cost*):ti OR 'quality adjusted life year'/de/mj OR utility:ti,ab OR utilities:ti,ab OR qaly*:ti,ab OR "quality adjusted life":ti,ab OR "disability adjusted life":ti,ab OR daly*:ti,ab OR qald*:ti,ab OR qale*:ti,ab OR qtime*:ti,ab OR "hye":ti,ab OR "hyes":ti,ab OR ((healthy year' OR 'healthy years' OR 'health year' OR 'health years') NEXT/2 equivalent*):ti,ab OR "quality of well being":ti,ab OR "qwb":ti,ab OR "hui":ti,ab OR "hui2":ti,ab OR "hui3":ti,ab OR "rosser":ti,ab OR "sf 6":ti,ab OR "sf6":ti,ab OR "sf 6D":ti,ab OR "standard gamble":ti,ab OR ((willing or willingness) near/2 (pay or accept)):ti,ab)	675,164
Combined s		
14.	1 AND 2 AND 12 AND 13	81
	14 OR ((early NEAR/2 support* AND discharge):ti) AND 13)	94

/de= Term from the EMTREE controlled vocabulary

/exp= Includes terms found below this term in the EMTREE hierarchy /mj = Major Topic :ab = Abstract :au = Author :ti = Article Title :ti:ab = Title or abstract * = Truncation

Embase via Elsevier 24 February 2014

Title: services for reducing duration of hospital care for acute stroke patients

Search tern	15	ltems found
Population	elderly	
1.	'aged'/de OR 'aged hospital patient'/de OR 'frail elderly'/de OR 'very elderly'/de OR 'geriatric patient'/de OR 'geriatrics'/de OR "older patient":ti:ab OR "older patients":ti:ab OR "older adult":ti:ab OR "older adults":ti:ab OR "older person":ti:ab OR "older persons":ti:ab OR "older women":ti:ab OR "older men":ti:ab OR geriatric:ti:ab OR geriatrics:ti:ab OR elderly:ti:ab OR elders:ti:ab OR elder:ti:ab OR senior:ti:ab OR seniors:ti:ab OR 'community dwelling':ti:ab OR "nursing home":ti:ab OR "nursing homes":ti:ab OR "care home":ti:ab OR "care homes":ti:ab OR "oldest old":ti:ab OR frail:ti:ab OR postmenopausal:ti:ab OR postmenopausal:ti:ab OR 'post menopaus':ti:ab OR (older NEAR/2 people):ti:ab OR (older NEAR/2 people):ti:ab	2,294,981
Population	persons with stroke	
2.	'cerebrovascular accident'/exp/mj OR 'cerebrovascular accident'/de OR 'stroke patient'/de OR stroke:ti	203,863
Interventio	n: rehabilitation –early supported discharge	
3.	'hospital discharge'/mj OR ('hospital discharge'/de AND 'rehabilitation'/de) OR 'home rehabilitation'/mj OR 'home care'/mj OR 'rehabilitation'/mj	68,423
4.	('same-day discharge' OR 'same-day discharges' OR 'supported discharge' OR 'Early Home Supported Discharge' OR 'early supported discharge' OR 'short-term ward' OR 'hospital rehabilitation unit' OR 'hospital rehabilitation units' OR 'extended stroke unit' OR 'extended stroke units' OR 'organized home care'):ti,ab	652
5.	((early OR earlier OR prompt OR accelerate* OR acute OR subacute OR supported OR organised OR organized Or multidiciplinary) NEAR/2 discharge*):ti:ab	5,894
6.	(reduce* NEAR/2 (duration OR length) AND stay):ti:ab	2,394
7.	((early OR earlier OR prompt OR accelerate* OR acute OR subacute OR supported OR organized OR multidiciplinary) NEAR/2 return*):ab,ti AND home:ab,ti	136
8.	(team AND discharge):ti OR (team NEAR/2 discharge):ab OR (ESD NEAR/0 team*):ti,ab	139
9.	intensive NEAR/2 rehabilitation AND home:ab,ti	116
10.	((post-discharge OR "home rehabilitation") NEAR/2 (support* OR care)):ti,ab	308
11.	((early OR earlier OR acute OR subacute OR post-discharge) NEAR/3 (community OR domiciliary OR "primary care" OR home OR home-based) AND (rehabilitation OR support* OR care)):ti,ab	2,710
12.	3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11	78,413
Combined s	ets	
13.	1 AND 2 AND 12	1,004
14.	13 OR (early NEAR/2 support* AND discharge):ti	1,076
15.	14 AND [embase]/lim AND [2012-2014]/py	198

/de= Term from the EMTREE controlled vocabulary

/exp= Includes terms found below this term in the EMTREE hierarchy

/mj = Major Topic

:ab = Abstract

:au = Author

:ti = Article Title

:ti:ab = Title or abstract

* = Truncation

PsycInfo via EBSCO 26 February 2014 Title: services for reducing duration of hospital care for acute stroke patients

The search strategy is based on the strategy used in Fearon P, Langhorne P, Early Supported Discharge Trialists. Services for reducing duration of hospital care for acute stroke patients. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No: CD000443. DOI: 10.1002/14651858.CD000443.pub3.

Search term	15	ltems found
Population:	elderly	
1.	DE "Geriatric Patients" OR DE "Nursing Homes" OR (ZG "aged (65 yrs & older)") or (ZG "very old (85 yrs & older)") OR DE "Geriatrics" OR DE "Gerontology" OR TI ("older patient" OR "older patients" OR "older adult" OR "older adults" OR "older person" OR "older persons" OR "older women" OR "older men" OR geriatric OR geriatrics OR elderly OR elders OR elder OR senior OR seniors OR 'community dwelling' OR "nursing home" OR "nursing homes" OR "care home" OR "care homes" OR "oldest old" OR frail OR postmenopaus OR postmenopausal OR 'post menopaus' OR 'post menopausal' OR 'late life' OR 'latest life' OR "old age") OR TX "In old age"	231,526
Population:	persons with stroke	
2.	DE "Cerebrovascular Accidents" OR TI stroke	13,809
Intervention	n: rehabilitation –early supported discharge	
3.	DE "Hospital Discharge" OR DE "Rehabilitation" OR DE (("early supported discharge" OR "short-term ward" OR "hospital rehabilitation unit" OR "extended stroke unit" OR "organized home care" OR (mobile AND team*)) OR ((organised OR organized OR multidisciplinary) AND discharge AND team*) OR ((early OR earlier OR prompt OR accelerate* OR supported) AND return* AND home*))	13,660
Combined s	ets	
4.	(1 AND 2 AND 3) OR TI (supported AND early AND discharge)	503
5.	4 AND Limiters- Publication Year: 2012-	100

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

PubMed via NLM 21 August 2014

Title: services for reducing duration of hospital care for acute stroke patients: health economic aspects

The search strategy is *based* on the strategy used in Fearon P, Langhorne P, Early Supported Discharge Trialists. Services for reducing duration of hospital care for acute stroke

patients. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No. CD000443. DOI: 10.1002/14651858.CD000443.pub3.

Search terr	ns	ltems found
Populatio	n: elderly	
1.	"Aged"[Mesh:NoExp] OR "Aged, 80 and over"[Mesh] OR "Frail Elderly"[Mesh] OR Geriatrics[MeSH] OR "Postmenopause"[Mesh]	2345521
2.	(older patient*[Tiab] OR older adult[Tiab] OR older adults[Tiab] OR older women[Tiab] OR older men[Tiab] OR older person[Tiab] OR older rural[Tiab] OR older person*[Tiab] OR geriatric[Tiab] OR geriatrics[Tiab] OR elderly[Tiab] OR elders[Tiab] OR elder[Tiab] OR senior[Tiab] OR seniors[Tiab] OR community-dwelling[Tiab] OR nursing home[Tiab] OR nursing homes[Tiab] OR care home[Tiab] OR care homes[Tiab] OR oldest old[Tiab] OR frail[Tiab] or postmenopaus*[Tiab] OR post-menopaus*[Tiab] OR late-life[Tiab] OR latest- life*[Tiab] OR old age[Tiab] OR old-old[Tiab]) NOT (medline[SB])	34098
3.	1 OR 2	2379447
Population	: persons with stroke	
4.		
5.	Stroke[ti] OR cerebrovasc*[ti] OR brain vasc*[ti] OR cerebral vasc*[ti] OR cva*[ti] OR apoplexy*[ti] OR ((Stroke[tiab] OR cerebrovasc*[tiab] OR brain vasc*[tiab] OR cerebral vasc*[tiab] OR cva*[tiab] OR apoplexy*[tiab]) NOT medline[SB])	86909
6.	4 OR 5	
Interventio	on: rehabilitation –early supported discharge	
7.	"Patient Discharge"[Mesh] OR "Home Care Services"[Mesh:NoExp] OR "Home Care Services, Hospital-Based"[Mesh:NoExp]	
8.	early supported discharge[tiab] OR short-term ward[tiab] OR hospital rehabilitation unit*[tiab] OR extended stroke unit*[tiab] OR organized home care[tiab] OR (mobile[tiab] AND team*[tiab])	1174
9.	((early[ti] OR earlier[ti] OR prompt[ti] OR accelerate*[ti] OR acute[ti] OR subacute[ti] OR supported[ti]) AND discharge*[ti]) OR (reduce*[ti] AND (duration[ti] OR length[ti]) AND (stay[ti] OR hospital[ti])) OR (reduce*[ti] AND (hospital[ti] OR inpatient[ti] OR in-patient[ti]) AND (stay[ti] OR care[ti])) OR ((organised[ti] OR organized[ti] OR multidisciplinary[ti]) AND discharge[ti] AND team*[ti]) OR ((early[ti] OR earlier[ti] OR prompt[ti] OR accelerate*[ti] OR supported[ti]) AND return*[ti] AND home*[ti]) OR (intensive[ti] AND home[ti] AND (rehabilitation[ti] or support*[ti])) OR ((post-discharge[tiab] OR home rehabilitation[tiab]) AND (support*[tiab] OR care[tiab])) OR ((early[tiab] OR earlier[tiab] OR acute[tiab] OR subacute[tiab] OR post-discharge[tiab]) AND (community[tiab] OR domiciliary[tiab] OR primary care[tiab] OR home[tiab] OR home-based[tiab]) AND (rehabilitation[tiab] OR support*[tiab] OR care[tiab]))	32825
10.	7 OR 8 OR 9	76908
Health eco	nomic aspects (filter: SBU search strategy 30 October 2012)	
11.	("Economics" [Mesh:NoExp] OR "Costs and Cost Analysis" [Mesh] OR "Economics, Hospital" [Mesh] OR "Economics, Medical" [Mesh] OR "Economics, Nursing" [Mesh] OR "Economics, Pharmaceutical" [Mesh] OR "Fees and Charges" [Mesh] OR "Budgets" [Mesh] OR "Resource Allocation" [Mesh] OR "economics" [Subheading] OR "cost utility" [tiab] OR "cost/utility" [tiab] OR cost/benefit* [tiab] OR cost benefit* [tiab] OR "cost effectiveness" [tiab] OR cost/effectiveness [tiab] OR "cost of illness" [tiab] OR cost analys* [tiab] OR cost consequence* [tiab] OR cost saving* [tiab] OR cost breakdown* [tiab] OR cost lowering* [tiab] OR cost estimate* [tiab] OR cost variable* [tiab] OR cost allocation* [tiab] OR cost control* [tiab] OR "cost per unit" [tiab] OR economic* [ti] OR cost[ti] OR costs[ti] OR costing[ti] OR costly[ti] OR "value for money" [tiab] OR pharmacoeconomic* [tiab] OR "icer" [tiab] OR economic evaluation* [tiab] OR economic	704023

analys*[tiab] OR economic stud*[tiab] OR ((economic*[tiab] OR price*[tiab] OR pricing[tiab] OR cost[tiab] OR costs[tiab] OR costing[tiab] OR costly[tiab] OR financial[tiab] OR finance*[tiab] OR expenditure*[tiab] OR budget*[tiab] OR resource allocat*[tiab] OR "resource utilisation"[tiab] OR "resource utilization"[tiab] OR charge*[tiab] OR fee[tiab] OR fees[tiab]) NOT medline[sb]) OR "Quality-Adjusted Life Years"[Mesh] OR utility[tiab] OR utilities[tiab] OR qaly*[tiab] OR "quality adjusted life"[tiab] OR "disability adjusted life"[tiab] OR daly*[tiab] OR qald*[tiab] OR qale*[tiab] OR qtime*[tiab] OR "hye"[tiab] OR "hyes"[tiab] OR "healthy year equivalent"[tiab] OR "healthy year equivalents"[tiab] OR "healthy years equivalent"[tiab] OR "healthy years equivalents"[tiab] OR "quality of well being"[tiab] OR "qwb"[tiab] OR "hui"[tiab] OR "hui2"[tiab] OR "hui3"[tiab] OR "rosser"[tiab] OR "sf 6"[tiab] OR "sf6"[tiab] OR "sf 6D"[tiab] OR "standard gamble"[tiab] OR "willingness to pay"[tiab] OR "willingness to accept"[tiab] OR "willing to pay"[tiab])

Combined s	sets	
12.	3 AND 6 AND 10 AND 11	220

The search result, usually found at the end of the documentation, forms the list of abstracts.

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy [MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy [MAJR] = MeSH Major Topic [TIAB] = Title or abstract [TI] = Title [AU] = Author [TW] = Text Word Systematic[SB] = Filter for retrieving systematic reviews * = Truncation

PubMed via NLM 21 February 2014 Title: services for reducing duration of hospital care for acute stroke patients

The search strategy is based on the strategy used in Fearon P, Langhorne P, Early Supported Discharge Trialists. Services for reducing duration of hospital care for acute stroke

patients. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No: CD000443. DOI: 10.1002/14651858.CD000443.pub3.

earch tern	ns	ltems found
opulation	: elderly	
1.	"Aged"[Mesh:NoExp] OR "Aged, 80 and over"[Mesh] OR "Frail Elderly"[Mesh] OR Geriatrics[MeSH] OR "Postmenopause"[Mesh]	2288076
2.	(older patient*[Tiab] OR older adult[Tiab] OR older adults[Tiab] OR older women[Tiab] OR older men[Tiab] OR older person[Tiab] OR older rural[Tiab] OR older person*[Tiab] OR geriatric[Tiab] OR geriatrics[Tiab] OR elderly[Tiab] OR elders[Tiab] OR elder[Tiab] OR senior[Tiab] OR seniors[Tiab] OR community-dwelling[Tiab] OR nursing home[Tiab] OR nursing homes[Tiab] OR care home[Tiab] OR care homes[Tiab] OR oldest old[Tiab] OR frail[Tiab] or postmenopaus*[Tiab] OR post-menopaus*[Tiab] OR late-life[Tiab] OR latest- life*[Tiab] OR old age[Tiab] OR old-old[Tiab]) NOT (medline[SB])	30811
3.	1 OR 2	
opulation	persons with stroke	
4.	"Cerebrovascular Disorders"[Mesh:NoExp] OR "Basal Ganglia Cerebrovascular Disease"[Mesh] OR "Brain Ischemia"[Mesh] OR "Carotid Artery Diseases"[Mesh] OR "Intracranial Arterial Diseases"[Mesh] OR "Intracranial Embolism and Thrombosis"[Mesh] OR "Intracranial Hemorrhages"[Mesh] OR "Stroke"[Mesh:NoExp] OR "Stroke, Lacunar"[Mesh] OR "Brain Infarction"[Mesh] OR "Vertebral Artery Dissection"[Mesh]	257689
5.	Stroke[ti] OR cerebrovasc*[ti] OR brain vasc*[ti] OR cerebral vasc*[ti] OR cva*[ti] OR apoplexy*[ti] OR ((Stroke[tiab] OR cerebrovasc*[tiab] OR brain vasc*[tiab] OR cerebral vasc*[tiab] OR cva*[tiab] OR apoplexy*[tiab]) NOT medline[SB])	82750
6.	4 OR 5	
nterventio	n: rehabilitation –early supported discharge	
7.	"Patient Discharge"[Mesh] OR "Home Care Services"[Mesh:NoExp] OR "Home Care Services, Hospital-Based"[Mesh:NoExp]	45710
8.	early supported discharge[tiab] OR short-term ward[tiab] OR hospital rehabilitation unit*[tiab] OR extended stroke unit*[tiab] OR organized home care[tiab] OR (mobile[tiab] AND team*[tiab])	1094
9.	((early[ti] OR earlier[ti] OR prompt[ti] OR accelerate*[ti] OR acute[ti] OR subacute[ti] OR supported[ti]) AND discharge*[ti]) OR (reduce*[ti] AND (duration[ti] OR length[ti]) AND (stay[ti] OR hospital[ti])) OR (reduce*[ti] AND (hospital[ti] OR inpatient[ti] OR in-patient[ti]) AND (stay[ti] OR care[ti])) OR ((organised[ti] OR organized[ti] OR multidisciplinary[ti]) AND discharge[ti] AND team*[ti]) OR ((early[ti] OR earlier[ti] OR prompt[ti] OR accelerate*[ti] OR supported[ti]) AND return*[ti] AND home*[ti]) OR (intensive[ti] AND home[ti] AND (rehabilitation[ti] or support*[ti])) OR ((post-discharge[tiab] OR home rehabilitation[tiab]) AND (support*[tiab] OR care[tiab])) OR ((early[tiab] OR earlier[tiab] OR acute[tiab] OR subacute[tiab] OR post-discharge[tiab]) AND (community[tiab] OR domiciliary[tiab] OR primary care[tiab] OR home[tiab] OR home-based[tiab]) AND (rehabilitation[tiab] OR support*[tiab] OR care[tiab]))	31402
10.	7 OR 8 OR 9	74494
Combined s	sets	
11.	(3 AND 6 AND 10) OR early supported discharge[ti]	1546
12.	11 AND Filters activated: Publication date from 2012/01/01	205

The search result, usually found at the end of the documentation, forms the list of abstracts.

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy [MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy [MAJR] = MeSH Major Topic [TIAB] = Title or abstract [TI] = Title [AU] = Author [TW] = Text Word Systematic[SB] = Filter for retrieving systematic reviews * = Truncation