

Innehållsförteckning sökstrategier ADHD:

Diagnostik ADHD

Farmakologisk behandling ADHD

Hälsoekonomi ADHD

Icke-farmakologisk behandling ADHD

Kommunikation ADHD

Missbruk ADHD

Organisation ADHD

Patientens delaktighet ADHD

Systematic reviews ADHD

Diagnostik ADHD

Pubmed via NLM: 29 August 2012	
Title: Diagnostic tools in ADHD	
Search terms	
Population: ADHD	
1.	("Attention Deficit and Disruptive Behavior Disorders"[Mesh] OR "minimal brain dysfunction"[TIAB] OR "hyperactivity syndrome"[TIAB] OR "hyperactive children"[TIAB] OR "hyperkinetic syndrome"[TIAB] OR "hyperkinetic children"[TIAB] OR "inattentive children"[TIAB] OR "inattentive hyperactive"[TIAB] OR ("inattention"[TIAB] AND children[TIAB]) OR "adhd"[TIAB] OR "attention deficit hyperactivity disorder"[TIAB] OR "attention deficit disorder"[TIAB] OR "disruptive behavior"[TIAB] OR "disruptive behaviour"[TIAB])
Diagnostic tests	
2.	((("Swanson"[TIAB] AND "Nolan"[TIAB] AND "pelham"[TIAB]) OR "SNAP IV"[TIAB] OR (Brown*[TIAB] AND "ADD"[TIAB] AND scale*[TIAB]) OR (Conner*[TIAB] AND "rating scale"[TIAB]) OR "crs"[TIAB] OR "dawba"[TIAB] OR ("development"[TIAB] AND "well being"[TIAB] AND "assessment"[TIAB]) OR "yale children's inventory"[TIAB] OR "yci"[TIAB] OR "adhd rs"[TIAB] OR "attention deficit hyperactivity disorder rating scale"[TIAB] OR "attention deficit hyperactivity disorder rating scale"[TIAB] OR "adhd self report scale"[TIAB] OR "asrs"[TIAB] OR "wender utah rating scale"[TIAB] OR "wurs"[TIAB] OR ("wender reimherr"[TIAB] AND "attention deficit disorder"[TIAB]) OR "wraadds"[TIAB] OR "kiddie sads"[TIAB] OR "k sads"[TIAB] OR ("schedule"[TIAB] AND "affective disorders"[TIAB] AND "schizophrenia"[TIAB] AND "school aged children"[TIAB]) OR "psychometrics"[MeSH Terms] OR "questionnaires"[MeSH Terms] OR "interview, psychological"[MeSH Terms] OR "diagnosis"[MeSH Subheading] OR "classification"[MeSH Subheading] OR "psychiatric status rating scales"[MeSH Terms] OR "Wender riktad ADHD skala" OR WRASS OR "targeted attention deficit disorder rating scale" OR "Targeted Attention-deficit Disorder Symptoms Rating Scale"))
Terms for test accuracy	
3.	("sensitivity and specificity"[MeSH Terms] OR "predictive value of tests"[MeSH Terms] OR "specificity"[TIAB] OR "sensitivity"[TIAB] OR Valid*[TIAB] OR rasch[TIAB])
Combined sets	
4.	1 AND 2 AND 3

The search result, usually found at the end of the documentation, forms the list of abstracts

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TIAB] = Title or abstract

[TI] = Title

[AU] = Author

[TW] = Text Word

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

PsycInfo via Ebsco: 8 October 2012 Title: Diagnostic tools in ADHD		
	Search terms	
Population: ADHD		
1.	(DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR TX ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour"))	
Diagnostic tests		
2.	(TX (("Swanson" AND "Nolan" AND "Pelham") OR "SNAP IV" OR (Brown* AND "ADD" AND scale*) OR (Conner* AND "rating scale") OR "crs" OR "dawba" OR "development and well-being assessment" OR "yale children's inventory" OR "yci" OR "adhd rs" OR "attention deficit hyperactivity disorder rating scale" OR "adhd self report scale" OR "asrs" OR "wender utah rating scale" OR "wurs" OR ("wender reimherr" AND "attention deficit disorder") OR "wraadds" OR "kiddie sads" OR "k sads" OR "schedule for affective disorders and schizophrenia for school age children") OR DE "Psychometrics" OR DE "Questionnaires" OR DE "Psychodiagnostic Interview" OR DE "Psychodiagnostic Typologies" OR TX "Wender riktad ADHD skala" OR TX WRASS OR TX "targeted attention deficit disorder rating scale" OR TX "Targeted Attention-deficit Disorder Symptoms Rating Scale"))	
Terms for test accuracy		
3.	(DE "Test Validity" OR DE "Psychodiagnostic Typologies" OR TX "specificity" OR TX "sensitivity" OR TX Valid* OR TX "rasch")	
Combined sets		
4.	1 AND 2 AND 3	

The search result, usually found at the end of the documentation, forms the list of abstracts

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

" " = Citation Marks; searches for an exact phrase

Embase via Embase.com: 8 October 2012
 Title: Diagnostic tools in ADHD

Search terms	
Population: ADHD	
1.	('attention deficit disorder'/exp OR "minimal brain dysfunction":ti,ab OR "hyperactivity syndrome":ti,ab OR "hyperactive children":ti,ab OR "hyperkinetic syndrome":ti,ab OR "hyperkinetic children":ti,ab OR "inattentive children":ti,ab OR "inattentive hyperactive":ti,ab OR ("inattention":ti,ab AND children:ti,ab) OR "adhd":ti,ab OR "attention deficit hyperactivity disorder":ti,ab OR "attention deficit disorder":ti,ab OR "disruptive behavior":ti,ab OR "disruptive behaviour":ti,ab)
Diagnostic tests	
2.	("Swanson":ti,ab AND "Nolan":ti,ab AND "pelham":ti,ab) OR "SNAP-IV":ti,ab OR (Brown*:ti,ab AND "ADD":ti,ab AND scale*:ti,ab) OR (Conner*:ti,ab AND "rating scale":ti,ab) OR "crs":ti,ab OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR "yale childrens inventory":ti,ab OR "yci":ti,ab OR "adhd rs":ti,ab OR "attention deficit hyperactivity disorder rating scale":ti,ab OR "adhd self report scale":ti,ab OR "asrs":ti,ab OR "wender utah rating scale":ti,ab OR "wurs":ti,ab OR ("wender reimherr":ti,ab AND "attention deficit disorder":ti,ab) OR "wraadds":ti,ab OR 'Schedule for Affective Disorders and Schizophrenia'/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school age children':ab,ti OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp OR "Wender riktad ADHD skala" OR WRASS OR "targeted attention deficit disorder rating scale" OR "Targeted Attention-deficit Disorder Symptoms Rating Scale")
Terms for test accuracy	
3.	('sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab)
Combined sets	
4.	1 AND 2 AND 3

/de= Term from the EMTREE controlled vocabulary

/exp= Includes terms found below this term in the EMTREE hierarchy

/mj = Major Topic

:ab = Abstract

:au = Author

:ti = Article Title

:ti:ab = Title or abstract

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

Search terms	
Population: ADHD	
1.	(MH "Attention Deficit Hyperactivity Disorder" OR TI ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour") OR AB ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour") OR AB ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour") OR AB ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour"))
Diagnostic tests	
2.	(TX (("Swanson" AND "Nolan" AND "pelham") OR "SNAP IV" OR (Brown* AND "ADD" AND scale*) OR (Conner* AND "rating scale") OR "crs" OR "dawba" OR "development and well-being assessment" OR "yale children's inventory" OR "yci" OR "adhd rs" OR "attention deficit hyperactivity disorder rating scale" OR "adhd self report scale" OR "asrs" OR "wender utah rating scale" OR "wurs" OR ("wender reimherr" AND "attention deficit disorder") OR "wraadds" OR "kiddie sads" OR "k sads" OR "schedule for affective disorders and schizophrenia for school age children") OR MH "Psychometrics" OR MH "Questionnaires+" OR MH "Diagnosis, Psychosocial+" OR MM "Diagnosis" OR MM "Classification" OR TX "psychiatric status rating scales" OR TX "Wender riktad ADHD skala" OR TX WRASS OR TX "targeted attention deficit disorder rating scale" OR TX "Targeted Attention-deficit Disorder Symptoms Rating Scale"))
Terms for test accuracy	
3.	(MH "Sensitivity and Specificity" OR MH "Predictive Value of Tests" OR TX ("specificity" OR "sensitivity" OR Valid* OR rasch))
Combined sets	
4.	1 AND 2 AND 3

The search result, usually found at the end of the documentation, forms the list of abstracts

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

" " = Citation Marks; searches for an exact phrase

Farmakologisk behandling ADHD

Pubmed via NLM: 28 August 2012		
Title: Pharmacological interventions in ADHD		
Search terms		
Population: ADHD		
5.	("Attention Deficit and Disruptive Behavior Disorders"[MeSH Terms] OR "minimal brain dysfunction"[TIAB] OR "hyperactivity syndrome"[TIAB] OR "hyperactive children"[TIAB] OR "hyperkinetic syndrome"[TIAB] OR "hyperkinetic children"[TIAB] OR "inattentive children"[TIAB] OR "inattentive hyperactive"[TIAB] OR ("inattention"[TIAB] AND children[TIAB]) OR "adhd"[TIAB] OR "attention deficit hyperactivity disorder"[TIAB] OR "attention deficit disorder"[TIAB] OR "disruptive behavior"[TIAB] OR "disruptive behaviour"[TIAB])	
Intervention: Pharmacological treatment		
6.	"methylphenidate"[MeSH Terms] OR "amphetamine"[MeSH Terms] OR "methamphetamine"[MeSH Terms] OR "atomoxetine"[Substance Name] OR "methylphenidate"[TIAB]	
Study designs		
7.	("randomized controlled trial"[Publication Type] OR "case control studies"[MeSH Terms] OR "cohort studies"[MeSH Terms] OR "observational"[TIAB] OR "observation"[TIAB] OR "random"[TIAB] OR "randomly"[TIAB] OR "randomized"[TIAB] OR "randomised"[TIAB] OR "control"[TIAB] OR "controlled"[TIAB] OR "clinical trial"[TIAB] OR "case control"[TIAB] OR "longitudinal"[TIAB] OR "prospective"[TIAB] OR "long term"[TIAB] OR "longterm"[TIAB] OR "follow up"[TIAB] OR "followup"[TIAB] OR "adverse effects"[MeSH Subheading] OR "adverse effects"[TIAB] OR "side effects"[TIAB] OR "undesirable effects"[TIAB])	
Combined sets		
8.	1 AND 2 AND 3	

The search result, usually found at the end of the documentation, forms the list of abstracts

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TIAB] = Title or abstract

[TI] = Title

[AU] = Author

[TW] = Text Word

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

“ “ = Citation Marks; searches for an exact phrase

PsycInfo via EBSCO 28 August 2012		
Title: Pharmacological interventions in ADHD		
	Search terms	
Population: ADHD		
9.	(DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR TI ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour") OR AB ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour"))	
Intervention: pharmacological treatment		
10.	DE "Methylphenidate" OR DE "Atomoxetine" OR TI ("methylphenidate" OR "atomoxetine") OR AB ("methylphenidate" OR "atomoxetine")	
Study designs		
11.	(DE "Clinical Trials" OR DE "Cohort Analysis" OR DE "prospective studies" OR DE "followup studies" OR DE "Longitudinal Studies" OR DE "Side Effects (Drug)" OR TI ("observational" OR "observation" OR "random" OR "randomly" OR "randomized" OR "randomised" OR "control" OR "controlled" OR "cohort" OR "case control" OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR "longterm" OR "follow up" OR "followup" OR "adverse effects" OR "side effects" OR "undesirable effects") OR AB ("observational" OR "observation" OR "random" OR "randomly" OR "randomized" OR "randomised" OR "control" OR "controlled" OR "cohort" OR "case control" OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR "longterm" OR "follow up" OR "followup" OR "adverse effects" OR "side effects" OR "undesirable effects"))	
Combined sets		
12.	1 AND 2 AND 3	

The search result, usually found at the end of the documentation, forms the list of abstracts

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

" " = Citation Marks; searches for an exact phrase

Embase via Embase.com 28 August 2012		
Title: Pharmacological interventions in ADHD		
	Search terms	
Population: ADHD		
13.	('attention deficit disorder'/exp OR "minimal brain dysfunction":ti,ab OR "hyperactivity syndrome":ti,ab OR "hyperactive children":ti,ab OR "hyperkinetic syndrome":ti,ab OR "hyperkinetic children":ti,ab OR "inattentive children":ti,ab OR "inattentive hyperactive":ti,ab OR ("inattention":ti,ab AND children:ti,ab) OR "adhd":ti,ab OR "attention deficit hyperactivity disorder":ti,ab OR "attention deficit disorder":ti,ab OR "disruptive behavior":ti,ab OR "disruptive behaviour":ti,ab)	
Intervention: pharmacological treatment		
14.	('methylphenidate'/exp OR 'atomoxetine'/exp OR "methylphenidate":ti,ab OR "atomoxetine":ti,ab)	
Study designs		
15.	('randomized controlled trial'/exp OR [randomized controlled trial]/lim OR 'case control study'/exp OR 'cohort analysis'/exp OR "observational":ti,ab OR "observation":ti,ab OR "random":ti,ab OR "randomly":ti,ab OR "randomized":ti,ab OR "randomised":ti,ab OR "control":ti,ab OR "controlled":ti,ab OR "clinical trial":ti,ab OR "case control":ti,ab OR "longitudinal":ti,ab OR "prospective":ti,ab OR "long term":ti,ab OR "longterm":ti,ab OR "follow up":ti,ab OR "followup":ti,ab OR "adverse effects":ti,ab OR "side effects":ti,ab OR "undesirable effects":ti,ab OR 'adverse drug reaction'/exp)	
Combined sets		
16.	1 AND 2 AND 3	

/de= Term from the EMTREE controlled vocabulary

/exp= Includes terms found below this term in the EMTREE hierarchy

/mj = Major Topic

:ab = Abstract

:au = Author

:ti = Article Title

:ti:ab = Title or abstract

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

Hälsoekonomi ADHD

Pubmed via NLM 1 Mars 2011		
Title: Health economic evaluations of ADHD		
	Search terms	
Population: ADHD		
17.	("Attention Deficit and Disruptive Behavior Disorders"[MeSH Terms] OR "minimal brain dysfunction"[TIAB] OR "hyperactivity syndrome"[TIAB] OR "hyperactive children"[TIAB] OR "hyperkinetic syndrome"[TIAB] OR "hyperkinetic children"[TIAB] OR "inattentive children"[TIAB] OR "inattentive hyperactive"[TIAB] OR ("inattention"[TIAB] AND children[TIAB]) OR "adhd"[TIAB] OR "attention deficit hyperactivity disorder"[TIAB] OR "attention deficit disorder"[TIAB] OR "disruptive behavior"[TIAB] OR "disruptive behaviour"[TIAB])	
Health economics		
18.	"economics"[MeSH Terms] OR "cost"[TIAB] OR "costs"[TIAB] OR "economic"[TIAB] OR "economics"[TIAB] OR "willingness to pay"[TIAB] OR "qaly"[TIAB] OR "quality adjusted life years"[TIAB] OR "Quality-Adjusted Life Years"[MeSH Terms]	
Combined sets		
19.	1 AND 2	

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[TIAB] = Title or abstract

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

PsycInfo via EBSCO 1 Mars 2011		
Title: Health economic evaluations of ADHD		
	Search terms	
Population: ADHD		
20.	(DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR TI ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour" OR "behavior problems" OR "behaviour problems") OR AB ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour" OR "behavior problems" OR "behaviour problems"))	
Health economics		
21.	DE "Costs and Cost Analysis" OR DE "Budgets" OR DE "Health Care Costs" OR DE "Pharmacoeconomics" OR TI ("cost" OR "costs" OR "economic" OR "economics" OR "willingness to pay" OR "qaly" OR "quality adjusted life years") OR AB ("cost" OR "costs" OR "economic" OR "economics" OR "willingness to pay" OR "qaly" OR "quality adjusted life years")	
Combined sets		
22.	1 AND 2	

DE = Term from the thesaurus

TI = Title

AB = Abstract

* = Truncation

“ “ = Citation Marks; searches for an exact phrase

Web of Science 1 Mars 2011 Title: Health economic evaluations of ADHD		
	Search terms	
Population: ADHD		
23.	TI=("Attention Deficit and Disruptive Behavior Disorders" OR "minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour" OR ("inattention" AND "children"))	
Health economics		
24.	TS=(cost* OR economic* OR "willingness to pay" OR "qaly" OR "quality adjusted life years")	
Combined sets		
25.	1 AND 2	

TI = Title

TS = Topic

* = Truncation

“ “ = Citation Marks; searches for an exact phrase

NHSEED 1 Mars 2011 (CRD & Cochrane Library via Wiley) Title: Health economic evaluations in ADHD		
	Search terms	
Population: ADHD		
26.	"Attention Deficit and Disruptive Behavior Disorders"[Mesh] OR "minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour" OR ("inattention" AND children)	

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

CRD = Centre for Reviews and Dissemination

HEED 1 Mars 2011 Title: Health economic evaluations in ADHD		
	Search terms	
Population: ADHD		
27.	"Attention Deficit" OR "Attention Deficit and Disruptive Behavior Disorders" OR "minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour" OR ("inattention" AND children)	

Search terms	
Population: ADHD	
28.	"Child Behavior Disorders"[Mesh] OR "Attention Deficit and Disruptive Behavior Disorders"[Mesh] OR "minimal brain dysfunction"[TIAB] OR "hyperactivity syndrome"[TIAB] OR "hyperactive children"[TIAB] OR "hyperkinetic syndrome"[TIAB] OR "hyperkinetic children"[TIAB] OR "inattentive children"[TIAB] OR "inattentive hyperactive"[TIAB] OR ("inattention"[TIAB] AND children[TIAB]) OR "adhd"[TIAB] OR "attention deficit hyperactivity disorder"[TIAB] OR "attention deficit hyperactivity disorders"[TIAB] OR "attention deficit disorder"[TIAB] OR "disruptive behavior"[TIAB] OR "disruptive behaviour"[TIAB]
Intervention: Organizational	
29.	"Institutionalization"[Mesh] OR "institutional care"[TIAB] OR Institutional*[TIAB] OR "Day Care "[Mesh] OR "day care"[TIAB] OR "day hospital"[TIAB] OR "Inpatients"[Mesh] OR inpatient*[TIAB] OR "Deinstitutionalization"[Mesh] OR deinstitutionali*[TIAB] OR "Ambulatory Care"[Mesh] OR "Ambulatory Care Facilities"[Mesh:NoExp] OR "ambulatory care"[TIAB] OR "ambulant therapy"[TIAB] OR "Outpatients"[Mesh] OR "Outpatient Clinics, Hospital"[Mesh] OR outpatient*[TIAB] OR "out patient"[TIAB] OR "out patients"[TIAB]
30.	"Family Practice"[Mesh] OR "family practice"[TIAB] OR "family practices"[TIAB] OR "Primary Health Care"[Mesh] OR "primary health care"[TIAB] OR "primary healthcare"[TIAB] OR "primary care"[TIAB] OR "Physicians, Family"[Mesh] OR "family physician"[TIAB] OR "family physicians"[TIAB] OR "general practice"[TIAB] OR "general practices"[TIAB] OR "general practitioner"[TIAB] OR "general practitioners"[TIAB]
31.	"Case Management"[Mesh] OR "case manager"[TIAB] OR "case managers"[TIAB] OR "case management"[TIAB] OR "assertive community"[TIAB] OR "integrated care"[TIAB] OR "shared care"[TIAB] OR "Delivery of Health Care, Integrated "[Mesh] OR "integrated health care"[TIAB] OR "integrated delivery"[TIAB] OR "Mobile Health Units"[Mesh] OR "mobile team"[TIAB] OR "mobile teams"[TIAB] OR "Community Mental Health Centers"[Mesh] OR "Community Mental Health Services"[Mesh] OR "community mental health"[TIAB] OR "cmhc"[TIAB] OR "cmhs"[TIAB] OR "Mental Health Services"[Mesh:NoExp] OR "mental health service"[TIAB] OR "mental health services"[TIAB]
32.	"continuity"[TIAB] OR "Continuity of Patient Care"[Mesh] OR "Rehabilitation"[Mesh] OR "Rehabilitation Centers"[Mesh] OR rehabilitat*[TIAB] OR habilitat*[TIAB] OR "sectorized"[TIAB] OR "sectoral"[TIAB]
33.	2 OR 3 OR 4 OR 5
Outcome: Health economic outcomes	
34.	"Reimbursement Mechanisms"[Mesh] OR "Fees and Charges"[Mesh] OR "capitation"[TIAB] OR "Physician Incentive Plans"[Mesh] OR "fee for

	service"[TIAB] OR incentive*[TIAB] OR reimbursement*[TIAB] OR "cost effectiveness"[TIAB] OR "pay for performance"[TIAB] OR "performance pay"[TIAB]	
Limits: Languages		
35.	Limit: English, Danish, Norwegian, Swedish	
Combined sets:		
36.	1 AND 6 AND 7 AND 8	

Icke-farmakologisk intervention ADHD

Pubmed via NLM 26 January 2012	
Title: Non-pharmacological interventions in ADHD	
Search terms	
Population: ADHD	
37.	("Attention Deficit and Disruptive Behavior Disorders"[MeSH Terms] OR "minimal brain dysfunction"[TIAB] OR "hyperactivity syndrome"[TIAB] OR "hyperactive children"[TIAB] OR "hyperkinetic syndrome"[TIAB] OR "hyperkinetic children"[TIAB] OR "inattentive children"[TIAB] OR "inattentive hyperactive"[TIAB] OR ("inattention"[TIAB] AND children[TIAB]) OR "adhd"[TIAB] OR "attention deficit hyperactivity disorder"[TIAB] OR "attention deficit disorder"[TIAB] OR "disruptive behavior"[TIAB] OR "disruptive behaviour"[TIAB])
Intervention: Non-pharmacological	
38.	("parental support"[TIAB] OR "parent support"[TIAB] OR ("parent"[TIAB] AND "cope"[TIAB]) OR "community parent education"[tiab] OR community-based parenting[tiab] OR "barkley"[TIAB] OR "webster stratton"[TIAB] OR "Incredible Years"[TIAB] OR "komet"[TIAB] OR Wirkberg*[TIAB] OR Erik wirkberg[tw] OR ("snap"[TIAB] AND ("group"[TIAB] OR "groups"[TIAB])) OR ("Swanson"[TIAB] AND "Nolan"[TIAB] AND "pelham"[TIAB] AND ("group"[TIAB] OR "groups"[TIAB])) OR stop now and plan[tiab] OR SNAP Under 12 Outreach Project[tiab] OR SNAP ORP[tiab] OR Social Behavior[MAJR] OR Socialization[MAJR] OR "social skills training"[tiab] OR "social skills group"[tiab] OR "social skills education"[tiab] OR "social competenc*"[tiab] OR "behavior regulation"[tiab] OR "behaviour regulation"[tiab] OR "behavior modification"[tiab] OR "behaviour modification"[tiab] OR (social skills[ti]) AND (training[ti] OR intervention[ti] OR interventions[ti] OR program[ti] OR programme[ti] OR programs[ti] OR programmes[ti])) OR "cbt"[TIAB] OR "cognitive behavior therapy"[TIAB] OR "cognitive behaviour therapy"[TIAB] OR "cognitive therapy"[TIAB] OR "cognitive behavioural therapy"[TIAB] OR "cognitive behavioral therapy"[TIAB] OR "Cognitive Therapy"[Mesh] OR "dialectic behavior therapy"[TIAB] OR "dialectic behavioral therapy"[TIAB] OR ("dialectic"[TIAB] AND "behaviour therapy"[TIAB]) OR ("dialectic"[TIAB] AND "behavioural therapy"[TIAB]) OR "behavioural therapy"[TIAB] OR "behavioral therapy"[TIAB] OR "behaviour therapy"[TIAB] OR "behavior therapy"[TIAB] OR "early intensive behavioral interventions"[TIAB] OR "early intensive behavioral treatment"[TIAB] OR "early intensive behavioral intervention"[TIAB] OR "eibi"[TIAB] OR ("applied"[TIAB] AND ("behavioral intervention"[TIAB] OR "behavioral interventions"[TIAB] OR "behavioural intervention"[TIAB] OR "behavioural interventions"[TIAB])) OR "abi"[TIAB] OR ("applied" AND ("behavioral analysis"[TIAB] OR "behavioural analysis"[TIAB] OR "behavior analysis"[TIAB] OR "behaviour analysis"[TIAB])) OR "aba"[TIAB] OR "behavioural modification"[TIAB] OR "behavioral modification"[TIAB] OR "behaviour modification"[TIAB] OR "behavior modification"[TIAB] OR (("behavioral"[TIAB] OR "behavioural"[TIAB]) AND "theory intervention"[TIAB]) OR "lovaas"[TIAB] OR "lovas"[TIAB] OR "Behavior

Therapy"[Mesh:NoExp] OR "cognitive psychotherapy"[TIAB] OR "cbt"[TIAB] OR "replacement training"[TIAB] OR "aggression replacement training"[tiab] OR "Aggression control therapy"[tiab] OR "Aggression prevention"[tiab] OR "positive peer culture"[tiab] OR "equipping youths to help one another"[tiab] OR "EQUIP program"[tiab] OR "Prepare curriculum"[tiab] OR "PEACE Curriculum"[tiab] OR "Family ART"[tiab] OR "Aversive Therapy"[Mesh] OR "psychodynamic"[TIAB] OR "psychotherapy"[TIAB] OR "psychodynamic psychotherapy"[tiab] OR "play therapy"[TIAB] OR "Play Therapy"[Mesh] OR "family therapy"[TIAB] OR "Family Therapy"[Mesh] OR "systemic therapy"[TIAB] OR "counseling"[TIAB] OR "Counseling"[Mesh:NoExp] OR "Directive Counseling"[Mesh] OR "counselling"[TIAB] OR "Social Support"[Mesh] OR "Social Support"[TIAB] OR Patient Education OR "psychoeducation"[TIAB] OR "psycho education" [TIAB] OR "psychoeducative"[TIAB] OR "psychoeducative"[TIAB] OR "environmental manipulation"[TIAB] OR "environmental manipulations"[TIAB] OR "coping strategies"[TIAB] OR "lifestyle intervention"[TIAB] OR "lifestyle interventions"[TIAB] OR "psychosocial intervention"[TIAB] OR "psychosocial interventions"[TIAB] OR "psychosocial training"[TIAB] OR "psychosocial adjustment"[TIAB] OR ("child oriented"[TIAB] AND "family therapy"[TIAB]) OR Martin Soltvedt[tw] OR "food schedule"[TIAB] OR "food schedules"[TIAB] OR "diet schedule"[TIAB] OR "diet schedules"[TIAB] OR "marte meo"[TIAB] OR "Orion Video Home Training Project"[tiab] OR "Orion Project"[tiab] OR Stress, Psychological/therapy[MeSH]

OR "stress management"[TIAB] OR "stress coping"[TIAB] OR "relaxation training"[TIAB] OR Herlofson[tiab] OR "network intervention"[TIAB] OR "network interventions"[TIAB] OR "network program"[TIAB] OR "network programs"[TIAB] OR "network programme"[TIAB] OR "network programmes"[TIAB] OR "network training"[TIAB] OR "network support"[TIAB] OR "environmental therapy"[TIAB] OR "milieu therapy"[TIAB] OR "milieu intervention"[TIAB] OR "milieu interventions"[TIAB] OR "environmental adjustment"[TIAB] OR "environmental adjustments"[TIAB] OR "interventions"[TIAB] AND ("pedagogical strategies"[TIAB] OR "educational settings"[TIAB] OR "educational setting"[TIAB]) OR ("Inservice Training"[MeSH] AND ("Teaching"[MeSH] OR Faculty[MeSH])) OR "timeout"[TIAB] OR "time out"[TIAB] OR "biofeedback"[TIAB] OR Neurofeedback[MeSH] OR neurofeedback[tiab] OR "Psychodrama"[TIAB] OR "teacher support"[TIAB] OR "teaching support"[TIAB]) OR "Teacher advice" [TIAB] OR "Teacher training"[TIAB] OR "Teacher counseling"[TIAB] OR "Teacher coaching"[TIAB] OR "teacher management training"[TIAB] OR "Teacher in-service training" [TIAB] OR ((Teacher[ti] OR teachers[tiab] OR schoolteacher*[ti]) AND (support[ti] OR intervention[ti] OR interventions[ti] OR training[ti] OR counseling[ti] OR coach[ti] OR coaching[ti] OR coaches[ti])) OR "pedagogical support"[TIAB] OR "robomemo"[TIAB] OR "memory game"[TIAB] OR ("computer assisted instruction"[MeSH Terms] OR "software"[MeSH Terms] OR

	<p>"internet"[MeSH Terms] OR "multimedia"[MeSH Terms] OR "therapy, computer assisted"[MeSH Terms] OR "hypermedia"[MeSH Terms] OR "software"[TIAB] OR "web based"[TIAB] OR "internet"[TIAB] OR "multimedia"[TIAB] OR "video games"[MeSH Terms] OR "interactive"[TIAB] OR "computerised"[TIAB] OR "computerized"[TIAB] OR "computer games"[TIAB] OR "video games"[TIAB] OR Web-enabled[TIAB] OR Computer-assisted[TIAB]) AND (Teaching/methods[MeSH] OR "intervention"[TIAB] OR "program"[TIAB] OR "programme"[TIAB] OR "training"[TIAB] OR "tutorial"[TIAB] OR "education"[TIAB] OR "therapy"[TIAB] OR "treatment"[TIAB]) OR ("working memory"[TIAB] AND ("training"[TIAB] OR "treatment"[TIAB] OR "therapy"[TIAB])) OR "tomatis"[TIAB] OR "Tomatis Method"[tiab] OR "Tomatis sound therapy"[tiab] OR "Fatty Acids, Omega-3"[Mesh] OR "Fatty Acids, Omega-6"[Mesh] OR "Fish Oils"[Mesh] OR "Omega-3"[TIAB] OR "Fish Oil"[TIAB] OR "Fish Oils"[TIAB] OR "Diet Therapy"[Mesh] OR "diet therapy" [Subheading] OR "Diet Therapy"[TIAB] OR "dietary intervention"[TIAB] OR "dietary interventions"[TIAB] OR "Vitamin D"[Mesh] OR "Vitamin D"[TIAB] OR "Vitamin B Complex"[Mesh] OR "Vitamin B"[TIAB] OR "Magnesium"[Mesh] OR "Magnesium"[TIAB] OR "Dietary Supplements"[MeSH] OR "Attention Deficit and Disruptive Behavior Disorders/diet therapy"[MeSH Terms] OR "Transcranial Magnetic Stimulation"[Mesh] OR "Transcranial Magnetic Stimulation"[TIAB] OR "Deep Brain Stimulation"[Mesh] OR "Deep Brain Stimulation"[TIAB] OR "tms"[TIAB] OR "dbs"[TIAB] OR "holding"[TIAB] OR "physical restraint"[tiab] OR "special education"[TIAB] OR pedagogic*[TIAB] OR "multimodal therapy"[TIAB] OR "Combined Modality Therapy"[Mesh] OR "multimodal treatment"[TIAB] OR "mta"[TIAB] OR "Behavior Therapy"[Mesh:NoExp] OR "Aversive Therapy"[Mesh] OR "Cognitive Therapy"[Mesh] OR "Play Therapy"[Mesh] OR "Psychoanalytic Therapy"[Mesh] OR "Socioenvironmental Therapy"[Mesh] OR "Biofeedback, Psychology"[Mesh] OR "Relaxation Therapy"[Mesh] OR "Milieu Therapy"[Mesh] OR "Residential Treatment"[Mesh] OR "Psychodrama"[Mesh] OR "Psychotherapy"[Mesh:NoExp])</p>	
Study designs		
39.	<p>("randomized controlled trial"[Publication Type] OR "case control studies"[MeSH Terms] OR "cohort studies"[MeSH Terms] OR "observational"[TIAB] OR "observation"[TIAB] OR ("Epidemiologic Studies"[Mesh] OR observational[tiab] OR observation[tiab] OR ("prospective"[TIAB] AND study[tiab]) OR (prospective[tiab] AND trial[tiab]) OR "long term"[TIAB] OR "longterm"[TIAB] OR "follow up"[TIAB] OR "followup"[TIAB]) AND (quasi[tiab] OR group[tiab] OR groups[tiab] OR control[tiab] OR controlled[tiab] OR compare[tiab] Or compared[tiab] OR comparison[tiab] OR experimental[tiab] OR "wait-list*" [tiab] OR "waiting list*" [tiab] OR placebo[tiab] OR "assessment only"[tiab] OR "treatment as usual"[tiab] OR treatment-as-usual[tiab] OR "services as usual"[tiab] OR "care as usual"[tiab] OR "usual treatment"[tiab] OR "usual service"[tiab] OR "usual services"[tiab] OR "usual care"[tiab] OR "standard treatment"[tiab] OR "standard treatments"[tiab] OR "standard</p>	

	service"[tiab] OR "standard services"[tiab] OR "standard care"[tiab] OR "traditional treatment"[tiab] OR "traditional service"[tiab] OR "traditional care"[tiab] OR "ordinary treatment"[tiab] OR "ordinary service"[tiab] OR "ordinary services"[tiab] OR "ordinary care"[tiab] OR propensity- matched[tiab] OR "intervention sample"[tiab])) OR "random"[TIAB] OR "randomly"[TIAB] OR "randomized"[TIAB] OR "randomised"[TIAB] OR "control"[TIAB] OR "controlled"[TIAB] OR "clinical trial"[TIAB] OR "case control"[TIAB] OR "longitudinal"[TIAB] OR "prospective"[TIAB] OR "long term"[TIAB] OR "longterm"[TIAB] OR "follow up"[TIAB] OR "followup"[TIAB] OR "adverse effects"[MeSH Subheading] OR "adverse effects"[TIAB] OR "side effects"[TIAB] OR "undesirable effects"[TIAB] OR "adverse event*"[tiab] OR "negative symptom*"[tiab] OR safety[tiab] OR "harmful effect"[tiab] OR "ethical consideration*"[tiab] OR Harm[tiab] OR Injury[tiab] OR injuries[tiab] OR "complications"[Subheading] OR "complication"[tiab] OR "complications"[tiab] OR "complicating"[tiab] OR "adversely affected"[tiab] OR "Treatment Failure"[Mesh])	
Combined sets		
40.	1 AND 2 AND 3	

[MeSH Terms] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH Subheading] = Does not include terms found below this term in the MeSH hierarchy

[TIAB] = Title or abstract

[SH] = Subheading

[PT] = Publication Type

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

“ “ = Citation Marks; searches for an exact phrase

Embase via Embase.com 30 January 2012		
Title: Non-pharmacological interventions in ADHD		
Search terms		
Population: ADHD		
41.	('attention deficit disorder'/exp OR "minimal brain dysfunction":ti,ab OR "hyperactivity syndrome":ti,ab OR "hyperactive children":ti,ab OR "hyperkinetic syndrome":ti,ab OR "hyperkinetic children":ti,ab OR "inattentive children":ti,ab OR "inattentive hyperactive":ti,ab OR ("inattention":ti,ab AND children:ti,ab) OR "adhd":ti,ab OR "attention deficit hyperactivity disorder":ti,ab OR "attention deficit disorder":ti,ab OR "disruptive behavior":ti,ab OR "disruptive behaviour":ti,ab)	
Intervention: Non-pharmacological		
42.	("community parent education program":ti,ab OR "community-based parenting":ti,ab OR "parental support":ti,ab OR "parent support":ti,ab OR ("parent":ti,ab AND "cope":ti,ab) OR "barkley":ti,ab OR "webster stratton":ti,ab OR "Incredible Years":ti,ab OR "komet":ti,ab OR Wirkberg*:ti,ab OR "stop now and plan":ti,ab OR "SNAP Under 12 Outreach Project":ti,ab OR "SNAP ORP":ti,ab OR "aggression replacement":ti,ab OR ("snap":ti,ab AND ("group":ti,ab OR "groups":ti,ab)) OR (Swanson:ti,ab AND Nolan:ti,ab AND pelham:ti,ab AND ("group":ti,ab OR "groups":ti,ab)) OR "Orion Video Home Training Project":ti,ab OR "Orion Project":ti,ab OR herlofsson:ti,ab OR "cbt":ti,ab OR "cognitive behavior therapy":ti,ab OR "cognitive behaviour therapy":ti,ab OR "cognitive therapy":ti,ab OR "cognitive behavioural therapy":ti,ab OR "cognitive behavioral therapy":ti,ab OR 'cognitive therapy'/exp OR "dialectic behavioral therapy":ti,ab OR "dialectic behavior therapy":ti,ab OR "behavioural therapy":ti,ab OR "behavioral therapy":ti,ab OR "early intensive behavioral interventions":ti,ab OR "early intensive behavioral treatment":ti,ab OR "early intensive behavioral intervention":ti,ab OR "eibi":ti,ab OR "applied behavioral intervention":ti,ab OR "applied behavioral interventions":ti,ab OR "applied behavioural intervention":ti,ab OR "applied behavioural interventions":ti,ab OR "abi":ti,ab OR "applied behavioral analysis":ti,ab OR "applied behavioural analysis":ti,ab OR "applied behavior analysis":ti,ab OR "applied behaviour analysis":ti,ab OR "aba":ti,ab OR "behaviour therapy":ti,ab OR "behavior therapy":ti,ab OR "behavioural modification":ti,ab OR "behavioral modification":ti,ab OR "behaviour modification":ti,ab OR "behavior modification":ti,ab OR "behavioral theory intervention":ti,ab OR "behavioural theory intervention":ti,ab OR "lovaas":ti,ab OR "lovass":ti,ab OR 'behavior therapy'/exp OR "cognitive psychotherapy":ti,ab OR "cbt":ti,ab OR "replacement training":ti,ab OR 'aversion therapy'/exp OR "psychodynamic":ti,ab OR "psychotherapy":ti,ab OR "play therapy":ti,ab OR 'play therapy'/exp OR "family therapy":ti,ab OR 'family therapy'/exp OR "systemic therapy":ti,ab OR "counselling":ti,ab OR "Social Support":ti,ab OR 'social support'/exp OR "psychoeducation":ti,ab OR "psycho education":ti,ab OR "psychoeducative":ti,ab OR "psycho educative":ti,ab OR "environmental manipulation":ti,ab OR "environmental	

	<p>manipulations":ti,ab OR "coping strategies":ti,ab OR "lifestyle intervention":ti,ab OR "lifestyle interventions":ti,ab OR "psychosocial intervention":ti,ab OR "psychosocial interventions":ti,ab OR "psychosocial training":ti,ab OR "psychosocial adjustment":ti,ab OR 'social adaptation'/mj OR ("child oriented":ti,ab AND "family therapy":ti,ab) OR "food schedule":ti,ab OR "food schedules":ti,ab OR "diet schedule":ti,ab OR "diet schedules":ti,ab OR "marte meo":ti,ab OR "stress management":ti,ab OR "stress coping":ti,ab OR "relaxation training":ti,ab OR "network intervention":ti,ab OR "network interventions":ti,ab OR "network program":ti,ab OR "network programme":ti,ab OR "network programs":ti,ab OR "network programmes":ti,ab OR "network training":ti,ab OR "network support":ti,ab OR "environmental therapy":ti,ab OR "milieu therapy":ti,ab OR "milieu intervention":ti,ab OR "milieu interventions":ti,ab OR "environmental adjustment":ti,ab OR "environmental adjustments":ti,ab OR ("interventions":ti,ab AND ("pedagogical strategies":ti,ab OR "educational settings":ti,ab OR "educational setting":ti,ab)) OR "timeout":ti,ab OR "time out":ti,ab OR "biofeedback":ti,ab OR "Psychodrama":ti,ab OR 'psychodrama'/exp OR "teacher support":ti,ab OR "teaching support":ti,ab OR "Teacher advice":ti,ab OR "Teacher training":ti,ab OR "Teacher counseling":ti,ab OR "Teacher coaching":ti,ab OR "teacher management training":ti,ab OR "Teacher in-service training":ti,ab OR "pedagogical support":ti,ab OR "robomemo":ti,ab OR "memory game":ti,ab OR ("working memory":ti,ab AND ("training":ti,ab OR "treatment":ti,ab OR "therapy":ti,ab)) OR "tomatis":ti,ab OR 'omega 3 fatty acid'/exp OR 'fish oil'/exp OR 'omega 3':ti,ab OR 'fish oil':ti,ab OR 'fish oils':ti,ab OR 'vitamin D'/exp OR 'vitamin D':ti,ab OR 'vitamin B group'/exp OR 'vitamin B':ti,ab OR 'magnesium'/exp OR 'magnesium':ti,ab OR 'diet therapy'/exp OR 'diet therapy':ti,ab OR "dietary intervention":ti,ab OR "dietary interventions":ti,ab OR 'brain depth stimulation'/exp OR 'transcranial magnetic stimulation'/exp OR 'deep brain stimulation':ti,ab OR 'transcranial magnetic stimulation':ti,ab OR 'dbs':ti,ab OR 'tms':ti,ab OR "vagus nerve stimulation":ti,ab OR "vns":ti,ab OR 'vagus nerve stimulation'/exp OR 'special education'/exp OR 'special education':ti,ab OR 'holding':ti,ab OR "physical restraint":ti,ab OR 'multimodal therapy':ti,ab OR "multimodal treatment":ti,ab OR "mta study":ti,ab OR 'psychotherapy'/de OR 'relaxation training'/exp OR 'milieu therapy'/exp OR 'behavior modification'/exp OR 'behavior therapy'/exp OR 'cognitive therapy'/exp OR 'milieu therapy'/exp OR 'play therapy'/exp OR 'sociotherapy'/exp OR 'therapeutic community'/mj)</p>	
Study designs		
43.	<p>('controlled clinical trial'/exp OR [controlled clinical trial]/lim OR [randomized controlled trial]/lim OR 'case control study'/exp OR 'cohort analysis'/exp OR "observational":ti,ab OR "observation":ti,ab OR "random":ti,ab OR "randomly":ti,ab OR "randomized":ti,ab OR "randomised":ti,ab OR "control":ti,ab OR "controlled":ti,ab OR "clinical trial":ti,ab OR "case control":ti,ab OR "longitudinal":ti,ab OR "prospective":ti,ab OR "long term":ti,ab OR "longterm":ti,ab OR "follow</p>	

	up":ti,ab OR "followup":ti,ab OR "adverse effects":ti,ab OR "side effects":ti,ab OR "undesirable effects":ti,ab OR 'adverse drug reaction'/exp)	
Combined sets		
44.	1 AND 2 AND 3	

/exp= Includes terms found below this term in the EMTREE hierarchy

:ti = Article Title

:ti:ab = Title or abstract

/lim = Limit

* = Truncation

“ “ = Citation Marks; searches for an exact phrase

PsycInfo via EBSCO 27 January 2012		
Title: Non-pharmacological interventions in ADHD		
Search terms		
Population: ADHD		
45.	(DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR TI ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour") OR AB ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour"))	
Intervention: Non-pharmacological		
46.	(TI ("parental support" OR "parent support" OR ("parent" AND "cope") OR "barkley" OR "webster stratton" OR "Incredible Years" OR "komet" OR Wirkberg* OR ("snap" AND ("group" OR "groups"))) OR (Swanson AND Nolan AND pelham AND ("group" OR "groups"))) OR "stop now and plan" OR "SNAP Under 12 Outreach Project" OR "SNAP ORP" OR "cbt" OR "cognitive behavior therapy" OR "cognitive behaviour therapy" OR "cognitive therapy" OR "cognitive behavioural therapy" OR "cognitive behavioral therapy" OR "dialectic behavioral therapy" OR "dialectic behavior therapy" OR "behavioural therapy" OR "behavioral therapy" OR "early intensive behavioral interventions" OR "early intensive behavioral treatment" OR "early intensive behavioral intervention" OR "eibi" OR "applied behavioral intervention" OR "applied behavioral interventions" OR "applied behavioural intervention" OR "applied behavioural interventions" OR "abi" OR "applied behavioral analysis" OR "applied behavioural analysis" OR "applied behavior analysis" OR "applied behaviour analysis" OR "aba" OR "behaviour therapy" OR "behavior therapy" OR "behavioural modification" OR "behavioral modification" OR "behaviour modification" OR "behavior modification" OR "behavioral theory intervention" OR "behavioural theory intervention" OR "lovaas" OR "lovas" OR "cognitive psychotherapy" OR "cbt" OR "replacement training" OR "psychodynamic" OR "psychotherapy" OR "play therapy" OR "family therapy" OR "systemic therapy" OR "counselling" OR "Social Support" OR "psychoeducation" OR "psycho education" OR "psychoeducative" OR "psycho educative" OR "environmental manipulation" OR "environmental manipulations" OR "coping strategies" OR "lifestyle intervention" OR "lifestyle interventions" OR "psychosocial intervention" OR "psychosocial interventions" OR "psychosocial training" OR "psychosocial adjustment" OR ("child oriented" AND "family therapy") OR "food schedule" OR "food schedules" OR "diet schedule" OR "diet schedules" OR "marte meo" OR "Orion Video Home Training Project" OR "Orion Project" OR "stress	

management" OR "stress coping" OR "relaxation training" OR "network intervention" OR "network interventions" OR "network program" OR "network programme" OR "network programs" OR "network programmes" OR "network training" OR "network support" OR "environmental therapy" OR "milieu therapy" OR "milieu intervention" OR "milieu interventions" OR "environmental adjustment" OR "environmental adjustments" OR ("interventions" AND ("pedagogical strategies" OR "educational settings" OR "educational setting")) OR "timeout" OR "time out" OR "biofeedback" OR "Psychodrama" OR "teacher support" OR "teaching support" OR "Teacher advice" OR "Teacher training" OR "Teacher counseling" OR "Teacher coaching" OR "teacher management training" OR "Teacher in-service training" OR ((Teacher OR teachers OR schoolteacher*) AND (support OR intervention OR interventions OR training OR counseling OR coach OR coaching OR coaches)) OR "pedagogical support" OR "robomemo" OR "memory game" OR ("working memory" AND ("training" OR "treatment" OR "therapy")) OR "tomatis" OR "Omega-3" OR "Fish Oil" OR "Fish Oils" OR "vitamin D" OR "vitamin B" OR "magnesium" OR "diet therapy" OR "dietary intervention" OR "dietary interventions" OR "Deep Brain Stimulation" OR "Transcranial Magnetic Stimulation" OR "DBS" OR "TMS" OR "vagus nerve stimulation" OR "vns" OR "special education" OR "holding" OR "physical restraint" OR "Multimodal therapy" OR "multimodal treatment" OR "mta study") OR AB ("community parent education program" OR "community-based parenting" OR "parental support" OR "parent support" OR ("parent" AND "cope") OR "barkley" OR "webster stratton" OR "Incredible Years" OR "komet" OR Wirkberg* OR ("snap" AND ("group" OR "groups"))) OR (Swanson AND Nolan AND pelham AND ("group" OR "groups"))) OR "stop now and plan" OR "SNAP Under 12 Outreach Project" OR "SNAP ORP" OR "cbt" OR "cognitive behavior therapy" OR "cognitive behaviour therapy" OR "cognitive therapy" OR "cognitive behavioural therapy" OR "cognitive behavioral therapy" OR "dialectic behavioral therapy" OR "dialectic behavior therapy" OR "behavioural therapy" OR "behavioral therapy" OR "early intensive behavioral interventions" OR "early intensive behavioral treatment" OR "early intensive behavioral intervention" OR "eibi" OR "applied behavioral intervention" OR "applied behavioral interventions" OR "applied behavioural intervention" OR "applied behavioural interventions" OR "abi" OR "applied behavioral analysis" OR "applied behavioural analysis" OR "applied behavior analysis" OR "applied behaviour analysis" OR "aba" OR "behaviour therapy" OR "behavior therapy" OR "behavioural modification" OR "behavioral modification" OR "behaviour modification" OR "behavior modification" OR "behavioral theory intervention" OR "behavioural theory intervention" OR "lovaas" OR "lovas" OR "cognitive psychotherapy" OR "cbt" OR "replacement training" OR "psychodynamic" OR "psychotherapy" OR "play therapy" OR "family therapy" OR "systemic therapy" OR "counselling" OR "Social Support" OR "psychoeducation" OR "psycho education" OR "psychoeducative" OR "psycho educative" OR "environmental manipulation" OR "environmental manipulations" OR "coping strategies" OR "lifestyle intervention" OR "lifestyle interventions"

OR "psychosocial intervention" OR "psychosocial interventions" OR
 "psychosocial training" OR "psychosocial adjustment" OR ("child oriented"
 AND "family therapy") OR "Martin Soltvedt" OR "food schedule" OR "food
 schedules" OR "diet schedule" OR "diet schedules" OR "marte meo" OR
 "Orion Video Home Training Project" OR "Orion Project" OR "stress
 management" OR "stress coping" OR "relaxation training" OR "network
 intervention" OR "network interventions" OR "network program" OR
 "network programme" OR "network programs" OR "network programmes"
 OR "network training" OR "network support" OR "environmental therapy"
 OR "milieu therapy" OR "milieu intervention" OR "milieu interventions" OR
 "environmental adjustment" OR "environmental adjustments" OR
 ("interventions" AND ("pedagogical strategies" OR "educational settings"
 OR "educational setting")) OR "timeout" OR "time out" OR "biofeedback"
 OR "Psychodrama" OR "teacher support" OR "teaching support" OR
 "Teacher advice" OR "Teacher training" OR "Teacher counseling" OR
 "Teacher coaching" OR "teacher management training" OR "Teacher in-
 service training" OR "pedagogical support" OR "robomemo" OR "memory
 game" OR ("working memory" AND ("training" OR "treatment" OR
 "therapy")) OR "tomatis" OR "Omega-3" OR "Fish Oil" OR "Fish Oils" OR
 "vitamin D" OR "vitamin B" OR "magnesium" OR "diet therapy" OR "dietary
 intervention" OR "dietary interventions" OR "Deep Brain Stimulation" OR
 "Transcranial Magnetic Stimulation" OR "DBS" OR "TMS" OR "vagus nerve
 stimulation" OR "vns" OR "special education" OR "holding" OR "physical
 restraint" OR "Multimodal therapy" OR "multimodal treatment" OR "mta
 study" OR "aggression replacement training" OR "Aggression control
 therapy" OR "Aggression prevention" OR "positive peer culture" OR
 "equipping youths to help one another" OR "EQUIP program" OR "Prepare
 curriculum" OR "PEACE Curriculum" OR "Family ART") OR TX herlofsson OR
 DE "Behavior Therapy" OR DE "Cognitive Therapy" OR DE "Play Therapy"
 OR DE "Milieu Therapy" OR DE "Fatty Acids" OR DE "Dietary Supplements"
 OR DE "Magnesium" OR DE "Vitamin Therapy" OR DE "Relaxation Therapy"
 OR DE "Psychodrama" OR DE "Deep Brain Stimulation" OR DE "Transcranial
 Magnetic Stimulation" OR DE "Multimodal Treatment Approach" OR DE
 "Special Education" OR DE "Social Support" OR DE "Behavior Modification"
 OR DE "Aversion Therapy" OR DE "Parent Training" OR DE "Social Skills
 Training" OR DE "Cognitive Behavior Therapy" OR (DE "Early Intervention"
 AND DE "Behavior Therapy") OR DE "Family Therapy" OR DE "Conjoint
 Therapy" OR DE "Counseling" OR DE "Psychoeducation" OR DE "Client
 Education" OR DE "Sociotherapy" OR DE "Progressive Relaxation Therapy"
 OR DE "Meditation" OR DE "Stress Management" OR DE "Biofeedback
 Training" OR DE "Neurotherapy" OR (DE "Computer Assisted Instruction"
 OR DE "Computer Applications" OR DE "Computers" OR DE "Computer
 Assisted Instruction" OR DE "Computer Applications" OR DE "Computers"
 OR (TI game* AND TI Computer*)) OR KW "robomemo" OR KW "memory
 game" OR KW "software" OR KW "web based" OR KW "internet" OR KW
 "multimedia" OR KW "video games" OR KW "interactive" OR KW
 "computerised" OR KW "computerized" OR KW "computer game" OR KW
 "computer games" OR KW "video games" OR KW Web-enabled OR KW

	Computer-assisted) AND (DE "Training" OR DE "Intervention" OR TX "intervention" OR TX "program" OR TX programs OR TX "programme*" OR TX "training" OR TX "tutorial" OR TX "education" OR TX "therapy" OR TX "treatment") AND (DE "Memory Training" OR DE "Short Term Memory" OR TI memory OR AB memory OR KW "memory training" OR KW "working memory" OR KW "executive functions" OR KW "executive function*"))	
Study designs		
47.	(DE "Clinical Trials" OR DE "Cohort Analysis" OR DE "prospective studies" OR DE "followup studies" OR DE "Longitudinal Studies" OR DE "Side Effects (Drug)" OR TI ("observational" OR "observation" OR "random" OR "randomly" OR "randomized" OR "randomised" OR "control" OR "controlled" OR "cohort" OR "case control" OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR "longterm" OR "follow up" OR "followup" OR "adverse effects" OR "side effects" OR "undesirable effects") OR AB ("observational" OR "observation" OR "random" OR "randomly" OR "randomized" OR "randomised" OR "control" OR "controlled" OR "cohort" OR "case control" OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR "longterm" OR "follow up" OR "followup" OR "adverse effects" OR "side effects" OR "undesirable effects") OR ZC "treatment outcome/clinical trial" or ZC "quantitative study" or ZC "retrospective study" or ZC "followup study" or ZC "longitudinal study")	
Combined sets		
48.	1 AND 2 AND 3	

DE = Term from the thesaurus

TI = Title

AB = Abstract

ZC = Methodology Index

* = Truncation

“ “ = Citation Marks; searches for an exact phrase

Cinahl via EBSCO 30 Mars 2011		
Title: Non-pharmacological interventions in ADHD		
Search terms		
Population: ADHD		
49.	(MH "Attention Deficit Hyperactivity Disorder" OR TI ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour")) OR AB ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour"))	
Intervention: Non-pharmacological		
50.	(TI ("parental support" OR "parent support" OR ("parent" AND "cope") OR "barkley" OR "webster stratton" OR "Incredible Years" OR "komet" OR Wirkberg* OR ("snap" AND ("group" OR "groups"))) OR (Swanson AND Nolan AND pelham AND ("group" OR "groups"))) OR "cbt" OR "cognitive behavior therapy" OR "cognitive behaviour therapy" OR "cognitive therapy" OR "cognitive behavioural therapy" OR "cognitive behavioral therapy" OR "dialectic behavioral therapy" OR "dialectic behavior therapy" OR "behavioural therapy" OR "behavioral therapy" OR "early intensive behavioral interventions" OR "early intensive behavioral treatment" OR "early intensive behavioral intervention" OR "eibi" OR "applied behavioral intervention" OR "applied behavioral interventions" OR "applied behavioural intervention" OR "applied behavioural interventions" OR "abi" OR "applied behavioral analysis" OR "applied behavioural analysis" OR "applied behavior analysis" OR "applied behaviour analysis" OR "aba" OR "behaviour therapy" OR "behavior therapy" OR "behavioural modification" OR "behavioral modification" OR "behaviour modification" OR "behavior modification" OR "behavioral theory intervention" OR "behavioural theory intervention" OR "lovaas" OR "lovas" OR "cognitive psychotherapy" OR "cbt" OR "replacement training" OR "psychodynamic" OR "psychotherapy" OR "play therapy" OR "family therapy" OR "systemic therapy" OR "counselling" OR "Social Support" OR "psychoeducation" OR "psycho education" OR "psychoeducative" OR "psycho educative" OR "environmental manipulation" OR "environmental manipulations" OR "coping strategies" OR "lifestyle intervention" OR "lifestyle interventions" OR "psychosocial intervention" OR "psychosocial interventions" OR "psychosocial training" OR "psychosocial adjustment" OR ("child oriented" AND "family therapy")) OR "food schedule" OR "food schedules" OR "diet schedule" OR "diet schedules" OR "marte meo" OR "stress management" OR "stress coping" OR "relaxation training" OR "network intervention" OR "network interventions" OR "network program" OR "network programme"	

OR "network programs" OR "network programmes" OR "network training"
 OR "network support" OR "environmental therapy" OR "milieu therapy"
 OR "milieu intervention" OR "milieu interventions" OR "environmental
 adjustment" OR "environmental adjustments" OR ("interventions" AND
 ("pedagogical strategies" OR "educational settings" OR "educational
 setting")) OR "timeout" OR "time out" OR "biofeedback" OR
 "Psychodrama" OR "teacher support" OR "teaching support" OR
 "pedagogical support" OR "robomemo" OR "memory game" OR ("working
 memory" AND ("training" OR "treatment" OR "therapy")) OR "tomatis" OR
 "Omega-3" OR "Fish Oil" OR "Fish Oils" OR "vitamin D" OR "vitamin B" OR
 "magnesium" OR "diet therapy" OR "dietary intervention" OR "dietary
 interventions" OR "Deep Brain Stimulation" OR "Transcranial Magnetic
 Stimulation" OR "DBS" OR "TMS" OR "vagus nerve stimulation" OR "vns"
 OR "special education" OR "holding" OR "Multimodal therapy" OR
 "multimodal treatment" OR "mta study") OR AB ("parental support" OR
 "parent support" OR ("parent" AND "cope") OR "barkley" OR "webster
 stratton" OR "Incredible Years" OR "komet" OR Wirkberg* OR ("snap" AND
 ("group" OR "groups")) OR (Swanson AND Nolan AND pelham AND
 ("group" OR "groups")) OR "cbt" OR "cognitive behavior therapy" OR
 "cognitive behaviour therapy" OR "cognitive therapy" OR "cognitive
 behavioural therapy" OR "cognitive behavioral therapy" OR "dialectic
 behavioral therapy" OR "dialectic behavior therapy" OR "behavioural
 therapy" OR "behavioral therapy" OR "early intensive behavioral
 interventions" OR "early intensive behavioral treatment" OR "early
 intensive behavioral intervention" OR "eibi" OR "applied behavioral
 intervention" OR "applied behavioral interventions" OR "applied
 behavioural intervention" OR "applied behavioural interventions" OR "abi"
 OR "applied behavioral analysis" OR "applied behavioural analysis" OR
 "applied behavior analysis" OR "applied behaviour analysis" OR "aba" OR
 "behaviour therapy" OR "behavior therapy" OR "behavioural modification"
 OR "behavioral modification" OR "behaviour modification" OR "behavior
 modification" OR "behavioral theory intervention" OR "behavioural theory
 intervention" OR "lovaas" OR "lovas" OR "cognitive psychotherapy" OR
 "cbt" OR "replacement training" OR "psychodynamic" OR "psychotherapy"
 OR "play therapy" OR "family therapy" OR "systemic therapy" OR
 "counselling" OR "Social Support" OR "psychoeducation" OR "psycho
 education" OR "psychoeducative" OR "psycho educative" OR
 "environmental manipulation" OR "environmental manipulations" OR
 "coping strategies" OR "lifestyle intervention" OR "lifestyle interventions"
 OR "psychosocial intervention" OR "psychosocial interventions" OR
 "psychosocial training" OR "psychosocial adjustment" OR ("child oriented"
 AND "family therapy") OR "food schedule" OR "food schedules" OR "diet
 schedule" OR "diet schedules" OR "marte meo" OR "stress management"
 OR "stress coping" OR "relaxation training" OR "network intervention" OR
 "network interventions" OR "network program" OR "network programme"
 OR "network programs" OR "network programmes" OR "network training"
 OR "network support" OR "environmental therapy" OR "milieu therapy"
 OR "milieu intervention" OR "milieu interventions" OR "environmental

	adjustment" OR "environmental adjustments" OR ("interventions" AND ("pedagogical strategies" OR "educational settings" OR "educational setting")) OR "timeout" OR "time out" OR "biofeedback" OR "Psychodrama" OR "teacher support" OR "teaching support" OR "pedagogical support" OR "robomemo" OR "memory game" OR ("working memory" AND ("training" OR "treatment" OR "therapy")) OR "tomatis" OR "Omega-3" OR "Fish Oil" OR "Fish Oils" OR "vitamin D" OR "vitamin B" OR "magnesium" OR "diet therapy" OR "dietary intervention" OR "dietary interventions" OR "Deep Brain Stimulation" OR "Transcranial Magnetic Stimulation" OR "DBS" OR "TMS" OR "vagus nerve stimulation" OR "vns" OR "special education" OR "holding" OR "Multimodal therapy" OR "multimodal treatment" OR "mta study") OR (MH "Behavior Therapy") OR (MH "Cognitive Therapy") OR (MH "Play Therapy") OR (MH "Socioenvironmental Therapy+") OR (MH "Fatty Acids, Omega 3") OR (MH "Fish Oils") OR (MH "Psychodrama") OR (MH "Vitamin D") OR (MM "Diet Therapy") OR (MH "Electric Stimulation") OR (MH "Vitamin B Complex") OR (MH "Magnesium") OR (MM "Biofeedback") OR (MH "Support, Psychosocial"))	
Study designs		
51.	(MH "Clinical Trials+" OR MH "Case Control Studies+" OR MH "Prospective Studies+" OR MH "Adverse Health Care Event+" OR TI ("observational" OR "observation" OR "random" OR "randomly" OR "randomized" OR "randomised" OR "control" OR "controlled" OR "cohort" OR "case control" OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR "longterm" OR "follow up" OR "followup" OR "adverse effects" OR "side effects" OR "undesirable effects") OR AB ("observational" OR "observation" OR "random" OR "randomly" OR "randomized" OR "randomised" OR "control" OR "controlled" OR "cohort" OR "case control" OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR "longterm" OR "follow up" OR "followup" OR "adverse effects" OR "side effects" OR "undesirable effects"))	
Combined sets		
52.	1 AND 2 AND 3	

MH = Term from the "Cinahl Headings" thesaurus

TI = Title

AB = Abstract

* = Truncation

" " = Citation Marks; searches for an exact phrase

Eric via EBSCO 30 Mars 2011		
Title: Non-pharmacological interventions in ADHD		
Search terms		
Population: ADHD		
53.	(DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR TI ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour") OR AB ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour"))	
Intervention: Non-pharmacological		
54.	(TI ("parental support" OR "parent support" OR ("parent" AND "cope") OR "barkley" OR "webster stratton" OR "Incredible Years" OR "komet" OR Wirkberg* OR ("snap" AND ("group" OR "groups"))) OR (Swanson AND Nolan AND pelham AND ("group" OR "groups"))) OR "cbt" OR "cognitive behavior therapy" OR "cognitive behaviour therapy" OR "cognitive therapy" OR "cognitive behavioural therapy" OR "cognitive behavioral therapy" OR "dialectic behavioral therapy" OR "dialectic behavior therapy" OR "behavioural therapy" OR "behavioral therapy" OR "early intensive behavioral interventions" OR "early intensive behavioral treatment" OR "early intensive behavioral intervention" OR "eibi" OR "applied behavioral intervention" OR "applied behavioral interventions" OR "applied behavioural intervention" OR "applied behavioural interventions" OR "abi" OR "applied behavioral analysis" OR "applied behavioural analysis" OR "applied behavior analysis" OR "applied behaviour analysis" OR "aba" OR "behaviour therapy" OR "behavior therapy" OR "behavioural modification" OR "behavioral modification" OR "behaviour modification" OR "behavior modification" OR "behavioral theory intervention" OR "behavioural theory intervention" OR "lovaas" OR "lovas" OR "cognitive psychotherapy" OR "cbt" OR "replacement training" OR "psychodynamic" OR "psychotherapy" OR "play therapy" OR "family therapy" OR "systemic therapy" OR "counselling" OR "Social Support" OR "psychoeducation" OR "psycho education" OR "psychoeducative" OR "psycho educative" OR "environmental manipulation" OR "environmental manipulations" OR "coping strategies" OR "lifestyle intervention" OR "lifestyle interventions" OR "psychosocial intervention" OR "psychosocial interventions" OR "psychosocial training" OR "psychosocial adjustment" OR ("child oriented" AND "family therapy") OR "food schedule" OR "food schedules" OR "diet schedule" OR "diet schedules" OR "marte meo" OR "stress management" OR "stress coping" OR "relaxation training" OR "network intervention" OR "network interventions" OR "network program" OR "network programme"	

OR "network programs" OR "network programmes" OR "network training"
 OR "network support" OR "environmental therapy" OR "milieu therapy"
 OR "milieu intervention" OR "milieu interventions" OR "environmental
 adjustment" OR "environmental adjustments" OR ("interventions" AND
 ("pedagogical strategies" OR "educational settings" OR "educational
 setting")) OR "timeout" OR "time out" OR "biofeedback" OR
 "Psychodrama" OR "teacher support" OR "teaching support" OR
 "pedagogical support" OR "robomemo" OR "memory game" OR ("working
 memory" AND ("training" OR "treatment" OR "therapy")) OR "tomatis" OR
 "Omega-3" OR "Fish Oil" OR "Fish Oils" OR "vitamin D" OR "vitamin B" OR
 "magnesium" OR "diet therapy" OR "dietary intervention" OR "dietary
 interventions" OR "Deep Brain Stimulation" OR "Transcranial Magnetic
 Stimulation" OR "DBS" OR "TMS" OR "vagus nerve stimulation" OR "vns"
 OR "special education" OR "holding" OR "Multimodal therapy" OR
 "multimodal treatment" OR "mta study") OR AB ("parental support" OR
 "parent support" OR ("parent" AND "cope") OR "barkley" OR "webster
 stratton" OR "Incredible Years" OR "komet" OR Wirkberg* OR ("snap" AND
 ("group" OR "groups")) OR (Swanson AND Nolan AND pelham AND
 ("group" OR "groups")) OR "cbt" OR "cognitive behavior therapy" OR
 "cognitive behaviour therapy" OR "cognitive therapy" OR "cognitive
 behavioural therapy" OR "cognitive behavioral therapy" OR "dialectic
 behavioral therapy" OR "dialectic behavior therapy" OR "behavioural
 therapy" OR "behavioral therapy" OR "early intensive behavioral
 interventions" OR "early intensive behavioral treatment" OR "early
 intensive behavioral intervention" OR "eibi" OR "applied behavioral
 intervention" OR "applied behavioral interventions" OR "applied
 behavioural intervention" OR "applied behavioural interventions" OR "abi"
 OR "applied behavioral analysis" OR "applied behavioural analysis" OR
 "applied behavior analysis" OR "applied behaviour analysis" OR "aba" OR
 "behaviour therapy" OR "behavior therapy" OR "behavioural modification"
 OR "behavioral modification" OR "behaviour modification" OR "behavior
 modification" OR "behavioral theory intervention" OR "behavioural theory
 intervention" OR "lovaas" OR "lovas" OR "cognitive psychotherapy" OR
 "cbt" OR "replacement training" OR "psychodynamic" OR "psychotherapy"
 OR "play therapy" OR "family therapy" OR "systemic therapy" OR
 "counselling" OR "Social Support" OR "psychoeducation" OR "psycho
 education" OR "psychoeducative" OR "psycho educative" OR
 "environmental manipulation" OR "environmental manipulations" OR
 "coping strategies" OR "lifestyle intervention" OR "lifestyle interventions"
 OR "psychosocial intervention" OR "psychosocial interventions" OR
 "psychosocial training" OR "psychosocial adjustment" OR ("child oriented"
 AND "family therapy") OR "food schedule" OR "food schedules" OR "diet
 schedule" OR "diet schedules" OR "marte meo" OR "stress management"
 OR "stress coping" OR "relaxation training" OR "network intervention" OR
 "network interventions" OR "network program" OR "network programme"
 OR "network programs" OR "network programmes" OR "network training"
 OR "network support" OR "environmental therapy" OR "milieu therapy"
 OR "milieu intervention" OR "milieu interventions" OR "environmental

	adjustment" OR "environmental adjustments" OR ("interventions" AND ("pedagogical strategies" OR "educational settings" OR "educational setting")) OR "timeout" OR "time out" OR "biofeedback" OR "Psychodrama" OR "teacher support" OR "teaching support" OR "pedagogical support" OR "robomemo" OR "memory game" OR ("working memory" AND ("training" OR "treatment" OR "therapy")) OR "tomatis" OR "Omega-3" OR "Fish Oil" OR "Fish Oils" OR "vitamin D" OR "vitamin B" OR "magnesium" OR "diet therapy" OR "dietary intervention" OR "dietary interventions" OR "Deep Brain Stimulation" OR "Transcranial Magnetic Stimulation" OR "DBS" OR "TMS" OR "vagus nerve stimulation" OR "vns" OR "special education" OR "holding" OR "Multimodal therapy" OR "multimodal treatment" OR "mta study") OR DE "Behavior Modification" OR DE "Cognitive Restructuring" OR DE "Play Therapy" OR DE "Biofeedback" OR DE "Psychotherapy" OR DE "Relaxation Training" OR DE "Milieu Therapy" OR DE "Special Education" OR DE "Social Support Groups")	
Study designs		
55.	(DE "Longitudinal Studies" OR DE "Followup Studies" OR DE "Longitudinal Studies" OR DE "Cohort Analysis" OR TI ("observational" OR "observation" OR "random" OR "randomly" OR "randomized" OR "randomised" OR "control" OR "controlled" OR "cohort" OR "case control" OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR "longterm" OR "follow up" OR "followup" OR "adverse effects" OR "side effects" OR "undesirable effects") OR AB ("observational" OR "observation" OR "random" OR "randomly" OR "randomized" OR "randomised" OR "control" OR "controlled" OR "cohort" OR "case control" OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR "longterm" OR "follow up" OR "followup" OR "adverse effects" OR "side effects" OR "undesirable effects"))	
Combined sets		
56.	1 AND 2 AND 3	

DE = Term from the thesaurus

TI = Title

AB = Abstract

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

Kommunikation ADHD

Pubmed via NLM 09 March 2011 Title: Technical Aids for Communication in ADHD		
	Search terms	
Population: ADHD		
57.	"Child Behavior Disorders"[Mesh] OR "Attention Deficit and Disruptive Behavior Disorders"[Mesh] OR "minimal brain dysfunction"[TIAB] OR "hyperactivity syndrome"[TIAB] OR "hyperactive children"[TIAB] OR "hyperkinetic syndrome"[TIAB] OR "hyperkinetic children"[TIAB] OR "inattentive children"[TIAB] OR "inattentive hyperactive"[TIAB] OR ("inattention"[TIAB] AND children[TIAB]) OR "adhd"[TIAB] OR "attention deficit hyperactivity disorder"[TIAB] OR "attention deficit hyperactivity disorders"[TIAB] OR "attention deficit disorder"[TIAB] OR "disruptive behavior"[TIAB] OR "disruptive behaviour"[TIAB]	
Intervention: Technical Aids for Communication		
58.	"Telecommunications"[Mesh] OR "Internet"[Mesh] OR "text message"[TIAB] OR "text messages"[TIAB] OR "text messaging"[TIAB] OR "cell phone"[TIAB] OR "cell phones"[TIAB] OR "cellular phone"[TIAB] OR "cellular phones"[TIAB] OR "mobile phone"[TIAB] OR "mobile phones"[TIAB] OR "Reminder Systems"[Mesh] OR reminder*[TIAB] OR "short message service"[TIAB] OR "sms"[TIAB] OR Teleconferenc*[TIAB] OR videoconference*[TIAB] OR telephone*[TIAB] OR "electronic communication"[TIAB] OR "telemedicine"[TIAB] OR "telehealth"[TIAB]	
Study designs:		
59.	"Clinical Trials as Topic"[Mesh] OR "Randomized Controlled Trials as Topic"[Mesh] OR "Controlled Clinical Trials as Topic"[Mesh] OR "randomized controlled trial"[Publication Type] OR "controlled clinical trial"[Publication Type] OR "multicenter study"[Publication Type] OR "clinical trial"[Publication Type] OR "meta analysis"[Publication Type] OR "meta analysis"[TIAB] OR metaanalys*[TIAB] OR "meta analyses"[TIAB] OR random*[TIAB] OR RCT*[TIAB] OR controls[TIAB] OR controlled[TIAB] OR "Comparative Study"[Publication Type] OR "Evaluation Studies"[Publication Type] OR "Evaluation Studies as Topic"[Mesh] OR "Intervention Studies"[Mesh] OR "Efficiency, Organizational"[Mesh] OR "Program Evaluation"[Mesh] OR systematic [sb]	
Combined sets:		
60.	1 AND 2 AND 3	

The search result, usually found at the end of the documentation, forms the list of abstracts

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[TIAB] = Title or abstract

[Publication Type] = Publication type

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

Search terms	
Population: ADH	
61.	DE "Conduct Disorder" OR DE "Behavior Problems" OR DE "Hyperkinesia" OR DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR TI ("attention deficit disorder#" OR "Attention-Deficit/Hyperactivity" OR "Attention Deficit Hyperactiv*" OR "minimal brain dysfunction" OR "hyperactivity syndrome#" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR (inattentive N5 hyperactive) OR (inattenti* N5 children) OR "adhd" OR "add" OR "disruptive behavio#r") OR AB ("attention deficit disorder#" OR "Attention-Deficit/Hyperactivity" OR "Attention Deficit Hyperactiv*" OR "minimal brain dysfunction" OR "hyperactivity syndrome#" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR (inattentive N5 hyperactive) OR (inattenti* N5 children) OR "adhd" OR "add" OR "disruptive behavio#r") OR KW ("attention deficit disorder#" OR "Attention-Deficit/Hyperactivity" OR "Attention Deficit Hyperactiv*" OR "minimal brain dysfunction" OR "hyperactivity syndrome#" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR (inattentive N5 hyperactive) OR (inattenti* N5 children) OR "adhd" OR "add" OR "disruptive behavio#r")
Intervention: Technical Aids for Communication	
62.	ZK "communication systems" OR DE "Electronic Communication" OR DE "Cellular Phones" OR DE "Teleconferencing" OR DE "Telephone Systems" OR DE "Communication Systems" OR DE "Telemedicine" OR DE "Internet" OR DE "Telecommunications Media" OR TI (teleconferenc* OR "mobile phone#" OR "text messag*" OR "cell phone#" OR "cellular phone#" OR "video conferenc*" OR videoconferenc* OR "short message service" OR "SMS" OR reminder* OR "electronic communication" OR telemedicine OR telehealth) OR AB (teleconferenc* OR "mobile phone#" OR "text messag*" OR "cell phone#" OR "cellular phone#" OR "video conferenc*" OR videoconferenc* OR "short message service" OR "SMS" OR reminder* OR "electronic communication" OR telemedicine OR telehealth) OR KW (teleconferenc* OR "mobile phone#" OR "text messag*" OR "cell phone#" OR "cellular phone#" OR "video conferenc*" OR videoconferenc* OR "short message service" OR "SMS" OR reminder* OR "electronic communication" OR telemedicine OR telehealth)
Study designs:	
63.	DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness"
Combined sets:	
64.	(1 AND 2 AND 3) AND ZZ "journal article"

--	--	--

The search result, usually found at the end of the documentation, forms the list of abstracts

DE = Term from the thesaurus

TI = Title

AB= Abstract

TX = All Text. Performs a keyword search of all the database's searchable fields

ZZ = Document Type

ZK = Classification

* = Truncation

= An alternate spelling may contain an extra character

? = EBSCOhost finds all citations of that word with the ? replaced by a letter

“ ” = Citation Marks; searches for an exact phrase

Nn: Proximity operator. Terms must appear within n words of each other in any order, e.g. N3

Wn: Proximity operator. Terms must appear within n words of each other in a given order, e.g. W3

Embase via Embase.com 09 March 2011 Title: Technical Aids for Communication in ADHD		
	Search terms	
Population: ADHD		
65.	'behavior disorder'/mj OR 'conduct disorder'/exp/mj OR 'attention deficit disorder'/exp/mj OR "attention deficit disorder":ti,ab OR "Attention-Deficit/Hyperactivity":ti,ab OR "Attention Deficit Hyperactivity":ti,ab OR "hyperactivity syndrome":ti,ab OR "hyperactive children":ti,ab OR "hyperkinetic syndrome":ti,ab OR "hyperkinetic children":ti,ab OR (inattentive near/5 hyperactive):ti,ab OR (inattenti* near/5 children):ti,ab OR "adhd":ti,ab OR "add":ti,ab OR 'disruptive behavior'/exp/mj OR "disruptive behavior":ti,ab OR "disruptive behaviour":ti,ab OR 'minimal brain dysfunction'/exp/mj OR "minimal brain dysfunction":ti,ab	
Intervention: Technical Aids for Communication		
66.	'telecommunication'/exp/mj OR 'videoconferencing'/exp/mj OR 'Internet'/exp/mj OR 'telephone'/exp/mj OR 'mobile phone'/exp/mj OR teleconferenc*:ti,ab OR videoconference*:ti,ab OR "video conference":ti,ab OR (text NEXT/1 messag*):ti,ab OR ((mobile OR cell*) NEXT/1 phone):ti,ab OR telephone*:ti,ab OR 'reminder system'/exp OR reminder*:ti,ab OR "short message service":ti,ab OR "sms":ti,ab OR telehealth:ti,ab OR telemedicine:ti,ab OR "electronic communication":ti,ab	
Study designs:		
67.	[cochrane review]/lim OR [meta analysis]/lim OR [systematic review]/lim OR [controlled clinical trial]/lim OR [randomized controlled trial]/lim OR 'randomization'/exp OR 'clinical trial'/exp OR 'controlled study'/de OR (clinical next/2 trial*):ti,ab OR random*:ti,ab OR RCT*:ti,ab OR Controls:ti,ab OR Controlled:ti,ab OR 'comparative study'/exp OR 'evaluation'/exp OR 'intervention study'/exp OR (meta NEXT/1 analys*):ti,ab OR metaanalys*:ti,ab OR 'organizational efficiency'/exp OR (systematic NEXT/2 review*):ti,ab	
Combined sets:		
68.	1 AND 2 AND 3	

The search result, usually found at the end of the documentation, forms the list of abstracts

/de= Term from the EMTREE controlled vocabulary

/exp= Includes terms found below this term in the EMTREE hierarchy

/mj = Major Topic

:ab = Abstract

:ti = Article Title

:ti:ab = Title or abstract

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

Cinahl via EBSCO 09 March 2011		
Title: Technical Aids for Communication in ADHD		
	Search terms	
Population: ADHD		
69.	MH "Child Behavior Disorders" OR "attention deficit disorder#" OR "Attention-Deficit/Hyperactivity" OR "Attention Deficit Hyperactiv*" OR "minimal brain dysfunction" OR "hyperactivity syndrome#" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR (inattentive N5 hyperactive) OR (inattenti* N5 children) OR "adhd" OR "add" OR "disruptive behavior"	
Intervention: Technical Aids for Communication		
70.	MH "Telecommunications+" OR "internet" OR "Cellular Phone#" OR "Teleconferenc*" OR "mobile device#" OR "mobile phone#" OR "text messag*" OR "cell phone#" OR "cellular phone#" OR "videoconference*" OR "video conferenc*" OR "reminder*" OR "telephone" OR "short message service" OR "sms" OR "electronic communication" OR "telehealth" OR "telemedicine"	
Study designs:		
71.	"Program Evaluation" OR "Evaluation" OR comparative OR (systematic W3 review*) OR "meta analys*" OR (clinical N3 trial#) OR "Pretest-Posttest" OR "random*" OR "RCT*" OR "Controls" OR "Controlled" OR MH "Clinical Trials+" OR (meta W1 analys*) OR metaanalys* OR "Organizational Effectiveness" OR ZW "evidence-based practice"	
Combined sets:		
72.	(1 AND 2 AND 3) AND ZT "journal article"	

The search result, usually found at the end of the documentation, forms the list of abstracts

MH = Term from the "Cinahl Headings" thesaurus

ZT = Publication type

" " = Performs a keyword search of all the database's searchable fields

ZW = Special interest

* = Truncation

= An alternate spelling may contain an extra character

? = EBSCOhost finds all citations of that word with the ? replaced by a letter

Nn: Proximity operator. Terms must appear within n words of each other in any order, e.g. N3

Wn: Proximity operator. Terms must appear within n words of each other in a given order, e.g. W3

IBSS via Proquest 24 March 2011		
Title: Technical Aids for Communication in ADHD		
	Search terms	
Population: ADHD		
73.	TI("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit hyperactivity disorders" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour") OR AB("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit hyperactivity disorders" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour")	
Intervention: Technical Aids for Communication		
74.	TI(Telecommunication* OR "Internet" OR "text message" OR "text messages" OR "text messaging" OR "cell phone" OR "cell phones" OR "cellular phone" OR "cellular phones" OR "mobile phone" OR "mobile phones" OR reminder* OR "short message service" OR "sms" OR Teleconferenc* OR videoconference* OR telephone* OR "electronic communication" OR "telemedicine" OR "telehealth") OR AB(Telecommunication* OR "Internet" OR "text message" OR "text messages" OR "text messaging" OR "cell phone" OR "cell phones" OR "cellular phone" OR "cellular phones" OR "mobile phone" OR "mobile phones" OR reminder* OR "short message service" OR "sms" OR Teleconferenc* OR videoconference* OR telephone* OR "electronic communication" OR "telemedicine" OR "telehealth")	
Limits:		
75.	Record Type:Journal Article	
76.	Language:4 languages searched Danish, English, Norwegian, Swedish	
Combined sets:		
77.	1 AND 2 AND 3 AND 4	

The search result, usually found at the end of the documentation, forms the list of abstracts

TI = Title

AB = Abstract [TIAB] = Title or abstract

* = Truncation

? = Finds all citations of that word with the ? replaced by a letter

“ ” = Citation Marks; searches for an exact phrase

Social Services Abstracts via Proquest 01 April 2011		
Title: Technical Aids for Communication in ADHD		
	Search terms	
Population: ADHD		
78.	TI("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit hyperactivity disorders" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour") OR AB("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit hyperactivity disorders" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour")	
Intervention: Technical Aids for Communication		
79.	TI(Telecommunication* OR "Internet" OR "text message" OR "text messages" OR "text messaging" OR "cell phone" OR "cell phones" OR "cellular phone" OR "cellular phones" OR "mobile phone" OR "mobile phones" OR reminder* OR "short message service" OR "sms" OR Teleconferenc* OR videoconference* OR telephone* OR "electronic communication" OR "telemedicine" OR "telehealth") OR AB(Telecommunication* OR "Internet" OR "text message" OR "text messages" OR "text messaging" OR "cell phone" OR "cell phones" OR "cellular phone" OR "cellular phones" OR "mobile phone" OR "mobile phones" OR reminder* OR "short message service" OR "sms" OR Teleconferenc* OR videoconference* OR telephone* OR "electronic communication" OR "telemedicine" OR "telehealth")	
Limits:		
80.	Record Type:Journal Article	
81.	Language:4 languages searched Danish, English, Norwegian, Swedish	
Combined sets:		
82.	1 AND 2 AND 3 AND 4	

The search result, usually found at the end of the documentation, forms the list of abstracts

TI = Title

AB = Abstract [TIAB] = Title or abstract

* = Truncation

? = Finds all citations of that word with the ? replaced by a letter

“ ” = Citation Marks; searches for an exact phrase

Missbruk ADHD

Pubmed via NLM: 18 Mars 2011		
Title: Drug addiction, abuse and illicit drug use in ADHD		
Search terms		
Population: ADHD		
83.	("Attention Deficit and Disruptive Behavior Disorders"[MeSH Terms] OR "minimal brain dysfunction"[TIAB] OR "hyperactivity syndrome"[TIAB] OR "hyperactive children"[TIAB] OR "hyperkinetic syndrome"[TIAB] OR "hyperkinetic children"[TIAB] OR "inattentive children"[TIAB] OR "inattentive hyperactive"[TIAB] OR ("inattention"[TIAB] AND children[TIAB]) OR "adhd"[TIAB] OR "attention deficit hyperactivity disorder"[TIAB] OR "attention deficit disorder"[TIAB] OR "disruptive behavior"[TIAB] OR "disruptive behaviour"[TIAB])	
Intervention: Drug addiction, abuse and illicit use		
84.	AND ("methylphenidate"[MeSH Terms] OR "amphetamine"[MeSH Terms] OR "methamphetamine"[MeSH Terms] OR "atomoxetine"[Substance Name] OR "methylphenidate"[TIAB] OR "amphetamine"[TIAB] OR "methamphetamine"[TIAB] OR "atomoxetine"[TIAB]) AND ("Amphetamine-Related Disorders"[Mesh] OR "Substance-Related Disorders"[Mesh:NoExp] OR "Substance Withdrawal Syndrome"[Mesh:NoExp] OR "Substance Abuse, Intravenous"[Mesh] OR "abuse"[TIAB] OR "misuse"[TIAB] OR "dependence"[TIAB] OR "addiction"[TIAB] OR "craving"[TIAB] OR "withdrawal"[TIAB] OR "deviation"[TIAB] OR "recreational use"[TIAB] OR "diversion"[TIAB] OR "non medical use"[TIAB] OR "nonmedical use"[TIAB] OR "nonmedicinal use"[TIAB] OR "non medicinal use"[TIAB] OR "non therapeutic use"[TIAB] OR "nontherapeutic use"[TIAB] OR "illicit"[TIAB])	
Study designs		
85.	"Clinical Trial" [Publication Type] OR "Clinical Trials as Topic"[Mesh] OR "case control studies"[MeSH Terms] OR "cohort studies"[MeSH Terms] OR "observational"[TIAB] OR "observation"[TIAB] OR "random"[TIAB] OR "randomly"[TIAB] OR "randomized"[TIAB] OR "randomised"[TIAB] OR "control"[TIAB] OR "controlled"[TIAB] OR "clinical trial"[TIAB] OR "case control"[TIAB] OR "longitudinal"[TIAB] OR "prospective"[TIAB] OR "long term"[TIAB] OR "longterm"[TIAB] OR "follow up"[TIAB] OR "followup"[TIAB] OR "adverse effects"[MeSH Subheading] OR "adverse effects"[TIAB] OR "side effects"[TIAB] OR "undesirable effects"[TIAB] OR "epidemiology"[MeSH Subheading]	
Combined sets		
86.	1 AND 2 AND 3	

The search result, usually found at the end of the documentation, forms the list of abstracts

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TIAB] = Title or abstract

[TI] = Title

[AU] = Author

[TW] = Text Word

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

PsycInfo via EBSCO 18 Mars 2011	
Title: Drug addiction, abuse and illicit drug use in ADHD	
	Search terms
Population: ADHD	
87.	(DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR TI ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour") OR AB ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour"))
Intervention: Drug addiction, abuse and illicit use	
88.	(DE "Methylphenidate" OR DE "Amphetamine" OR DE "Methamphetamine" OR DE "Atomoxetine" OR TI ("methylphenidate" OR "amphetamine" OR "methamphetamine" OR "atomoxetine") OR AB ("methylphenidate" OR "amphetamine" OR "methamphetamine" OR "atomoxetine")) AND (DE "Drug Abuse" OR DE "Drug Addiction" OR DE "Alcohol Abuse" OR DE "Drug Dependency" OR DE "Inhalant Abuse" OR DE "Polydrug Abuse" OR DE "Drug Withdrawal" OR DE "Intravenous Drug Usage" OR TI ("abuse" OR "misuse" OR "dependence" OR "addiction" OR "craving" OR "withdrawal" OR "deviation" OR "recreational use" OR "diversion" OR "non medical use" OR "nonmedical use" OR "nonmedicinal use" OR "non medicinal use" OR "non therapeutic use" OR "nontherapeutic use" OR "illicit") OR AB ("abuse" OR "misuse" OR "dependence" OR "addiction" OR "craving" OR "withdrawal" OR "deviation" OR "recreational use" OR "diversion" OR "non medical use" OR "nonmedical use" OR "nonmedicinal use" OR "non medicinal use" OR "non therapeutic use" OR "nontherapeutic use" OR "illicit"))
Study designs	
89.	(DE "Clinical Trials" OR DE "Cohort Analysis" OR DE "prospective studies" OR DE "followup studies" OR DE "Longitudinal Studies" OR DE "Side Effects (Drug)" OR TI ("observational" OR "observation" OR "random" OR "randomly" OR "randomized" OR "randomised" OR "control" OR "controlled" OR "cohort" OR "case control" OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR "longterm" OR "follow up" OR "followup" OR "adverse effects" OR "follow up" OR "followup" OR "side effects" OR "undesirable effects") OR AB ("observational" OR "observation" OR "random" OR "randomly" OR "randomized" OR "randomised" OR "control" OR "controlled" OR "cohort" OR "case control" OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR "longterm" OR "follow up" OR "followup" OR "adverse effects" OR "follow up" OR "followup" OR "side effects" OR "undesirable effects") OR DE "Epidemiology")

Combined sets		
90.	1 AND 2 AND 3	

The search result, usually found at the end of the documentation, forms the list of abstracts

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

" " = Citation Marks; searches for an exact phrase

Embase via Embase.com 18 Mars 2011		
Title: Drug addiction, abuse and illicit drug use in ADHD		
Search terms		
Population: ADHD		
91.	('attention deficit disorder'/exp OR "minimal brain dysfunction":ti,ab OR "hyperactivity syndrome":ti,ab OR "hyperactive children":ti,ab OR "hyperkinetic syndrome":ti,ab OR "hyperkinetic children":ti,ab OR "inattentive children":ti,ab OR "inattentive hyperactive":ti,ab OR ("inattention":ti,ab AND children:ti,ab) OR "adhd":ti,ab OR "attention deficit hyperactivity disorder":ti,ab OR "attention deficit disorder":ti,ab OR "disruptive behavior":ti,ab OR "disruptive behaviour":ti,ab)	
Intervention: Drug addiction, abuse and illicit use		
92.	('methylphenidate'/exp OR 'amphetamine'/exp OR 'methamphetamine'/exp OR 'atomoxetine'/exp OR 'methylphenidate':ab,ti OR 'amphetamine':ab,ti OR 'methamphetamine':ab,ti OR 'atomoxetine':ab,ti) AND ('drug abuse'/exp OR 'drug dependence'/exp OR 'withdrawal syndrome'/exp OR 'substance abuse'/exp OR 'illicit drug'/exp OR "abuse":ti,ab OR "misuse":ti,ab OR "dependence":ti,ab OR "addiction":ti,ab OR "craving":ti,ab OR "withdrawal":ti,ab OR "deviation":ti,ab OR "recreational use":ti,ab OR "diversion":ti,ab OR "non medical use":ti,ab OR "nonmedical use":ti,ab OR "nonmedicinal use":ti,ab OR "non medicinal use":ti,ab OR "non therapeutic use":ti,ab OR "nontherapeutic use":ti,ab OR "illicit":ti,ab)	
Study types		
93.	'controlled clinical trial'/exp OR [controlled clinical trial]/lim OR [randomized controlled trial]/lim OR 'case control study'/exp OR 'cohort analysis'/exp OR "observational":ti,ab OR "observation":ti,ab OR "random":ti,ab OR "randomly":ti,ab OR "randomized":ti,ab OR "randomised":ti,ab OR "control":ti,ab OR "controlled":ti,ab OR "clinical trial":ti,ab OR "case control":ti,ab OR "longitudinal":ti,ab OR "prospective":ti,ab OR "long term":ti,ab OR "longterm":ti,ab OR "follow up":ti,ab OR "followup":ti,ab OR "adverse effects":ti,ab OR "side effects":ti,ab OR "undesirable effects":ti,ab OR 'adverse drug reaction'/exp OR 'epidemiology'/exp	
Combined sets		
94.	1 AND 2 AND 3	

/de= Term from the EMTREE controlled vocabulary

/exp= Includes terms found below this term in the EMTREE hierarchy

/mj = Major Topic

:ab = Abstract

:au = Author

:ti = Article Title

:ti:ab = Title or abstract

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

Organisation ADHD

Pubmed via NLM 01 March 2011 Title: Organisational interventions in ADHD	
Search terms	
Population: ADHD	
95.	"Child Behavior Disorders"[Mesh] OR "Attention Deficit and Disruptive Behavior Disorders"[Mesh] OR "minimal brain dysfunction"[TIAB] OR "hyperactivity syndrome"[TIAB] OR "hyperactive children"[TIAB] OR "hyperkinetic syndrome"[TIAB] OR "hyperkinetic children"[TIAB] OR "inattentive children"[TIAB] OR "inattentive hyperactive"[TIAB] OR ("inattention"[TIAB] AND children[TIAB]) OR "adhd"[TIAB] OR "attention deficit hyperactivity disorder"[TIAB] OR "attention deficit hyperactivity disorders"[TIAB] OR "attention deficit disorder"[TIAB] OR "disruptive behavior"[TIAB] OR "disruptive behaviour"[TIAB]
Intervention: Organizational	
96.	"Ambulatory Care"[Mesh] OR "Ambulatory Care Facilities"[Mesh:NoExp] OR "ambulatory"[TIAB] OR "ambulant"[TIAB] OR "Mobile Health Units"[Mesh] OR "mobile team"[TIAB] OR "mobile teams"[TIAB] OR "Day Care "[Mesh] OR "Institutionalization"[Mesh] OR "institutional care"[TIAB] OR institutional*[TIAB] OR "day care"[TIAB] OR "day hospital"[TIAB] OR "day clinic"[TIAB] OR "Inpatients"[Mesh] OR inpatient*[TIAB] OR "hospitalized"[TIAB] OR "hospitalised"[TIAB] OR "Outpatients"[Mesh] OR "Outpatient Clinics, Hospital"[Mesh] OR outpatient*[TIAB] OR "out patient"[TIAB] OR "out patients"[TIAB] OR "Case Management"[Mesh] OR "case manager"[TIAB] OR "case managers"[TIAB] OR "case management"[TIAB] OR "Deinstitutionalization"[Mesh] OR deinstitutional*[TIAB] OR "Family Practice"[Mesh] OR "family practice"[TIAB] OR "family practices"[TIAB] OR "Primary Health Care"[Mesh] OR "primary health care"[TIAB] OR "primary healthcare"[TIAB] OR "primary care"[TIAB] OR "Physicians, Family"[Mesh] OR "family physician"[TIAB] OR "family physicians"[TIAB] OR "general practice"[TIAB] OR "general practices"[TIAB] OR "general practitioner"[TIAB] OR "general practitioners"[TIAB] OR "Mental Health Services"[Mesh:NoExp] OR "Community Mental Health Centers"[Mesh] OR "Community Mental Health Services"[Mesh] OR "community mental health"[TIAB] OR "cmhc"[TIAB] OR "cmhs"[TIAB] OR "assertive community"[TIAB] OR "integrated care"[TIAB] OR "shared care"[TIAB] OR "Delivery of Health Care, Integrated "[Mesh] OR "integrated health care"[TIAB] OR "integrated delivery"[TIAB]
97.	"collaborative care"[TIAB] OR "multisystemic"[TIAB] OR "mst"[TIAB] OR "multi systemic"[TIAB] OR "Schools"[Mesh] OR "School Health Services"[Mesh] OR "school nurse"[TIAB] OR "school nursing"[TIAB] OR "school nurses"[TIAB] OR "school based"[TIAB] OR "school setting"[TIAB] OR "school settings"[TIAB] OR "school health"[TIAB] OR "functional family therapy"[TIAB] OR "fft"[TIAB] OR "Child Health Services"[Mesh] OR "Maternal-Child Health Centers"[Mesh] OR "maternal child health"[TIAB] OR "child health service"[TIAB] OR "child health services"[TIAB] OR

	"Adolescent Health Services"[Mesh] OR "adolescent health service"[TIAB] OR "adolescent health services"[TIAB] OR "child health care"[TIAB] OR "child healthcare"[TIAB] OR "adolescent healthcare"[TIAB] OR "adolescent health care"[TIAB] OR "Combined Modality Therapy"[Mesh] OR "multimodal"[TIAB]	
98.	"Therapy, Computer-Assisted"[Mesh] OR "Computer-Assisted Instruction"[Mesh] OR "Computers, Handheld"[Mesh] OR computer*[TIAB] OR "Reminder Systems"[Mesh] OR reminder*[TIAB] OR "mobile device"[TIAB] OR "mobile devices"[TIAB] OR "text messages"[TIAB] OR "text message"[TIAB] OR "text messaging"[TIAB] OR "cell phone"[TIAB] OR "cellular phone"[TIAB] OR "mobile phone"[TIAB] OR "smart homes"[TIAB] OR "smart home"[TIAB] OR videoconferenc*[TIAB] OR "Telephone"[Mesh] OR "technology"[TIAB] OR "Videoconferencing"[Mesh] OR "Internet"[Mesh] OR "Online Systems"[Mesh] OR "intelligent systems"[TIAB] OR "Artificial Intelligence"[Mesh] OR "short message service"[TIAB] OR "sms"[TIAB]	
99.	"continuity"[TIAB] OR "Continuity of Patient Care"[Mesh] OR "Rehabilitation"[Mesh] OR "Rehabilitation Centers"[Mesh] OR rehabilitat*[TIAB] OR habilitat*[TIAB] OR "sectorized"[TIAB] OR "sectoral"[TIAB]	
100.	2 OR 3 OR 4 OR 5	
Outcome:		
101.	"Hospitalization"[Mesh] OR hospitalization*[TIAB] OR hospitalisation*[TIAB] OR "admittance"[TIAB] OR "admission"[TIAB] OR "admitted"[TIAB] OR recurren*[TIAB] OR relaps*[TIAB] OR "Recurrence"[Mesh] OR "quality of life"[TIAB] OR "Quality of Life"[Mesh] OR rehospitallisation*[TIAB] OR rehospitallization*[TIAB] OR "rehospitalised"[TIAB] OR "rehospitalized"[TIAB] OR unemploy*[TIAB] OR employ*[TIAB] OR "Employment"[Mesh] OR readmission*[TIAB] OR readmitt*[TIAB] OR "functioning"[TIAB] OR "social interaction"[TIAB] OR "Social Adjustment"[Mesh] OR "Social Behavior"[Mesh:NoExp] OR behavior*[TIAB] OR behaviour*[TIAB] OR "GAF"[TIAB] OR "global assessment of functioning"[TIAB] OR "global assessment functioning"[TIAB] OR "sheehan disability scale"[TIAB] OR "sheehan scales"[TIAB] OR "SDS"[TIAB] OR "sofas"[TIAB] OR ("occupational functioning assessment scale"[TIAB] AND "social"[TIAB]) OR ("international Classification" [TIAB] AND "functioning"[TIAB] AND "health"[TIAB] AND "disability"[TIAB]) OR "icf"[TIAB] OR "clinical global impression"[TIAB] OR "cgi"[TIAB] OR "Patient Satisfaction"[Mesh] OR satisf*[TIAB] OR "Severity of Illness Index"[Mesh] OR "severity"[TIAB] OR symptom*[TIAB] OR "next of kin"[TIAB] OR "significant others"[TIAB] OR "significant other"[TIAB] OR "loved ones"[TIAB] OR family[TIAB] OR "Caregivers/psychology"[Mesh] OR "Family/psychology"[Mesh] OR "Family Health"[Mesh] OR "failure to thrive"[TIAB] OR "Failure to Thrive"[Mesh] OR "school results"[TIAB] OR "school outcome"[TIAB] OR "school outcomes"[TIAB] OR "academic outcome"[TIAB] OR "academic outcomes"[TIAB] OR "educational	

	outcome"[TIAB] OR "educational outcomes"[TIAB] OR "Achievement"[Mesh] OR achievement*[TIAB] OR "Educational Measurement"[Mesh] OR "Educational Status"[Mesh] OR performance*[TIAB] OR "academic scores"[TIAB] OR "academic score"[TIAB]	
Study designs		
102.	"Clinical Trials as Topic"[Mesh] OR "Randomized Controlled Trials as Topic"[Mesh] OR "Controlled Clinical Trials as Topic"[Mesh] OR "randomized controlled trial"[Publication Type] OR "controlled clinical trial"[Publication Type] OR "multicenter study"[Publication Type] OR "clinical trial"[Publication Type] OR "meta analysis"[Publication Type] OR "meta analysis"[TIAB] OR metaanalys*[TIAB] OR "meta analyses"[TIAB] OR random*[TIAB] OR RCT*[TIAB] OR controls[TIAB] OR controlled[TIAB] OR "Comparative Study"[Publication Type] OR "Evaluation Studies "[Publication Type] OR "Evaluation Studies as Topic"[Mesh] OR "Intervention Studies"[Mesh] OR "Efficiency, Organizational"[Mesh] OR "Program Evaluation"[Mesh] OR systematic [sb]	
Combined sets:		
103.	1 AND 6 AND 7 AND 8	

The search result, usually found at the end of the documentation, forms the list of abstracts

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[TIAB] = Title or abstract

[Publication Type] = Publication type

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

		Search terms
Population: ADHD		
104.	ZK "developmental disorders & autism" OR DE "Conduct Disorder" OR DE "Behavior Problems" OR DE "Hyperkinesis" OR DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR DE "Autism" OR DE "Aspergers Syndrome" OR TI ("attention deficit disorder#" OR "Attention-Deficit/Hyperactivity" OR "Attention Deficit Hyperactiv*" OR "minimal brain dysfunction" OR "hyperactivity syndrome#" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR (inattentive N5 hyperactive) OR (inattenti* N5 children) OR "adhd" OR "add" OR "disruptive behavio#r" OR autis* OR asperger*) OR AB ("attention deficit disorder#" OR "Attention-Deficit/Hyperactivity" OR "Attention Deficit Hyperactiv*" OR "minimal brain dysfunction" OR "hyperactivity syndrome#" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR (inattentive N5 hyperactive) OR (inattenti* N5 children) OR "adhd" OR "add" OR "disruptive behavio#r" OR autis* OR asperger*) OR KW ("attention deficit disorder#" OR "Attention-Deficit/Hyperactivity" OR "Attention Deficit Hyperactiv*" OR "minimal brain dysfunction" OR "hyperactivity syndrome#" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR (inattentive N5 hyperactive) OR (inattenti* N5 children) OR "adhd" OR "add" OR "disruptive behavio#r"	
Intervention: Organizational		
105.	ZK "outpatient services" OR ZK "inpatient & hospital services" OR ZK "intelligent systems" OR ZK "communication systems" OR DE ("Outpatient Commitment" OR "Outpatient Treatment" OR "Outpatients" OR "Deinstitutionalization" OR "Institutionalization" OR "Hospitalized Patients" OR "Mental Health Services" OR "Community Mental Health Centers" OR "Community Mental Health Services" OR "Schools" OR "School Nurses" OR "Multimodal Treatment Approach" OR "Case Management" OR "Integrated Services" OR "Continuum of Care" OR "Rehabilitation" OR "Habilitation" OR "Rehabilitation Centers" OR "Vocational Rehabilitation" OR "Primary Health Care" OR "General Practitioners" OR "Family Medicine" OR "Family Physicians" OR "Technology" OR "Internet" OR "Teleconferencing" OR "Online Therapy" OR "Cellular Phones" OR "Communication Systems" OR "Electronic Communication" OR "Artificial Intelligence" OR "Computer Assisted Instruction" OR "Computer Assisted Therapy")	
106.	TI ("ambulatory" OR "ambulant" OR outpatient* OR deinstitutionali* OR "day hospital" OR "institutional care" OR institutional* OR "day care" OR "day hospital#" OR "day clinic#" OR hospitali?ed* OR inpatient# OR "Mental Health Services" OR "collaborative care" OR "multisystemic" OR "mst" OR "multi systemic" OR "school nurs*" OR "school based" OR "school setting#" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service#" OR "adolescent health service#" OR "child health care" OR "adolescent health care" OR	

	"child healthcare" OR "adolescent healthcare" OR "multimodal treatment#" OR "case manager#" OR "case management" OR "assertive community" OR "integrated health care" OR "integrated care" OR "shared care" OR "integrated delivery" OR "mobile W2 team#" OR "Community Mental Health" OR "cmhc" OR "cmhs" OR "Continuity" OR rehabilitat* OR habilitat* OR sectori?ed OR sectoral OR (family W1 practice) OR "primary health care" OR "primary healthcare" OR "primary care" OR (general W1 practice*) OR "general practitioner*" OR (family W1 physician*) OR "intelligent systems" OR teleconferenc* OR technolog* OR "mobile device#" OR "mobile phone#" OR "text messag*" OR "cell phone#" OR "cellular phone#" OR "smart home#" OR videoconferenc* OR "video conferenc*" OR computer* OR "short message service" OR "SMS" OR reminder* OR "electronic communication")	
107.	AB ("ambulatory" OR "ambulant" OR outpatient* OR deinstitutionali* OR "day hospital" OR "institutional care" OR institutional* OR "day care" OR "day hospital#" OR "day clinic#" OR hospitali?ed* OR inpatient# OR "Mental Health Services" OR "collaborative care" OR "multisystemic" OR "mst" OR "multi systemic" OR "school nurs*" OR "school based" OR "school setting#" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service#" OR "adolescent health service#" OR "child health care" OR "adolescent health care" OR "child healthcare" OR "adolescent healthcare" OR "multimodal treatment#" OR "case manager#" OR "case management" OR "assertive community" OR "integrated health care" OR "integrated care" OR "shared care" OR "integrated delivery" OR "mobile W2 team#" OR "Community Mental Health" OR "cmhc" OR "cmhs" OR "Continuity" OR rehabilitat* OR habilitat* OR sectori?ed OR sectoral OR (family W1 practice) OR "primary health care" OR "primary healthcare" OR "primary care" OR (general W1 practice*) OR "general practitioner*" OR (family W1 physician*) OR "intelligent systems" OR teleconferenc* OR technolog* OR "mobile device#" OR "mobile phone#" OR "text messag*" OR "cell phone#" OR "cellular phone#" OR "smart home#" OR videoconferenc* OR "video conferenc*" OR computer* OR "short message service" OR "SMS" OR reminder* OR "electronic communication")	
108.	KW ("ambulatory" OR "ambulant" OR outpatient* OR deinstitutionali* OR "day hospital" OR "institutional care" OR institutional* OR "day care" OR "day hospital#" OR "day clinic#" OR hospitali?ed* OR inpatient# OR "Mental Health Services" OR "collaborative care" OR "multisystemic" OR "mst" OR "multi systemic" OR "school nurs*" OR "school based" OR "school setting#" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service#" OR "adolescent health service#" OR "child health care" OR "adolescent health care" OR "child healthcare" OR "adolescent healthcare" OR "multimodal treatment#" OR "case manager#" OR "case management" OR "assertive community" OR "integrated health care" OR "integrated care" OR "shared care" OR "integrated delivery" OR "mobile W2 team#" OR "Community Mental Health" OR "cmhc" OR "cmhs" OR "Continuity" OR rehabilitat* OR	

	<p>habilitat* OR sectori?ed OR sectoral OR (family W1 practice) OR "primary health care" OR "primary healthcare" OR "primary care" OR (general W1 practice*) OR "general practitioner*" OR (family W1 physician*) OR "intelligent systems" OR teleconferenc* OR technolog* OR "mobile device#" OR "mobile phone#" OR "text messag*" OR "cell phone#" OR "cellular phone#" OR "smart home#" OR videoconferenc* OR "video conferenc*" OR computer* OR "short message service" OR "SMS" OR reminder* OR "electronic communication")</p>	
109.	2 OR 3 OR 4 OR 5	
Outcome:		
110.	<p>DE ("Caregiver Burden" OR "Partial Hospitalization" OR "Hospitalization" OR "Hospital Admission" OR "Hospital Discharge" OR "Psychiatric Hospital Admission" OR "Psychiatric Hospitalization" OR "Psychiatric Hospital Readmission" OR "Psychiatric Hospital Discharge" OR "Quality of Life" OR "Employment Status" OR "Unemployment" OR "Social Interaction" OR "Client Satisfaction" OR "Severity (Disorders)" OR "Social Behavior" OR "Social Adjustment" OR "Social Interaction" OR "Failure to Thrive" OR "Achievement" OR "Academic Achievement" OR "Educational Measurement")</p>	
111.	<p>TI (behavio#r OR hospitali?ation* OR "admission" OR admit* OR relaps* OR recurren* OR "quality of life" OR rehospitali?ation* OR rehospitali?ed OR unemploy* OR employ* OR readmission* OR readmit* OR "functioning" OR "social interaction" OR satisf* OR "severity" OR symptom* OR "next of kin" OR (significant W1 other#) OR "loved ones" OR family OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF" OR "global assessment of functioning" OR "global assessment functioning" OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning Assessment Scale" OR "International Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#))</p>	
112.	<p>AB (behavio#r OR hospitali?ation* OR "admission" OR admit* OR relaps* OR recurren* OR "quality of life" OR rehospitali?ation* OR rehospitali?ed OR unemploy* OR employ* OR readmission* OR readmit* OR "functioning" OR "social interaction" OR satisf* OR "severity" OR symptom* OR "next of kin" OR (significant W1 other#) OR "loved ones" OR family OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF" OR "global assessment of functioning" OR "global assessment functioning" OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning Assessment Scale" OR "International Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR</p>	

	performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#)	
113.	KW (behavior OR hospitalization* OR "admission" OR admit* OR relaps* OR recurrent* OR "quality of life" OR rehospitalization* OR rehospitalized OR unemploy* OR employ* OR readmission* OR readmit* OR "functioning" OR "social interaction" OR satisf* OR "severity" OR symptom* OR "next of kin" OR (significant W1 other#) OR "loved ones" OR family OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF" OR "global assessment of functioning" OR "global assessment functioning" OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning Assessment Scale" OR "International Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#)	
114.	7 OR 8 OR 9 OR 10	
Study designs		
115.	DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness"	
Combined sets:		
116.	1 AND 6 AND 11 AND 12	
117.	13 AND ZT "journal"	

The search result, usually found at the end of the documentation, forms the list of abstracts

DE = Term from the thesaurus

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

ZT = Publication type

* = Truncation

= An alternate spelling may contain an extra character

“ ” = Citation Marks; searches for an exact phrase

Nn: Proximity operator. Terms must appear within n words of each other in any order, e.g. N3

	Search terms	Items found
Population: ADHD		
118.	'behavior disorder'/mj OR 'conduct disorder'/exp/mj OR 'attention deficit disorder'/exp/mj OR "attention deficit disorder":ti,ab OR "Attention-Deficit/Hyperactivity":ti,ab OR "Attention Deficit Hyperactivity":ti,ab OR "hyperactivity syndrome":ti,ab OR "hyperactive children":ti,ab OR "hyperkinetic syndrome":ti,ab OR "hyperkinetic children":ti,ab OR (inattentive near/5 hyperactive):ti,ab OR (inattenti* near/5 children):ti,ab OR "adhd":ti,ab OR "add":ti,ab OR 'disruptive behavior'/exp/mj OR "disruptive behavior":ti,ab OR "disruptive behaviour":ti,ab OR 'minimal brain dysfunction'/exp/mj OR "minimal brain dysfunction":ti,ab	
Intervention: Organizational		
119.	'ambulatory care'/exp/mj OR "ambulant":ti,ab OR "ambulatory":ti,ab OR 'outpatient'/exp/mj OR 'outpatient department'/exp/mj OR 'outpatient care'/exp/mj OR outpatient*:ti,ab OR (out NEXT/1 patient*):ti,ab OR 'deinstitutionalization'/exp/mj OR deinstitutionali*:ti,ab OR 'day hospital'/exp/mj OR (day NEXT/1 (clinic OR hospital)):ti,ab OR 'hospital patient'/exp/mj OR hospitali?ed:ti,ab OR inpatient*:ti,ab OR 'day care'/exp/mj OR "day care":ti,ab OR 'institutionalization'/exp/mj OR "institutional care":ti,ab OR institutional*:ti,ab OR 'general practice'/exp/mj OR (family NEXT/1 practice*):ti,ab OR 'primary health care'/exp/mj OR "primary health care":ti,ab OR "primary healthcare":ti,ab OR "primary care":ti,ab OR (general NEXT/1 (practice* OR practitioner*)):ti,ab OR (family NEXT/1 physician*):ti,ab OR 'case management'/exp/mj OR (case NEXT/2 manage*):ti,ab OR "assertive community":ti,ab OR 'mental health service'/exp/mj OR 'community mental health center'/exp/mj OR "community mental health":ti,ab OR "cmhc":ti,ab OR "cmhs":ti,ab OR 'integrated health care system'/exp/mj OR "integrated health care":ti,ab OR "integrated care":ti,ab OR "shared care":ti,ab OR "integrated delivery":ti,ab OR (mobile NEXT/2 team*):ti,ab	
120.	"collaborative care":ti,ab OR "multisystemic":ti,ab OR "mst":ti,ab OR "multi systemic":ti,ab OR 'school'/exp/mj OR 'school health service'/exp/mj OR "school health care":ti,ab OR "school healthcare":ti,ab OR (school NEXT/1 nurs*):ti,ab OR "school based":ti,ab OR (school NEXT/1 setting*):ti,ab OR "school health":ti,ab OR "functional family therapy":ti,ab OR "fft":ti,ab OR 'child health care'/exp/mj OR "maternal child health":ti,ab OR ("child health" NEXT/1 service*):ti,ab OR "child health care":ti,ab OR "child healthcare":ti,ab OR ("adolescent health" NEXT/1 service*):ti,ab OR "adolescent health care":ti,ab OR "adolescent healthcare":ti,ab OR multimodal:ti,ab	
121.	'rehabilitation center'/exp/mj OR 'rehabilitation'/exp/mj OR rehabilitat*:ti,ab OR habilitat*:ti,ab OR "sectori?ed":ti,ab OR "sectoral":ti,ab OR "continuity":ti,ab	

122.	'computer'/exp/mj OR 'Internet'/exp/mj OR 'videoconferencing'/exp/mj OR 'computer assisted therapy'/de/mj OR 'telephone'/exp/mj OR 'mobile phone'/exp/mj OR 'online system'/exp/mj OR (text NEXT/1 messag*):ti,ab OR ((mobile OR cell*) NEXT/1 (device* OR phone OR telephone)):ti,ab OR (smart NEXT/1 home*):ti,ab OR 'videoconferencing'/exp/mj OR (video NEXT/1 conferenc*):ti,ab OR videoconferenc*:ti,ab OR computer*:ti,ab OR 'artificial intelligence'/exp/mj OR (intelligent NEXT/1 system*):ti,ab OR technolog*:ti,ab OR 'technology'/de/mj OR reminder*:ti,ab OR 'reminder system'/exp/mj OR 'teleconference'/exp/mj OR teleconferenc*:ti,ab OR "electronic communication":ti,ab OR "Short message service":ti,ab OR "SMS":ti,ab	
123.	2 OR 3 OR 4 OR 5	
Outcome:		
124.	'hospital readmission'/exp OR 'hospital admission'/exp OR 'hospital discharge'/exp OR 'hospitalization'/exp OR hospitali?ation*:ti,ab OR "admission":ti,ab OR "admitted":ti,ab OR rehospitali?ation*:ti,ab OR rehospitali?ed:ti,ab OR readmission*:ti,ab OR readmitted:ti,ab OR recurren*:ti,ab OR relaps*:ti,ab OR "quality of life":ti,ab OR 'quality of life'/exp OR unemploy*:ti,ab OR employ*:ti,ab OR 'employment'/exp OR 'unemployment'/exp OR "functioning":ti,ab OR behavior*:ti,ab OR behavior*:ti,ab OR 'social behavior'/de OR 'social adaptation'/de OR 'social interaction'/exp OR 'functional assessment'/exp OR "GAF":ti,ab OR "global assessment of functioning":ti,ab OR "global assessment functioning":ti,ab OR "sheehan disability scale":ti,ab OR "sheehan scales":ti,ab OR "SDS":ti,ab OR "sofas":ti,ab OR "Social Occupational Functioning Assessment Scale":ti,ab OR "International Classification of Functioning, Disability and Health":ti,ab OR "icf":ti,ab OR "clinical global impression":ti,ab OR "cgi":ti,ab OR 'patient satisfaction'/exp OR satisf*:ti,ab OR 'disease severity'/de OR "severity":ti,ab OR symptom*:ti,ab OR "next of kin":ti,ab OR (significant NEXT/1 other*):ti,ab OR "loved ones":ti,ab OR family:ti,ab OR 'caregiver burden'/exp OR (caregiver NEXT/1 (burden OR strain)):ti,ab OR 'family health'/exp OR 'failure to thrive'/exp OR 'achievement'/exp OR 'educational status'/exp OR "failure to thrive":ti,ab OR 'Child Behavior Checklist'/exp OR achievement*:ti,ab OR performance*:ti,ab OR ((educational OR school OR academic) near/5 (outcome* OR result* OR score)):ti,ab	
Study designs		
125.	([cochrane review]/lim OR [meta analysis]/lim OR [systematic review]/lim OR [controlled clinical trial]/lim OR [randomized controlled trial]/lim OR 'randomization'/exp OR 'clinical trial'/exp OR 'controlled study'/de OR (clinical next/2 trial*):ti,ab OR random*:ti,ab OR RCT*:ti,ab OR Controls:ti,ab OR Controlled:ti,ab OR 'comparative study'/exp OR 'evaluation'/exp OR 'intervention study'/exp OR (meta NEXT/1 analys*):ti,ab OR metaanalys*:ti,ab OR 'organizational efficiency'/exp OR (systematic NEXT/2 review*))	

Combined sets:		
126.	1 AND 6 AND 7 AND 8	

The search result, usually found at the end of the documentation, forms the list of abstracts

/de= Term from the EMTREE controlled vocabulary

/exp= Includes terms found below this term in the EMTREE hierarchy

/mj = Major Topic

:ab = Abstract

:ti = Article Title

:ti:ab = Title or abstract

* = Truncation

“ “ = Citation Marks; searches for an exact phrase

* = Truncation

“ “ = Citation Marks; searches for an exact phrase

Search terms	
Population: ADHD	
127.	MH "Child Development Disorders, Pervasive" OR MH "Child Behavior Disorders" OR "attention deficit disorder#" OR "Attention-Deficit/Hyperactivity" OR "Attention Deficit Hyperactiv*" OR "minimal brain dysfunction" OR "hyperactivity syndrome#" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR (inattentive N5 hyperactive) OR (inattenti* N5 children) OR "adhd" OR "add" OR "disruptive behavio#r"
Intervention: Organizational	
128.	"ambulant" OR "Ambulatory" OR "Outpatient*" OR (out W1 patient*) OR deinstitutionali* OR institutionali* OR "institutional care" OR "Day Care" OR "Inpatient*" OR "hospitali?ed" OR "day hospital#" OR "day clinic#" OR (family W1 practice#) OR "primary health care" OR "primary healthcare" OR "primary care" OR "general practice#" OR "general practitioner#" OR MH "Physicians, Family" OR (family W1 physician*) OR "Mental Health Service#" OR "Community Mental Health" OR "cmhc" OR "cmhs" OR "Health Care Delivery, Integrated" OR "integrated delivery" OR "integrated care" OR "Integrated Services" OR "integrated health care" OR "shared care" OR "assertive community" OR "Case Management" OR "Case Manager#" OR SC "case management" OR "Mobile Health Units" OR (mobile W2 team#) OR MH "Schools+" OR "school nurs*" OR "school based" OR "school setting#" OR "school health" OR MH "Combined Modality Therapy"
129.	"multimodal" OR "collaborative care" OR "multisystemic" OR "mst" OR "multi systemic" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service#" OR "adolescent health service#" OR "child health care" OR "adolescent health care" OR "child healthcare" OR "adolescent healthcare" OR "Maternal-Child care"
130.	"sectori?ed" OR "sectoral" OR "continuity" OR rehabilitat* OR habilitat*
131.	"Technology" OR MH "Telecommunications+" OR MH "Online Systems" OR "Communication Systems" OR "Electronic Communication" OR "Artificial Intelligence" OR "intelligent systems" OR teleconferenc* OR "mobile device#" OR "mobile phone#" OR "text messag*" OR "cell phone#" OR "cellular phone#" OR "telephone" OR "smart home#" OR videoconferenc* OR "video conferenc*" OR computer* OR "short message service" OR "SMS" OR reminder*
132.	2 OR 3 OR 4 OR 5
Outcome:	
133.	"Functional Assessment" OR "hospitali?ation*" OR "admission" OR "admit*" OR "relaps*" OR "recurren*" OR "quality of life" OR "rehospitali?ation*" OR "discharge*" OR "rehospitali?ed" OR "unemploy*" OR "employ*" OR "readmission*" OR "readmit*" OR "functioning" OR "social interaction" OR "Social Adjustment" OR MH "Social Behavior" OR TI

	"behavio#r*" OR AB "behavio#r*" OR "satisf*" OR "severity" OR "symptom*" OR "next of kin" OR (significant W1 other#) OR "loved ones" OR "family" OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF" OR "global assessment of functioning" OR "global assessment functioning" OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning Assessment Scale" OR "International Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "Educational Measurement" OR "Educational Status" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#)	
Study designs		
134.	"Program Evaluation" OR "Evaluation" OR comparative OR (systematic W3 review*) OR "meta analys*" OR (clinical N3 trial#) OR "Pretest-Posttest" OR "random*" OR "RCT*" OR "Controls" OR "Controlled" OR MH "Clinical Trials+" OR (meta W1 analys*) OR metaanalys* OR "Organizational Effectiveness" OR ZW "evidence-based practice"	
Combined sets:		
135.	1 AND 6 AND 7 AND 8	
136.	9 AND ZT "journal article"	

The search result, usually found at the end of the documentation, forms the list of abstracts

ZT = Publication Type

* = Truncation

= An alternate spelling may contain an extra character

? = EBSCOhost finds all citations of that word with the ? replaced by a letter

“ “ = Citation Marks; searches for an exact phrase

Nn: Proximity operator. Terms must appear within n words of each other in any order, e.g. N3

Wn: Proximity operator. Terms must appear within n words of each other in a given order, e.g. W3

		Search terms	
Population: ADHD			
137.		TI("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit hyperactivity disorders" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour") OR AB("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit hyperactivity disorders" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour")	
Intervention: Organizational			
138.		TI("ambulatory" OR "ambulant" OR "mobile team" OR "mobile teams" OR "institutional care" OR institutional* OR "day care" OR "day hospital" OR "day clinic" OR inpatient* OR "hospitalized" OR "hospitalised" OR outpatient* OR "out patient" OR "out patients" OR "case manager" OR "case managers" OR "case management" OR deinstitutionali* OR "family practice" OR "family practices" OR "primary health care" OR "primary healthcare" OR "primary care" OR "family physician" OR "family physicians" OR "general practice" OR "general practices" OR "general practitioner" OR "general practitioners" OR "community mental health" OR "cmhc" OR "cmhs" OR "assertive community" OR "integrated care" OR "shared care" OR "integrated health care" OR "integrated delivery" OR "collaborative care" OR "multisystemic" OR "mst" OR "multi systemic" OR "school nurse" OR "school nursing" OR "school nurses" OR "school based" OR "school setting" OR "school settings" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service" OR "child health services" OR "adolescent health service" OR "adolescent health services" OR "child health care" OR "child healthcare" OR "adolescent healthcare" OR "adolescent health care" OR "multimodal" OR "continuity" OR rehabilitat* OR habilitat* OR "sectorized" OR "sectoral")	
139.		AB("ambulatory" OR "ambulant" OR "mobile team" OR "mobile teams" OR "institutional care" OR institutional* OR "day care" OR "day hospital" OR "day clinic" OR inpatient* OR "hospitalized" OR "hospitalised" OR outpatient* OR "out patient" OR "out patients" OR "case manager" OR "case managers" OR "case management" OR deinstitutionali* OR "family practice" OR "family practices" OR "primary health care" OR "primary healthcare" OR "primary care" OR "family physician" OR "family physicians" OR "general practice" OR "general practices" OR "general practitioner" OR "general practitioners" OR "community mental health" OR "cmhc" OR "cmhs" OR "assertive community" OR "integrated care" OR "shared care" OR "integrated health care" OR "integrated delivery" OR "collaborative care" OR "multisystemic" OR "mst" OR "multi systemic" OR	

	"school nurse" OR "school nursing" OR "school nurses" OR "school based" OR "school setting" OR "school settings" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service" OR "child health services" OR "adolescent health service" OR "adolescent health services" OR "child health care" OR "child healthcare" OR "adolescent healthcare" OR "adolescent health care" OR "multimodal" OR "continuity" OR rehabilitat* OR habilitat* OR "sectorized" OR "sectoral")	
140.	2 OR 3	
Limits:		
141.	Limited by: Record Type:Journal ArticleLanguage:4 languages searched ViewHideDanish, English, Norwegian, SwedishDatabases:International Bibliography of the Social Sciences (IBSS)	
Combined sets:		
142.	1 AND 4 AND 5	

The search result, usually found at the end of the documentation, forms the list of abstracts

TI = Title

AB = Abstract

* = Truncation

? = Finds all citations of that word with the ? replaced by a letter

“ ” = Citation Marks; searches for an exact phrase

Social Services Abstracts via Proquest 31 March 2011		
Title: Organisational interventions in ADHD		
Search terms		
Population: ADHD		
143.	TI("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit hyperactivity disorders" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour") OR AB("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit hyperactivity disorders" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour")	
Intervention: Organizational		
144.	TI("ambulatory" OR "ambulant" OR "mobile team" OR "mobile teams" OR "institutional care" OR institutional* OR "day care" OR "day hospital" OR "day clinic" OR inpatient* OR "hospitalized" OR "hospitalised" OR outpatient* OR "out patient" OR "out patients" OR "case manager" OR "case managers" OR "case management" OR deinstitutionali* OR "family practice" OR "family practices" OR "primary health care" OR "primary healthcare" OR "primary care" OR "family physician" OR "family physicians" OR "general practice" OR "general practices" OR "general practitioner" OR "general practitioners" OR "community mental health" OR "cmhc" OR "cmhs" OR "assertive community" OR "integrated care" OR "shared care" OR "integrated health care" OR "integrated delivery" OR "collaborative care" OR "multisystemic" OR "mst" OR "multi systemic" OR "school nurse" OR "school nursing" OR "school nurses" OR "school based" OR "school setting" OR "school settings" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service" OR "child health services" OR "adolescent health service" OR "adolescent health services" OR "child health care" OR "child healthcare" OR "adolescent healthcare" OR "adolescent health care" OR "multimodal" OR "continuity" OR rehabilitat* OR habilitat* OR "sectorized" OR "sectoral")	
145.	AB("ambulatory" OR "ambulant" OR "mobile team" OR "mobile teams" OR "institutional care" OR institutional* OR "day care" OR "day hospital" OR "day clinic" OR inpatient* OR "hospitalized" OR "hospitalised" OR outpatient* OR "out patient" OR "out patients" OR "case manager" OR "case managers" OR "case management" OR deinstitutionali* OR "family practice" OR "family practices" OR "primary health care" OR "primary healthcare" OR "primary care" OR "family physician" OR "family physicians" OR "general practice" OR "general practices" OR "general practitioner" OR "general practitioners" OR "community mental health" OR "cmhc" OR "cmhs" OR "assertive community" OR "integrated care" OR	

	"shared care" OR "integrated health care" OR "integrated delivery" OR "collaborative care" OR "multisystemic" OR "mst" OR "multi systemic" OR "school nurse" OR "school nursing" OR "school nurses" OR "school based" OR "school setting" OR "school settings" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service" OR "child health services" OR "adolescent health service" OR "adolescent health services" OR "child health care" OR "child healthcare" OR "adolescent healthcare" OR "adolescent health care" OR "multimodal" OR "continuity" OR rehabilitat* OR habilitat* OR "sectorized" OR "sectoral")	
146.	2 OR 3	
Limits:		
147.	Limited by: Record Type:Journal ArticleLanguage:4 languages searched ViewHideDanish, English, Norwegian, SwedishDatabases:International Bibliography of the Social Sciences (IBSS)	
Combined sets:		
148.	1 AND 4 AND 5	

The search result, usually found at the end of the documentation, forms the list of abstracts

TI = Title

AB = Abstract

* = Truncation

? = Finds all citations of that word with the ? replaced by a letter

“ ” = Citation Marks; searches for an exact phrase

	Search terms	
Population: ADHD		
149.	MeSH descriptor Attention Deficit and Disruptive Behavior Disorders explode all trees	
150.	MeSH descriptor Tourette Syndrome	
151.	MeSH descriptor Juvenile Delinquency explode all trees	
152.	MeSH descriptor Child Behavior Disorders explode all trees	
153.	"minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit hyperactivity disorders" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour" OR "tourette" OR "tourette s":ti,ab,kw	
154.	/OR 1-5	

Patientens delaktighet ADHD

Pubmed via NLM 23 May 2011	
Title: Patient Participation - ADHD	
Search terms	
Population: ADHD	
155.	"Attention Deficit and Disruptive Behavior Disorders"[MeSH major topic] OR "minimal brain dysfunction"[TIAB] OR "hyperactivity syndrome"[TIAB] OR "hyperactive children"[TIAB] OR "hyperkinetic syndrome"[TIAB] OR "hyperkinetic children"[TIAB] OR "inattentive children"[TIAB] OR "inattentive hyperactive"[TIAB] OR ("inattention"[TIAB] AND children[TIAB]) OR "adhd"[TIAB] OR "attention deficit hyperactivity disorder"[TIAB] OR "attention deficit disorder"[TIAB] OR "disruptive behavior"[TIAB] OR "disruptive behaviour"[TIAB]
Outcome: Patient Participation	
156.	"Patient Participation"[MeSH Terms] OR "Patient Satisfaction"[MeSH Terms] OR "Patient Acceptance of Health Care"[MeSH Terms] OR "Attitude to Health"[MeSH Terms] OR "Nurse-Patient Relations"[MeSH Terms] OR "Physician-Patient Relations"[MeSH Terms] OR "Patients/psychology"[MAJR] OR "shared decision making"[TIAB] OR "subjective"[TI] OR "personal autonomy"[MeSH Terms] OR ("perspective"[TI] OR "perspectives"[TI] OR "involvement"[TI] OR "centered"[TI]) AND ("consumer"[TI] OR "consumers"[TI] OR "patient"[TI] OR "patients"[TI] OR "parent"[TI] OR "parents"[TI] OR "family"[TI] OR "relatives"[TI] OR "sibling"[TI] OR "siblings"[TI] OR "spouse"[TI] OR "spouses"[TI])
Study designs: Qualitative	
157.	"qualitative research"[MeSH Terms] OR "qualitative"[TIAB] OR "grounded theory"[TIAB] OR phenomenogra*[TIAB] OR phenomenologi*[TIAB] OR hermeneutic[TIAB] OR meaning[TIAB] OR "lived experience"[TIAB] OR phenomenology[TIAB] OR "content analysis"[TIAB] OR ethogra*[TIAB] OR etnogra*[TIAB] OR "social systems theory"[TIAB] OR "interview, psychological"[MeSH Terms] OR "interview"[TIAB] OR "interviews"[TIAB] OR "interviewing"[TIAB] OR "interviewed"[TIAB] OR "interviews as topic"[MeSH Terms] OR "questionnaires"[MeSH Terms] OR "comparative study"[publication type] OR "review"[publication type] OR "systematic"[SB] OR "Patient Compliance"[MeSH Terms] OR "Guideline Adherence"[MeSH Terms] OR "Randomized Controlled Trial"[PT] OR "Cohort Studies"[MeSH Terms]
Limits: Language	
158.	Limits: english, german, danish, norwegian, swedish
Combined sets	
159.	1 AND 2 AND 3 AND 4

[MeSH Terms] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TI] = Title

[TIAB] = Title or abstract

[PT] = Publication type

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

PsycInfo via EBSCO 24 March 2011		
Title: Patient Participation - ADHD		
	Search terms	
Population: ADHD		
160.	TX "adhd" OR TX "attention deficit" OR TX "add"	
Outcome: Patient Participation		
161.	DE "client participation" OR DE "client satisfaction" OR DE "group decision making" OR KW "shared decision making" OR DE "decision making" OR DE "preferences" OR DE "empowerment" OR ((TI "perspective" OR TI "perspectives" OR TI "involvement" OR TI "centered") AND (TI "consumer" OR TI "consumers" OR TI "patient" OR TI "patients" OR TI "parent" OR TI "parents" OR TI "family" OR TI "relatives" OR TI "sibling" OR TI "siblings" OR TI "spouse" OR TI "spouses"))	
Study designs: Qualitative		
162.	DE "Qualitative Research" or DE "Experimental Design" OR DE "Between Groups Design" OR DE "Cohort Analysis" OR DE "Followup Studies" OR DE "Longitudinal Studies" OR DE "Repeated Measures" or DE "Grounded Theory" or DE "Interviews" OR DE "Intake Interview" OR DE "Interview Schedules" OR DE "Psychodiagnostic Interview" or DE "Observation Methods" OR DE "Phenomenology" or DE "Hermeneutics" OR TX "hermeneutic" OR TX "phenomenology" OR TX "qualitative" OR TX "grounded theory" OR TX "interview" OR TX "interveiwed" OR TX "interviews" OR TX "questionnaire" OR TX "questionnaires" OR DE "Literature Review" OR DE "evidence based practice"	
Combined sets		
163.	1 AND 2 AND 3	
164.	4 AND ZT "journal"	

DE = Term from the thesaurus

TI = Title

AB = Abstract

TX = All Text. Performs a keyword search of all the database's searchable fields

ZT = Publication Type

* = Truncation

= An alternate spelling may contain an extra character

“ ” = Citation Marks; searches for an exact phrase

Systematic reviews ADHD

Pubmed 1 Mars 2011 Title: Systematic reviews of ADHD		
	Search terms	
Population: ADHD		
165.	("Attention Deficit and Disruptive Behavior Disorders"[Mesh] OR "minimal brain dysfunction"[TIAB] OR "hyperactivity syndrome"[TIAB] OR "hyperactive children"[TIAB] OR "hyperkinetic syndrome"[TIAB] OR "hyperkinetic children"[TIAB] OR "inattentive children"[TIAB] OR "inattentive hyperactive"[TIAB] OR ("inattention"[TIAB] AND children[TIAB]) OR "adhd"[TIAB] OR "attention deficit hyperactivity disorder"[TIAB] OR "attention deficit disorder"[TIAB] OR "disruptive behavior"[TIAB] OR "disruptive behaviour"[TIAB])	
Study designs		
166.	Systematic[SB] OR "systematic review"[TIAB]	
Combined sets		
167.	1 AND 2	

[MeSH Terms] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[TIAB] = Title or abstract

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

PsycInfo 1 Mars 2011 Title: Systematic reviews of ADHD		
	Search terms	
Population: ADHD		
168.	(DE "Attention Deficit Disorder" OR DE "Attention Deficit Disorder with Hyperactivity" OR TX ("minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour"))	
Study designs		
169.	ZC "systematic review" OR ZC "meta analysis" OR TX "systematic review"	
Combined sets		
170.	1 AND 2	

DE = Term from the thesaurus

TI = Title

AB = Abstract

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

Embase 1 Mars 2011 Title: Systematic reviews of ADHD		
	Search terms	
Population: ADHD		
171.	'attention deficit disorder'/exp OR 'minimal brain dysfunction':ab,ti OR 'hyperactivity syndrome':ab,ti OR 'hyperactive children':ab,ti OR 'hyperkinetic syndrome':ab,ti OR 'hyperkinetic children':ab,ti OR 'inattentive children':ab,ti OR 'inattentive hyperactive':ab,ti OR ('inattention':ab,ti AND children:ab,ti) OR 'adhd':ab,ti OR 'attention deficit hyperactivity disorder':ab,ti OR 'attention deficit disorder':ab,ti OR 'disruptive behavior':ab,ti OR 'disruptive behaviour':ab,ti	
Study designs		
172.	[meta analysis]/lim OR [systematic review]/lim OR 'systematic review':ab,ti	
Combined sets		
173.	1 AND 2	

/exp= Includes terms found below this term in the EMTREE hierarchy

:ti:ab = Title or abstract

/lim = Limit

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

Cochrane Library via Wiley 1 Mars 2011 (CDSR, HTA) Title: Systematic reviews of ADHD		
	Search terms	
Population: ADHD		
174.	"minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour"	
175.	MeSH descriptor Attention Deficit and Disruptive Behavior Disorders explode all trees	
Combined sets		
176.	1 OR 2	

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

CDSR = Cochrane Database of Systematic Review

HTA = Health Technology Assessments

Centre for Reviews and Dissemination 1 Mars 2011 (HTA)		
Title: Systematic reviews of Autism		
Search terms		
Population: Autism		
177.	"minimal brain dysfunction" OR "hyperactivity syndrome" OR "hyperactive children" OR "hyperkinetic syndrome" OR "hyperkinetic children" OR "inattentive children" OR "inattentive hyperactive" OR ("inattention" AND children) OR "adhd" OR "attention deficit hyperactivity disorder" OR "attention deficit disorder" OR "disruptive behavior" OR "disruptive behaviour"	
178.	MeSH descriptor Attention Deficit and Disruptive Behavior Disorders explode all trees	
Combined sets		
179.	1 OR 2	

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

HTA = Health Technology Assessment