



## Appendix 5. Reference list

## References

1. SBU. Delredovisning Vetenskapligt stöd - långvariga symtom vid covid-19. Stockholm: Statens beredning för social och medicinsk utvärdering (SBU); 2020. SBU-rapport nr 319.
2. Folkhälsomyndigheten. Stockholm: Folkhälsomyndigheten; 2020. [cited 2020 nov 26] Available from: <https://www.folkhalsomyndigheten.se/>
3. Socialstyrelsen. Statistik om covid-19. Stockholm: Socialstyrelsen; 2020. [cited 2020 nov 26]. Available from: <https://www.socialstyrelsen.se/statistik-och-data/statistik/statistik-om-covid-19/>
4. WHO. COVID-19 Weekly Epidemiological Update. 2020 25 oktober.
5. Folkhälsomyndigheten. Skattning av letaliteten för covid-19 i Stockholms län. 2020. Report No.: 20094-1.
6. Cirulli E, Schiabor Barrett KM, Riffle S, Bolze A, Neveux I, Dabe S, et al. Long-term COVID-19 symptoms in a large unselected population. medRxiv. 2020:2020.10.07.20208702.
7. Lambert NJSC. COVID-19 “Long Hauler” Symptoms Survey Report. Indiana University School of medicine; 2020.
8. Sudre C, Muray B, Varsavsky T, Graham M, Penfold R, Bowyer C, et al. Attributes and predictors of 1 Long-COVID: analysis of COVID cases and their symptoms collected by the Covid Symptoms Study App. pre-print. 2020.
9. Gupta A, Madhavan M, Sehgal K, Nair N, Mahajan S, Sehrawat T, et al. Extrapulmonary manifestations of covid-19. Nat Med. 2020;26:1017-32.
10. Yelin D, Wirtheim E, Vetter P, AC K, Bruchfeld J, Runold M, et al. Long-term consequences of covid-19: research needs. Lancet Infect Dis. 2020;doi.org/10.1016/S1473-3099(20)30701-5.
11. Rogers J, Chesney E, Oliver D, Pollak T, McGuire P, Fusar-Poli P, et al. Psychiatric and neuropsychiatric presentations associated with severe coronavirus infections: a systematic review and meta-analysis with comparison to the covid-19 pandemic. Lancet. 2020;7.
12. Abu-Rumeileh S, Abdelhak A, Foschi M, Tumani H, Otto M. Guillain-Barre syndrome spectrum associated with COVID-19: an up-to-date systematic review of 73 cases. J Neurol. 2020;25:25.
13. Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A. Rayyan — a web and mobile app for systematic reviews. Systematic Reviews 2016;5.
14. SBU. Bedömning av randomiserad studie. Stockholm: Statens Beredning för medicinsk och social Utvärdering; 2020. [citet 2020 nov 26]. Available from: [https://www.sbu.se/contentassets/72c31710438c4041b30e74dd680b6765/bedomning\\_randomiserad\\_studie.pdf](https://www.sbu.se/contentassets/72c31710438c4041b30e74dd680b6765/bedomning_randomiserad_studie.pdf)
15. SBU. Bedömning av icke-randomiserad studie. Stockholm: Statens Beredning för medicinsk och social Utvärdering; 2020 [cited 2020 nov 26]. Available from:

**SBU** Swedish Agency for Health Technology Assessment and Assessment of Social Services • [www.sbu.se/en](http://www.sbu.se/en)

**Tel** +46-8-412 32 00 • **Fax** +46-08-411 32 60 • **Visiting address:** S:t Eriksgatan 117, Stockholm

**Postal Address:** P.o Box 6183, SE-102 33 Stockholm, Sweden

[https://www.sbu.se/contentassets/361df13fe6ca40c78a03112f2e1f15eb/bedomning\\_icke\\_randomiserad\\_studie\\_retrospektiv\\_prospektiv\\_itt.pdf](https://www.sbu.se/contentassets/361df13fe6ca40c78a03112f2e1f15eb/bedomning_icke_randomiserad_studie_retrospektiv_prospektiv_itt.pdf)

16. Vetenskapsrådet. Kliniska studier rörande covid-19. 2020.
17. JLA. James Lind Alliance. Southampton: The James Lind Alliance; 2020. [cited 2020 nov 26]. Available from: <https://www.jla.nihr.ac.uk/>
18. Huang L, Zhao P, Tang D, Zhu T, Han R, Zhan C, et al. Cardiac Involvement in Patients Recovered From COVID-2019 Identified Using Magnetic Resonance Imaging. *JACC Cardiovasc Imaging*. 2020;12:12.
19. Huang Y, Tan C, Wu J, Chen M, Wang Z, Luo L, et al. Impact of coronavirus disease 2019 on pulmonary function in early convalescence phase. *Respir Res*. 2020;21:163.
20. Zheng J, Zhou R, Chen F, Tang G, Wu K, Li F, et al. Incidence, clinical course and risk factor for recurrent PCR positivity in discharged COVID-19 patients in Guangzhou, China: A prospective cohort study. *PLoS Neglected Tropical Diseases* [electronic resource]. 2020;14:e0008648.
21. Lu Y, Li X, Geng D, Mei N, Wu PY, Huang CC, et al. Cerebral Micro-Structural Changes in COVID-19 Patients – An MRI-based 3-month Follow-up Study: A brief title: Cerebral Changes in COVID-19. *EClinicalMedicine*. 2020;25.
22. Wang X, Xu H, Jiang H, Wang L, Lu C, Wei X, et al. The Clinical Features and Outcomes of Discharged Coronavirus Disease 2019 Patients : A Prospective Cohort Study. *QJM : monthly journal of the Association of Physicians*. 2020.
23. Zhao YM, Shang YM, Song WB, Li QQ, Xie H, Xu QF, et al. Follow-up study of the pulmonary function and related physiological characteristics of COVID-19 survivors three months after recovery. *EClinicalMedicine*. 2020;25:100463.
24. Xiong Q, Xu M, Li J, Liu Y, Zhang J, Xu Y, et al. Clinical sequelae of COVID-19 survivors in Wuhan, China: a single-centre longitudinal study. *Clinical microbiology and infection : the official publication of the European Society of Clinical Microbiology and Infectious Diseases*. 2020.
25. Boscolo-Rizzo P, Borsetto D, Fabbris C, Spinato G, Frezza D, Menegaldo A, et al. Evolution of Altered Sense of Smell or Taste in Patients With Mildly Symptomatic COVID-19. *JAMA Otolaryngology Head & Neck Surgery*. 2020;2:02.
26. Carfi A, Bernabei R, Landi F. Persistent Symptoms in Patients after Acute COVID-19. *JAMA - Journal of the American Medical Association*. 2020.
27. Mazza MG, De Lorenzo R, Conte C, Poletti S, Vai B, Bollettini I, et al. Anxiety and depression in COVID-19 survivors: Role of inflammatory and clinical predictors. *Brain Behav Immun*. 2020;30:30.
28. Tomasoni D, Bai F, Castoldi R, Barbanotti D, Falcinella C, Mule G, et al. Anxiety and depression symptoms after virological clearance of COVID-19: a cross-sectional study in Milan, Italy. *J Med Virol*. 2020;25:25.

**SBU** Swedish Agency for Health Technology Assessment and Assessment of Social Services • [www.sbu.se/en](http://www.sbu.se/en)

**Tel** +46-8-412 32 00 • **Fax** +46-08-411 32 60 • **Visiting address:** S:t Eriksgatan 117, Stockholm

**Postal Address:** P.o Box 6183, SE-102 33 Stockholm, Sweden

Long-term symptoms of Covid-19

[www.sbu.se/319e](http://www.sbu.se/319e)

29. Vaira LA, Hopkins C, Petrocelli M, Lechien JR, Chiesa-Estomba CM, Salzano G, et al. Smell and taste recovery in coronavirus disease 2019 patients: a 60-day objective and prospective study. *J Laryngol Otol.* 2020;1-7.
30. Denina M, Pruccoli G, Scolfaro C, Mignone F, Zoppo M, Giraud I, et al. Sequelae of COVID-19 in Hospitalized Children: A 4-Months Follow-Up. *The Pediatric infectious disease journal.* 2020.
31. Doyle AJ, Thomas W, Retter A, Besser M, MacDonald S, Breen KA, et al. Updated hospital associated venous thromboembolism outcomes with 90-days follow-up after hospitalisation for severe COVID-19 in two UK critical care units. *Thromb Res.* 2020;196:454-6.
32. Halpin SJ, McIvor C, Whyatt G, Adams A, Harvey O, McLean L, et al. Postdischarge symptoms and rehabilitation needs in survivors of COVID-19 infection: A cross-sectional evaluation. *J Med Virol.* 2020;30:30.
33. Puntmann VO, Carerj ML, Wieters I, Fahim M, Arendt C, Hoffmann J, et al. Outcomes of Cardiovascular Magnetic Resonance Imaging in Patients Recently Recovered From Coronavirus Disease 2019 (COVID-19). *JAMA Cardiology.* 2020;27:27.
34. Daher A, Balfanz P, Cornelissen C, Muller A, Bergs I, Marx N, et al. Follow up of patients with severe coronavirus disease 2019 (COVID-19): Pulmonary and extrapulmonary disease sequelae. *Respir Med.* 2020;174:106197.
35. Garrigues E, Janvier P, Kherabi Y, Bot AL, Hamon A, Gouze H, et al. Post-discharge persistent symptoms and health-related quality of life after hospitalization for COVID-19. *J Infect.* 2020;24:24.
36. Carvalho-Schneider C, Laurent E, Lemaigen A, Beaufiles E, Bourbao-Tournois C, Laribi S, et al. Follow-up of adults with non-critical COVID-19 two months after symptoms' onset. *Clinical microbiology and infection: the official publication of the European Society of Clinical Microbiology and Infectious Diseases.* 2020.
37. Chiesa-Estomba CM, Lechien JR, Radulesco T, Michel J, Sowerby LJ, Hopkins C, et al. Patterns of smell recovery in 751 patients affected by the COVID-19 outbreak. *Eur J Neurol.* 2020.
38. Cramer GAG, Bielecki M, Züst R, Buehrer TW, Stanga Z, Deuel JW. Reduced maximal aerobic capacity after COVID-19 in young adult recruits, Switzerland, May 2020. *Euro Surveill.* 2020;25(36).
39. Patell R, Bogue T, Koshy A, Bindal P, Merrill M, Aird WC, et al. Postdischarge thrombosis and hemorrhage in patients with COVID-19. *Blood.* 2020;136:1342-6.
40. Chang M, Park D. Incidence of Post-Traumatic Stress Disorder after Coronavirus Disease. *ResearchSquare.* 2020.
41. Chang M, Park D. Incidence of Post-Traumatic Stress Disorder after Coronavirus Disease. *Healthcare* 2020;8.
42. Roberts LN, Whyte MB, Georgiou L, Giron G, Czuprynska J, Rea C, et al. Postdischarge venous thromboembolism following hospital admission with COVID-19. *Blood.* 2020;136:1347-50.

**SBU** Swedish Agency for Health Technology Assessment and Assessment of Social Services • [www.sbu.se/en](http://www.sbu.se/en)  
**Tel** +46-8-412 32 00 • **Fax** +46-08-411 32 60 • **Visiting address:** S:t Eriksgatan 117, Stockholm  
**Postal Address:** P.o Box 6183, SE-102 33 Stockholm, Sweden

43. Liu K, Zhang W, Yang Y, Zhang J, Li Y, Chen Y. Respiratory rehabilitation in elderly patients with COVID-19: A randomized controlled study. *Complement Ther Clin Pract.* 2020;39:101166.
44. Liam T, Adam HD, Karen J, Jean D, Rachel K, Fiona G, et al. Persistent fatigue following SARS-CoV-2 infection is common and independent of severity of initial infection. *PLoS One.* 2020;15.
45. Wang Q, Yao Y, Song J, Wang Q, Xu L, Bao Z, et al. Kinetic changes in virology, specific antibody response and imaging during the clinical course of COVID-19: A descriptive study. *BMC Infect Dis.* 2020;20.
46. Jia S, Yi-Ke D, Hai W, Zhi-Chao W, Bo L, Jin M, et al. Self-reported taste and smell disorders in patients with COVID-19: distinct features in China. *medRxiv.* 2020.
47. Lanza E, Profili M, Bolengo I, Santonocito O, Muglia R, Lisi C, et al. COVID-19 lung alterations still evident at 60-day follow-up chest CT in asymptomatic patients despite negative rRT-PCR testing. *ResearchSquare.* 2020.
48. David TA, Fergus WH, Alice M, Anna M, Jason V, Marie A, et al. Patient outcomes after hospitalisation with COVID-19 and implications for follow-up; results from a prospective UK cohort. *medRxiv.* 2020.
49. Liang j, Liu G, Yu S, Yang Y, Li Y, Tian H, et al. 74 Days Dynamic Changes of Chest CT Images of Coronavirus Disease 2019 (COVID-19) in Hebei Province, China. *ResearchSquare.* 2020.
50. Wang H, Li R, Jiang H, Yan Z, Tao X, Li H, et al. Cardiac involvement in COVID-19 patients: mid-term follow up by cardiac magnetic resonance imaging. *ResearchSquare.* 2020.
51. Weerahandi H, Hochman KA, Simon E, Blaum C, Chodosh J, Duan E, et al. Post-discharge health status and symptoms in patients with severe COVID-19. *MedRxiv : the Preprint Server for Health Sciences.* 2020;14:14.
52. Ye T, Fan Y, Liu J, Yang C, Huang S, Xiong B. Follow-up Chest CT findings from discharged patients with severe COVID-19: an 83-day observational study. *ResearchSquare.* 2020.
53. C N, Lakey S, McMahon S, Downey M, Duncan M, Hewitt J, et al. Clinical characteristics and post-intensive care outcomes of COVID-19 pneumonia. *ResearchSquare.* 2020.
54. Daniel Eugene C, Amar P, Jeffrey MD, Alex BD, Kristen G-D, Frank AF, et al. COVID-19 Myocardial Pathology Evaluated Through scrEening Cardiac Magnetic Resonance (COMPETE CMR). *medRxiv.* 2020.
55. Flavia I, Joao CSB, Tatiana B, Beatriz Z, Fabio EL, Julio T, et al. Post-infection depression, anxiety and PTSD: a retrospective cohort study with mild COVID-19 patients. *medRxiv.* 2020.
56. Hadar K, Kim A, Noam K, Yuval B, Ran N-P, Mordechai M, et al. Onset, duration, and persistence of taste and smell changes and other COVID-19 symptoms: longitudinal study in Israeli patients. *medRxiv.* 2020.

57. Lechien J, Chiesa-Estomba C, Beckers E, Mustin V, Ducarme M, Journe F, et al. Prevalence and Recovery of Olfactory Dysfunction in 1,363 patients with coronavirus disease 2019: A Multicenter Longitudinal Study. ResearchSquare. 2020.
58. Eiros R, Barreiro-Perez M, Martin-Garcia A, Almeida J, Villacorta E, Perez-Pons A, et al. Pericarditis and myocarditis long after SARS-CoV-2 infection: a cross-sectional descriptive study in health-care workers. medRxiv. 2020:2020.07.12.20151316.
59. Mathieu FB, Michele R, Anupam G, Alison XC, Christine YB, Davey S. Subclinical ocular inflammation in persons recovered from ambulatory COVID-19. medRxiv. 2020.
60. Raul M, Vicent B-M, Sussy Carolina L, Itziar E, Ana L, Paula G-J, et al. Short-term Neuropsychiatric Outcomes and Quality of Life in COVID-19 Survivors. medRxiv. 2020.
61. Dennis A, Wamil M, Kapur S, Alberts J, Decker G, Rizza S, et al. Multi-organ impairment in low-risk individuals with long covid. pre-print. 2020.
62. Chopra V, Flanders S, O'Malley M, Malani A, Prescott H. Sixty-Day Outcomes Among Patients Hospitalized With COVID-19. Ann Intern Med. 2020.
63. Raman B, Cassar M, Tunnicliffe E, Filippini N, al e. Medium-term effects of SARS-CoV-2 infection on multiple vital organs, exercise capacity, cognition, quality of life and mental health, post-hospital discharge. medRxiv. 2020.
64. NIHR. Living with Covid19. London: National Institute for Helth Research; 2020 [updated 15 october 2020]. Available from: <https://evidence.nihr.ac.uk/themedreview/living-with-covid19/>
65. Rennes University H. Functional and Respiratory Rehabilitation and Nutritional Care of COVID-19 Patients (RECOVER-19)2020 2020.
66. Intensive Care Unit specific Virtual Reality (ICU-VR) to improve psychological impairments in survivors of COVID-19; a multicentre, randomised controlled trial. 2020.
67. Washington University School of M. Coronavirus Smell Therapy for Anosmia Recovery2023 2023.
68. Groupe Hospitalier Paris Saint J, Centre Hospitalier de Versailles André M, Centre Hospitalier Victor D, Groupe Hospitalo-Universitaire P. Effectiveness of an Exercise Re-training Program on Dyspnea in Patients After Acute Respiratory Distress Syndrome Secondary to Severe COVID-19 Pneumonia in Post-ICU. 2021.
69. Assistance Publique - Hôpitaux de P, Boehringer I. Nintedanib for the Treatment of SARS-Cov-2 Induced Pulmonary Fibrosis. 2021.
70. Benha U. Corticosteroid Nasal Spray in COVID-19 Anosmia2020 2020.
71. Istanbul Bilgi U. Pulmonary Rehabilitation in Post-Acute Period of COVID-19 Infection2020 2020.

72. Rashad A. Short Term Low Dose Corticosteroids for Management of Post covid19 Pulmonary Fibrosis. South Valley University: Clinical Trials gov.; 2020.
73. Miller B, Tomari C, Miu K, Slack A, Murphy P, Ahmed I, et al. Airway, voice and swallow outcomes following endotracheal intubation and mechanical ventilation for COVID-19 pneumonitis: preliminary results of a prospective cohort study. pre-print. 2020.
74. Socialstyrelsen. Vården vid trafikskador med långvariga smärttillstånd. 2017. Report No.: 2017-12-3.
75. Cochrane Rehabilitation. REH-COVER - Rapid living Systematic Reviews. London: Cochrane; 2020. [cited 2020 nov 26]. Available from: <https://rehabilitation.cochrane.org/covid-19/reh-cover-rapid-living-systematic-reviews>
76. Bellinghausen A, LaBuzetta J, Chu F, Novelli F, Rodelo A, Owens R. Lessons from an ICU recovery clinic: two cases of meralgia paresthetica after prone position to treat covid-19-associated ARDS and modification of unit practices. *Critical Care*. 2020;24.
77. Hallifax R, Porter B, Elder P, Evans S, Turnbull C, Hynes G, et al. Successful awake proning is associated with improved clinical outcomes in patients with COVID-19: single-centre high-dependencyunit experience. *BMJ Open Respiratory Research*. 2020;7.
78. Van Aerde N, Van den Berghe G, Wilmer A, Gosselink R, Hermans G. Intensive care unit acquired muscle weakness in COVID-19 patients. *Intensive Care Med*. 2020;46:2083-5.
79. Gaspari C, Assumpção I, Freire R, Silva A, Santiso C, Jaccoud A. The First 60 Days: Physical Therapy in a Neurosurgical Center Converted Into a COVID-19 Center in Brazil. *The American Physical Therapy Association*. 2020;pre-print.
80. Johnson J, Lapin B, Green K, Stilphen M. Frequency of Physical Therapist Intervention Is Associated With Mobility Status and Disposition at Hospital Discharge for Patients With COVID-19. *The American Physical Therapy Association*. 2020;pre-print.
81. Nakayama A, Takayama N, Kobayashi M, Hyodo K, Maeshima N, Takayuki F, et al. Remote cardiac rehabilitation is a good alternative of outpatient cardiac rehabilitation in the COVID-19 era. *Environmental Health and Preventive Medicine*. 2020;25.
82. So H, Mak J, So J, Lui G, Lun F, Lee J, et al. Incidence and clinical course of COVID-19 in patients with rheumatologic diseases: A population-based study. *Semin Arthritis Rheum*. 2020;50:885-9.
83. de Havenon A, Yaghi S, Mistry E, Delic A, Hohmann S, Shippey E, et al. Endovascular thrombectomy in acute ischemic stroke patients with COVID-19: prevalence, demographics, and outcomes. *NeuroIntervent Surg*. 2020;12:1045-8.
84. Negrini F, Ferrario I, Mazziotti D, Berchicci M, Bonazzi M, de Sire A, et al. Neuropsychological Features of Severe Hospitalized Coronavirus Disease 2019 Patients at Clinical Stability and Clues for Postacute Rehabilitation. *Arch Phys Med Rehabil*. 2020;in press.

85. Ticinesi A, Cerundolo N, Parise A, Nouvenne A, Prati B, Guerra A, et al. Delirium in COVID-19: epidemiology and clinical correlations in a large group of patients admitted to an academic hospital. *Aging Clin Exp Res.* 2020;32:2159-66.
86. Pironi L, Sasdelli A, Ravaioli F, Baracco B, Battaiola C, Bocedi G, et al. Malnutrition and nutritional therapy in patients with SARS-CoV-2 disease. *Clin Nutr.* 2020;in press.
87. Benedetti F, Mazza M, Cavalli G, Ciceri F, Dagna L, Rovere-Querini P. Can Cytokine Blocking Prevent Depression in COVID-19 Survivors? *Journal of neuroimmune pharmacology: the official journal of the Society on NeuroImmune Pharmacology.* 2020.
88. Ludvigsson J. Case report and systematic review suggest that children may experience similar long-term effects to adults after clinical COVID-19. in press. 2020.
89. Socialstyrelsen. Om övergångar mellan sluten vård och öppen vård och omsorg. 2017. Report No.: 2017-1-13.
90. Socialstyrelsen. Klassificering och koder. Stockholm: Socialstyrelsen. 2020. [cited 2020 nov 26]. Available from: <https://www.socialstyrelsen.se/utveckla-verksamhet/e-halsa/klassificering-och-koder/>