

Litteratursökning

PsycInfo via EBSCO 11 March 2019

Substance abuse

Search terms	Items found
Population: Substance abuse	
1. DE "Drug Abuse" OR DE "Alcohol Abuse" OR DE "Drug Dependency" OR DE "Inhalant Abuse" OR DE "Polydrug Abuse" OR DE "Addiction" OR DE "Drug Addiction" OR DE "Intravenous Drug Usage" OR DE "Substance Use Disorder" OR DE "Alcoholism" OR DE "Binge Drinking" OR DE "Heroin Addiction" OR DE "Glue Sniffing" OR DE "Drug Usage" OR DE "Marijuana Usage" OR DE "Methadone" OR DE "Opiates" OR DE "Buprenorphine" OR DE "Codeine" OR DE "Endogenous Opiates" OR DE "Fentanyl" OR DE "Heroin" OR DE "Morphine" OR DE "Papaverine" OR DE "Cannabis" OR DE "Hashish" OR DE "Marijuana" OR DE "Tranquilizing Drugs" OR DE "Hexobarbital" OR DE "Pentobarbital" OR DE "Phenobarbital" OR DE "Thiopental" OR DE "Barbiturates" OR DE "Amobarbital" OR DE "Barbital" OR DE "Hexobarbital" OR DE "Methohexital" OR DE "Pentobarbital" OR DE "Phenobarbital" OR DE "Secobarbital" OR DE "Thiopental" OR DE "Benzodiazepines" OR DE "Alprazolam" OR DE "Chlordiazepoxide" OR DE "Clonazepam" OR DE "Diazepam" OR DE "Flunitrazepam" OR DE "Flurazepam" OR DE "Lorazepam" OR DE "Midazolam" OR DE "Nitrazepam" OR DE "Oxazepam" OR DE "Alprazolam" OR DE "Chlordiazepoxide" OR DE "Clonazepam" OR DE "Diazepam" OR DE "Flunitrazepam" OR DE "Flurazepam" OR DE "Lorazepam" OR DE "Midazolam" OR DE "Nitrazepam" OR DE "Oxazepam" OR DE "Amobarbital" OR DE "Barbital" OR DE "Amphetamine" OR DE "Dextroamphetamine" OR DE "Methamphetamine" OR DE "Cocaine" OR DE "Crack Cocaine" OR DE "Hallucinogenic Drugs" OR DE "Lysergic Acid Diethylamide" OR DE "Mescaline" OR DE "Methylenedioxymethamphetamine" OR DE "Cannabinoids" OR DE "Tetrahydrocannabinol"	198,660
2. TI (substance* N1 (abus* OR misus* OR addict*)) OR TI (substance* N1 (use* OR usage OR using)) OR TI substance* N1 depend* OR TI (drug* N1 (abus* OR misus* OR addict*)) OR TI (drug* N1 (use* OR usage OR using)) OR TI drug* N1 depend* OR TI (alcoholism OR alcoholics OR "binge drink*") OR TI ((opiate* OR opium OR opoid*) N1 (abus* OR misus* OR addict*)) OR TI ((opiate* OR opium OR opoid*) N1 (use* OR usage OR using OR depend*)) OR TI ((morphine OR heroin OR amphetamine*) N1 (abus* OR misus* OR addict*)) OR TI ((morphine OR heroin OR amphetamine*) N1 (use* OR usage OR using OR depend*)) OR AB (substance* N1 (abus* OR misus* OR addict*)) OR AB (substance* N1 (use* OR usage OR using)) OR AB substance* N1 depend* OR AB (drug* N1 (abus* OR misus* OR addict*)) OR AB (drug* N1 (use* OR usage OR using)) OR AB drug* N1 depend* OR AB (alcoholism OR alcoholics OR "binge drink*") OR AB ((opiate* OR opium OR opoid*) N1 (abus* OR misus* OR addict*)) OR AB ((opiate* OR opium OR opoid*) N1 (use* OR usage OR using OR depend*)) OR AB ((morphine OR heroin OR amphetamine*) N1 (abus* OR misus* OR addict*)) OR AB ((morphine OR heroin OR amphetamine*) N1 (use* OR usage OR using OR depend*)) OR TI ((methadone OR cocaine OR crack) N1 (abus* OR misus* OR addict*)) OR TI ((methadone OR cocaine OR crack) N1 (use* OR usage OR using OR depend*)) OR TI ((methamphetamine* OR hallucinogen* OR MDMA) N1 (abus* OR misus* OR addict*)) OR TI ((methamphetamine* OR hallucinogen* OR MDMA) N1 (use* OR usage OR using OR depend*)) OR TI ((ecstasy OR GHB OR LSD OR mescaline) N1 (abus* OR misus* OR addict*)) OR TI ((ecstasy OR GHB OR LSD OR mescaline) N1 (use* OR usage OR using OR depend*)) OR TI ((cannabi* OR marijuana OR marihuana) N1 (abus* OR misus* OR addict*)) OR TI ((cannabi* OR marijuana OR marihuana) N1 (use* OR usage OR using OR depend*)) OR TI ((hashish OR catha OR khat) N1 (abus* OR misus* OR addict*)) OR TI ((hashish OR catha OR khat) N1 (use* OR usage OR using OR depend*)) OR AB ((methadone OR cocaine OR crack) N1 (abus* OR misus* OR addict*)) OR AB ((methadone OR cocaine OR crack) N1 (use* OR usage OR using OR depend*)) OR AB ((methamphetamine* OR hallucinogen* OR MDMA) N1 (abus* OR misus* OR addict*)) OR AB ((methamphetamine* OR hallucinogen* OR MDMA) N1 (use* OR usage OR using OR depend*))	170,860

	using OR depend*)) OR AB ((ecstasy OR GHB OR LSD OR mescaline) N1 (abus* OR misus* OR addict*)) OR AB ((ecstasy OR GHB OR LSD OR mescaline) N1 (use* OR usage OR using OR depend*)) OR AB ((cannabi* OR marijuana OR marihuana) N1 (abus* OR misus* OR addict*)) OR AB ((cannabi* OR marijuana OR marihuana) N1 (use* OR usage OR using OR depend*)) OR AB ((hashish OR catha OR khat) N1 (abus* OR misus* OR addict*)) OR AB ((hashish OR catha OR khat) N1 (use* OR usage OR using OR depend*)) OR TI (("prescription drug*" OR "prescribed drug*") N5 (abus* OR misus* OR addict*)) OR TI (("prescription drug*" OR "prescribed drug*") N5 (use* OR usage OR using OR depend*)) OR TI ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (abus* OR misus* OR addict*)) OR TI ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (use* OR usage OR using OR depend*)) OR AB (("prescription drug*" OR "prescribed drug*") N5 (abus* OR misus* OR addict*)) OR AB (("prescription drug*" OR "prescribed drug*") N5 (use* OR usage OR using OR depend*)) OR AB ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (abus* OR misus* OR addict*)) OR AB ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (use* OR usage OR using OR depend*))	
3.	1 OR 2	255,114
Intervention/Outcome: Client treatment matching/Retainment		
4.	(DE "Treatment Compliance" OR DE "Treatment Dropouts" OR) OR (DE "Client Treatment Matching")	15,253
5.	TI (cessati* OR terminat* OR "non complian*" OR "non-complian*" OR noncomplian* OR discontinu* OR complet* OR retent* OR attrit* OR dropout*) OR TI voluntary N3 discharge* OR TI ("treat* N1 (withdraw*" OR refus*)) OR TI "drop out" OR TI "drop-out" OR TI "attain abstinence" OR TI (leav* N1 (treat* OR therap* OR progr*)) OR TI (prematur* N1 (cessati* OR terminati*))	32,472
6.	TI matching OR triag* OR placement*	10,320
7.	TI targeted W1 (servic* OR therap* OR treat*)	134
8.	TI ((predict*) N3 (treat*) N3 (effect* OR outcome*))	3,039
9.	4-8 (OR)	57,466
Study types: systematic review, meta analysis		
10.	(DE "Meta Analysis" OR ZC "systematic review" OR ZC "meta analysis") OR (TX (systematic* N3 review*) OR TX (metaanaly* OR meta-analy* OR "meta analy*") OR TX ((systematic* n3 bibliographic*) OR (systematic* n3 literature) OR (comprehensive* n3 literature) OR (comprehensive* n3 bibliographic*) OR (integrative n3 review) OR (information n2 synthesis) OR (data n2 synthesis) OR (data n2 extract*)) OR JN ("Cochrane Database of Systematic Reviews"))	
Limits: language		
11.	Narrow by Language: - english	
Combined sets		
12.	Search terms	

The search result, usually found at the end of the documentation, forms the list of abstracts

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TIAB] = Title or abstract

[TI] = Title

[AU] = Author

[TW] = Text Word

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

" " = Citation Marks; searches for an exact phrase

SocIndex via EBSCO 13 March 2019

Substance abuse

Search terms	Items found
Population: Substance abuse	
1. DE "MEDICATION abuse" OR DE "INHALANT abuse" OR DE "SUBSTANCE abuse" OR DE "SEDATIVE abuse" OR DE "MARIJUANA abuse" OR DE "DRUG abuse -- Treatment" OR DE "DRUG abuse" OR DE "SUBSTANCE Abuse Subtle Screening Inventory" OR DE "DRUG abuse -- Study & teaching" OR DE "SUBSTANCE abuse -- Relapse" OR DE "SUBSTANCE abuse" OR DE "AEROSOL sniffing" OR DE "ALCOHOLISM" OR DE "DRUG abuse" OR DE "INHALANT abuse" OR DE "BINGE drinking" OR DE "BLACKS -- Substance use" OR DE "EMPLOYEES -- Substance use" OR DE "MEN - Substance use" OR DE "MINORITIES -- Substance use" OR DE "PRISONERS -- Substance use" OR DE "SUBSTANCE abuse -- Diagnosis" OR DE "SUBSTANCE abuse -- Treatment" OR DE "SUBSTANCE-induced disorders" OR DE "VETERANS -- Substance use" OR DE "WOMEN -- Substance use" OR DE "SUBSTANCE abuse -- Psychological aspects" OR DE "SUBSTANCE abuse - Relapse" OR DE "SUBSTANCE abuse -- Research" OR DE "SUBSTANCE abuse -- Social aspects" OR DE "SUBSTANCE abuse -- Study & teaching" OR DE "SUBSTANCE abuse -- Treatment" OR DE "SUBSTANCE-induced disorders" OR DE "ALCOHOL & crime" OR DE "ALCOHOLIC fathers" OR DE "ALCOHOLICS" OR DE "ALCOHOLICS -- Family relationships" OR DE "ALCOHOLICS -- Identification" OR DE "ALCOHOLICS -- Psychological testing" OR DE "ALCOHOLICS -- Psychological testing" OR DE "ALCOHOLICS -- Rehabilitation" OR DE "ALCOHOLISM" OR DE "ALCOHOLISM & crime" OR DE "ALCOHOLISM -- Relapse" OR DE "ALCOHOLISM -- Social aspects" OR DE "ALCOHOLISM -- Treatment" OR DE "MEDICATION abusers" OR DE "SUBSTANCE-induced disorders" OR DE "DRUG addiction" OR DE "BINGE drinking" OR DE "HEROIN abuse" OR DE "HEROIN addicts" OR DE "HEROIN abuse -- Treatment" OR DE "KETAMINE abuse" OR DE "COCAINE abuse" OR DE "OXYCODONE abuse" OR DE "COCAINE abuse -- Treatment" OR DE "AMPHETAMINE abuse" OR DE "GLUE sniffing" OR DE "MARIJUANA abuse"	45,323
2. DE "NARCOTICS" OR DE "COCAINE" OR DE "HASHISH" OR DE "OXYCODONE" OR DE "DRUGS of abuse" OR DE "MARIJUANA" OR DE "COCAINE" OR DE "CRACK cocaine" OR DE "METHADONE abuse" OR DE "DESIGNER drugs" OR DE "HALLUCINOGENIC drugs" OR DE "CLUB drugs" OR DE "ECSTASY (Drug)" OR DE "PEYOTE"	8,852
3. TI (substance* N1 (abus* OR misus* OR addict*)) OR TI (substance* N1 (use* OR usage OR using)) OR TI substance* N1 depend* OR TI (drug* N1 (abus* OR misus* OR addict*)) OR TI (drug* N1 (use* OR usage OR using)) OR TI drug* N1 depend* OR TI (alcoholism OR alcoholics OR "binge drink*") OR TI ((opiate* OR opium OR opoid*) N1 (abus* OR misus* OR addict*)) OR TI ((opiate* OR opium OR opoid*) N1 (use* OR usage OR using OR depend*)) OR TI ((morphine OR heroin OR amphetamine*) N1 (abus* OR misus* OR addict*)) OR TI ((morphine OR heroin OR amphetamine*) N1 (use* OR usage OR using OR depend*)) OR AB (substance* N1 (abus* OR misus* OR addict*)) OR AB (substance* N1 (use* OR usage OR using)) OR AB substance* N1 depend* OR AB (drug* N1 (abus* OR misus* OR addict*)) OR AB (drug* N1 (use* OR usage OR using)) OR AB drug* N1 depend* OR AB (alcoholism OR alcoholics OR "binge drink*") OR AB ((opiate* OR opium OR opoid*) N1 (abus* OR misus* OR addict*)) OR AB ((opiate* OR opium OR opoid*) N1 (use* OR usage OR using OR depend*)) OR AB ((morphine OR heroin OR amphetamine*) N1 (abus* OR misus* OR addict*)) OR AB ((morphine OR heroin OR amphetamine*) N1 (use* OR usage OR using OR depend*)) OR TI ((methadone OR cocaine OR crack) N1 (abus* OR misus* OR addict*)) OR TI ((methadone OR cocaine OR crack) N1 (use* OR usage OR using OR depend*)) OR TI ((methamphetamine* OR hallucinogen* OR MDMA) N1 (abus* OR misus* OR addict*)) OR TI ((methamphetamine* OR hallucinogen* OR MDMA) N1 (use* OR usage OR using OR depend*)) OR TI ((ecstasy OR GHB OR LSD OR mescaline) N1 (abus* OR misus* OR addict*)) OR TI ((ecstasy OR GHB OR LSD OR mescaline) N1 (use* OR usage OR using OR depend*)) OR TI ((cannabi* OR marijuana OR marihuana) N1 (abus* OR misus* OR addict*)) OR TI ((cannabi* OR marijuana OR marihuana) N1 (use* OR usage OR using OR depend*)) OR TI ((hashish OR catha OR khat) N1 (abus* OR misus* OR addict*)) OR TI ((hashish OR catha OR khat) N1 (use* OR usage OR using OR depend*)) OR AB ((methadone OR cocaine OR crack) N1 (abus* OR misus* OR addict*)) OR AB ((methadone OR cocaine OR crack) N1 (use* OR usage OR using OR depend*)) OR AB ((methamphetamine* OR hallucinogen* OR MDMA) N1 (abus* OR misus* OR addict*)) OR AB (	71,922

	(methamphetamine* OR hallucinogen* OR MDMA) N1 (use* OR usage OR using OR depend*)) OR AB ((ecstasy OR GHB OR LSD OR mescaline) N1 (abus* OR misus* OR addict*)) OR AB ((ecstasy OR GHB OR LSD OR mescaline) N1 (use* OR usage OR using OR depend*)) OR AB ((cannabi* OR marijuana OR marihuana) N1 (abus* OR misus* OR addict*)) OR AB ((cannabi* OR marijuana OR marihuana) N1 (use* OR usage OR using OR depend*)) OR AB ((hashish OR catha OR khat) N1 (abus* OR misus* OR addict*)) OR AB ((hashish OR catha OR khat) N1 (use* OR usage OR using OR depend*)) OR TI (("prescription drug*" OR "prescribed drug*") N5 (abus* OR misus* OR addict*)) OR TI (("prescription drug*" OR "prescribed drug*") N5 (use* OR usage OR using OR depend*)) OR TI ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (abus* OR misus* OR addict*)) OR TI ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (use* OR usage OR using OR depend*)) OR AB (("prescription drug*" OR "prescribed drug*") N5 (abus* OR misus* OR addict*)) OR AB (("prescription drug*" OR "prescribed drug*") N5 (use* OR usage OR using OR depend*)) OR AB ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (abus* OR misus* OR addict*)) OR AB ((tranquiliz* OR benzodiazepines OR rohypnol OR diazepam OR valium) N5 (use* OR usage OR using OR depend*))	
4.	1-3 (OR)	87,676
Intervention/Outcome: Client treatment matching/Retainment		
5.	TI (cessati* OR terminat* OR "non complian*" OR "non-complian*" OR noncomplian* OR discontinu* OR complet* OR retent* OR attrit* OR dropout*) OR TI voluntary N3 discharge* OR TI ("treat* N1 (withdraw*" OR refus*)) OR TI "drop out" OR TI "drop-out" OR TI "attain abstinence" OR TI (leav* N1 (treat* OR therap* OR progr*)) OR TI (prematur* N1 (cessati* OR terminati*))	8,169
6.	TI matching OR triag* OR placement*	13,550
7.	TI targeted W1 (servic* OR therap* OR treat*)	17
8.	TI ((predict*) N3 (treat*) N3 (effect* OR outcome*))	93
9.	5-8 (OR)	21,744
Study types: systematic reviews, meta analysis		
10.	DE "Systematic reviews (Medical research)"	2,298
11.	(systematic* N3 review* OR (metaanaly* OR meta-analy*)) OR (((systematic*) n3 (bibliographic* OR literature)) OR ((comprehensive*) N3 (bibliographic* OR literature)) OR (integrative n3 review) OR (information n2 synthes*)) OR ((review*) W1 (random* OR control* OR trial* OR study OR studies OR experiment* OR empiric*))	11,429
12.	10 OR 11	11,429
Limits: language		
13.	Narrow by Language: - english	
14.	Search terms	
Combined sets		
14.	4 AND 9 AND 12	30

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the ^[1] database's searchable fields

ZC = Methodology Index

* = Truncation

" " = Citation Marks; searches for an exact phrase

Medline via OvidSP 15 March 2019

Substance abuse

Search terms	Items found
Population: Substance abuse	
1. substance-related disorders/ or alcohol-related disorders/ or alcoholism/ or binge drinking/ or amphetamine-related disorders/ or cocaine-related disorders/ or inhalant abuse/ or marijuana abuse/ or opioid-related disorders/ or heroin dependence/ or morphine dependence/ or opium dependence/ or phencyclidine abuse/ or substance abuse, intravenous/ or substance abuse, oral/	202537
2. Prescription Drugs/ae [Adverse Effects] AND Substance-Related Disorders/	127
3. (substance* or drug* or morphine or heroin or amphetamine* or opiate* or opium or opoid* or methadone or cocaine or crack or methamphetamine* or hallucinogen* or MDMA or ecstasy or GHB or LSD or mescaline or cannabi* or marijuana or marihuana or hashish or catha or khat or prescription drug* or prescribed drug* or tranquiliz* or benzodiazepines or rohypnol or diazepam or valium).ti. AND (abus* or misus* or addict* or depend* or use* or usage or using).ti.	105138
4. (alcoholism or alcoholic*).ti.	39303
5. 1-4 (OR)	266018
Intervention/Outcome: Client treatment matching/Retainment	
6. "Retention (Psychology)"/ OR Patient Dropouts/ OR Patient Compliance/ OR Compliance/	74183
7. (cessati* or terminat* or "non complian*" or noncomplian* or discontinu* or complet* or retent* or attrit* or dropout* or "drop out" or "attain abstinence").ti.	134966
8. "treatment withdraw* ".ab,ti.	1450
9. (treat* adj1 refus*).ab,ti.	1552
10. (voluntar* adj3 discharge*).ab,ti.	123
11. (prematur* adj1 (cessati* or terminati*)).ab,ti.	4247
12. (leav* adj1 (treat* or therap* or progr*)).ab,ti.	1569
13. 6-12 (OR)	211513
Study types: systematic reviews, meta analysis	
14. (meta analysis or "systematic review") Publication type	
Limits: language	
15. danish or english or norwegian or swedish	
Combined sets	
14. 5 AND 13 AND 14 AND 15	73

The search result, usually found at the end of the documentation, forms the list of abstracts.

.ab. =Abstract

.ab,ti. = Abstract or title

.af.= All fields

Exp= Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

.sh.= Term from the Medline controlled vocabulary

.ti. = Title

/ = Term from the Medline controlled vocabulary, but does not include terms found below this term in the MeSH hierarchy

* = Focus (if found in front of a MeSH-term)

* or \$= Truncation (if found at the end of a free text term)

.mp=text, heading word, subject area node, title