

Bilaga till rapport

Undersökning av kromosomavvikelser i
embryot vid assisterad
befruktnings/Effectiveness,
complications and health economic and
ethical aspects of preimplantation
genetic testing for aneuploidy (PGT-A)
during in vitro fertilisation (IVF) report
393 (2025)

Bilaga 8 Störfaktorer som kan påverka olika typer av komplikationer hos barnet och den gravida kvinnan/ Appendix 8 Confounders that may affect different complications in the child and the pregnant woman

The table describes confounders known to affect perinatal complications, later child complications or placenta related complications in the pregnant woman. If information about these confounders

Confounders with missing information or differences between treatment groups	Not affected complications (outcomes)	Affected complications (outcomes)	Less affected complications (outcomes)
Parity	Monozygotic twins, birth defects, cognitive and motor development.	All other included complications* [1] [2].	
Mothers age	Monozygotic twins.	All other included complications* [3] [4].	
Transfer of frozen or fresh embryos	Birth defects, cesarean section.	Outcomes related to length of gestation and birth weight, pregnancy related hypertension, pre-eclampsia [5].	All other included complications*
Embryo transfer at day 3 or day 5	Neonatal outcomes for the child, cesarean section, most placenta related outcomes [6].	Monozygotic twins, placenta previa.	
Hormonal treatment when transferring frozen embryos		Pregnancy related hypertension.	

* Perinatal complications, later child complications and placenta related complications for the pregnant woman.

References

1. Koullali B, van Zijl MD, Kazemier BM, Oudijk MA, Mol BWJ, Pajkrt E, et al. The association between parity and spontaneous preterm birth: a population based study. *BMC Pregnancy and Childbirth*. 2020;20(1):233. Available from: <https://doi.org/10.1186/s12884-020-02940-w>.
2. Shah PS. Parity and low birth weight and preterm birth: a systematic review and meta-analyses. *Acta Obstet Gynecol Scand*. 2010;89(7):862-75. Available from: <https://doi.org/10.3109/00016349.2010.486827>.
3. Frick AP. Advanced maternal age and adverse pregnancy outcomes. *Best Pract Res Clin Obstet Gynaecol*. 2021;70:92-100. Available from: <https://doi.org/10.1016/j.bpobgyn.2020.07.005>.
4. Lean SC, Derricott H, Jones RL, Heazell AEP. Advanced maternal age and adverse pregnancy outcomes: A systematic review and meta-analysis. *PLoS One*. 2017;12(10):e0186287. Available from: <https://doi.org/10.1371/journal.pone.0186287>.
5. Zaat T, Zagers M, Mol F, Goddijn M, van Wely M, Mastenbroek S. Fresh versus frozen embryo transfers in assisted reproduction. *Cochrane Database Syst Rev*. 2021;2(2):Cd011184. Available from: <https://doi.org/10.1002/14651858.CD011184.pub3>.
6. Siristatidis C, Papapanou M, Karageorgiou V, Martins WP, Bellos I, Teixeira DM, et al. Congenital anomaly and perinatal outcome following blastocyst- vs cleavage-stage embryo transfer: systematic review and network meta-analysis. *Ultrasound in Obstetrics & Gynecology*. 2023;61(1):12-25. Available from: <https://doi.org/10.1002/uog.26019>.