Litteratursökning

PubMed via NLM 2014-03-08 SMBG vid diabetes			
	Search terms	Items found	
Population:			
1.	((diabetes mellitus[MeSH Terms]) OR diabetes[Title/Abstract]) OR diabetes mellitus type 2[Title/Abstract]	495348	
	Intervention:		
2.	(((("self monitoring"[Title/Abstract]) OR SMBG[Title/Abstract]) OR blood glucose self monitoring[MeSH Terms]) OR self monitoring, blood glucose[MeSH Terms]) OR glucose self monitoring, blood[MeSH Terms]	8654	
Limits:			
3.	Filters: Publication date from 2009/01/01		
4.	5. Filters: Observational Study; Randomized Controlled Trial; Systematic Reviews		
Final	1 ANd 2 AND 3	449	

The search result, usually found at the end of the documentation, forms the list of abstracts

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TIAB] = Title or abstract

[TT] = Title

[AU] = Author

[TW] = Text Word

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

"" = Citation Marks; searches for an exact phrase

Cohrar	Cohrane Library via Wiley 2014-03-08		
SMBG	SMBG vid diabetes		
	Search terms	Items found	
Population:			
1.	MeSH descriptor: [Diabetes Mellitus, Type 2] explode all trees	10494	
2.	"diabetes mellitus":ti,ab,kw OR diabetes mellitus type 2:ti,ab,kw OR diabetes mellitus type II:ti,ab,kw	16528	
Intervention:			
3.	MeSH descriptor: [Blood Glucose Self-Monitoring] explode all trees	573	
4.	self monitoring:ti,ab,kw OR "SMBG":ti,ab,kw	2399	



	ne Library via Wiley 2014-03-08 vid diabetes	
Combined sets		
5.	1 OR 2	21825
6.	3 OR 4	2671
Limits:		
7.	Publication Year from 2009, in Cochrane Reviews (Reviews only), Other Reviews, Trials, Technology Assessments and Economic Evaluations (Word variations have been searched)	
Final	5 AND 6 AND 7	820

The search result, usually found at the end of the documentation, forms the list of abstracts

[AU] = Author

[MAJR] = MeSH Major Topic

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

Systematic[SB] = Filter for retrieving systematic reviews

[TT] = Title

[TIAB] = Title or abstract

[TW] = Text Word

* = Truncation

" " = Citation Marks; searches for an exact phrase

CDSR = Cochrane Database of Systematic Review

CENTRAL = Cochrane Central Register of Controlled Trials, "trials"

CRM = Method Studies

DARE = Database Abstracts of Reviews of Effects, "other reviews"

EED = Economic Evaluations

HTA = Health Technology Assessments

Cinahl 2014-03-08 SMBG vid diabetes		
	Search terms	Items found
Population:		
1.	(MM "Diabetes Mellitus, Type 2") OR (AB "diabetes mellitus type 2") OR (AB "non-insulin dependent diabetes")	11223
Intervention:		
2.	(MM "Blood Glucose Self-Monitoring") OR (AB "SMBG") OR (AB "self monitoring of blood glucose") OR (AB "self monitoring")	2256



Limits:		
3.	Limiters - Published Date: 20090101-; Publication Type: Journal Article; Language: Danish, English, Norwegian, Swedish	
Final	1 AND 2 AND 3	237

The search result, usually found at the end of the documentation, forms the list of abstracts

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

"" = Citation Marks; searches for an exact phrase

Embase	Embase via embase.com 2014-03-08		
SMBG	SMBG vid diabetes		
	Search terms	Items found	
Popula	Population:		
1.	'non insulin dependent diabetes mellitus':ab,ti OR 'diabetes mellitus':ab,ti OR diabetes type 2':ab,ti	42092	
2.	'non insulin dependent diabetes mellitus'/exp OR 'diabetes mellitus'/exp OR 'diabetes type 2'/exp	138752	
Intervention:			
3.	'self monitoring'/exp OR 'self monitoring' OR 'self monitoring':ab,ti OR smbg:ab,ti OR 'self monitoring of blood glucose':ab,ti	2287	
Combined sets			
4.	1 AND 2	144747	
Limits:			
5.	[article]/lim AND ([danish]/lim OR [english]/lim OR [norwegian]/lim OR [swedish]/lim) AND [2009-2016]/py		
Final	3 AND 4 AND 5	932	

Referenser/de= Term from the EMTREE controlled vocabulary

/exp= Includes terms found below this term in the EMTREE hierarchy

/mj = Major Topic

:ab = Abstract

:au = Author

:ti = Article Title

:ti:ab = Title or abstract

* = Truncation


' ' = Citation Marks; searches for an exact phrase



Referenser

- 1. SBU. Egna blodglukosmätningar vid typ 2-diabetes utan insulinbehandling. 2009-194
- 2. Hou YY, Li W, Qiu JB, Wang XH. Efficacy of blood glucose self-monitoring on glycemic control in patients with non-insulin-treated type 2 diabetes: A meta-analysis. International Journal of Nursing Sciences 2014;1:191-195.
- 3. Malanda UL, Welschen LM, Riphagen, II, Dekker JM, Nijpels G, Bot SD. Self-monitoring of blood glucose in patients with type 2 diabetes mellitus who are not using insulin. Cochrane Database Syst Rev 2012;1:Cd005060.
- 4. Polonsky WH, Fisher L, Schikman CH, Hinnen DA, Parkin CG, Jelsovsky Z, et al. Structured self-monitoring of blood glucose significantly reduces A1C levels in poorly controlled, noninsulin-treated type 2 diabetes: Results from the structured testing program study. Diabetes Care 2011;34:262-267.
- 5. Polonsky W, Fisher L, Schikman C, Hinnen D, Parkin C, Jelsovsky Z, et al. Structured SMBG significantly reduces A1C levels in poorly controlled, non-insulin treated type 2 diabetes: Results from the step study. 2010;0.
- 6. Fisher L, Polonsky W, Parkin CG, Jelsovsky Z, Amstutz L, Wagner RS. The impact of blood glucose monitoring on depression and distress in insulin-nave patients with type 2 diabetes. Current Medical Research and Opinion 2011;27:39-46.
- 7. Polonsky WH, Fisher L, Schikman CH, Hinnen DA, Parkin CG, Jelsovsky Z, et al. A structured self-monitoring of blood glucose approach in type 2 diabetes encourages more frequent, intensive, and effective physician interventions: results from the STeP study. Diabetes Technol Ther 2011;13:797-802.
- 8. Fisher L, Polonsky WH, Parkin CG, Jelsovsky Z, Petersen B, Wagner RS. The impact of structured blood glucose testing on attitudes toward self-management among poorly controlled, insulin-naive patients with type 2 diabetes. Diabetes Res Clin Pract 2012;96:149-55.
- 9. Garcia de la Torre N, Duran A, Del Valle L, Fuentes M, Barca I, Martin P, et al. Early management of type 2 diabetes based on a SMBG strategy: the way to diabetes regression--the St Carlos study: a 3-year, prospective, randomized, clinic-based, interventional study with parallel groups. Acta Diabetol 2013;50:607-14.
- 10. Duran A, Martin P, Runkle I, Perez N, Abad R, Fernandez M, et al. Benefits of self-monitoring blood glucose in the management of new-onset Type 2 diabetes mellitus: the St Carlos Study, a prospective randomized clinic-based interventional study with parallel groups. J Diabetes 2010;2:203-11.
- 11. Bosi E, Scavini M, Ceriello A, Cucinotta D, Tiengo A, Marino R, et al. Intensive structured self-monitoring of blood glucose and glycemic control in noninsulintreated type 2 diabetes: the PRISMA randomized trial. Diabetes Care 2013;36:2887-94.
- 12. Chidum E, Agbai D, Fidelis O, Teppany S, Martina R, Rian E, et al. Selfmonitoring of blood glucose improved glycaemic control and 10-year coronary heart disease risk profile of type 2 diabetic patients. Chin Med J (Engl) 2011;124:166-71.





- 13. Ismail M, Teng CL, Omar M, Ho BK, Kusiar Z, Hasim R. Usage of glucometer is associated with improved glycaemic control in type 2 diabetes mellitus patients in Malaysian public primary care clinics: an open-label, randomised controlled trial. Singapore Med J 2013;54:391-5.
- 14. Virdi NS, Lefebvre P, Parisé H, Duh MS, Pilon D, Laliberté F, et al. Association of self-monitoring of blood glucose use on glycated hemoglobin and weight in newly diagnosed, insulin-naïve adult patients with type 2 diabetes. Journal of Diabetes Science and Technology 2013;7:1229-1242.
- 15. Cameron C, Coyle D, Ur E, Klarenbach S. Cost-effectiveness of self-monitoring of blood glucose in patients with type 2 diabetes mellitus managed without insulin. Cmaj 2010;182:28-34.
- 16. CADTH. Systematic review of use of blood glucose test strips for the management of diabetes mellitus; 2008.
- 17. Weber C, Kocher S, Neeser K, Bartaskova D. Impact of self-measurement of blood glucose on complications of type 2 diabetes: Economic analysis from a Czech perspectiveEconomic analysis of SMBG impact in the Czech Republic. Current Medical Research and Opinion 2010;26:289-96.
- 18. Martin S, Schneider B, Heinemann L. Self-monitoring of blood glucose in type 2 diabetes and long-term outcome: an epidemiological cohort study. Diabetologia 2006;49:271-8.

