



Bilaga 4 Artiklar som experterna bedömt inte uppfyller specificerad relevans- respektive kvalitetskrav

Artiklar som experterna bedömt inte uppfyller specificerade relevanskriterier

Lista över artiklar i bokstavsordning

Allen, K. D., J. C. Chen, L. F. Callahan, Y. M. Golightly, C. G. Helmick, J. B. Renner, T. A. Schwartz and J. M. Jordan (2012). "Racial differences in knee osteoarthritis pain: potential contribution of occupational and household tasks." *J Rheumatol* 39(2): 337-344.

Anderson, J. J. and D. T. Felson (1988). "Factors associated with osteoarthritis of the knee in the first national Health and Nutrition Examination Survey (HANES I). Evidence for an association with overweight, race, and physical demands of work." *Am J Epidemiol* 128(1): 179-189.

Dahaghin, S., S. M. Bierma-Zeinstra, M. Reijman, H. A. Pols, J. M. Hazes and B. W. Koes (2005). "Does hand osteoarthritis predict future hip or knee osteoarthritis?" *Arthritis Rheum* 52(11): 3520-3527.

Dembe, A. E., X. Yao, T. M. Wickizer, A. B. Shoben and X. S. Dong (2014). "Using O*NET to estimate the association between work exposures and chronic diseases." *Am J Ind Med* 57(9): 1022-1031.

Felson, D. T. (1990). "The epidemiology of knee osteoarthritis: results from the Framingham Osteoarthritis Study." *Semin Arthritis Rheum* 20(3 Suppl 1): 42-50.
Gignac, M. A., D. Sutton and E. M. Badley (2007). "Arthritis symptoms, the work environment, and the future: measuring perceived job strain among employed persons with arthritis." *Arthritis Rheum* 57(5): 738-747.

Goekoop, R. J., M. Kloppenburg, H. M. Kroon, L. E. Dirkse, T. W. Huizinga, R. G. Westendorp and J. Gussekloo (2011). "Determinants of absence of osteoarthritis in old age." *Scand J Rheumatol* 40(1): 68-73.

Holmberg, S., A. Thelin and N. Thelin (2004). "Is there an increased risk of knee osteoarthritis among farmers? A population-based case-control study." *Int Arch Occup Environ Health* 77(5): 345-350.

Holte, H. H., K. Tambs and T. Bjerkedal (2000). "Manual work as predictor for disability pensioning with osteoarthritis among the employed in Norway 1971-1990." *Int J Epidemiol* 29(3): 487-494.

Hunter, D. J., Y. Zhang, M. C. Nevitt, L. Xu, J. Niu, L. Y. Lui, W. Yu, P. Aliabadi and D. T. Felson (2004). "Chopstick arthropathy: the Beijing Osteoarthritis Study." *Arthritis Rheum* 50(5): 1495-1500.

Iosifidis, M. I., A. Tsarouhas and A. Fylaktou (2014). "Lower limb clinical and radiographic osteoarthritis in former elite male athletes." *Knee Surg Sports Traumatol Arthrosc.*

Jacobsen, S., S. Sonne-Holm, K. Soballe, P. Gebuhr and B. Lund (2004). "Factors influencing hip joint space in asymptomatic subjects. A survey of 4151 subjects of the Copenhagen City Heart Study: the Osteoarthritis Substudy." *Osteoarthritis Cartilage* 12(9): 698-703.

Jacobsson, L., F. Lindgarde, R. Manthorpe and K. Ohlsson (1992). "Effect of education, occupation and some lifestyle factors on common rheumatic complaints in a Swedish group aged 50-70 years." *Ann Rheum Dis* 51(7): 835-843.

Jones, D. L., J. A. Cauley, A. M. Kriska, S. R. Wisniewski, J. J. Irrgang, D. A. Heck, C. K. Kwoh and L. S. Crossett (2004). "Physical activity and risk of revision total knee arthroplasty in individuals with knee osteoarthritis: a matched case-control study." *J Rheumatol* 31(7): 1384-1390.

Julkunen, I., J. Kiehela and H. Julkunen (1981). "Etiological, social and therapeutical aspects of osteoarthrosis and soft-tissue rheumatism in a Finnish health centre material." *Scand J Rheumatol* 10(3): 215-221.

Kessler, S., J. Stove, W. Puhl and T. Sturmer (2003). "First carpometacarpal and interphalangeal osteoarthritis of the hand in patients with advanced hip or knee OA. Are there differences in the aetiology?" *Clin Rheumatol* 22(6): 409-413.

Koskela, R. S., M. Klockars and E. Jarvinen (1990). "Mortality and disability among cotton mill workers." *Br J Ind Med* 47(6): 384-391.

Kujala, U. M., J. Kaprio, S. Sarna, A. Author, S. Helsinki Research Institute, M. S. F. H. F. Toolo Sports Hall, A. Correspondence, H. R. I. S. T. S. H. U.M. Kujala and S. F. H. F. Mannerheimintie (1994). "Osteoarthritis of weight bearing joints of low limbs in former elite male athletes." *British Medical Journal* 308(6923): 231-234.

Kujala, U. M., J. Leppavuori, J. Kaprio, J. Kinnunen, L. Peltonen and M. Koskenvuo (1999). "Joint-specific twin and familial aggregation of recalled physician diagnosed osteoarthritis." *Twin Res* 2(3): 196-202.

Lane, N. E., D. A. Bloch, H. H. Jones, U. Simpson and J. F. Fries (1989). "Osteoarthritis in the hand: a comparison of handedness and hand use." *J Rheumatol* 16(5): 637-642.

Manninen, P., H. Riihimaki, M. Heliovaara and O. Suomalainen (2001). "Physical exercise and risk of severe knee osteoarthritis requiring arthroplasty." *Rheumatology (Oxford)* 40(4): 432-437.

Ratzlaff, C. R., M. Koehoorn, J. Cibere and J. A. Kopec (2012). "Is lifelong knee joint force from work, home, and sport related to knee osteoarthritis?" *Int J Rheumatol* 2012: 584193.

Rijs, K. J., S. van der Pas, G. A. Geuskens, R. Cozijnsen, L. L. Koppes, A. J. van der Beek and D. J. Deeg (2014). "Development and validation of a physical and psychosocial job-exposure matrix in older and retired workers." *Ann Occup Hyg* 58(2): 152-170.

Rossignol, M. (2004). "Primary osteoarthritis and occupation in the Quebec national health and social survey." *Occup Environ Med* 61(9): 729-735.

Szoeke, C. E., F. M. Cicuttini, J. R. Guthrie and L. Dennerstein (2008). "The relationship of reports of aches and joint pains to the menopausal transition: a longitudinal study." *Climacteric* 11(1): 55-62.

Teichtahl, A. J., A. E. Wluka, Y. Wang, D. M. Urquhart, F. S. Hanna, P. A. Berry, G. Jones and F. M. Cicuttini (2010). "Occupational activity is associated with knee cartilage morphology in females." *Maturitas* 66(1): 72-76.

Uhl, S. A., T. James-Todd and M. L. Bell (2013). "Association of Osteoarthritis with Perfluorooctanoate and Perfluorooctane Sulfonate in NHANES 2003-2008." *Environ Health Perspect* 121(4): 447-452.

Yıldızgören, M. T., A. E. Baki, M. Kara, T. Ekiz, T. Tiftik, E. Tutkun, H. Yılmaz and L. Özçakar (2014). "Ultrasonographic measurement of the femoral cartilage thickness in patients with occupational lead exposure." *Journal of Exposure Science and Environmental Epidemiology*.

Artiklar som experterna bedömt inte uppfyller specificerade kvalitetskriterier

Lista över artiklar i bokstavsordning

Dawson, J., E. Juszczak, M. Thorogood, S. A. Marks, C. Dodd and R. Fitzpatrick (2003). "An investigation of risk factors for symptomatic osteoarthritis of the knee in women using a life course approach." *J Epidemiol Community Health* 57(10): 823-830.

Derriennic, F., Y. Iwatsubo, C. Monfort and B. Cassou (1993). "Evolution of osteoarticular disorders as a function of past heavy physical work factors: Longitudinal analysis of 627 retired subjects living in the Paris area." *British Journal of Industrial Medicine* 50(9): 851-860.

El Ayoubi, N., M. Chaaya, Z. Mahfoud, R. R. Habib, I. Uthman and Z. N. Slim (2013). "Risk factors for incident symptomatic knee osteoarthritis: a population-based case control study in Lebanon." *Int J Rheum Dis* 16(2): 211-218.

Jacobsen, S., S. Sonne-Holm, K. Soballe, P. Gebuhr and B. Lund (2004). "The distribution and inter-relationships of radiologic features of osteoarthrosis of the hip. A survey of 4151 subjects of the Copenhagen City Heart Study: the Osteoarthrosis Substudy." *Osteoarthritis Cartilage* 12(9): 704-710.

Jensen, L. K. (2005). "Knee-straining work activities, self-reported knee disorders and radiographically determined knee osteoarthritis." *Scand J Work Environ Health* 31 Suppl 2: 68-74.

Kohatsu, N. D. and D. J. Schurman (1990). "Risk factors for the development of osteoarthrosis of the knee." *Clin Orthop Relat Res*(261): 242-246.

Mounach, A., A. Noujjai, I. Ghozlani, M. Ghazi, L. Achemlal, A. Bezza and A. El Maghraoui (2008). "Risk factors for knee osteoarthritis in Morocco. A case control study." *Clin Rheumatol* 27(3): 323-326.

Ratzlaff, C. R., G. Steininger, P. Doerfling, M. Koehoorn, J. Cibere, M. H. Liang, D. R. Wilson, J. M. Esdaile and J. A. Kopec (2011). "Influence of lifetime hip joint force on the risk of self-reported hip osteoarthritis: a community-based cohort study." *Osteoarthritis Cartilage* 19(4): 389-398.

- Riyazi, N., F. R. Rosendaal, E. Slagboom, H. M. Kroon, F. C. Breedveld and M. Kloppenburg (2008). "Risk factors in familial osteoarthritis: the GARP sibling study." *Osteoarthritis Cartilage* 16(6): 654-659.
- Sahlstrom, A. and F. Montgomery (1997). "Risk analysis of occupational factors influencing the development of arthrosis of the knee." *Eur J Epidemiol* 13(6): 675-679.
- Schouten, J. S., F. A. van den Ouweland and H. A. Valkenburg (1992). "A 12 year follow up study in the general population on prognostic factors of cartilage loss in osteoarthritis of the knee." *Ann Rheum Dis* 51(8): 932-937.
- Thelin, A., E. Vingard and S. Holmberg (2004). "Osteoarthritis of the hip joint and farm work." *Am J Ind Med* 45(2): 202-209.
- Toivanen, A. T., M. Heliovaara, O. Impivaara, J. P. Arokoski, P. Knekt, H. Lauren and H. Kroger (2010). "Obesity, physically demanding work and traumatic knee injury are major risk factors for knee osteoarthritis--a population-based study with a follow-up of 22 years." *Rheumatology (Oxford)* 49(2): 308-314.
- Yoshimura, N., H. Kinoshita, N. Hori, T. Nishioka, M. Ryujin, Y. Mantani, M. Miyake, T. Takeshita, M. Ichinose, M. Yoshiida, H. Oka, H. Kawaguchi, K. Nakamura and C. Cooper (2006). "Risk factors for knee osteoarthritis in Japanese men: a case-control study." *Mod Rheumatol* 16(1): 24-29.
- Yoshimura, N., S. Nishioka, H. Kinoshita, N. Hori, T. Nishioka, M. Ryujin, Y. Mantani, M. Miyake, D. Coggon and C. Cooper (2004). "Risk factors for knee osteoarthritis in Japanese women: heavy weight, previous joint injuries, and occupational activities." *J Rheumatol* 31(1): 157-162