

Bilaga 1. Sökstrategier

Multimodal rehabilitering, september 2008

PubMed

"Pain/rehabilitation"[Mesh] OR ("Pain/therapy"[Mesh] OR multidisciplinary[TIAB] OR interdisciplinary[TIAB] OR multimodal[TIAB]) AND "Combined Modality Therapy"[Mesh] NOT ("Neoplasms"[Mesh] OR surgery[TW]) AND (("2003/12"[PDat]:"3000"[PDat]) AND (English[lang]) AND (Randomized Controlled Trial[ptyp]) AND (adult[MeSH:noexp] OR middle age[MeSH] OR (middle age[MeSH] OR aged[MeSH]) OR aged[MeSH] OR aged, 80 and over[MeSH]))

(("Musculoskeletal Diseases"[Mesh] AND "Pain/rehabilitation"[Mesh] AND (("2003/12"[PDat] : "3000"[PDat]) AND (English[lang]) AND (Randomized Controlled Trial[ptyp]) AND (adult[MeSH:noexp] OR middle age[MeSH] OR (middle age[MeSH] OR aged[MeSH] OR aged[MeSH]) OR aged[MeSH] OR aged, 80 and over[MeSH]))) OR (("Musculoskeletal Diseases"[Mesh] AND ("Pain/therapy"[Mesh] OR multidisciplinary[TIAB] OR interdisciplinary[TIAB] OR multimodal[TIAB])) AND (("2003/12"[PDat] : "3000"[PDat]) AND (English[lang]) AND (Randomized Controlled Trial[ptyp]) AND (adult[MeSH:noexp] OR middle age[MeSH] OR (middle age[MeSH] OR aged[MeSH]) OR aged[MeSH] OR aged, 80 and over[MeSH]))) AND ((prospective[TW] OR randomized[TW]) OR cohort[TW] AND (("2003/12"[PDat] : "3000"[PDat]) AND (English[lang]) AND (Randomized Controlled Trial[ptyp]) AND (adult[MeSH:noexp] OR middle age[MeSH] OR (middle age[MeSH] OR aged[MeSH]) OR aged[MeSH] OR aged, 80 and over[MeSH]))) NOT ("Arthritis, Rheumatoid"[Mesh] OR neoplasms[MeSH] OR surgery[TW]) AND (("2003/12"[PDat] : "3000"[PDat]) AND (English[lang]) AND (Randomized Controlled Trial[ptyp]) AND (adult[MeSH:noexp] OR middle age[MeSH] OR (middle age[MeSH] OR aged[MeSH]) OR aged[MeSH] OR aged, 80 and over[MeSH]))

"Back Pain/rehabilitation"[MeSH] AND (pain/therapy[MeSH] OR multidisciplinary[TIAB] OR interdisciplinary[TIAB] OR multimodal[TIAB]) AND (("2003/12"[PDat]: "3000"[PDat]) AND (English[lang]) AND (Randomized Controlled Trial[ptyp]) AND (adult[MeSH:noexp] OR middle age[MeSH] OR (middle age[MeSH] OR aged[MeSH]) OR aged[MeSH] OR aged, 80 and over[MeSH]))

Fibromyalgia/rehabilitation[MeSH] AND (pain/therapy[MeSH] OR multidisciplinary[TIAB] OR interdisciplinary[TIAB] OR multimodal[TIAB]) AND (("2003/12"[PDat]: "3000"[PDat]) AND (English[lang]) AND (Randomized Controlled Trial[ptyp]) AND (adult[MeSH:noexp] OR middle age[MeSH] OR (middle age[MeSH] OR aged[MeSH]) OR aged[MeSH] OR aged, 80 and over[MeSH]))

Psykologiska behandlingsmetoder, maj 2009

PubMed

((("back pain"[MeSH Terms] OR "whiplash injuries"[MeSH Terms] OR "neck pain"[MeSH Terms] OR "shoulder pain"[MeSH Terms] OR neuralgia[MeSH Terms] OR "Pain, intractable"[MeSH Terms] OR "Pain, Referred"[MeSH Terms] OR "whiplash"[title/abstract] OR "neuralgia"[title/abstract]) AND ("chronic"[title/abstract] OR "long term"[title/abstract] OR "long standing"[title/abstract] OR "persistent"[title/abstract])) OR (("Pain"[Mesh:NoExp] OR "pain"[Title/abstract]) AND ("Neck"[MeSH Terms] OR "shoulder"[MeSH Terms] OR "Back"[Mesh:NoExp] OR "neck"[title/abstract] OR "shoulder"[title/abstract] OR "back"[title/abstract] OR "wide spread"[title/abstract] OR "generalized"[title/abstract] OR "referred"[title/abstract] OR "intractable"[title/abstract]) AND ("chronic"[title/abstract] OR "long term"[title/abstract] OR "long standing"[title/abstract] OR "persistent"[title/abstract])) OR Fibromyalgia[MeSH Terms] OR ("pain/therapy"[MeSH Major Topic] AND "chronic disease"[MeSH Terms]) AND ("behavior therapy"[MeSH Terms] OR "behavior therapy"[title/abstract] OR "behaviour therapy"[title/abstract] OR "cognitive behavior therapy"[title/abstract] OR "cognitive behaviour therapy"[title/abstract] OR "relaxation"[title/abstract] OR "biofeedback"[title/abstract] OR "desensitization"[title/abstract] OR "aversive"[title/abstract] OR "hypnosis"[MeSH Terms] OR "hypnosis"[title/abstract] OR "imagery (psychotherapy)"[title/abstract] OR "psychoanalytic therapy"[MeSH Terms] OR "psychoanalytic"[title/abstract] OR "psychoanalysis"[title/abstract] OR "psychotherapy, brief"[MeSH Terms] OR "psychotherapy, multiple"[MeSH Terms] OR "psychotherapy, rational-emotive"[MeSH Terms] OR "psychotherapy"[title/abstract] OR "psychotherapeutic"[title/abstract] OR "patient education as topic"[MeSH Terms] OR "patient education"[title/abstract] OR "psychology"[Subheading] OR "mindfulness"[title/abstract] OR "Mind-body therapies"[MeSH:NoExp]) AND ("randomized controlled trial"[Publication Type] OR "comparative study"[Publication Type] OR randomized[title/abstract] OR random[title/abstract] OR randomly[title/abstract] OR multicenter[title/abstract] OR controlled[title/abstract] OR "controlled clinical trial"[publication type] OR "multicenter study"[publication type] OR (review[publication type] AND "systematic"[title/abstract]) OR "meta analysis"[publication type])
Limit: 1999/01/01, English

CR, CENTRAL, NHS EED, DARE

((("back pain") OR (DE "whiplash") OR (TX "back pain") OR (TX "whiplash") OR (TX "neck pain") OR (TX "shoulder pain") OR (DE "Neuralgia") OR (DE "Trigeminal Neuralgia") OR (TX "neuralgia") OR (TX "intractable pain") OR (TX "referred pain") OR (DE "myofascial pain") OR (KW "whiplash-associated disorders")) AND ((TX "chronic") OR (TX "long term") OR (TX "long standing") OR (TX "persistent"))) OR ((DE "chronic pain") OR (KW "chronic back pain") OR (DE "fibromyalgia") OR (KW "fibromyalgia") OR (KW "fibromyalgic syndrome") OR (KW "chronic pain syndrome fibromyalgia") OR (KW "fibromyalgia patients") OR (KW "chronic musculoskeletal pain") OR (TX "fibromyalgia") OR (KW "chronic low back pain") OR (KW "chronic pain")))) AND ((DE "Behavior Therapy") OR (DE "Aversion Therapy") OR (DE "Conversion Therapy") OR (DE "Exposure Therapy") OR (DE "Impulsive Therapy") OR (DE "Reciprocal Inhibition Therapy") OR (DE "Response Cost") OR (DE "Systematic Desensitization Therapy") OR (DE "Cognitive Therapy") OR (DE "Analytical Psychotherapy") OR (DE "Cognitive Behavior Therapy") OR (TX "behavior therapy"))

OR (TX "behaviour therapy") OR (TX "cognitive behavior therapy") OR (TX "cognitive behaviour therapy") OR (TX "relaxation") OR (TX "biofeedback") OR (TX "desensitization") OR (TX "aversive") OR (TX "hypnosis") OR (TX "imagery") OR (TX "psychoanalytic") OR (TX "psychoanalysis") OR (TX "psychotherapy") OR (TX "psychotherapeutic") OR (TX "patient education") OR (TX "mindfulness")) AND ((DE "Between Groups Design") or (DE "Clinical Trials") or (DE "Longitudinal Studies") OR (DE "Prospective Studies") or (DE "Evidence Based Practice") OR (TX "systematic review") OR (MR "empirical study") OR (MR "literature review") OR (TX "randomized") OR (TI random*) OR (TI control*))

Limit: Journal article

Fysisk aktivitet/träning, avspänning, biofeedback, massage, manipulation och fysikalisk terapi samt ortoser, september 2008

PubMed

Pain Back Pain Flank Pain Neck Pain Neuralgia Pain, Intractable Pelvic Pain Shoulder Pain Headache Whiplash Injuries	AND	Physical Therapy Modalities Exercise Exercise Movement Techniques Motor Activity Physical Education and Training Physical Therapy (Specialty) Behavioral Medicine Cognitive Therapy Self Efficacy
Pain	AND	"body mind"[TW] "body awareness"[TW] "self esteem"[TW]
Pain "spinal pain"[TW] "musculoskeletal pain"[TW]	AND	"functional analysis"[TW] "clinical significance"[TW] "tailored treatment"[TW] "targeted treatment"[TW] "skills training"[TW]
Pain	AND	Cryotherapy

Limits: Publication Date from 2003, Clinical Trial, Meta-Analysis, Randomized Controlled Trial, Review, All Adult: 19+ years

Akupunktur, TENS och triggerpunktsbehandling, september 2008

PubMed

((("Pain"[Mesh] OR "Musculoskeletal Diseases"[Mesh]) AND ("Acupuncture"[Mesh] OR "Acupuncture Therapy"[Mesh])) NOT ("Neoplasms"[Mesh] OR experimental[TW] OR labor[TW] OR trauma[TW] OR stroke[TW]) AND (("2004"[PDat]:"3000"[PDat]) AND (Clinical Trial[ptyp] OR Meta-Analysis[ptyp] OR Randomized Controlled Trial[ptyp] OR Review[ptyp] OR Comparative Study[ptyp])))

((("Pain"[Mesh] OR "Musculoskeletal Diseases"[Mesh]) AND ("Transcutaneous Electric Nerve Stimulation"[Mesh])) NOT ("Neoplasms"[Mesh] OR experimental[TW] OR labor[TW] OR trauma[TW] OR stroke[TW]) AND (("2004"[PDat]:"3000"[PDat]) AND (Clinical Trial[ptyp] OR Meta-Analysis[ptyp] OR Randomized Controlled Trial[ptyp] OR Review[ptyp] OR Comparative Study[ptyp])))

Hälsoekonomi, oktober 2008

PubMed

("Pain"[Mesh] OR "Back Pain"[Mesh] OR "Flank Pain"[Mesh] OR "Neck Pain"[Mesh] OR "Neuralgia"[Mesh] OR "Pain, Intractable"[Mesh] OR "Pelvic Pain"[Mesh] OR "Shoulder Pain"[Mesh] OR "Headache"[Mesh] OR "Whiplash Injuries"[Mesh]) AND ("Physical Therapy Modalities"[Mesh] OR "Exercise"[Mesh] OR "Exercise Movement Techniques"[Mesh] OR "Motor Activity"[Mesh] OR "Physical Education and Training"[Mesh] OR "Physical Therapy (Specialty)"[Mesh] OR "Behavioral Medicine"[Mesh] OR "Cognitive Therapy"[Mesh] OR "Self Efficacy"[Mesh]) AND ("Costs and Cost Analysis"[Mesh] OR costs[TW] OR "cost analysis"[TW]) Limits: Publication Date from 2003, Adult: 19–44 years, Middle Aged + Aged: 45+ years, 80 and over: 80+ years

"Pain"[Mesh] AND ("body mind"[TW] OR "body awareness"[TW] OR "self esteem"[TW]) AND ("Costs and Cost Analysis"[Mesh] OR costs[TW] OR "cost analysis"[TW]) AND (("2003"[PDAT] : "3000"[PDAT]) AND ("adult"[MeSH Terms:noexp] OR ("middle aged"[MeSH Terms] OR "aged"[MeSH Terms]) OR "aged, 80 and over"[MeSH Terms]))

("Pain"[Mesh] OR "spinal pain"[TW] OR "musculoskeletal pain"[TW]) AND ("functional analysis"[TW] OR "clinical significance"[TW] OR "tailored treatment"[TW] OR "targeted treatment"[TW] OR "skills training"[TW]) AND ("Costs and Cost Analysis"[Mesh] OR costs[TW] OR "cost analysis"[TW]) Limits: Publication Date from 2003, Adult: 19–44 years, Middle Aged + Aged: 45+ years, 80 and over: 80+ years

"Pain"[Mesh] AND "Cryotherapy"[Mesh] AND ("Costs and Cost Analysis"[Mesh] OR costs[TW] OR "cost analysis"[TW]) Limits: Publication Date from 2003, Adult: 19–44 years, Middle Aged + Aged: 45+ years, 80 and over: 80+ years

((("Pain"[Mesh] OR "Musculoskeletal Diseases"[Mesh]) AND ("Acupuncture"[Mesh] OR "Acupuncture Therapy"[Mesh])) NOT ("Neoplasms"[Mesh] OR experimental[TW] OR labor[TW] OR trauma[TW] OR stroke[TW]) AND ("Costs and Cost Analysis"[Mesh] OR costs[TW] OR "cost analysis"[TW])) Limits: Publication Date from 2004

((("Pain"[Mesh] OR "Musculoskeletal Diseases"[Mesh]) AND ("Transcutaneous Electric Nerve Stimulation"[Mesh])) NOT ("Neoplasms"[Mesh] OR experimental[TW] OR labor[TW] OR trauma[TW] OR stroke[TW]) AND ("Costs and Cost Analysis"[Mesh] OR costs[TW] OR "cost analysis"[TW])) Limits: Publication Date from 2004

"Pain/rehabilitation"[Mesh] OR ("Pain/therapy"[Mesh] OR multidisciplinary[TIAB] OR interdisciplinary[TIAB] OR multimodal[TIAB]) AND "Combined Modality Therapy"[Mesh] NOT ("Neoplasms"[Mesh] OR surgery[TW]) AND ("Costs and Cost Analysis"[Mesh] OR costs[TW] OR "cost analysis"[TW]) Limits: Publication Date from 2003/12, English, Adult: 19–44 years, Middle Aged: 45–64 years, Middle Aged + Aged: 45+ years, Aged: 65+ years, 80 and over: 80+ years

("Musculoskeletal Diseases"[Mesh] AND "Pain/rehabilitation"[Mesh]) OR ("Musculoskeletal Diseases"[Mesh] AND ("Pain/therapy"[Mesh] OR multidisciplinary[TIAB] OR interdisciplinary[TIAB] OR multimodal[TIAB]) NOT ("Arthritis, Rheumatoid"[Mesh] OR neoplasms[MeSH] OR surgery[TW])) AND ("Costs and Cost Analysis"[Mesh] OR costs[TW] OR "cost analysis"[TW]) Limits: Publication Date from 2003/12, English, Adult: 19–44 years, Middle Aged: 45–64 years, Middle Aged + Aged: 45+ years, Aged: 65+ years, 80 and over: 80+ years

"Back Pain/rehabilitation"[MeSH] AND (pain/therapy[MeSH] OR multidisciplinary[TIAB] OR interdisciplinary[TIAB] OR multimodal[TIAB]) AND ("Costs and Cost Analysis"[Mesh] OR costs[TW] OR "cost analysis"[TW]) Limits: Publication Date from 2003/12, English, Adult: 19–44 years, Middle Aged: 45–64 years, Middle Aged + Aged: 45+ years, Aged: 65+ years, 80 and over: 80+ years

Fibromyalgia/rehabilitation[MeSH] AND (pain/therapy[MeSH] OR multidisciplinary[TIAB] OR interdisciplinary[TIAB] OR multimodal[TIAB]) AND ("Costs and Cost Analysis"[Mesh] OR costs[TW] OR "cost analysis"[TW]) Limits: Publication Date from 2003/12, English, Adult: 19–44 years, Middle Aged: 45–64 years, Middle Aged + Aged: 45+ years, Aged: 65+ years, 80 and over: 80+ years